

↑-----↑
! Image Section Synopsis !
↑-----↑

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	1	00000200	2	0	READ ONLY				
	0	1	00000400	3	0	READ WRITE COPY ON REF				
	0	3	00000600	4	0	READ WRITE COPY ON REF				
	0	1	00000C00	7	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				
LIBRTL	3	111	00000000-R	0	0	READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R	0	0	READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	1	11

Key for special characters above:

```

↑-----↑
| R - Relocatable |
| P - Protected   |
↑-----↑

```

Vi
St
Im
Im
Im
Nu
Nu
Nu
Nu
Nu
Nu
Us
Im
Ma
Es

Pe
--

To
Us
To
Nu
9
A
LI
EL

! Program Section Synopsis .

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
RODATA	SATSSS47	00000200 00000200	0000032B 0000032B	0000012C (0000012C (300.) PAGE 9 300.) PAGE 9	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
RWDATA	SATSSS47	00000400 00000400	000005F6 000005F6	000001F7 (000001F7 (503.) PAGE 9 503.) PAGE 9	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
SATSSS47	SATSSS47	00000600 00000600	00000A90 00000A90	00000491 (00000491 (1169.) PAGE 9 1169.) PAGE 9	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

↑-----↑
! Symbol Cross Reference !
↓-----↓

Symbol	Value	Defined By	Referenced By ...
LIB\$SIGNAL	00000C48-RX	LIBRTL	SATSSS47
SATSSS47	00000600-R	SATSSS47	
SS\$ NORMAL	00000001	SYS	SATSSS47
SYS\$EXIT	7FFEDF40	SYS	SATSSS47
SYS\$FAO	7FFEDF50	SYS	SATSSS47
SYS\$GETJPI	7FFEE0D8	SYS	SATSSS47
SYS\$HIBER	7FFEDF88	SYS	SATSSS47
SYS\$K_VERSION	48513258	SYS	
SYS\$P0TMSG	7FFEE0E0	SYS	SATSSS47
SYS\$SETPRN	7FFEE010	SYS\$P1_VECTOR	SATSSS47
SYS\$SETPRV	7FFEE100	SYS	SATSSS47
SYS\$WAKE	7FFEE080	SYS\$P1_VECTOR	SATSSS47

EXE
Mod
SAT
SU
SY
SY
SY
SY
LIB

! Symbols By Value !

Value	Symbols...
-----	-----
00000001	SS\$ NORMAL
00000600	R-SATSSS47
00000C48	RX-LIB\$SIGNAL
48513258	SYSSK VERSION
7FFEDF40	SYSEXIT
7FFEDF50	SY\$FAO
7FFEDF88	SY\$HIBER
7FFEE010	SY\$SETPRN
7FFEE080	SY\$WAKE
7FFEE0DB	SY\$GETJPI
7FFEE0E0	SY\$PUTMSG
7FFEE100	SY\$SETPRV

Key for special characters above:

- * - Undefined
 U - Universal
 R - Relocatable
 X - External

! Image Synopsis !

Virtual memory allocated: 00000200 00000DFF 00000C00 (3072. bytes, 6. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (6. blocks)
Image name and identification: SATSSS47 V04-000
Number of files: 6.
Number of modules: 4.
Number of program sections: 8.
Number of global symbols: 255.
Number of cross references: 22.
Number of image sections: 7.
User transfer address: 00000600
Number of code references to shareable images: 1.
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[UETPSY.LIS]SATSSS47.MAP;1
Estimated map length: 55. blocks

! Link Run Statistics !

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	80	00:00:00.17	00:00:00.31
Pass 1:	131	00:00:01.11	00:00:03.38
Allocation/Relocation:	21	00:00:00.08	00:00:00.35
Pass 2:	36	00:00:00.31	00:00:00.95
Map data after object module synopsis:	12	00:00:00.13	00:00:00.13
Symbol table output:	1	00:00:00.02	00:00:00.11
Total run values:	281	00:00:01.82	00:00:05.23

Using a working set limited to 1050 pages and 51 pages of data storage (excluding image)

Total number object records read (both passes): 224
of which 45 were in libraries and 2 were DEBUG data records containing 101 bytes

Number of modules extracted explicitly = 1
with 1 extracted to resolve undefined symbols

3 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:SATSSS47/NOTRACE/MAP=MAP\$:SATSSS47/FULL/CROSS LIB\$:UETPSY.OLB/INCLUDE=(SATSSS47),EXSM:SYS.STB/SELECTIVE

