```
UUU         UUU  EEEEEEEEEEEEEEE  TTTTTTTTTTTTTTT  PPPPPPPPPPPP       SSSSSSSSSSS  YYY         YYY
UUU         UUU  EEEEEEEEEEEEEEE  TTTTTTTTTTTTTTT  PPPPPPPPPPPP       SSSSSSSSSSS  YYY         YYY
UUU         UUU  EEEEEEEEEEEEEEE  TTTTTTTTTTTTTTT  PPPPPPPPPPPP       SSSSSSSSSSS  YYY         YYY
UUU         UUU  EEE                    TTT        PPP         PPP  SSS              YYY         YYY
UUU         UUU  EEE                    TTT        PPP         PPP  SSS              YYY         YYY
UUU         UUU  EEE                    TTT        PPP         PPP  SSS              YYY         YYY
UUU         UUU  EEE                    TTT        PPP         PPP  SSS                 YYY   YYY
UUU         UUU  EEE                    TTT        PPP         PPP  SSS                 YYY   YYY
UUU         UUU  EEE                    TTT        PPP         PPP  SSS                 YYY   YYY
UUU         UUU  EEEEEEEEEEE            TTT        PPPPPPPPPPPP      SSSSSSSSS             YYY
UUU         UUU  EEEEEEEEEEE            TTT        PPPPPPPPPPPP      SSSSSSSSS             YYY
UUU         UUU  EEEEEEEEEEE            TTT        PPPPPPPPPPPP      SSSSSSSSS             YYY
UUU         UUU  EEE                    TTT        PPP                        SSS           YYY
UUU         UUU  EEE                    TTT        PPP                        SSS           YYY
UUU         UUU  EEE                    TTT        PPP                        SSS           YYY
UUU         UUU  EEE                    TTT        PPP                        SSS           YYY
UUU         UUU  EEE                    TTT        PPP                        SSS           YYY
UUU         UUU  EEE                    TTT        PPP                        SSS           YYY
UUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE      TTT        PPP                 SSSSSSSSSSS          YYY
UUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE      TTT        PPP                 SSSSSSSSSSS          YYY
UUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE      TTT        PPP                 SSSSSSSSSSS          YYY
UUUUUUUUUUUUUUUU  EEEEEEEEEEEEEEE      TTT        PPP                 SSSSSSSSSSS          YYY
```

FILEID**SATSSF02

```
  SSSSSSSS    AAAAAA    TTTTTTTTTT   SSSSSSSS   SSSSSSSS  FFFFFFFFFF    000000      222222
  SSSSSSSS    AAAAAA    TTTTTTTTTT   SSSSSSSS   SSSSSSSS  FFFFFFFFFF    000000      222222
SS           AA      AA     TT     SS         SS         FF           00      00  22      22
SS           AA      AA     TT     SS         SS         FF           00      00  22      22
SS           AA      AA     TT     SS         SS         FF           00    0000          22
SS           AA      AA     TT     SS         SS         FF           00    0000          22
  SSSSSS     AA      AA     TT       SSSSSS     SSSSSS   FFFFFFFF     00  00  00        22
  SSSSSS     AA      AA     TT       SSSSSS     SSSSSS   FFFFFFFF     00  00  00        22
        SS   AAAAAAAAAA     TT             SS         SS  FF           0000    00      22
        SS   AAAAAAAAAA     TT             SS         SS  FF           0000    00      22
        SS   AA      AA     TT             SS         SS  FF           00      00    22
        SS   AA      AA     TT             SS         SS  FF           00      00    22          ....
SSSSSSSS     AA      AA     TT     SSSSSSSS   SSSSSSSS   FF             000000    2222222222    ....
SSSSSSSS     AA      AA     TT     SSSSSSSS   SSSSSSSS   FF             000000    2222222222    ....
```

```
LL             IIIIII      SSSSSSSS
LL             IIIIII      SSSSSSSS
LL               II      SS
LL               II      SS
LL               II      SS
LL               II      SS
LL               II        SSSSSS
LL               II        SSSSSS
LL               II              SS
LL               II              SS
LL               II              SS
LL               II              SS
LLLLLLLLLL     IIIIII    SSSSSSSS
LLLLLLLLLL     IIIIII    SSSSSSSS
```

Table of contents

(1) 52 DECLARATIONS
(1) 202 SATSSF02
(1) 287 SFSEF10
(1) 289 SFSEF11
(1) 291 SFSEF12
(1) 293 SFSEF13
(1) 297 SFCEF10
(1) 299 SFCEF11
(1) 301 SFCEF12
(1) 303 SFCEF13
(1) 307 SFREF10
(1) 309 SFREF11
(1) 311 SFREF12
(1) 313 SFREF13
(1) 315 SFREF20
(1) 316 SFREF21
(1) 317 SFREF22
(1) 320 SFWFR10
(1) 322 SFWFR11
(1) 324 SFWFR12
(1) 326 SFWFR13
(1) 330 SFWFO10
(1) 332 SFWFO11
(1) 334 SFWFO12
(1) 336 SFWFO13
(1) 340 SFWFA10
(1) 342 SFWFA11
(1) 344 SFWFA12
(1) 346 SFWFA13
(1) 427 EXECUTE & CLEANUP
(1) 436 TC_CONTROL
(1) 517 SUBROUTINES

```
0000     1          .TITLE  SATSSF02 - SATS SYSTEM SERVICE TESTS  (FAILING S.C.)
0000     2          .IDENT  'V04-000'
0000     3
0000     4  ;
0000     5  ;*****************************************************************************
0000     6  ;*                                                                           *
0000     7  ;*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                                  *
0000     8  ;*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.                   *
0000     9  ;*  ALL RIGHTS RESERVED.                                                     *
0000    10  ;*                                                                           *
0000    11  ;*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED     *
0000    12  ;*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE    *
0000    13  ;*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER     *
0000    14  ;*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY     *
0000    15  ;*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY     *
0000    16  ;*  TRANSFERRED.                                                             *
0000    17  ;*                                                                           *
0000    18  ;*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE     *
0000    19  ;*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT    *
0000    20  ;*  CORPORATION.                                                             *
0000    21  ;*                                                                           *
0000    22  ;*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS     *
0000    23  ;*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.                  *
0000    24  ;*                                                                           *
0000    25  ;*                                                                           *
0000    26  ;*****************************************************************************
0000    27  ;
0000    28
0000    29  ;++
0000    30  ; FACILITY:     SATS SYSTEM SERVICE TESTS
0000    31  ;
0000    32  ; ABSTRACT:     THE SATSSF02 MODULE TESTS THE EXECUTION OF CERTAIN
0000    33  ; VMS SYSTEM SERVICES, INVOKED IN SUCH A WAY AS TO EXPECT FAILING
0000    34  ; STATUS CODES. THE SYSTEM SERVICES TESTED AND THE STATUS CODES
0000    35  ; EXPECTED ARE SUMMARIZED AS ARGUMENTS TO THE TESTSERV MACROS
0000    36  ; WHICH APPEAR NEAR THE END OF THIS LISTING. SUCCESSFUL STATUS
0000    37  ; CODES ARE TESTED IN OTHER MODULES.
0000    38  ;
0000    39  ;
0000    40  ; ENVIRONMENT:  USER MODE IMAGE; NEEDS CMKRNL PRIVILEGE,
0000    41  ;                DYNAMICALLY ACQUIRES OTHER PRIVILEGES, AS NEEDED.
0000    42  ;
0000    43  ; AUTHOR: THOMAS L. CAFARELLA,          CREATION DATE: MMM, 1978
0000    44  ;         PAUL D. FAY (DISPSERV & TESTSERV MACROS)
0000    45  ;
0000    46  ; MODIFIED BY:
0000    47  ;
0000    48  ;          : VERSION
0000    49  ; 01     -
0000    50  ;--
```

```
                                                I 1
                     0000     52          .SBTTL  DECLARATIONS
                     0000     53 ;
                     0000     54 ; INCLUDE FILES:
                     0000     55 ;
                     0000     56          $PRVDEF                                 ; SYMBOL DEFS FOR PRIVILEGES
                     0000     57          $UETPDEF                                ; UETP MSG CODE DEFINITIONS
                     0000     58          $SHR_MESSAGES UETP,116,<<TEXT,INFO>>
                     0000     59                                                  ; DEFINE UETP$_TEXT
                     0000     60                                                  ; GET RID OF MACRO DEFINITIONS
                     0000     61 ;
                     0000     62 ; MACROS:
                     0000     63 ;
                     0000     64 ;
                     0000     65 ; EQUATED SYMBOLS:
                     0000     66 ;
00000000             0000     67 WARNING          = 0                             ; WARNING SEVERITY VALUE FOR MSGS
00000001             0000     68 SUCCESS          = 1                             ; SUCCESS SEVERITY VALUE FOR MSGS
00000002             0000     69 ERROR            = 2                             ; ERROR SEVERITY VALUE FOR MSGS
00000003             0000     70 INFO             = 3                             ; INFORMATIONAL SEV VALUE FOR MSGS
00000004             0000     71 SEVERE           = 4                             ; SEVERE (FATAL) SEV VALUE FOR MSGS
00000000             0000     72 TCG_NO           =  0                            ; INITIALIZE TEST CASE GROUP NUMBER
00000000             0000     73 GRP_TOTAL        =  0                            ; INITIALIZE TEST CASE GROUP TOTAL
00007FFF             0000     74 R0_THRU_SP       = ^M<R0,R1,R2,R3,R4,R5,R6,R7,R8,R9,R10,R11,AP,FP,SP>
00000001             0000     75 STATE_REF20      = 1                             ; STATE ARGUMENT FOR READEF (LOC 1)
                     0000     76 ;
                     0000     77 ; ****** THE FOLLOWING ASSIGNMENTS (IN PHD, PCB, STS) ARE BEING MADE
                     0000     78 ; ****** WITHOUT REFERENCE TO $PHDDEF, $PCBDEF, $STSDEF BECAUSE OF
                     0000     79 ; ****** SYMBOL TABLE OVERFLOW. FIX THIS WHEN MORE TABLE SPACE AVAILABLE.
                     0000     80 ;
00000000             0000     81 PHD$Q_PRIVMSK    = 0                             ; PRIV MASK OFFSET INTO PHD
00000020             0000     82 PCB$L_UIC        = ^X20                          ; UIC OFFSET INTO PCB
0000001C             0000     83 STS$V_INHIB_MSG  = ^X1C                          ; INHIBIT_MSG BIT NUMBER IN MSG CODE
                     0000     84 ;
                     0000     85 ; OWN STORAGE:
                     0000     86 ;
```

```
                                                J 1
                    00000000     88          .PSECT  RODATA,RD,NOWRT,NOEXE,LONG
                    BFFC 0000    89 REG_COMP_MASK:  .WORD   ^M<R2,R3,R4,R5,R6,R7,R8,R9,R10,R11,AP,FP> ! ^X8000 -
                         0002    90                                              ; REG COMPARE MASK (HIGH-ORDER ...
                         0002    91                                              ; ... BIT MUST BE ON
                         0002    92 ERR_MSG_FAOCTL: STRING  I,<!/!AC!1ZB!1ZB: REGISTER !2UW CONTENTS ALTERED>, -
                         0002    93                         <;  BEFORE SERVICE CALL: !8XL   AFTER SERVICE CALL: !8XL>
                         006E    94 TEST_MOD_NAME:  STRING  C,<SATSSF02>     ; TEST MODULE NAME
                         0077    95 TEST_MOD_BEG:   STRING  C,<begun>        ; DISPOSITION FIELD OF TEST MOD MSG
                         007D    96 TEST_MOD_SUCC:  STRING  C,<successful>   ; DISPOSITION FIELD OF TEST MOD MSG
                         0088    97 TEST_MOD_FAIL:  STRING  C,<failed>       ; DISPOSITION FIELD OF TEST MOD MSG
                         008F    98 TEST_MOD_NAME_D: STRING I,<SATSSF02>     ; TEST MODULE NAME DESCRIPTOR
                         009F    99 TTNAME:         STRING  I,<TT>           ; TERMINAL LOGICAL NAME
00000000'00000000'       00A9   100 INADR:          .LONG   NOACCESS,NOACCESS ; PAGE ADDRESS OF NOACCESS PSECT
          00000000'      00B1   101 PROT:           .LONG   PRT$C_NA         ; PROTECTION CODE FOR NOACCESS PSECT
FFFFFFFF FFFFFFFF        00B5   102 ONES:           .LONG   -1,-1            ; A QUADWORD OF 1-BITS
          00000016       00BD   103 EFN_SEF:        .LONG   22               ; EFN ARGUMENT FOR SETEF
          00000016       00C1   104 EFN_CEF:        .LONG   22               ; EFN ARGUMENT FOR CLREF
          00000000       00C5   105 EFN_REF:        .LONG   0                ; EFN ARGUMENT FOR READEF
          000000CD       00C9   106 STATE_REF21:    .BLKL   1                ; STATE ARGUMENT FOR READEF
          00000005       00CD   107 EFN_WFR:        .LONG   5                ; EFN ARGUMENT FOR WAITFR
          00000014       00D1   108 EFN_WFO:        .LONG   20               ; EFN ARGUMENT FOR WFLOR
          00000001       00D5   109 MASK_WFO:       .LONG   ^X1              ; MASK ARGUMENT FOR WFLOR
          00000002       00D9   110 EFN_WFA:        .LONG   2                ; EFN ARGUMENT FOR WFLAND
          FFFFFFFF       00DD   111 MASK_WFA:       .LONG   ^XFFFFFFFF       ; MASK ARGUMENT FOR WFLAND
```

```
                    113                 .PSECT  RWDATA,RD,WRT,NOEXE
00000004  0000      114 TPID:           .BLKL   1               ; PROCESS ID FOR THIS PROCESS
00000008  0004      115 CURRENT_TC:     .BLKL   1               ; PTR TO CURRENT TEST CASE
00000044  0008      116 REG_SAVE_AREA:  .BLKL   15              ; SAVE AREA FOR ALL REGS (SANS PC)
007480D9  0044      117 MOD_MSG_CODE:   .LONG   UETP$_SATSMS    ; TEST MODULE MSG CODE FOR PUTMSG
0000004C  0048      118 CLOB_REG_NO:    .BLKL   1               ; CLOBBERED REG NO (FOR FAO ERR MSG)
00000050  004C      119 REG_BEFORE_SS:  .BLKL   1               ; REG CONTENTS BEFORE S.S.
          0050      120                                         ;   ... (FOR FAO ERROR MSG)
00000054  0050      121 REG_AFTER_SS:   .BLKL   1               ; REG CONTENTS AFTER S.S.
          0054      122                                         ;   ... (FOR FAO ERROR MSG)
          0054      123 $$TSTN$$:       STRING  C,<  SF   >     ; ASCII PORTION OF TEST CASE NAME
0000006E' 005C      124 TMN_ADDR:       .ADDRESS TEST_MOD_NAME  ; ADDR OF TEST MOD NAME FOR FAO
00000077' 0060      125 TMD_ADDR:       .ADDRESS TEST_MOD_BEG   ; ADDR OF T.M. DISP FIELD FOR FAO
00000068  0064      126 TS_EP:          .BLKL   1               ; ENTRY PNT FOR CURR TESTSERV MACRO
00000070  0068      127 RETADR:         .BLKL   2               ; RETURN LONGWORDS FOR SETPRT
00000071  0070      128 PRVPRT:         .BLKB   1               ; PROT RETURN BYTE FOR SETPRT
00000079  0071      129 PRIVMASK:       .BLKQ   1               ; ADDR OF PRIVILEGE MASK (IN PHD)
0000007D  0079      130 CHM_CONT:       .BLKL   1               ; CHANGE MODE CONTINUE ADDRESS
00000091  007D      131 REGS:           .BLKL   5               ; AREA FOR COND INDEX REGS (R2-R6)
00000095  0091      132 EFN_SEF10:      .BLKL   1               ; EFN ARGUMENT FOR SETEF
00000099  C095      133 EFN_SEF11:      .BLKL   1               ; EFN ARGUMENT FOR SETEF
0000009D  0099      134 EFN_SEF12:      .BLKL   1               ; EFN ARGUMENT FOR SETEF
000000A1  009D      135 EFN_SEF13:      .BLKL   1               ; EFN ARGUMENT FOR SETEF
000000A5  00A1      136 EFN_CEF10:      .BLKL   1               ; EFN ARGUMENT FOR CLREF
000000A9  00A5      137 EFN_CEF11:      .BLKL   1               ; EFN ARGUMENT FOR CLREF
000000AD  00A9      138 EFN_CEF12:      .BLKL   1               ; EFN ARGUMENT FOR CLREF
000000B1  00AD      139 EFN_CEF13:      .BLKL   1               ; EFN ARGUMENT FOR CLREF
000000B5  00B1      140 EFN_REF10:      .BLKL   1               ; EFN ARGUMENT FOR READEF
000000B9  00B5      141 EFN_REF11:      .BLKL   1               ; EFN ARGUMENT FOR READEF
000000BD  00B9      142 EFN_REF12:      .BLKL   1               ; EFN ARGUMENT FOR READEF
000000C1  00BD      143 EFN_REF13:      .BLKL   1               ; EFN ARGUMENT FOR READEF
000000C5  00C1      144 STATE_REF:      .BLKL   1               ; STATE ARGUMENT FOR READEF
000000C9  00C5      145 EFN_WFR10:      .BLKL   1               ; EFN ARGUMENT FOR WAITFR
000000CD  00C9      146 EFN_WFR11:      .BLKL   1               ; EFN ARGUMENT FOR WAITFR
000000D1  00CD      147 EFN_WFR12:      .BLKL   1               ; EFN ARGUMENT FOR WAITFR
000000D5  00D1      148 EFN_WFR13:      .BLKL   1               ; EFN ARGUMENT FOR WAITFR
000000D9  00D5      149 EFN_WFO10:      .BLKL   1               ; EFN ARGUMENT FOR WFLOR
000000DD  00D9      150 EFN_WFO11:      .BLKL   1               ; EFN ARGUMENT FOR WFLOR
000000E1  00DD      151 EFN_WFO12:      .BLKL   1               ; EFN ARGUMENT FOR WFLOR
000000E5  00E1      152 EFN_WFO13:      .BLKL   1               ; EFN ARGUMENT FOR WFLOR
000000E9  00E5      153 EFN_WFA10:      .BLKL   1               ; EFN ARGUMENT FOR WFLAND
000000ED  00E9      154 EFN_WFA11:      .BLKL   1               ; EFN ARGUMENT FOR WFLAND
000000F1  00ED      155 EFN_WFA12:      .BLKL   1               ; EFN ARGUMENT FOR WFLAND
000000F5  00F1      156 EFN_WFA13:      .BLKL   1               ; EFN ARGUMENT FOR WFLAND
```

```
                                    L 1
00000000   158                  .PSECT  SATS_ACCVIO_1,RD,WRT,NOEXE,PAGE
00000200 0000   159 EMPTY:              .BLKB   512     ; RESERVE A PAGE OF SPACE
         0200   160 ;
         0200   161 ; +
         0200   162 ; ************************************************************************
         0200   163 ; *                                                                      *
         0200   164 ; *     THE ORDER OF STATEMENTS IN THIS PSECT IS CRITICAL.                *
         0200   165 ; *     DO NOT RE-ARRANGE THE VARIABLES. CONSULT SATS                     *
         0200   166 ; *     FUNCTIONAL SPECIFICATION FOR A DESCRIPTION OF THE USE            *
         0200   167 ; *     OF THE EMPTY PSECT (AND ITS COMPANION PSECT, NOACCESS).           *
         0200   168 ; *                                                                      *
         0200   169 ; ************************************************************************
         0200   170 ; -
         0200   171 ;
000001FF 0200   172 STATE_REF22      = . - 1            ; STATE ARG FOR READEF (LAST BYTE IN THE PAGE)
000001F3 0200   173                  . = . - 13         ; ALLOW ROOM FOR STRING DESCRIPTOR
         01F3   174 ; TYPE AAAAA_SSSX5 GO HERE:
00000006 01F3   175                  .LONG   6          ; STRING LENGTH (WILL CROSS PSECT BOUNDARY)
000001FB' 01F7  176                  .ADDRESS .+4       ; STRING ADDRESS
         01FB   177 ; TYPE AAAAA_SSSX3 GO HERE:
000001FC 01FB   178                  .BLKB   1          ; LOW-ORDER BYTE OF STRING LENGTH
         01FC   179 ; TYPE AAAAA_SSSX2 GO HERE:
00000200 01FC   180                  .BLKL   1          ; STRING LENGTH
         0200   181 ;
         0200   182 ;
         0200   183 ;
         0200   184 ;
00000000   185                  .PSECT  SATS_ACCVIO_2,RD,WRT,NOEXE,PAGE
00000200 0000   186 NOACCESS:        .BLKB   512     ; RESERVE A PAGE OF SPACE
00000000 0200   187                  . = . - 512     ; RETURN LOC CTR TO BEGINNING OF PSECT
00000000' 0000  188                  .ADDRESS EMPTY  ; ADDRESS OF ACCESSIBLE STRING
00000000' 0004  189                  .ADDRESS EMPTY/^X100 ; ADDRESS OF ACCESSIBLE STRING
         0008   190 ;+
         0008   191 ; *** NOTE -- DO NOT CHANGE LOCATION OR SEQUENCE OF ABOVE STATEMENTS!
         0008   192 ; ***         THIS PSECT (NOACCESS) MUST APPEAR IN MEMORY IMMEDIATELY
         0008   193 ; ***         FOLLOWING THE EMPTY PSECT. PSECT NAMES AND OPTIONS WILL BE
         0008   194 ; ***         CHOSEN TO FORCE THE DESIRED PSECT ORDERING.
         0008   195 ;-
         0008   196 ;
         0008   197 ;
         0008   198 ;
         0008   199 ;
00000000   200          .PSECT  SATSSF02,RD,WRT,EXE,LONG
```

```
                                M 1
0000    202          .SBTTL  SATSSF02
0000    203 ;++
0000    204 ; FUNCTIONAL DESCRIPTION:
0000    205 ;
0000    206 ;               AFTER PERFORMING SOME INITIAL HOUSEKEEPING, SUCH AS
0000    207 ; PRINTING THE MODULE BEGIN MESSAGE AND ACQUIRING ALL PRIVILEGES,
0000    208 ; THE SATSSF02 ROUTINE EXECUTES THE TEST_SERV_EXEC MACRO TO RUN
0000    209 ; ALL TEST CASES. WHEN THE MACRO COMPLETES ITS EXECUTION, SATSSF02
0000    210 ; PRINTS A TEST MODULE SUCCESS OR FAIL MESSAGE AND EXITS TO THE
0000    211 ; OPERATING SYSTEM. TEST_SERV_EXEC CALLS THE TC_CONTROL/TESTSERV
0000    212 ; CO-ROUTINE PAIR ONCE PER TEST CASE GROUP TO EXECUTE ALL TEST
0000    213 ; CASES IN THAT GROUP. EACH TEST CASE GROUP IS DEFINED BY BOUNDING
0000    214 ; ITS TEST CASES WITH A TC_GROUP MACRO BEFORE THE FIRST TEST CASE
0000    215 ; AND A TCEND MACRO AFTER THE LAST ONE. THE TEST CASES THEMSELVES
0000    216 ; ARE DEFINED WITHIN THESE BOUNDS BY PRECEDING EACH WITH A
0000    217 ; NEXT_TEST_CASE MACRO. TC_CONTROL/TESTSERV EXECUTES THE CODE
0000    218 ; FOLLOWING EACH NEXT_TEST_CASE MACRO IMMEDIATELY BEFORE ISSUING
0000    219 ; THE SYSTEM SERVICE AS REQUESTED IN THE TESTSERV MACRO. TC_CONTROL/
0000    220 ; TESTSERV ALSO CHECKS THE RESULTS OF THE SERVICE WITH RESPECT
0000    221 ; TO ITS EXPECTED STATUS CODE AND PRINTS ANY REQUIRED FAILURE
0000    222 ; MESSAGES FOR THE TEST CASE. THE CODE APPEARING AFTER EACH
0000    223 ; NEXT_TEST_CASE MACRO IS MERELY TO SET UP CONDITIONS REQUIRED
0000    224 ; FOR THE SYSTEM SERVICE AND TO CLEAN UP ANY RESOURCES ACQUIRED
0000    225 ; BY THE PREVIOUS TEST CASE.
0000    226 ;
0000    227 ; CALLING SEQUENCE:
0000    228 ;
0000    229 ;       $ RUN SATSSF02  ...  (DCL COMMAND)
0000    230 ;
0000    231 ; INPUT PARAMETERS:
0000    232 ;
0000    233 ;       NONE
0000    234 ;
0000    235 ; IMPLICIT INPUTS:
0000    236 ;
0000    237 ;       NONE
0000    238 ;
0000    239 ; OUTPUT PARAMETERS:
0000    240 ;
0000    241 ;       NONE
0000    242 ;
0000    243 ; IMPLICIT OUTPUTS:
0000    244 ;
0000    245 ;       MESSAGES TO SYS$OUTPUT ARE THE ONLY OUTPUT FROM SATSSF02.
0000    246 ;       THEY ARE OF THE FORM:
0000    247 ;
0000    248 ;               %UETP-S-SATSMS, TEST MODULE SATSSF02 BEGUN ... (BEGIN MSG)
0000    249 ;               %UETP-S-SATSMS, TEST MODULE SATSSF02 SUCCESSFUL ... (END MSG)
0000    250 ;               %UETP-E-SATSMS, TEST MODULE SATSSF02 FAILED ... (END MSG)
0000    251 ;               %UETP-I-TEXT, ... (VARIABLE INFORMATION ABOUT A TEST MODULE FAILURE)
0000    252 ;
0000    253 ; COMPLETION CODES:
0000    254 ;
0000    255 ;       THE SATSSF02 ROUTINE TERMINATES WITH A $EXIT TO THE
0000    256 ;       OPERATING SYSTEM WITH A STATUS CODE DEFINED BY UETP$_SATSMS.
0000    257 ;
0000    258 ; SIDE EFFECTS:
```

```
                          0000   259 ;
                          0000   260 ;       NONE
                          0000   261 ;
                          0000   262 ;--
                          0000   263
                          0000   264
                          0000   265
                          0000   266 SATSSF02:
                    0FFC  0000   267         .WORD   ^M<R2,R3,R4,R5,R6,R7,R8,R9,R10,R11>
                          0002   268                                         ; ENTRY MASK
                          0002   269         $WAKE_S  TPID                   ; GET PID OF THIS PROCESS
                          0011   270         $HIBER_S                        ; UNDO WAKE
                          0018   271         $SETPRN_S TEST_MOD_NAME_D       ; SET PROCESS NAME
                  0DD2    30    0025   272         BSBW    MOD_MSG_PRINT     ; PRINT TEST MODULE BEGIN MSG
 00000060'EF   0000007D'EF    DE    0028   273         MOVAL   TEST_MOD_SUCC,TMD_ADDR  ; ASSUME END MSG WILL SHOW SUCCESS
00000044'EF   03   00   01    F0    0033   274         INSV    #SUCCESS,#0,#3,MOD_MSG_CODE ; ADJUST STATUS CODE FOR SUCCESS
                          003C   275         MODE    TO,10$,KRNL,NOREGS      ; KERNEL MODE TO ACCESS PHD
          59   00000000'9F    D0    0059   276         MOVL    @#CTL$GL_PHD,R9 ; GET PROCESS HEADER ADDRESS
          00000071'EF   69    DE    0060   277         MOVAL   PHD$Q_PRIVMSK(R9),PRIVMASK ; GET PRIV MASK ADDRESS
                          0067   278         MODE    FROM,TO$                ; GET BACK TO USER MODE
                          0068   279         PRIV    ADD,ALL                 ; GET ALL PRIVILEGES
                          0088   280         DISPSERV                        ; SET UP DISPLAY INFO FOR TESTSERV
                          021D   281         $SETPRT_S INADR=INADR, RETADR=RETADR, -
                          021D   282                   PROT=PROT, PRVPRT=PRVPRT
                          023E   283                                         ; SET NOACCESS PSECT ...
                          023E   284                                         ; ... FOR NO USER ACCESS
                    0A42  31    023E   285         BRW     EXECUTE           ; GO EXECUTE ALL TEST CASES
                          0241   286         TC_GROUP        SEF,1,TS1
                          0268   287         NEXT_TEST_CASE  SFSEF10
```

```
                                                B 2
00000091'EF   FF 8F   98  0268   288          CVTBL   #-1,EFN_SEF10   ; ILLEGAL EVENT FLAG NUMBER
                          0270   289          NEXT_TEST_CASE  SFSEF11
```

```
                                                C 2
00000095'EF   80 8F   9A  027C   290          MOVZBL  #128,EFN_SEF11  ; ILLEGAL EVENT FLAG NUMBER
                      0284   291          NEXT_TEST_CASE  SFSEF12
```

```
                                                D 2
00000099'EF   01F4 8F   3C  0290   292          MOVZWL  #500,EFN_SEF12  ; ILLEGAL EVENT FLAG NUMBER
                        0299   293          NEXT_TEST_CASE  SFSEF13
```

```
0000009D'EF   7F 8F   9A  02A5   294          MOVZBL  #127,EFN_SEF13  ; E.F. IN AN UNASSG'D COMM CLUSTER
                      02AD   295          TCEND
```

```
02AE   296          TC_GROUP        CEF,1,TS2
02D5   297          NEXT_TEST_CASE  SFCEF10
```

```
000000A1'EF   FF 8F   98  02D5   298          CVTBL   #-1,EFN_CEF10   ; ILLEGAL EVENT FLAG NUMBER
                      02DD   299          NEXT_TEST_CASE  SFCEF11
```

```
000000A5'EF   80 8F   9A  02E9   300          MOVZBL  #128,EFN_CEF11  ; ILLEGAL EVENT FLAG NUMBER
                      02F1   301          NEXT_TEST_CASE  SFCEF12
```

```
                                                I 2
000000A9'EF   01F4 8F   3C  02FD   302          MOVZWL  #500,EFN_CEF12  ; ILLEGAL EVENT FLAG NUMBER
                        0306   303              NEXT_TEST_CASE  SFCEF13
```

```
000000AD'EF   7F 8F   9A  0312   304         MOVZBL  #127,EFN_CEF13  ; E.F. IN AN UNASSG'D COMM CLUSTER
                      031A   305         TCEND
```

```
031B   306          TC_GROUP         REF,1,TS3
0342   307          NEXT_TEST_CASE   SFREF10
```

```
                                                L 2
000000B1'EF   FF 8F   98  0342   308          CVTBL   #-1,EFN_REF10   ; ILLEGAL EVENT FLAG NUMBER
                          034A   309          NEXT_TEST_CASE  SFREF11
```

```
                                M 2
000000B5'EF   80 8F   9A  0356   310          MOVZBL  #128,EFN_REF11  ; ILLEGAL EVENT FLAG NUMBER
                          035E   311          NEXT_TEST_CASE  SFREF12
```

```
000000B9'EF   01F4 8F   3C  036A   312          MOVZWL  #500,EFN_REF12  ; ILLEGAL EVENT FLAG NUMBER
                        0373   313          NEXT_TEST_CASE  SFREF13
```

```
000000BD'EF   7F 8F   9A  037F   314          MOVZBL  #127,EFN_REF13  ; E.F. IN AN UNASSG'D COMM CLUSTER
                      0387   315          NEXT_TEST_CASE  SFREF20
```

```
0393   316          NEXT_TEST_CASE  SFREF21
```

```
                                D 3
     039F    317        NEXT_TEST_CASE  SFREF22
```

```
03AB   318          TCEND
```

```
03AC   319          TC_GROUP        WFR,1,TS4
03D3   320          NEXT_TEST_CASE  SFWFR10
```

```
                                                G 3
000000C5'EF   FF 8F   98  03D3   321          CVTBL   #-1,EFN_WFR10   ; ILLEGAL EVENT FLAG NUMBER
                          03DB   322          NEXT_TEST_CASE  SFWFR11
```

```
                                                H 3
000000C9'EF   80 8F   9A  03E7   323          MOVZBL  #128,EFN_WFR11  ; ILLEGAL EVENT FLAG NUMBER
                      03EF   324          NEXT_TEST_CASE  SFWFR12
```

```
                                                I 3
000000CD'EF   01F4 8F   3C  03FB   325          MOVZWL  #500,EFN_WFR12  ; ILLEGAL EVENT FLAG NUMBER
                        0404   326          NEXT_TEST_CASE  SFWFR13
```

```
                                                J 3
000000D1'EF   7F 8F   9A  0410   327          MOVZBL  #127,EFN_WFR13  ; E.F. IN AN UNASSG'D COMM CLUSTER
                      0418   328          TCEND
```

```
0419   329          TC_GROUP        WF0,1,TS5
0440   330          NEXT_TEST_CASE  SFWF010
```

```
                                                L 3
000000D5'EF   FF 8F   98 0440   331          CVTBL   #-1,EFN_WF010   ; ILLEGAL EVENT FLAG NUMBER
                      0448   332          NEXT_TEST_CASE  SFWF011
```

```
                                                M 3
000000D9'EF   80 8F   9A  0454   333          MOVZBL  #128,EFN_WF011  ; ILLEGAL EVENT FLAG NUMBER
                      045C   334          NEXT_TEST_CASE  SFWF012
```

```
000000DD'EF   01F4 8F   3C  0468   335          MOVZWL  #500,EFN_WF012  ; ILLEGAL EVENT FLAG NUMBER
                        0471   336          NEXT_TEST_CASE  SFWF013
```

```
                                    B 4
000000E1'EF   7F 8F   9A  047D   337        MOVZBL  #127,EFN_WF013  ; E.F. IN AN UNASSG'D COMM CLUSTER
                      0485   338        TCEND
```

```
0486   339          TC_GROUP        WFA,1,TS6
04AD   340          NEXT_TEST_CASE  SFWFA10
```

```
000000E5'EF   FF 8F   98  04AD   341          CVTBL   #-1,EFN_WFA10   ; ILLEGAL EVENT FLAG NUMBER
                      04B5   342          NEXT_TEST_CASE  SFWFA11
```

```
                                E 4
000000E9'EF   80 8F   9A  04C1   343          MOVZBL  #128,EFN_WFA11  ; ILLEGAL EVENT FLAG NUMBER
                      04C9   344          NEXT_TEST_CASE  SFWFA12
```

```
000000ED'EF   01F4 8F   3C  04D5   345          MOVZWL  #500,EFN_WFA12  ; ILLEGAL EVENT FLAG NUMBER
                        04DE   346          NEXT_TEST_CASE  SFWFA13
```

```
000000F1'EF   7F 8F   9A  04EA   347          MOVZBL  #127,EFN_WFA13  ; E.F. IN AN UNASSG'D COMM CLUSTER
                      04F2   348          TCEND
```

```
04F3   349 TS1:
04F3   350          TESTSERV        SETEF,ERR,SATS,                             -
04F3   351                                                                      -
04F3   352             <1,EFN_SEF,                                              -
04F3   353                          EFN_SEF10,ILLEFC,       -  ; SFSEF10
04F3   354                          EFN_SEF11,ILLEFC,       -  ; SFSEF11
04F3   355                          EFN_SEF12,ILLEFC,       -  ; SFSEF12
04F3   356                          EFN_SEF13,UNASEFC,      -  ; SFSEF13
04F3   357                                                    >,                -
04F3   358
05CD   359          TS_CLEANUP                  ; CLEAN UP & RETURN TO TEST_SERV_EXEC
```

```
                                I 4
05ED    360 TS2:
05ED    361             TESTSERV        CLREF,ERR,SATS,                         -
05ED    362                                                                     -
05ED    363                 <1,EFN_CEF,                                         -
05ED    364                             EFN_CEF10,ILLEFC,       -  ; SFCEF10
05ED    365                             EFN_CEF11,ILLEFC,       -  ; SFCEF11
05ED    366                             EFN_CEF12,ILLEFC,       -  ; SFCEF12
05ED    367                             EFN_CEF13,UNASEFC,      -  ; SFCEF13
05ED    368                                                       >,            -
05ED    369
06C7    370             TS_CLEANUP              ; CLEAN UP & RETURN TO TEST_SERV_EXEC
```

```
06E7   371 TS3:
06E7   372          TESTSERV        READEF,ERR,SATS,                                -
06E7   373                                                                          -
06E7   374             <1,EFN_REF,                                          -
06E7   375                         EFN_REF10,ILLEFC,       -  ; SFREF10
06E7   376                         EFN_REF11,ILLEFC,       -  ; SFREF11
06E7   377                         EFN_REF12,ILLEFC,       -  ; SFREF12
06E7   378                         EFN_REF13,UNASEFC,      -  ; SFREF13
06E7   379                                                   >,                    -
06E7   380                                                                         -
06E7   381             <1,STATE_REF,                                             -
06E7   382                         STATE_REF20,ACCVIO,     -  ; SFREF20
06E7   383                         STATE_REF21,ACCVIO,     -  ; SFREF21
06E7   384                         STATE_REF22,ACCVIO,     -  ; SFREF22
06E7   385                                                   >,                    -
06E7   386
0863   387          TS_CLEANUP                 ; CLEAN UP & RETURN TO TEST_SERV_EXEC
```

```
0883   388 TS4:
0883   389         TESTSERV        WAITFR,ERR,SATS,                                -
0883   390                                                                         -
0883   391            <1,EFN_WFR,                                                  -
0883   392                         EFN_WFR10,ILLEFC,       -  ; SFWFR10
0883   393                         EFN_WFR11,ILLEFC,       -  ; SFWFR11
0883   394                         EFN_WFR12,ILLEFC,       -  ; SFWFR12
0883   395                         EFN_WFR13,UNASEFC,      -  ; SFWFR13
0883   396                                                   >,                    -
0883   397
095E   398         TS_CLEANUP                  ; CLEAN UP & RETURN TO TEST_SERV_EXEC
```

```
                                L 4
097E    399 TS5:
097E    400             TESTSERV        WFLOR,ERR,SATS,                                 -
097E    401                                                                                     -
097E    402                <1,EFN_WFO,                                                  -
097E    403                                EFN_WF010,ILLEFC,       -  ; SFWF010
097E    404                                EFN_WF011,ILLEFC,       -  ; SFWF011
097E    405                                EFN_WF012,ILLEFC,       -  ; SFWF012
097E    406                                EFN_WF013,UNASEFC,      -  ; SFWF013
097E    407                                                          >,                     -
097E    408                                                                                 -
097E    409                <1,MASK_WFO,                                                 -
097E    410                                                          >,                     -
097E    411
0AE0    412             TS_CLEANUP              ; CLEAN UP & RETURN TO TEST_SERV_EXEC
```

```
0B00    413 TS6:
0B00    414             TESTSERV        WFLAND,ERR,SATS,                                -
0B00    415                                                                             -
0B00    416                 <1,EFN_WFA,                                     -
0B00    417                             EFN_WFA10,ILLEFC,       -  ; SFWFA10
0B00    418                             EFN_WFA11,ILLEFC,       -  ; SFWFA11
0B00    419                             EFN_WFA12,ILLEFC,       -  ; SFWFA12
0B00    420                             EFN_WFA13,UNASEFC,      -  ; SFWFA13
0B00    421                                                   >,                        -
0B00    422                                                                             -
0B00    423                 <1,MASK_WFA,                                        -
0B00    424                                                   >,                        -
0B00    425
0C63    426             TS_CLEANUP              ; CLEAN UP & RETURN TO TEST_SERV_EXEC
```

```
                                0C83   427          .SBTTL  EXECUTE & CLEANUP
                                0C83   428 EXECUTE:
                                0C83   429          TEST_SERV_EXEC                  ; EXECUTE ALL T. CASES IN ALL GROUPS
                                0CBF   430 CLEANUP:
                          0138  30     0CBF   431          BSBW    MOD_MSG_PRINT           ; PRINT TEST MODULE END MSG
00000044'EF   01   1C     01    F0     0CC2   432          INSV    #1,#STS$V_INHIB_MSG,#1,MOD_MSG_CODE
                                0CCB   433                                             ; INHIBIT PRINTING
                                0CCB   434          $EXIT_S MOD_MSG_CODE            ; EXIT TO OP SYS WITH MSG CODE
```

```
                        .SBTTL  TC_CONTROL
                ;++
                ; FUNCTIONAL DESCRIPTION:
                ;
                ;               THE TC_CONTROL SUBROUTINE IS CALLED BY THE TEST_SERV_EXEC
                ; MACRO TO EXECUTE A GROUP OF TEST CASES. A GROUP IS DEFINED BY A TC_GROUP
                ; MACRO. FOR EACH TC_GROUP MACRO, THERE IS A CORRESPONDING TESTSERV MACRO.
                ; TESTSERV CONTAINS CODE TO EXECUTE SYSTEM SERVICES AND CHECK THE RETURNED
                ; STATUS CODE VALUES. TESTSERV ARGUMENTS ARE CODED TO SPECIFY ALL THE SYSTEM
                ; SERVICE ARGUMENT VALUES AND THE EXPECTED STATUS CODE FOR EACH TEST CASE
                ; DEFINED BY A NEXT_TEST_CASE MACRO WITHIN THE GROUP. TC_CONTROL USES A
                ; CO-ROUTINE INTERFACE TO ENTER THE CODE OF THE APPROPRIATE TESTSERV MACRO
                ; IN VARIOUS PLACES. THE FIRST ENTRY OCCURS ONCE PER GROUP TO ALLOW TESTSERV
                ; TO DO SOME INITIALIZATION. THEN TWO ENTRIES ARE MADE FOR EACH TEST CASE IN
                ; THE GROUP. THE FIRST ALLOWS TESTSERV TO ISSUE THE SUBJECT SYSTEM SERVICE.
                ; THE SECOND ENTRY FOR THE TEST CASE CAUSES TESTSERV TO CHECK THE RETURNED
                ; STATUS CODE, PRINTING A FAILURE MESSAGE IF IT IS NOT THE EXPECTED CODE.
                ; IF THERE ARE NO MORE TEST CASES IN THE CURRENT GROUP, TESTSERV (NOT TC_CONTROL)
                ; RETURNS DIRECTLY TO TEST_SERV_EXEC (RSB ACTUALLY ISSUED IN TS_CLEANUP MACRO)
                ; FROM THIS SECOND ENTRY; OTHERWISE, CONTROL RETURNS TO TC_CONTROL WHICH
                ; IN TURN ENTERS TESTSERV AGAIN FOR THE NEXT TEST CASE. THE FAILURE OF A
                ; TEST CASE DOES NOT CAUSE TERMINATION OF THE TEST MODULE.
                ;
                ; CALLING SEQUENCE:
                ;
                ;       BSBW TC_CONTROL (ISSUED WITHIN THE TEST_SERV_EXEC MACRO)
                ;                       (RSB IS ISSUED WITHIN THE TS_CLEANUP MACRO)
                ;
                ; INPUT PARAMETERS:
                ;
                ;       NONE
                ;
                ; IMPLICIT INPUTS:
                ;
                ;       ARGUMENTS SPECIFIED ON EACH TESTSERV MACRO MAY BE VIEWED AS
                ;       INPUTS, SINCE TC_CONTROL AND TESTSERV ACT AS CO-ROUTINES.
                ;
                ; OUTPUT PARAMETERS:
                ;
                ;       SEVERITY CODE FIELD OF MOD_MSG_CODE (BITS 0,1,2) IS SET TO ERROR
                ;       IF ANY TEST CASE IN THE CURRENT GROUP FAILS; OTHERWISE IT REMAINS
                ;       SET TO SUCCESSFUL.
                ;
                ; IMPLICIT OUTPUTS:
                ;
                ;       %UETP-I-TEXT,   ERROR MESSAGES ARE WRITTEN TO SYS$OUTPUT BY
                ;                       THE TESTSERV MACRO (CO-ROUTINE WITH TC_CONTROL)
                ;
                ; COMPLETION CODES:
                ;
                ;       NONE
                ;
                ; SIDE EFFECTS:
                ;
                ;       NONE
                ;
                ;--
```

```
                                0CD8   493
                                0CD8   494
                                0CD8   495
                                0CD8   496 TC_CONTROL:
          00000064'EF    DD     0CD8   497          PUSHL   TS_EP                      ; PUSH TESTSERV ENTRY POINT
                       9E   16  0CDE   498          JSB     @(SP)+                    ; ENTER TESTSERV INITIALIZATION
                                0CE0   499 10$:                                      ; PROCESS NEXT TEST CASE
          00000056'EF    20     90  0CE0   500          MOVB    #^A/ /,$$TSTN$$+2         ; MAKE SURE T.C. NAME HAS A BLANK
                         002F   30  0CE7   501          BSBW    REG_SAVE                  ; SAVE REGISTERS
                00000004'FF     16  0CEA   502          JSB     @CURRENT_TC               ; JUMP TO CURRENT TEST CASE
                         0037   30  0CF0   503          BSBW    REG_REST                  ; RESTORE REGS FOR TESTSERV
                       9E   16  0CF3   504          JSB     @(SP)+                    ; LET TESTSERV ISSUE SYSTEM SERVICE
                         0042   30  0CF5   505          BSBW    REG_COMP                  ; COMPARE REGS TO SEE IF ...
                                0CF8   506                                            ; ... SYSTEM SERVICE CHANGED ANY
                       9E   16  0CF8   507          JSB     @(SP)+                    ; LET TESTSERV CHEK S.S. STATUS CODE
          00000056'EF    2A     91  0CFA   508          CMPB    #^A/*/,$$TSTN$$+2         ; HAS TESTSERV INDICATED FAILURE ?
                       DD   12  0D01   509          BNEQU   10$                       ; NO -- PROCESS NEXT TEST CASE
 00000060'EF    00000088'EF     DE  0D03   510          MOVAL   TEST_MOD_FAIL,TMD_ADDR    ; YES -- INDICATE FAILED IN END MSG
00000044'EF    03    00     02     F0  0D0E   511          INSV    #ERROR,#0,#3,MOD_MSG_CODE ; ADJUST STATUS CODE FOR ERROR
                       C7   11  0D17   512          BRB     10$                       ; LOOP BAK TO PROCESS NEXT TEST CASE
                                0D19   513 ;
                                0D19   514 ;   TC_CONTROL RETURNS TO TEST_SERV_EXEC VIA TESTSERV (IN TS_CLEANUP MACRO)
                                0D19   515 ;
```

```
                                0D19   517          .SBTTL  SUBROUTINES
                                0D19   518 REG_SAVE:
                                0D19   519 ;
                                0D19   520 ;  ************************************************************************
                                0D19   521 ;  *                                                                      *
                                0D19   522 ;  *  SAVES R0 THRU SP IN REG_SAVE_AREA                                    *
                                0D19   523 ;  *                                                                      *
                                0D19   524 ;  ************************************************************************
                                0D19   525 ;
                7FFF 8F   BB    0D19   526          PUSHR   #R0_THRU_SP                 ; SAVE ALL REGS ON STACK
    00000008'EF   6E   3C   28  0D1D   527          MOVC3   #60,(SP),REG_SAVE_AREA      ; SAVE REGS (BEFORE S.S.)
                7FFF 8F   BA    0D25   528          POPR    #R0_THRU_SP                 ; CLEAN UP STACK
                          05    0D29   529          RSB                                 ; .... AND RETURN
                                0D2A   530 ;
                                0D2A   531 ;
                                0D2A   532 ;
                                0D2A   533 ;
                                0D2A   534 REG_REST:
                                0D2A   535 ;
                                0D2A   536 ;
                                0D2A   537 ;  ************************************************************************
                                0D2A   538 ;  *                                                                      *
                                0D2A   539 ;  *  RESTORES R0 THRU SP FROM REG_SAVE_AREA                               *
                                0D2A   540 ;  *                                                                      *
                                0D2A   541 ;  ************************************************************************
                                0D2A   542 ;
                5E   3C   C2    0D2A   543          SUBL2   #60,SP                      ; MOVE SP TO MAKE ROOM FOR REGS
    6E    00000008'EF   3C   28  0D2D   544          MOVC3   #60,REG_SAVE_AREA,(SP)      ; MOVE REGS ONTO STACK FOR POP
                7FFF 8F   BA    0D35   545          POPR    #R0_THR0_SP                 ; RESTORE ALL REGS FOR TESTSERV
                          05    0D39   546          RSB                                 ; ... AND RETURN
```

```
                                0D3A   548 REG_COMP:
                                0D3A   549 ;
                                0D3A   550 ;  ***************************************************************************
                                0D3A   551 ;  *                                                                         *
                                0D3A   552 ;  *  1) PUSHES ALL REGS ONTO STACK                                           *
                                0D3A   553 ;  *  2) COMPARES REGISTER IMAGES FROM STACK WITH CORRESPONDING                *
                                0D3A   554 ;  *       IMAGES FROM REG_SAVE_AREA FOR ALL REGISTERS SPECIFIED             *
                                0D3A   555 ;  *       IN REG_COMP_MASK.                                                 *
                                0D3A   556 ;  *  3) FOR EACH UNEQUAL COMPARE, AN ERROR MESSAGE IS PRINTED                *
                                0D3A   557 ;  *       (USING $FAO AND $OUTPUT SYSTEM SERVICES).                         *
                                0D3A   558 ;  *  4) POPS ALL REGS OFF OF STACK                                           *
                                0D3A   559 ;  *                                                                         *
                                0D3A   560 ;  ***************************************************************************
                                0D3A   561 ;
          7FFF 8F    BB         0D3A   562         PUSHR   #^O_THRU_SP                ; SAVE ALL REGISTERS ON STACK
     56 00000008'EF  DE         0D3E   563         MOVAL   REG_SAVE_AREA,R6           ; POINT R6 TO BEG OF ...
                                0D45   564                                            ; ... REGS (BEFORE S.S.)
            54  5E   D0         0D45   565         MOVL    SP,R4                      ; POINT R4 TO BEG OF
                                0D48   566                                            ; ... REGS (AFTER S.S.)
           53  FF 8F   98      0D48   567         CVTBL   #-1,R3                     ; INITIALIZE REG_COMP_MASK INDEX
                               0D4C   568 REG_COMP_NEXT:
                53  D6         0D4C   569         INCL    R3                         ; POINT TO NEXT BIT IN MASK
            53  0F  91         0D4E   570         CMPB    #15,R3                     ; END OF THE MASK ?
                03  1A         0D51   571         BGTRU   REG_COMP_CONT              ; NO -- CONTINUE
              009F  31         0D53   572         BRW     REG_COMP_RSB               ; YES -- GO TO COMMON RETURN
                               0D56   573 REG_COMP_CONT:
            84  86  D1         0D56   574         CMPL    (R6)+,(R4)+                ; REG BEFORE = REG AFTER ?
                F1  13         0D59   575         BEQLU   REG_COMP_NEXT              ; YES -- LOOK FOR NEXT REG
  E9 00000000'EF  53  E1       0D5B   576         BBC     R3,REG_COMP_MASK,REG_COMP_NEXT
                               0D63   577                                            ; NO -- GET NEXT IF BIT NOT SET
     00000048'EF  53  D0       0D63   578         MOVL    R3,CLOB_REG_NO             ; NO -- GIVE REG NUMBER TO FAO
  0000004C'EF  FC  A6  D0      0D6A   579         MOVL    -4(R6),REG_BEFORE_SS       ; GIVE "BEFORE" CONTENTS TO FAO
  00000050'EF  FC  A4  D0      0D72   580         MOVL    -4(R4),REG_AFTER_SS        ; GIVE "AFTER" CONTENTS TO FAO
     00000056'EF  2A  90       0D7A   581         MOVB    #^A/*/,$$TSTN$$+2          ; GIVE FAILURE INDIC'N IN ERROR MSG
                               0D81   582 ;
                               0D81   583         $FAO_S  ERR_MSG_FAOCTL,OUTL,OUTD,$$SNAD$$,  -
                               0D81   584                 $$ASEQ$$,$$PSEQ$$,CLOB_REG_NO,REG_BEFORE_SS,REG_AFTER_SS
                               0DB4   585 ;
     F359 CF   F323 CF   B0    0DB4   586         MOVW    OUTL,OUTD                  ; ACTUAL OUTPUT LEN IN STRING DESC'R
                               0DBB   587         PUTMSG  <#UETP$_TEXT,#1,#OUTD>     ; PRINT THE MSG
     F33D CF   0084 8F   B0    0DD0   588         MOVW    #OUTE-OUTB,OUTD            ; GET MAX LEN BACK INTO DESCRIPTOR
      00000056'EF   20  90     0DD7   589         MOVB    #^A/ /,$$TSTN$$+2          ; REMOVE FAIL INDIC'N FOR NEXT MSG
00000060'EF  00000088'EF  DE    0DDE   590         MOVAL   TEST_MOD_FAIL,TMD_ADDR     ; INDICATE FAILED IN END MSG
00000044'EF  03  00  02   F0    0DE9   591         INSV    #ERROR,#0,#3,MOD_MSG_CODE  ; ADJUST STATUS CODE FOR ERROR
                FF57  31        0DF2   592         BRW     REG_COMP_NEXT              ; GO LOOK FOR NEXT REG TO COMPARE
                               0DF5   593 REG_COMP_RSB:
                7FFF 8F   BA    0DF5   594         POPR    #^O_THRU_SP                ; CLEAN UP STACK
                          05    0DF9   595         RSB                                ; RETURN TO CALLER
```

```
                     0DFA   597 MOD_MSG_PRINT:
                     0DFA   598 ;
                     0DFA   599 ;  ************************************************************************
                     0DFA   600 ;  *                                                                      *
                     0DFA   601 ;  *  PRINTS THE TEST MODULE BEGUN/SUCCESSFUL/FAILED MESSAGES              *
                     0DFA   602 ;  *       (USING THE PUTMSG MACRO).                                      *
                     0DFA   603 ;  *                                                                      *
                     0DFA   604 ;  ************************************************************************
                     0DFA   605 ;
                     0DFA   606          PUTMSG  <MOD_MSG_CODE,#2,TMN_ADDR,TMD_ADDR> ; PRINT MSG
                  05 0E15   607          RSB                                         ; ... AND RETURN TO CALLER
                     0E16   608 ;
                     0E16   609 CHMRTN:
                     0E16   610 ;  ****************************************************************
                     0E16   611 ;  *
                     0E16   612 ;  *     CHANGE MODE ROUTINE. THIS ROUTINE GETS CONTROL WHENEVER
                     0E16   613 ;  *     A CMKRNL, CMEXEC, OR CMSUP SYSTEM SERVICE IS ISSUED
                     0E16   614 ;  *     BY THE MODE MACRO ('TO' OPTION).  IT MERELY DOES
                     0E16   615 ;  *     A JUMP INDIRECT ON A FIELD SET UP BY MODE. IT HAS
                     0E16   616 ;  *     THE EFFECT OF RETURNING TO THE END OF THE MODE
                     0E16   617 ;  *     MACRO EXPANSION.
                     0E16   618 ;  *
                     0E16   619 ;  ****************************************************************
                     0E16   620 ;
                0000 0E16   621          .WORD   0                                   ; ENTRY MASK
00000079'FF       17 0E18   622          JMP     @CHM_CONT                           ; RETURN TO MODE MACRO IN NEW MODE
                     0E1E   623 ;
                     0E1E   624 ;  *     RET INSTR WILL BE ISSUED IN EXPANSION OF 'MODE FROM, ....' MACRO
                     0E1E   625 ;
                     0E1E   626          .END    SATSSF02
```

```
$$$CHARS                = 00000048
$$$FIRSTTC$$$           = 00000000
$$$STRINGS              = 00000000
$$ACT$$                   000000F3 R      06
$$ARG$$                   000000FB R      06
$$ASEQ$$                  000000EB R      06
$$CALL$$                  000000DF R      06
$$DISP$$                  000001E6 R      06
$$ERR$$                   000001A0 R      06
$$EXP$$                   000000F7 R      06
$$INIT$$                  000000E3 R      06
$$MAXP$$                = 00000005
$$PSEQ$$                  000000EF R      06
$$SNAD$$                  000000E7 R      06
$$T1                    = 00000004
$$T2                    = 00000009
$$TSTN$$                  00000054 R      03
CHMRTN                    00000E16 R      06
CHM_CONT                  00000079 R      03
CLEANUP                   00000CBF R      06
CLOB_REG_NO               00000048 R      03
CTL$GL_PHD                ******** X      06
CURRENT_TC                00000004 R      03
EFN_CEF                   000000C1 R      02
EFN_CEF10                 000000A1 R      03
EFN_CEF11                 000000A5 R      03
EFN_CEF12                 000000A9 R      03
EFN_CEF13                 000000AD R      03
EFN_REF                   000000C5 R      02
EFN_REF10                 000000B1 R      03
EFN_REF11                 000000B5 R      03
EFN_REF12                 000000B9 R      03
EFN_REF13                 000000BD R      03
EFN_SEF                   000000BD R      02
EFN_SEF10                 00000091 R      03
EFN_SEF11                 00000095 R      03
EFN_SEF12                 00000099 R      03
EFN_SEF13                 0000009D R      03
EFN_WFA                   000000D9 R      02
EFN_WFA10                 000000E5 R      03
EFN_WFA11                 000000E9 R      03
EFN_WFA12                 000000ED R      03
EFN_WFA13                 000000F1 R      03
EFN_WFO                   000000D1 R      02
EFN_WFO10                 000000D5 R      03
EFN_WFO11                 000000D9 R      03
EFN_WFO12                 000000DD R      03
EFN_WFO13                 000000E1 R      03
EFN_WFR                   000000CD R      02
EFN_WFR10                 000000C5 R      03
EFN_WFR11                 000000C9 R      03
EFN_WFR12                 000000CD R      03
EFN_WFR13                 000000D1 R      03
EMPTY                     00000000 R      04
ERROR                   = 00000002
ERR_MSG_FAOCTL            00000002 R      02
EXECUTE                   00000C83 R      06
GRP_TOTAL               = 00000006
INADR                     000000A9 R      02
INFO                    = 00000003
LIB$SIGNAL                ******** X      06
MASK_WFA                  000000DD R      02
MASK_WFO                  000000D5 R      02
MEXIT                   = 00000000
MOD_MSG_CODE              00000044 R      03
MOD_MSG_PRINT             00000DFA R      06
NARGS                   = 0000000E
NOACCESS                  00000000 R      05
NSSARGS                 = 00000002
ONES                      000000B5 R      02
OUTB                      0000011C R      06
OUTD                      00000114 R      06
OUTE                      000001A0 R      06
OUTL                      000000DB R      06
PCB$L_UIC               = 00000020
PHD$Q_PRIVMSK           = 00000000
PRIVMASK                  00000071 R      03
PRIV_ARGS               = 00000002
PROT                      000000B1 R      02
PRT$C_NA                  ******** X      02
PRVPRT                    00000070 R      03
RO_THRU_SP              = 00007FFF
REGS                      0000007D R      03
REG_AFTER_SS              00000050 R      03
REG_BEFORE_SS             0000004C R      03
REG_COMP                  00000D3A R      06
REG_COMP_CONT             00000D56 R      06
REG_COMP_MASK             00000000 R      02
REG_COMP_NEXT             00000D4C R      06
REG_COMP_RSB              00000DF5 R      06
REG_REST                  00000D2A R      06
REG_SAVE                  00000D19 R      06
REG_SAVE_AREA             00000008 R      03
RETADR                    00000068 R      03
SATSSF02                  00000000 R      06
SEVERE                  = 00000004
SHR$K_SHRDEF            = 00000001
SHR$_TEXT               = 00001130
SS$_ACCVIO                ********   X    06
SS$_ILLEFC                ********   X    06
SS$_UNASEFC               ********   X    06
STATE_REF                 000000C1 R      03
STATE_REF20             = 00000001
STATE_REF21               000000C9 R      02
STATE_REF22             = 000001FF R      04
STS$V_INHIB_MSG         = 0000001C
SUCCESS                 = 00000001
SYS$CLREF                 ********  GX    06
SYS$CMKRNL                ********  GX    06
SYS$EXIT                  ********  GX    06
SYS$FAO                   ********   X    06
SYS$FAOL                  ********  GX    06
SYS$HIBER                 ********  GX    06
SYS$READEF                ********  GX    06
```

```
SYS$SETEF                       ********  GX    06
SYS$SETPRN                      ********  GX    06
SYS$SETPRT                      ********  GX    06
SYS$SETPRV                      ********  GX    06
SYS$WAITFR                      ********  GX    06
SYS$WAKE                        ********  GX    06
SYS$WFLAND                      ********  GX    06
SYS$WFLOR                       ********  GX    06
TC1                             00000241  R     06
TC2                             000002AE  R     06
TC3                             000003iB  R     06
TC4                             000003AC  R     06
TC5                             00000419  R     06
TC6                             00000486  R     06
TCG_NO                        = 00000006
TC_CONTROL                      00000CD8  R     06
TEST_MOD_BEG                    00000077  R     02
TEST_MOD_FAIL                   00000088  R     02
TEST_MOD_NAME                   0000006E  R     02
TEST_MOD_NAME_D                 0000008F  R     02
TEST_MOD_SUCC                   0000007D  R     02
TMD_ADDR                        00000060  R     03
TMN_ADDR                        0000005C  R     03
TPID                            00000000  R     03
TS1                             000004F3  R     06
TS2                             000005ED  R     06
TS3                             000006E7  R     06
TS4                             00000883  R     06
TS5                             0000097E  R     06
TS6                             00000B00  R     06
TS_EP                           00000064  R     03
TTNAME                          0000009F  R     02
UETP$_SATSMS                  = 007480D9
UETP$_TEXT                    = 00741133
WARNING                       = 00000000
```

Psect synopsis

PSECT name	Allocation		PSECT No.	Attributes
. ABS .	00000000	(0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
ABS	00000000	(0.)	01 (1.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
RODATA	000000E1	(225.)	02 (2.)	NOPIC USR CON REL LCL NOSHR NOEXE RD NOWRT NOVEC LONG
RWDATA	000000F5	(245.)	03 (3.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC BYTE
SATS_ACCVIO_1	00000200	(512.)	04 (4.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC PAGE
SATS_ACCVIO_2	00000200	(512.)	05 (5.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC PAGE
SATSSF02	00000E1E	(3614.)	06 (6.)	NOPIC USR CON REL LCL NOSHR EXE RD WRT NOVEC LONG

Performance indicators

Phase	Page faults	CPU Time	Elapsed Time
Initialization	34	00:00:00.09	00:00:00.33
Command processing	115	00:00:00.72	00:00:02.16
Pass 1	341	00:00:12.69	00:00:24.53
Symbol table sort	0	00:00:00.63	00:00:00.70
Pass 2	154	00:00:02.88	00:00:06.29
Symbol table output	18	00:00:00.13	00:00:00.13
Psect synopsis output	3	00:00:00.03	00:00:00.05
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	667	00:00:17.17	00:00:34.19

The working set limit was 1650 pages.
65959 bytes (129 pages) of virtual memory were used to buffer the intermediate code.
There were 30 pages of symbol table space allocated to hold 349 non-local and 137 local symbols.
626 source lines were read in Pass 1, producing 30 object records in Pass 2.
63 pages of virtual memory were used to define 47 macros.

Macro library statistics

Macro library name	Macros defined
_255DUA28:[SHRLIB]UETP.MLB;1	19
_255DUA28:[SYS.OBJ]LIB.MLB;1	0
_255DUA28:[SYSLIB]STARLET.MLB;2	22
TOTALS (all libraries)	41

947 GETS were required to define 41 macros.

There were no errors, warnings or information messages.

```
MACRO/LIS=LIS$:SATSSF02/OBJ=OBJ$:SATSSF02 MSRC$:SATSSF02/UPDATE=(ENH$:SATSSF02)+EXECML$/LIB+SHRLIB$:UETP/LIB
```

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

