

[illegible]



[illegible]



(1) 2  
(1) 37

MACROS, DATA  
EXECUTABLE CODE



```

0000 1      .TITLE SATSUT05      SATS SYSTEM SERVICE TESTS
0000 2      .SBTTL MACROS, DATA
0000 3      .IDENT 'V04-000'
0000 4
0000 5 :*****
0000 6 :*
0000 7 :*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :*  ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :*  TRANSFERRED.
0000 17 :*
0000 18 :*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :*  CORPORATION.
0000 21 :*
0000 22 :*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27

```



SATSUT05  
V04-000

SATS SYSTEM SERVICE TESTS  
MACROS, DATA

H 16

16-SEP-1984 01:07:38 VAX/VMS Macro V04-00  
5-SEP-1984 04:34:25 [UETPSY.SRC]SATSUT05.MAR;1

Page 2  
(1)

00000000  
0000  
0000  
0000  
0000  
0000  
0000

29  
30 : \*  
31 : \*  
32 : \*  
33 : \*  
34 : \*  
35 ; \*

.PSECT RODATA,RD,NOWRT,NOEXE

THIS ROUTINE RUNS IN A PROCESS CREATED BY  
A PROCESS RUNNING THE SATSSS38 IMAGE. THIS PROCESS  
ISSUES A SUSPND WHICH WILL BE COMPLEMENTED BY A  
SUBJECT RESUME ISSUED BY THE CREATING PROCESS.



SATSUT05  
V04-000

SATS SYSTEM SERVICE TESTS  
EXECUTABLE CODE

I 16

16-SEP-1984 01:07:38  
5-SEP-1984 04:34:25

VAX/VMS Macro V04-00  
[UETPSY.SRC]SATSUT05.MAR;1

Page 3  
(1)

|           |    |              |                        |
|-----------|----|--------------|------------------------|
| 0000      | 37 | .SBTTL       | EXECUTABLE CODE        |
| 00000000  | 38 | .PSECT       | SATSUT05, RD, WRT, EXE |
| 0000 0000 | 39 | START: .WORD | 0 ; ENTRY MASK         |
| 0002      | 40 | SATSUT05:    |                        |
| 0002      | 41 | \$\$SUSPND_S | ; SUSPEND THIS PROCESS |
| 04 000D   | 42 | RET          |                        |
| 000E      | 43 | .END         | START                  |



SATSUT05  
Symbol table

SATS SYSTEM SERVICE TESTS

J 16

16-SEP-1984 01:07:38 VAX/VMS Macro V04-00  
5-SEP-1984 04:34:25 [UETPSY.SRC]SATSUT05.MAR;1

Page 4  
(1)

SATSUT05 00000002 R 02  
START 00000000 R 02  
SYS\$SUSPND \*\*\*\*\* GX 02

+-----+  
! Psect synopsis !  
+-----+

| PSECT name | Allocation      | PSECT No. | Attributes                                              |
|------------|-----------------|-----------|---------------------------------------------------------|
| . ABS .    | 00000000 ( 0.)  | 00 ( 0.)  | NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE |
| RODATA     | 00000000 ( 0.)  | 01 ( 1.)  | NOPIC USR CON REL LCL NOSHR NOEXE RD NOWRT NOVEC BYTE   |
| SATSUT05   | 0000000E ( 14.) | 02 ( 2.)  | NOPIC USR CON REL LCL NOSHR EXE RD WRT NOVEC BYTE       |

+-----+  
! Performance indicators !  
+-----+

| Phase                  | Page faults | CPU Time    | Elapsed Time |
|------------------------|-------------|-------------|--------------|
| Initialization         | 35          | 00:00:00.10 | 00:00:00.36  |
| Command processing     | 134         | 00:00:00.63 | 00:00:02.37  |
| Pass 1                 | 120         | 00:00:00.45 | 00:00:01.97  |
| Symbol table sort      | 0           | 00:00:00.00 | 00:00:00.00  |
| Pass 2                 | 28          | 00:00:00.17 | 00:00:00.76  |
| Symbol table output    | 1           | 00:00:00.01 | 00:00:00.01  |
| Psect synopsis output  | 2           | 00:00:00.02 | 00:00:00.02  |
| Cross-reference output | 0           | 00:00:00.00 | 00:00:00.00  |
| Assembler run totals   | 322         | 00:00:01.38 | 00:00:05.49  |

The working set limit was 1050 pages.  
695 bytes (2 pages) of virtual memory were used to buffer the intermediate code.  
There were 10 pages of symbol table space allocated to hold 3 non-local and 0 local symbols.  
43 source lines were read in Pass 1, producing 13 object records in Pass 2.  
2 pages of virtual memory were used to define 2 macros.

+-----+  
! Macro library statistics !  
+-----+

| Macro library name                  | Macros defined |
|-------------------------------------|----------------|
| -\$255\$DUA28:[SHRLIB]UETP.MLB;1    | 0              |
| -\$255\$DUA28:[SYS.OBJ]LIB.MLB;1    | 0              |
| -\$255\$DUA28:[SYSLIB]STARLET.MLB;2 | 2              |
| TOTALS (all libraries)              | 2              |

13 GETS were required to define 2 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:SATSUT05/OBJ=OBJ\$:SATSUT05 MSRC\$:SATSUT05/UPDATE=(ENH\$:SATSUT05)+EXECML\$/LIB+SHRLIB\$:UETP/LIB



0425 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

