

[illegible]


```
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQQQQQ
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQQQQQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DD      DD      II      SS      KK      KK      QQ      QQ
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQ      QQ
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQ      QQ
```

```
....
....
....
....
```

```
MM      MM      AAAAAA      PPPPPPPP
MM      MM      AAAAAA      PPPPPPPP
MMM      MMM      AA      AA      PP      PP
MMM      MMM      AA      AA      PP      PP
MM      MM      AA      AA      PP      PP
MM      MM      AA      AA      PPPPPPPP
MM      MM      AA      AA      PPPPPPPP
MM      MM      AAAAAAAAAA      PP
MM      MM      AAAAAAAAAA      PP
MM      MM      AA      AA      PP
MM      MM      AA      AA      PP
MM      MM      AA      AA      PP
MM      MM      AA      AA      PP
```


+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
-----	-----	-----	-----	-----	-----
DISKQ	V04-000	1504	_\$255\$DUA28:[UTIL32.OBJ]UTIL32.OLB;1	16-SEP-1984 02:21	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYSP1_VECTOR	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
SCRSHR	V04-000	0	_\$255\$DUA28:[SYSLIB]SCRSHR.EXE;1	16-SEP-1984 04:04	VAX-11 Linker V04-00
LIBRTL	V04-000	0	_\$255\$DUA28:[SYSLIB]LIBRTL.EXE;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	3	00000200	2	0	READ WRITE COPY ON REF				
	0	1	00000800	5	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				
SCRSHR	3	14	00000000-R	0	0	READ ONLY	SCRSHR_001	LESS/EQUAL	1	2900
	4	1	00001C00-R	0	0	READ WRITE COPY ON REF	SCRSHR_002	LESS/EQUAL	1	2900
	2	1	00001E00-R	0	0	READ WRITE FIXUP VECTORS	SCRSHR_003	LESS/EQUAL	1	2900
LIBRTL	3	111	00000000-R	0	0	READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R	0	0	READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	1	11

Key for special characters above:

+-----+
! R - Relocatable !
! P - Protected !
+-----+

+-----+
! Program Section Synopsis !
+-----+

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>	
. BLANK .	DISKQ	00000200 00000200	000007BB 000007BB	000005BC () 000005BC ()	1468.) 1468.)	BYTE 0 BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
PURE	DISKQ	000007BC 000007BC	000007DF 000007DF	00000024 () 00000024 ()	36.) 36.)	BYTE 0 BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
-----	-----	-----	-----
IOC\$CVT_DEVNAM	8000D3C3	SYS	DISKQ
IOC\$GL_DEVLIST	80000F48	SYS	DISKQ
SCH\$GL_CURPCB	800021F8	SYS	DISKQ
SCH\$IOCOCKR	8000AE11	SYS	DISKQ
SCH\$IOUNLOCK	8000AE85	SYS	DISKQ
SCR\$ERASE_PAGE	00000854-RX	SCRSHR	DISKQ
SCR\$PUT_BUFFER	00000850-RX	SCRSHR	DISKQ
SCR\$PUT_SCREEN	0000084C-RX	SCRSHR	DISKQ
SCR\$SET_BUFFER	00000848-RX	SCRSHR	DISKQ
SYSSCMEXEC	7FFFEDE88	SYSP1_VECTOR	DISKQ
SYSSCMKRNL	7FFFEDE90	SYS	DISKQ
SYSSFAO	7FFFEDE50	SYS	DISKQ
SYSSK_VERSION	48513258	SYS	
SYSSSETIMR	7FFFEEO20	SYS	DISKQ
SYSSWAITFR	7FFFEEO78	SYS	DISKQ

! Symbols By Value !

Value

Symbols...

```

00000848      RX-SCR$SET_BUFFER
0000084C      RX-SCR$PUT_SCREEN
00000850      RX-SCR$PUT_BUFFER
00000854      RX-SCR$ERASE_PAGE
48513258      SYSS$K_VERSION
7FFFEDE8      SYSS$CMEXEC
7FFFEDE9      SYSS$CMKRNL
7FFFEDF5      SYSS$FAO
7FFFEEO2      SYSS$SETIMR
7FFFEEO7      SYSS$WAITFR
80000F48      IOC$GL_DEVLIST
800021F8      SCH$GL_CURPCB
8000AE11      SCH$IO[OCKR
8000AE85      SCH$IOUNLOCK
8000D3C3      IOC$CVT_DEVNAM

```

Key for special characters above:

*	- Undefined
U	- Universal
R	- Relocatable
X	- External

+-----+
! Image Synopsis !
+-----+

Virtual memory allocated: 00000200 000009FF 00000800 (2048. bytes, 4. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (4. blocks)
Image name and identification: DISKQ V04-000
Number of files: 7.
Number of modules: 5.
Number of program sections: 8.
Number of global symbols: 324.
Number of cross references: 29.
Number of image sections: 8.
User transfer address: 0000051B
Number of code references to shareable images: 4.
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _S255\$DUA28:[UTIL32.LIS]DISKQ.MAP;1
Estimated map length: 65. blocks

+-----+
! Link Run Statistics !
+-----+

Performance Indicators	Page Faults	CPU Time	Elapsed Time
-----	-----	-----	-----
Command processing:	78	00:00:00.18	00:00:00.58
Pass 1:	150	00:00:01.21	00:00:12.56
Allocation/Relocation:	28	00:00:00.06	00:00:00.64
Pass 2:	31	00:00:00.24	00:00:02.00
Map data after object module synopsis:	20	00:00:00.14	00:00:00.14
Symbol table output:	1	00:00:00.02	00:00:00.50
Total run values:	308	00:00:01.85	00:00:16.42

Using a working set limited to 900 pages and 67 pages of data storage (excluding image)

Total number object records read (both passes): 214
of which 35 were in libraries and 2 were DEBUG data records containing 58 bytes

Number of modules extracted explicitly = 1
with 1 extracted to resolve undefined symbols


5 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:DISKQ/MAP=MAP\$:DISKQ/FULL/CROSS/NOTRACE LIB\$:UTIL32/INCLUDE=(DISKQ),EXSM:SYS.STB/SELECTIVE

0428 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY



0429 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

