

UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	3333333333	2222222222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	3333333333	2222222222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	3333333333	2222222222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUU	UUU	TTTT	III	LLL	333	222
UUUUUUUUUUUUUUUU		TTTT	IIIIIIIIII	LLLLLLLLLLLLLLLL	3333333333	22222222222222
UUUUUUUUUUUUUUUU		TTTT	IIIIIIIIII	LLLLLLLLLLLLLLLL	3333333333	22222222222222
UUUUUUUUUUUUUUUU		TTTT	IIIIIIIIII	LLLLLLLLLLLLLLLL	3333333333	22222222222222

P
S
S
S

! Object Module Synopsis !

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
RTB	V04-000	241	_\$255\$DUA28:[UTIL32.OBJ]UTIL32.OLB;1	16-Sep-1984 02:19	VAX-11 Bliss-32 V4.0-742
SYSP1_VECTOR	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00

_S
Va

7FI
7FI
7FI
7FI
7FI
7FI

↑-----↑
! Image Section Synopsis !
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VCN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	0	1	00000200		2	0	READ ONLY				
	0	1	00000400		3	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800		0	0	READ WRITE DEMAND ZERO				

Key for special characters above:

↑-----↑
: R - Relocatable :
: P - Protected :
↑-----↑

Vi
St
Im
Im
Im
Nu
Nu
Nu
Nu
Nu
Nu
Nu
Us
Nui
Im
Ma
Es

Pe
--

To
Us
To

Nui
25
A
LI
ST

! Program Section Synopsis .

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$CODE\$	RTB	00000200	000002F0	000000F1 (241.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		00000200	000002F0	000000F1 (241.) LONG 2	

+-----+
| Symbol Cross Reference |
+-----+

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>
SYSSASSIGN	7FFEDE50	SYSP1_VECTOR	RTB
SYSSOPEN	7FFEE208	SYSP1_VECTOR	RTB
SYSSQIOW	7FFEDE00	SYSP1_VECTOR	RTB

! Symbols By Value !

Value

7FFEDE00
7FFEDE50
7FFEE208

SYSSQIOW
SYSSASSIGN
SYSSOPEN

Symbols...

Key for special characters above:

* - Undefined
U - Universal
R - Relocatable
X - External

! Image Synopsis !

Virtual memory allocated: 00000200 000005FF 00000400 (1024. bytes, 2. pages)
 Stack size: 20. pages
 Image header virtual block limits: 1. (1. block)
 Image binary virtual block limits: 2. (2. blocks)
 Image name and identification: RTB V04-000
 Number of files: 4.
 Number of modules: 2.
 Number of program sections: 4.
 Number of global symbols: 3.
 Number of cross references: 8.
 Number of image sections: 3.
 User transfer address: 00000220
 Image type: EXECUTABLE.
 Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[UTIL32.LIS]RTB.MAP;1
 Estimated map length: 15. blocks

! Link Run Statistics !

Performance Indicators	Page Faults	CPU Time	Elapsed Time
-----	-----	-----	-----
Command processing:	76	00:00:00.10	00:00:00.28
Pass 1:	94	00:00:00.33	00:00:02.05
Allocation/Relocation:	23	00:00:00.08	00:00:00.74
Pass 2:	28	00:00:00.11	00:00:01.42
Map data after object module synopsis:	16	00:00:00.08	00:00:00.17
Symbol table output:	3	00:00:00.02	00:00:00.37
Total run values:	240	00:00:00.72	00:00:05.03

Using a working set limited to 900 pages and 33 pages of data storage (excluding image)

Total number object records read (both passes): 58
of which 29 were in libraries and 3 were DEBUG data records containing 107 bytes

Number of modules extracted explicitly = 1
with 1 extracted to resolve undefined symbols

3 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXES:RTB/MAP=MAPS:RTB/FULL/CROSS/NOTRACE LIBS:UTIL32/INCLUDE=(RTB)

