

UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	3333333333	2222222222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	3333333333	2222222222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	3333333333	2222222222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUU	UUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLL	333	222
UUUUUUUUUUUUUUUU	UUUUUUUUUUUUUUUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLLLLLLLLLLLLLLL	3333333333	22222222222222
UUUUUUUUUUUUUUUU	UUUUUUUUUUUUUUUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLLLLLLLLLLLLLLL	3333333333	22222222222222
UUUUUUUUUUUUUUUU	UUUUUUUUUUUUUUUU	TTTTTTTTTTTTTTTT	IIIIIIIIII	LLLLLLLLLLLLLLLL	3333333333	22222222222222

P  
S  
S  
S

```

SSSSSSSS EEEEEEEEEE TTTTTTTTTT UU UU SSSSSSSS EEEEEEEEEE RRRRRRRR
SSSSSSSS EEEEEEEEEE TTTTTTTTTT UU UU SSSSSSSS EEEEEEEEEE RRRRRRRR
SS SS EE TT UU UU SS SS EEEEEEEEEE RR RR
SS SS EE TT UU UU SS SS EEEEEEEEEE RR RR
SS SS EE TT UU UU SS SS EEEEEEEEEE RR RR
SSSSSSS EEEEEEEEEE TT UU UU SSSSSS EEEEEEEEEE RRRRRRRR
SSSSSSS EEEEEEEEEE TT UU UU SSSSSS EEEEEEEEEE RRRRRRRR
SS EE TT UU UU SS EE RR RR
SS EE TT UU UU SS EE RR RR
SS EE TT UU UU SS EE RR RR
SSSSSSSS EEEEEEEEEE TT UU UU SSSSSSSS EEEEEEEEEE RR RR
SSSSSSSS EEEEEEEEEE TT UU UU SSSSSSSS EEEEEEEEEE RR RR

```

```

MM MM AAAAAA PPPPPPPP
MM MM AAAAAA PPPPPPPP
MMMM MMMM AA AA PP PP
MMMM MMMM AA AA PP PP
MM MM MM AA AA PP PP
MM MM MM AA AA PP PP
MM MM AA AA PPPPPPPP
MM MM AA AA PPPPPPPP
MM MM AAAAAAAAAA PP
MM MM AAAAAAAAAA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP

```

-----  
! Object Module Synopsis !  
-----

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
SETUSER	V04-000	96	_\$255\$DUA28:[UTIL32.OBJ]UTIL32.OLB;1	16-Sep-1984 02:21	VAX-11 Bliss-32 V4.0-742
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker 04-00

↑-----↑  
! Image Section Synopsis !  
↑-----↑

Cluster	Type	Pages	Base Addr	Disk	VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	1	00000200		2	0	READ WRITE COPY ON REF				
	0	1	00000400		3	0	READ ONLY				
	0	1	00000600		4	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800		0	0	READ WRITE DEMAND ZERO				

Key for special characters above:

↑-----↑  
: R - Relocatable :  
: P - Protected :  
↑-----↑

-----  
! Program Section Synopsis !  
-----

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$OWNS	SETUSER	00000200 00000200	0000021B 0000021B	0000001C ( 0000001C ( 28.) LONG 2 28.) LONG 2		NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
\$CODES	SETUSER	00000400 00000400	00000443 00000443	00000044 ( 00000044 ( 68.) LONG 2 68.) LONG 2		NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC

-----  
! Symbol Cross Reference !  
-----

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>
CTLST_USERNAME	7FFFE9C	SYS	SETUSER
SCH\$GC_CURPCB	800021F8	SYS	SETUSER
SET_USER	00000400-R	SETUSER	
SYS\$CMKRNL	7FFFE90	SYS	SETUSER
SYS\$K_VERSION	48513258	SYS	
WRITE_NAME	0000041A-R	SETUSER	

.....

-----  
: Symbols By Value :  
-----

Value

-----  
00000400  
0000041A  
48513258  
7FFFE90  
7FFFE9C  
800021F8

Symbols...

-----  
R-SET\_USER  
R-WRITE\_NAME  
SYSSK\_VERSION  
SYSSCKRNL  
CTLST\_USERNAME  
SCHSGC\_CURPCB

Key for special characters above:

- \* - Undefined
- U - Universal
- R - Relocatable
- X - External

-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000200 000007FF 00000600 (1536. bytes, 3. pages)  
Stack size: 20. pages  
Image header virtual block limits: 1. ( 1. block)  
Image binary virtual block limits: 2. ( 3. blocks)  
Image name and identification: SETUSER V04-000  
Number of files: 2.  
Number of modules: 2.  
Number of program sections: 3.  
Number of global symbols: 5.  
Number of cross references: 9.  
Number of image sections: 4.  
User transfer address: 00000400  
Image type: EXECUTABLE.  
Map format: FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[UTIL32.LIS]SETUSER.MAP;1  
Estimated map length: 13. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	88	00:00:00.17	00:00:00.26
Pass 1:	68	00:00:00.57	00:00:03.41
Allocation/Relocation:	25	00:00:00.07	00:00:00.65
Pass 2:	32	00:00:00.12	00:00:01.12
Map data after object module synopsis:	17	00:00:00.11	00:00:00.11
Symbol table output:	4	00:00:00.02	00:00:00.30
Total run values:	234	00:00:01.06	00:00:05.85

Using a working set limited to 750 pages and 31 pages of data storage (excluding image)

Total number object records read (both passes): 148  
of which 16 were in libraries and 5 were DEBUG data records containing 166 bytes

Number of modules extracted explicitly = 1  
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXES:SETUSER/MAP=MAPS:SETUSER/FULL/CROSS/NOTRACE LIBS:UTIL32/INCLUDE=(SETUSER),EXSM:SYS.STB/SELECTIVE



0429 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

