




---

Virtual Machine/  
System Product

**System Messages  
Cross-Reference**

Release 5

SC24-5264-1






---

Virtual Machine/  
System Product

**System Messages  
Cross-Reference**

Release 5

SC24-5264-1





## Second Edition (December 1986)

This edition, SC24-5264-1, is a revision of SC24-5264-0, and applies to Release 5 of the IBM Virtual Machine/System Product (VM/SP) and to all subsequent releases until otherwise indicated in new editions or Technical Newsletters. Changes are made periodically to the information herein; before using this publication in connection with the operation of IBM systems, consult the latest *IBM System/370, 30xxx, and 4300 Processors Bibliography*, GC20-0001, for the editions that are applicable and current.

### Summary of Changes

For a list of changes, see page X-1.

Technical changes and additions to text and illustrations are indicated by a vertical line to the left of the change.

References in this publication to IBM products, programs, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM licensed program in this publication is not intended to state or imply that only IBM's licensed program may be used. Any functionally equivalent program may be used instead.

### Ordering Publications

Requests for IBM publications should be made to your IBM representative or to the IBM branch office serving your locality. Publications are *not* stocked at the address given below.

A form for reader's comments is provided at the back of this publication. If the form has been removed, comments may be addressed to IBM Information Development, Dept. G60, P.O. Box 6, Endicott, New York, U.S.A. 13760. Note that the form for readers' comments may also be used to comment on the VM/SP online HELP facility. IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

## Preface

This publication is a reference manual for all users. It contains cross-reference listings of all messages produced by the IBM Virtual Machine/System Product (VM/SP).

"Chapter 1: Introduction", discusses message format, syntax conventions, and how messages are displayed at the terminal and in other languages. The remaining four chapters in this book, each contain different types of message listings. The chapters are organized as follows:

- Chapter 2 - by command
- Chapter 3 - by module code
- Chapter 4 - by message number
- Chapter 5 - by message text.

Each of these message chapters has five parts, one for each component of VM:

- Control Program (CP) Messages
- Conversational Monitoring System (CMS) Messages
- Interactive Problem Control System (IPCS) Messages
- Group Control System (GCS) Messages
- Transparent Services Access Facility (TSAF) Messages.

You can refer to the *VM/SP System Messages and Codes* book for an explanation, system action, and response of all error messages.

*Note:* New or changed messages for this release are indicated by a vertical line to the left of the message.





# Contents

<b>Chapter 1. Introduction</b> .....	<b>1-1</b>
VM/SP Message Format .....	1-1
VM/SP System Product Editor Messages .....	1-2
Messages With 4nxx Identifiers .....	1-2
Unnumbered Responses .....	1-3
VM/SP Message Syntax Conventions .....	1-3
Displaying Messages at the Terminal .....	1-5
Displaying Messages in Other Languages .....	1-6
<b>Chapter 2. Message Summary by Command</b> .....	<b>2-1</b>
CP Message Summary by Command .....	2-2
CMS Message Summary by Command .....	2-26
CMS Commands, Execs, and Macros .....	2-26
Other CMS Routines and Functions .....	2-88
IPCS Message Summary by Command .....	2-93
GCS Message Summary by Command .....	2-97
GCS Command, Execs, and Macros .....	2-97
Other GCS Routines and Functions .....	2-100
TSAF Message Summary by Command .....	2-108
<b>Chapter 3. Message Summary by Module Code</b> .....	<b>3-1</b>
CP Message Summary by Module Code .....	3-2
CMS Message Summary by Module Code .....	3-39
IPCS Message Summary by Module Code .....	3-109
GCS Message Summary by Module Code .....	3-115
TSAF Message Summary by Module Code .....	3-128
<b>Chapter 4. Message Summary by Number</b> .....	<b>4-1</b>
CP Message Summary by Number .....	4-2
CMS Message Summary by Number .....	4-11
IPCS Message Summary by Number .....	4-28
GCS Message Summary by Number .....	4-30
TSAF Message Summary by Number .....	4-34
<b>Chapter 5. Message Summary by Text</b> .....	<b>5-1</b>
CP Message Summary by Text .....	5-2
CMS Message Summary by Text .....	5-30
IPCS Message Summary by Text .....	5-92
GCS Message Summary by Text .....	5-97
TSAF Message Summary by Text .....	5-107
<b>Summary of Changes</b> .....	<b>X-1</b>
Summary of Changes to SC24-5264-1 for VM/SP Release 5 .....	X-1

Other Additions and Enhancements .....	X-1
<b>Glossary of Terms and Abbreviations .....</b>	<b>X-3</b>
<b>Bibliography .....</b>	<b>X-5</b>

## Figures

1-1.	Types and Meanings of Severity Codes .....	1-2
1-2.	Selected Message Variables .....	1-4





## Chapter 1. Introduction

This chapter describes:

- The format of messages VM/SP generates
- Syntax conventions used in this publication
- How messages are displayed at the terminal and in other languages.

## VM/SP Message Format

Messages consist of a message identifier (for example, DMKCG020E) and message text. The identifier distinguishes each message. The text is a phrase or sentence describing a condition that has occurred or requesting a response from the user.

The message identifier consists of four fields: a prefix, a module code, a message number, and a type code. The format of the message identifier is:

xxxmmnnns

where:

**xxx** is the prefix. Messages are prefixed as follows:

- CP messages -- DMK
- CMS messages -- DMS
- IPCS messages -- DMM
- GCS messages -- CSI
- TSAF messages -- ATS

**mmm** is the module code. These three letters indicate which module generated the message. This field is usually an abbreviation of the module name in which the error occurred.

**nnn** is the message number. These three digits are associated with the condition that caused the message to be generated.

**s** is the severity code. This letter indicates what kind of condition caused the message. The definition of the severity codes depends on the nature of the component producing the message.

# Introduction

Figure 1-1 summarizes the message severity codes for each of the four VM/SP components.

Prefix	Code	Meaning
CP Commands (DMK)	A	Immediate action required
	I	Information only
	W	Warning or System Wait
	E	Error
CMS Commands (DMS)	R	Response
	I	Information only
	W	Warning
	E	Error
	S	Severe error
IPCS Commands (DMM)	R	Response
	I	Information only
	E	Error
	S	Severe error
GCS Commands (CSI)	R	Response
	I	Information only
	W	Warning
	E	Error
	S	Severe error
TSAF Commands (ATS)	R	Response
	I	Information only
	W	Warning
	E	Error
	S	Severe error
TSAF Commands (ATS)	T	Terminating error

Figure 1-1. Types and Meanings of Severity Codes

## VM/SP System Product Editor Messages

Error messages for the System Product Editor are located in the CMS section of this publication. These messages can range from DMSmmm497E to DMSmmm700E. However, all messages within the DMSmmm500E to DMSmmm599S range pertain only to the System Product Editor.

## Messages With 4nxx Identifiers

All messages issued from the CMSBAM discontinuous shared segment, as well as many of the messages issued from the CMSVSAM and CMSAMS discontinuous shared segments, are identified by a 4nxx prefix. The text of these messages is in VSE format rather than the standard CMS format. Explanations for these messages are not in this book. The appropriate message book for referencing 4nxx prefix messages is determined by the associated access method. Messages relating to Sequential Access Method (SAM) are described in *VSE/Advanced Functions Messages*. Messages



relating to Virtual Storage Access Method (VSAM) are described in *VSE/VSAM Messages and Codes*.

## Unnumbered Responses

All regular, unnumbered responses indicating the successful completion of a command (such as ready messages) are included in the following publications:

- *VM/SP CP Command Reference* (CP commands) and
- *VM/SP CMS Command Reference* (CMS commands).

Unnumbered responses can also come from executing system generation macro instruction or service programs. These responses, known as MNOTES, are documented in logic listings only.

## VM/SP Message Syntax Conventions

VM/SP message syntax is documented in this book as follows:

1. For uppercase messages (some CP, some CMS, some TSAF, and all IPCS messages), variables are denoted by lowercase. For mixed-case messages (most CP, most CMS, most TSAF, and all GCS messages), variables are denoted by italics. These variable names are replaced at execution time with the information they describe.

*Note:* There may be situations where a message is displayed in both mixed and uppercase. This depends on the method used by the individual module. Some modules display the messages differently.

See Figure 1-2 for a partial list of variables used in this publication. (This table does not contain every message variable; just those that might be a little more difficult to identify.)

2. Any quote (') in message text in the book will be displayed when the message appears on your screen.
3. Anything within braces {...|...} indicates alternate text that will be selected at execution time.
4. Anything within brackets [...] may be optionally left out, depending on the condition arising.

# Introduction

---

Variable	Meaning
a...	alphabetic or numeric information
addr	address
bbcchh	bin, cylinder, and head
cc	cylinder number
cchhr	cylinder, head, record
char	character
col	column
cm	command code, in hexadecimal
cpuid	central processing unit identification
csw	channel status word
date	system date
devclass	IBM device class
devname	mnemonic name for an IBM device type
devtype	IBM device type
execname	filename of an exec
exectype	filetype of an exec
fileid	fn ft [fm]
fm	filemode
fn	filename
ft	filetype
hexloc	hexadecimal location
imagelib	3800 printer image library
libname	library name
lrecl	logical record length
membername	library member name
mode	mode letter, or mode letter and mode number
mmm	module name code
module	module name
n...	decimal information
nodeid	node of a user
page	page number
pathid	virtual machine path identification
prefix	prefix subcommand or macro
psw	program status word
range	range (of addresses or registers)

Figure 1-2 (Part 1 of 2). Selected Message Variables

Variable	Meaning
rdev	real device address (formerly 'raddr' or 'cuu')
recfm	record format
rid	resource identifier
routine	CMS or GCS routine
rr	record number
rstor	real storage address
segname	segment name
sense	sense bytes
spoolid	spool file identification
storarea	storage area
subl.book	a book of a sublibrary
svc	supervisor call number
sysname	system name
vdev	virtual device address (formerly 'vaddr' or 'cuu')
vname	virtual screen name
valid	volume serial number
vstor	virtual storage address
wname	window name
x...	hexadecimal information
yyyy	reason code (GCS abend)

Figure 1-2 (Part 2 of 2). Selected Message Variables

## Displaying Messages at the Terminal

When you log on to VM/SP at your terminal, the default setting for displaying messages is TEXT. This means that only the text portion of the message appears when the message is displayed. The message identifier is not displayed.

Because this book is organized by message numbers within component codes, it will be difficult for you to find the explanations of messages if you search through the book for the message text. Therefore, you should issue the CP command, SET EMSG ON, after you log on. This command causes the message identifier to be displayed along with the text.

*Note:* If you do not use the SET EMSG ON command, you can still determine the message identifier by referring to Chapter 5, "Message Summary by Text" on page 5-1. This chapter has the messages listed in alphabetical order by message text, along with the identifier.



# Introduction

---

## Displaying Messages in Other Languages

All messages are documented in this book in American English; however, most messages are displayed at your terminal in the language set for your virtual machine. If your virtual machine is set to another language (either by the SET LANGUAGE command or the OPTION LANG directory statement), you will receive most VM/SP messages in this language.

## Chapter 2. Message Summary by Command

This chapter contains an alphabetical listing of CP, CMS, IPCS, GCS, and TSAF commands together with their associated messages. Under each command, the messages are listed in message-number sequence within module code.

Use this section when you want to find all the messages that a particular command generates.

## CP Message Summary by Command

### ACNT

DMKACO425E I/O error on spool device during accounting  
DMKCPV003E Invalid option - *option*  
DMKCPV007E Invalid userid - *userid*  
DMKCPV020E Userid missing or invalid  
DMKCPY045E *userid* not logged on

### ADSTOP

DMKCFD004E Invalid hexloc - *operand*  
DMKCFD021E Real device address missing or invalid  
DMKCFD022E Virtual device address missing or invalid  
DMKCFD026E Operand missing or invalid  
DMKCFD160E Hexloc *hexloc* exceeds storage  
DMKCFD164E Hexloc *hexloc* non-addressable storage

### ATTACH

DMKACR149E DEVICE PATH *rdev* PRESENTED CC = 3 ON I/O REQUEST  
DMKCFQ546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, userid *userid*  
DMKNEA121E *devtype rdev* not attached to *userid*  
DMKSSS071E Device not available - MSS cannot be accessed  
DMKSSS072E Device not available - *rdev* not proper type  
DMKSSS075E Device *valid* is not available  
DMKSSS078I MSS mount proceeding for volume *valid*  
DMKSSS070E Device not available - MSS devices allocated  
DMKVDE003E Invalid option - *option*  
DMKVDE006E Invalid device type - *devtype*  
DMKVDE020E Userid missing or invalid  
DMKVDE021E Real device address missing or invalid *raddr*  
DMKVDE022E Virtual device address missing or invalid  
DMKVDE023E *valid* missing or invalid  
DMKVDE034E Channel missing or invalid  
DMKVDE040E Device *rdev* does not exist  
DMKVDE045E *userid* not logged on  
DMKVDE046E {Device *rid*|*devtype rdev*} offline  
DMKVDE076E The *valid* parameter is invalid  
DMKVDE120E {Printer *rid*|*devtype rdev*} not attached; *userid vdev* already defined  
DMKVDE122E *devtype rdev* already attached to *userid*  
DMKVDE123E DASD *rdev* CP-owned  
DMKVDE124E DASD *rdev* in use by *nnn* users  
DMKVDE125E DASD *rdev* *valid valid* already attached to system  
DMKVDE126E DASD *rdev* error reading *valid*  
DMKVDE127E DASD *rdev* *valid valid* does not match  
DMKVDE128E DASD *rdev* error reading allocation record  
DMKVDE131E Insufficient free storage available for ATTACH request  
DMKVDE133E DASD *rdev* not ready  
DMKVDE134E *devtype vdev* not attached; channel *x* dedicated

DMKVDE142E *devtype rdev* not drained  
 DMKVDE143E *devtype rdev* in use by system  
 DMKVDE151I DASH *rdev* not attached; busy persists, IOBSTAT = *xx*, IOBCSW + 4 = *xxxx*  
 DMKVDE153E Device {*vdev*|*range*|*channel x*} exceeds maximum number of virtual devices  
 DMKVDE199E Command rejected; device *rdev* pending offline  
 DMKVDE329E *vdev* improperly genned, device cannot be used as SYSOWN  
 DMKVDE331E *vdev* not attached - use a {*shared*|*nonshared*} VCU instead  
 DMKVDE206E Cannot connect to host virtual machine

**ATTACH CHANNEL**

DMKACR149E DEVICE PATH *rdev* PRESENTED CC = 3 ON I/O REQUEST  
 DMKVCH040E Device *rdev* does not exist  
 DMKVCH045E *userid* not logged on  
 DMKVCH048E Channel *x* [*processor nn*] does not exist  
 DMKVCH129E Channel *x* [*processor nn*] devices in use  
 DMKVCH130E Channel *x* [*processor xx*] not attached to *userid*  
 DMKVCH132E Channel *x* already defined by *userid*  
 DMKVCH138E Channel *x* [*processor xx*] not attached; insufficient free storage  
 DMKVCH147E Channel *x* [*processor xx*] not attached; alternate paths defined  
 DMKVCH153E Device {*vdev*|*range*|*channel x*} exceeds maximum number of virtual devices  
 DMKVCH188E Specified processor unavailable  
 DMKVCH331E *vdev* not attached - use a {*shared*|*nonshared*} VCU instead  
 DMKVDE020E Userid missing or invalid  
 DMKVDE034E Channel missing or invalid  
 DMKVDE039E Processor address missing or invalid  
 DMKVDE045E *userid* not logged on

**AUTOLOG**

DMKALG059E AUTOLOG FAILED FOR *userid* - {IPL MISSING|IPL FAILED|ACCOUNTING  
 ERROR|INCORRECT PASSWORD}  
 DMKALG115E AUTOLOG invalid; excessive incorrect passwords  
 DMKLOG361E LOGOFF/FORCE pending for user *userid*

**BACKSPAC**

DMKCSF003E Invalid option - *option*  
 DMKCSF006E Invalid device type - *devtype*  
 DMKCSF021E Real device address missing or invalid  
 DMKCSF040E Device *rdev* does not exist  
 DMKCSF046E {Device *rid*|*devtype rdev*} offline  
 DMKCSF140E *devtype rdev* attached to *userid*  
 DMKCSF141E *devtype rdev* not active  
 DMKCSF441E Not accepted; previous backspace still being processed  
 DMKTCS240E Printer *rdev*, FCB-forms mismatch; fileid *nnnn* {held|purged}  
 DMKTCS241E Printer *rdev*, invalid load module *mmmm* specified, file *nnnn* {held|purged}

**BEGIN**

DMKCFJ004E Invalid hexloc - *operand*

# DMK

---

## CHANGE

DMKCSU003E Invalid option - *option*  
DMKCSU006E Invalid device type - *devtype*  
DMKCSU008E Invalid spoolid - *spoolid*  
DMKCSU013E Conflicting option - *option*  
DMKCSU024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSU026E Operand missing or invalid  
DMKCSU027E Spoolid missing or invalid  
DMKCSU028E Class missing or invalid  
DMKCSU029E Filename and/or filetype missing or invalid  
DMKCSU030E Copies missing or invalid  
DMKCSU032E Distribution code missing or invalid  
DMKCSU035E Device type missing or invalid  
DMKCSU042E Spoolid *nnnn* does not exist  
DMKCSU243E FLASH missing or invalid  
DMKCSU245E CHARS missing or invalid  
DMKCSU246E FCB missing or invalid  
DMKCSU253E MODIFY missing or invalid  
DMKCSU424E Reader file spool error; file unchanged

## CLOSE

DMKCSQ003E Invalid option - *option*  
DMKCSQ006E Invalid device type - *devtype*  
DMKCSQ013E Conflicting option - *option*  
DMKCSQ022E Virtual device address missing or invalid  
DMKCSQ024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSQ029E Filename and/or filetype missing or invalid  
DMKCSQ032E Distribution code missing or invalid  
DMKCSQ040E Device *vdev* does not exist

## COUPLE

DMKDIB006E Invalid device type - *devtype*  
DMKDIB011E Invalid device type - *userid vdev*  
DMKDIB020E Userid missing or invalid  
DMKDIB022E Virtual device address missing or invalid  
DMKDIB040E Device *vdev* does not exist  
DMKDIB045E *userid* not logged on  
DMKDIB047E *userid vdev* does not exist  
DMKDIB058E CTC *vdev* busy on *userid*

## CPTRAP

DMKTRP002E Invalid operand - *operand*  
DMKTRP005E Invalid hexdata - *data*  
DMKTRP013E Conflicting option - {*option|option1 and option2*}  
DMKTRP020E Userid missing or invalid  
DMKTRP026E Operand missing or invalid  
DMKTRP045E *userid* not logged on  
DMKTRP304E CPTRAP is stopping, no input allowed

DMKTRP305I CPTRAP selectivity reset  
 DMKTRP306E CPTRAP is already active  
 DMKTRP309E Operand ignored; select table full  
 DMKTRT307I CPTRAP {CP|virtual} *code* interface data ignored  
 DMKTRT308I CPTRAP data lost  
 DMKTRT317E CPTRAP terminated due to I/O error

**DCP**

DMKCDB003E Invalid option - *option*  
 DMKCDB004E Invalid hexloc - *operand*  
 DMKCDB009E Invalid range - *range*  
 DMKCDB026E Operand missing or invalid  
 DMKCDB033E Hexloc missing or invalid  
 DMKCDB160E Hexloc *hexloc* exceeds storage

**DDR (A CMS Command)**

DMKDDR536I *rdev* reports disabled interface; fault code = *code*; notify CE  
 DMKDDR700E INPUT UNIT IS NOT A CPVOL  
 DMKDDR701E INVALID OPERAND - *operand*  
 DMKDDR702E CONTROL STATEMENT SEQUENCE ERROR  
 DMKDDR703E OPERAND MISSING  
 DMKDDR704E DEVICE *rdev* NOT OPERATIONAL  
 DMKDDR705E I/O error *rdev*, CSW = *csw*, sense = *sense*, input = {*bbcchh|nnnnnn*},  
                   output = {*bbcchh|nnnnnn*}, CCW = *ccw*  
 DMKDDR707E MACHINE CHECK  
 DMKDDR708E INVALID INPUT OR OUTPUT DEFINITION  
 DMKDDR709E WRONG INPUT TAPE MOUNTED  
 DMKDDR710A DEVICE *rdev* INTERVENTION REQUIRED  
 DMKDDR711R VOLID READ IS *valid2* [NOT *valid1*]. DO YOU WISH TO CONTINUE?  
                   RESPOND YES, NO, OR REREAD:  
 DMKDDR712E NUMBER OF EXTENTS EXCEEDS 20  
 DMKDDR713E OVERLAPPING OR INVALID EXTENTS  
 DMKDDR714E RECORD {*bbcchh|nnnnnn*} NOT FOUND ON INPUT TAPE  
 DMKDDR715E LOCATION *bbcchh* IS A FLAGGED TRACK  
 DMKDDR716R NO VOL1 LABEL FOUND [FOR *valid*]. DO YOU WISH TO CONTINUE?  
                   RESPOND YES, NO OR REREAD:  
 DMKDDR717R DATA DUMPED FROM *valid1* TO BE RESTORED TO *valid2*. DO YOU WISH  
                   TO CONTINUE? RESPOND YES, NO OR REREAD:  
 DMKDDR718E OUTPUT UNIT IS FILE PROTECTED  
 DMKDDR719E INVALID FILENAME OR FILE NOT FOUND  
 DMKDDR720E ERROR IN CMS routine  
 DMKDDR721E RECORD {*cchhr|nnnnnn*} NOT FOUND  
 DMKDDR722E OUTPUT UNIT NOT PROPERLY FORMATTED FOR THE CP NUCLEUS  
 DMKDDR723E NO VALID CP NUCLEUS ON THE INPUT UNIT  
 DMKDDR724E INPUT TAPE CONTAINS A CP NUCLEUS DUMP  
 DMKDDR725R DASD INPUT DEVICE WAS (IS) LARGER THAN OUTPUT DEVICE. DO YOU  
                   WISH TO CONTINUE? RESPOND YES OR NO:  
 DMKDDR726E MOVING DATA INTO THE ALTERNATE TRACK CYLINDER(S) IS  
                   PROHIBITED  
 DMKDDR727E FLAGGED TRK *track* HAS NO PROPER ALTERNATE; SKIPPING THIS TRK  
 DMKDDR728E DECODE ERROR ENCOUNTERED: *nn*

# DMK

---

DMKDDR729I FULL TRACK READ FEATURE NOT AVAILABLE  
DMKDDR731I COMPACT OPTION IGNORED FOR COPY OPERATIONS  
DMKDDR756E PROGRAM CHECK PSW = psw

## DEFINE

DMKDEF003E Invalid option - *option*  
DMKDEF022E Virtual device address missing or invalid  
DMKDEF024E {CYLS|BLKS|FORM NUMBER} missing or invalid  
DMKDEF025E Storage missing or invalid  
DMKDEF026E Operand missing or invalid  
DMKDEF040E Device *vdev* does not exist  
DMKDEF091E DASD *vdev* not defined; temp space not available  
DMKDEF092E Device *vdev* not defined; *devtype vdev* already defined  
DMKDEF095E Device *vdev* not defined; insufficient free storage  
DMKDEF097E Device *vdev* not defined; device *vdev* has active I/O  
DMKDEF136E Device *vdev* not defined; channel *x* dedicated  
DMKDEF153E Device {*vdev*|range|channel *x*} exceeds maximum number of virtual devices  
DMKDEF331E *vdev* not defined - use a {shared|nonshared} VCU instead  
DMKDEG025E Storage missing or invalid  
DMKDEG026E Operand missing or invalid  
DMKDEG094E Storage exceeds allowed maximum  
DMKDEI046E {Device *rid*|*devtype rdev*} offline  
DMKDEI075E Device *valid* is not available  
DMKDEI274E *rdev* has a mounted volume; MSS task not available to demount it  
DMKDEI275E *rdev* already SYSVIRT  
DMKDEI276E *rdev* not a 3330V  
DMKDEI277E Error demounting volume *valid*  
DMKDEI278E Device *rdev* not a DASD  
DMKDEI279E DASD *rdev* not a VUA  
DMKDEI280E *rdev* already virtual

## DETACH

DMKNEA020E Userid missing or invalid  
DMKVDD002E INVALID OPERAND - operand  
DMKVDD003E INVALID OPTION - option  
DMKVDD006E Invalid device type - *devtype*  
DMKVDD013E Conflicting option - {*option*|*option1* and *option2*}  
DMKVDD020E Userid missing or invalid  
DMKVDD021E Real device address missing or invalid  
DMKVDD022E Virtual device address missing or invalid  
DMKVDD040E Device *rdev* does not exist  
DMKVDD045E *userid* not logged on  
DMKVDD046E {Device *rid*|*devtype rdev*} offline  
DMKVDD285E *userid* LOGGING ON, TRY AGAIN LATER  
DMKVDD286E *userid* LOGGING OFF, TRY AGAIN LATER  
DMKVDD121E *devtype rdev* not attached to *userid*  
DMKVDD123E DASD *rdev* CP-owned  
DMKVDD124E DASD *rdev* in use by *nnn* users  
DMKVDD135E *devtype vdev* not detached; channel *x* dedicated  
DMKVDD140E *devtype rdev* attached to *userid*



DMKVDD142E *devtype rdev* not drained  
 DMKVDD143E *devtype rdev* in use by system  
 DMKVDD273E DETACH rejected; virtual machine tracing I/O

**DETACH CHANNEL**

DMKVCH040E Device *rdev* does not exist  
 DMKVCH045E *userid* not logged on  
 DMKVCH048E Channel *x* [processor *nn*] does not exist  
 DMKVCH130E Channel *x* [processor *xx*] not attached to *userid*  
 DMKVCH138E Channel *x* [processor *xx*] not attached; insufficient free storage  
 DMKVCH153E Device {*vdev*|range|channel *x*} exceeds maximum number of virtual devices  
 DMKVCH188E Specified processor unavailable  
 DMKVDD020E Userid missing or invalid

**DIAL**

DMKDIA011E Invalid device type - *userid vdev*  
 DMKDIA017E Insufficient screen space - clear screen and re-dial  
 DMKDIA020E Userid missing or invalid  
 DMKDIA022E Virtual device address missing or invalid  
 DMKDIA045E *userid* not logged on  
 DMKDIA047E *userid vdev* does not exist  
 DMKDIA055E Line(s) not available on *userid*  
 DMKDIA056E Line *vdev* busy on *userid*  
 DMKDIA098E Device *rid* mode switch not possible  
 DMKDIA199E Command rejected; device *rdev* pending offline  
 DMKDIA206E Cannot connect to host virtual machine  
 DMKDIA743A DIAL function not available

**DIRECT (A CMS command)**

DMKDIR536I *rdev* reports disabled interface; fault code = *code*; notify CE  
 DMKDIR750E RESTRICTED PASSWORD FILE, ERROR DURING READ  
 DMKDIR750E RESTRICTED PASSWORD FILE HAS BAD RECORD FORMAT  
 DMKDIR750E RESTRICTED PASSWORD FILE HAS BAD RECORD LENGTH  
 DMKDIR750W RESTRICTED PASSWORD FILE NOT FOUND  
 DMKDIR751E INVALID OPERAND - operand  
 DMKDIR752E STATEMENT SEQUENCE ERROR FOLLOWING PROFILE/USER user  
 DMKDIR752E STATEMENT SEQUENCE ERROR FOLLOWING USER user  
 DMKDIR753E OPERAND MISSING  
 DMKDIR754E DEV *rdev* NOT OPERATIONAL  
 DMKDIR755E I/O ERROR *rdev* CSW = *csw* SENSE = *sense*  
 DMKDIR756E PROGRAM CHECK PSW = *psw*  
 DMKDIR757E MACHINE CHECK RUN SEREP AND SAVE OUTPUT FOR CE  
 DMKDIR758E DUPLICATE UNIT DEFINITION  
 DMKDIR760E NOT ENOUGH SPACE ALLOCATED FOR DIRECTORY  
 DMKDIR761E VOLID READ IS *valid1* NOT *valid2* ON *rdev*  
 DMKDIR762E DIRECTORY STATEMENT MISSING  
 DMKDIR763E INVALID FILENAME OR FILE NOT FOUND  
 DMKDIR764E ERROR IN routine  
 DMKDIR765E INVALID CLASS DEFINITION  
 DMKDIR766E DUPLICATE CLASS DEFINITION

# DMK

---

DMKDIR767W PASSWORD CHANGED TO NOLOG FOR *userid*  
DMKDIR768E FOR *userid* - MOVE *vdev* TO A (NON)SHARED VCU  
DMKDIR771E RESTRICTED PASSWORD AND NOLOG INVALID FOR *userid*  
DMKDIR782E ERROR ATTEMPTING TO GET FREE STORAGE  
DMKDIR782I ERROR ATTEMPTING TO RETURN FREE STORAGE

## DISABLE

DMKCPV003E Invalid option - *option*  
DMKCPV006E Invalid device type - *devtype*  
DMKCPV021E Real device address missing or invalid  
DMKCPV026E Operand missing or invalid  
DMKCPV040E Device *rdev* does not exist  
DMKCPV046E {Device *rid*|*devtype* *rdev*} offline  
DMKCPV140E *devtype* *rdev* attached to *userid*  
DMKCPV199E Command rejected; device *rdev* pending offline  
DMKCPY923I Failing storage frame at location *rstor*  
DMKCPY924I *xxxx* additional failing storage frames exist

## DISCONN

DMKUSO003E Invalid option - *option*  
DMKUSO197E Secondary user is not available

## DISPLAY

DMKCDB003E Invalid option - *option*  
DMKCDB004E Invalid hexloc - *operand*  
DMKCDB009E Invalid range - *range*  
DMKCDB010E Invalid register - *register*  
DMKCDB026E Operand missing or invalid  
DMKCDB160E Hexloc *hexloc* exceeds storage  
DMKCDB923I Failing storage frame at location *rstor*

## DMCP

DMKCDM003E Invalid option - *option*  
DMKCDM004E Invalid hexloc - *operand*  
DMKCDM009E Invalid range - *range*  
DMKCDM033E Hexloc missing or invalid  
DMKCDM060E Dump failed; virtual printer unavailable  
DMKCDM061E Dump failed; virtual printer error  
DMKCDM160E Hexloc *hexloc* exceeds storage

## DRAIN

DMKCSO003E Invalid option - *option*  
DMKCSO006E Invalid device type - *devtype*  
DMKCSO021E Real device address missing or invalid  
DMKCSO040E Device *rdev* does not exist  
DMKCSO046E {Device *rid*|*devtype* *rdev*} offline  
DMKCSO140E *devtype* *rdev* attached to *userid*

**DUMP**

DMKCDM004E Invalid hexloc - *operand*

**ENABLE**

DMKCPV003E Invalid option - *option*  
DMKCPV006E Invalid device type - *devtype*  
DMKCPV021E Real device address missing or invalid  
DMKCPV026E Operand missing or invalid  
DMKCPV040E Device *rdev* does not exist  
DMKCPV046E {Device *rid*|*devtype rdev*} offline  
DMKCPV140E *devtype rdev* attached to *userid*  
DMKCPV199E Command rejected; device *rdev* pending offline  
DMKCPW330I Mismatched device types at address *rstor*  
DMKLD0923I Failing storage frame at location *rstor*  
DMKLD0924I *xxxx* additional failing storage frames exist

**EXTERNAL**

DMKCPB005E Invalid hexdata - *data*

**FLUSH**

DMKCSF003E Invalid option - *option*  
DMKCSF006E Invalid device type - *devtype*  
DMKCSF013E Conflicting option - *option*  
DMKCSF021E Real device address missing or invalid  
DMKCSF040E Device *rdev* does not exist  
DMKCSF046E {Device *rid*|*devtype rdev*} offline  
DMKCSF140E *devtype rdev* attached to *userid*  
DMKCSF141E *devtype rdev* not active

**FORCE**

DMKUSO003E Invalid option - *option*  
DMKUSO020E Userid missing or invalid  
DMKUSO045E *userid* not logged on  
DMKUSO361E LOGOFF/FORCE pending for user *userid*

**FREE**

DMKCSQ006E Invalid device type - *devtype*  
DMKCSQ007E Invalid userid - *userid*  
DMKCSQ020E Userid missing or invalid  
DMKCSQ053E *userid* not in CP directory

**HALT**

DMKCFQ546I Interruption {cleared|pending}; {device|control unit}  
DMKCPV144W *devtype vdev* RESET BY *userid*  
DMKCPT021E Real device address missing or invalid

# DMK

---

DMKCPT040E Device *rdev* does not exist

## HOLD

DMKCPI958I ATTACHED PROCESSOR NOW OPERATIONAL  
DMKCPI959W Attached processor not online  
DMKCSP007E Invalid userid - *userid*  
DMKCSP020E Userid missing or invalid  
DMKCSP053E *userid* not in CP directory  
DMKTCS240E Printer *rdev*, FCB-forms mismatch; fileid *nnnn* {held|purged}  
DMKTCS241E Printer *rdev*, invalid load module *mmmm* specified, file *nnnn* {held|purged}  
DMKTCT270E Printer *rdev*, too many WCGMs needed for 'CHARS', file *nnnn* {held|purged}

## INDICATE

DMKTHI003E Invalid option - *option*  
DMKTHI045E *userid* not logged on

## IPL

DMKCFE083E VMSAVE area does not contain valid saved system  
DMKCFG002E Invalid operand - *operand*  
DMKCFG003E Invalid option - *option*  
DMKCFG013E Conflicting option - *option*  
DMKCFG026E Operand missing or invalid  
DMKCFG040E Device *vdev* does not exist  
DMKCFG044E System *sysname* does not exist  
DMKCFG170E System *sysname* exceeds storage  
DMKCFG171E System *sysname* valid *valid* not mounted  
DMKCFG172E System *sysname* DASD *vdev* incompatible sysres  
DMKCFG173E System *sysname* requires DASD *vdev*  
DMKCFG174E Paging error - I/O error: IPL failed  
DMKCFG177E Parameter exceeds *xx* characters  
DMKCFG203E Virtual = Real area requires IPL by device address  
DMKCFG437E System paging space not available, IPL terminated  
DMKCFQ546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, userid *userid*  
DMKCFR546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, userid *userid*  
DMKCLK970W TOD CLOCK SYNC CHECK RECEIVED  
DMKSAV972E NUCLEUS AREA IS TOO SMALL; IT IS NOT UPDATED.  
                  THIS NUCLEUS REQUIRES *nnnnnn* {CYLS|PAGES}  
DMKVMI022E Virtual device address missing or invalid  
DMKVMI230E IPL SIO ERROR  
DMKVMI231E IPL TIO ERROR  
DMKVMI232E IPL UNIT ERROR; CSW = *csw* SNS = *sense*  
DMKVMI233E IPL OVERLAY ERROR  
DMKVMI234E IPL SENSE ERROR

## LINK

DMKLN020E Userid missing or invalid  
DMKLN022E Virtual device address missing or invalid  
DMKLN052E Error in CP directory

DMKLN053E *userid* not in CP directory  
 DMKLN101W DAsD *vdev* forced R/O; R/O by {*nnn users|userid*}  
 DMKLN102W DAsD *vdev* forced R/O; R/W by {*nnn users|userid*}  
 DMKLN103W DAsD *vdev* forced R/O; R/W by {*nnn users|userid*}  
 DMKLN104E *userid vdev* not linked; R/O by {*nnn users|userid*}  
 DMKLN105E *userid vdev* not linked; R/W by {*nnn users|userid*}  
 DMKLN107E *userid vdev* not linked; not in CP directory  
 DMKLN108E *userid vdev* not linked; valid *valid* not mounted  
 DMKLN109E *userid vdev* not linked; invalid link device  
 DMKLN110E *userid vdev* not linked; *devtype vdev* already defined  
 DMKLN111E *userid vdev* not linked; no read password  
 DMKLN112E *userid vdev* not linked; no write password  
 DMKLN113E *userid vdev* not linked; no multiple password  
 DMKLN114E *userid vdev* not linked; mode or password incorrect  
 DMKLN115E LINK invalid; excessive incorrect passwords  
 DMKLN116E *userid vdev* not linked; CP directory in use  
 DMKLN117E Userid *userid* not linked; valid *valid* conflict  
 DMKLN118E *userid vdev* not linked; command format not valid  
 DMKLN119E *userid vdev* not linked; insufficient free storage  
 DMKLN137E DAsD *vdev* not linked; channel *x* dedicated  
 DMKLN153E Device {*vdev|range|channel x*} exceeds maximum number of virtual devices  
 DMKLN199E Command rejected; device *rdev* pending offline  
 DMKLN281E MSS volume *valid* not linked; demount in progress, retry  
 DMKLN298E *userid vdev* not linked; request denied  
 DMKLN331E *vdev* not linked - use a {*shared|nonshared*} VCU instead  
 DMKSS071E Device not available - MSS cannot be accessed  
 DMKSS078I MSS mount proceeding for volume *valid*  
 DMKSS070E Device not available - MSS devices allocated  
 DMKSSV073E Device not available - MSS error

**LOADBUF**

DMKCSB003E Invalid option - *option*  
 DMKCSB006E Invalid device type - *devtype*  
 DMKCSB013E Conflicting option - *option*  
 DMKCSB021E Real device address missing or invalid  
 DMKCSB026E Operand missing or invalid  
 DMKCSB031E Buffer missing or invalid [*modifier*]  
 DMKCSB036E Index missing or invalid  
 DMKCSB040E Device *rdev* does not exist  
 DMKCSB043E Buffer *name* does not exist  
 DMKCSB046E {Device *rid|devtype rdev*} offline  
 DMKCSB140E *devtype rdev* attached to *userid*  
 DMKCSB142E *devtype rdev* not drained  
 DMKCSB148E *devtype rdev* buffer load *name* failed  
 DMKCSB158I UCS image name mismatch; image name loaded is *image*

**LOADVFCB**

DMKCSB006E Invalid device type - *devtype*  
 DMKCSB022E Virtual device address missing or invalid  
 DMKCSB026E Operand missing or invalid  
 DMKCSB031E Buffer missing or invalid [*modifier*]

# DMK

---

DMKCSB036E Index missing or invalid  
DMKCSB040E Device *rdev* does not exist  
DMKCSB043E Buffer *name* does not exist

## LOCATE

DMKCFD021E Real device address missing or invalid  
DMKCFD022E Virtual device address missing or invalid  
DMKCFD026E Operand missing or invalid  
DMKCFD040E Device *vdev* does not exist

## LOCK

DMKCPV020E Userid missing or invalid  
DMKCPY004E Invalid hexloc - *operand*  
DMKCPY009E Invalid range - *range*  
DMKCPY020E Userid missing or invalid  
DMKCPY033E Hexloc missing or invalid  
DMKCPY045E *userid* not logged on  
DMKCPY159E SPMODE on - cannot unlock Virtual = Real  
DMKCPY160E Hexloc *hexloc* exceeds storage  
DMKCPY165I Page *hexloc* not locked; shared page  
DMKCPY174E Paging error - I/O: page not locked

## LOGOFF

DMKCFQ546I Interruption {cleared|pending}; {device|control unit}  
DMKUSO003E Invalid option - *option*

## LOGON

DMKCFM288E LOGON from the initial screen was unsuccessful  
DMKCFM080E No preallocated VMSAVE area  
DMKCFM081E VMSAVE area already in use, must use SET command  
DMKCFM082E More than one VMSAVE area allocated, must specify area name  
DMKLOG003E Invalid option - *option*  
DMKLOG020E Userid missing or invalid  
DMKLOG050E LOGON unsuccessful--incorrect password  
DMKLOG052E Error in CP directory  
DMKLOG053E *userid* not in CP directory  
DMKLOG054E Already logged on {{{line|GRAF|LUNAME|LDEV|device} *rdev*|line disconnected}  
DMKLOG059E AUTOLOG failed for *userid* - IPL missing  
DMKLOG059E AUTOLOG failed for *userid* - IPL failed  
DMKLOG059E AUTOLOG failed for *userid* - accounting errors  
DMKLOG059E AUTOLOG failed for *userid* - incorrect password  
DMKLOG059E AUTOLOG failed for *userid* - I/O error on terminal  
DMKLOG059E AUTOLOG failed for *userid* - IPL failed. Error in CP director  
DMKLOG067E Command format not valid  
DMKLOG131E Insufficient free storage available for LOGON request  
DMKLOG206E Cannot connect to host virtual machine  
DMKLOG361E LOGOFF/FORCE pending for user *userid*  
DMKLOG780E Maximum password attempts exceeded, try again later

DMKLOH188E Specified processor unavailable  
 DMKLOH189E AFFINITY not set; system in uniprocessor mode  
 DMKLOH250E 370E is not available [on processor *xx*]  
 DMKLOH251E 370E feature is not active  
 DMKLOH365E Requested language *langid1* is unavailable. Language *langid2* set. RC = *rc*  
 DMKLOJ090E Device *vdev* not defined; device {*rdev*|*volid*} not available  
 DMKLOJ091E DASD *vdev* not defined; temp space not available  
 DMKLOJ092E Device *vdev* not defined; *devtype vdev* already defined  
 DMKLOJ093E Device *vdev* not defined; error in CP directory  
 DMKLOJ095E Device *vdev* not defined; insufficient free storage  
 DMKLOJ331E *vdev* not created - use a {shared|nonshared} VCU instead  
 DMKLOJ769W Incomplete machine - tell your system administrator  
 DMKLOM196E Secondary user not in CP directory  
 DMKLOM331E *vdev* not attached - use a {shared | nonshared} VCU instead  
 DMKSSS071E Device not available - MSS cannot be accessed  
 DMKSSS072E Device not available - *rdev* not proper type  
 DMKSSS078I MSS mount proceeding for volume *volid*  
 DMKSSST070E Device not available - MSS devices allocated  
 DMKSSV073E Device not available - MSS error

**MESSAGE**

DMKMSG003E Invalid option - *option*  
 DMKMSG020E Userid missing or invalid  
 DMKMSG045E *userid* not logged on  
 DMKMSG057W *userid* not receiving; {disconnected|MSG off|message too long|SMSG off| not  
 authorized|WNG off|IUCV error *nnnn*|VMCF error *nnnn*|quiesced}

**MONITOR**

DMKMCC002E Invalid operand - *operand*  
 DMKMCC003E Invalid option - *option*  
 DMKMCC006E Invalid device type - *devtype*  
 DMKMCC021E Real device address missing or invalid  
 DMKMCC026E Operand missing or invalid  
 DMKMCC040E Device *rdev* does not exist  
 DMKMCC046E {Device *rid*|*devtype rdev*} offline  
 DMKMCC140E *devtype rdev* attached to *userid*  
 DMKMCC143E *devtype rdev* in use by system  
 DMKMCC199E Command rejected; device *rdev* pending offline  
 DMKMCC211E MONITOR TAPE is already active  
 DMKMCC213E MONITOR CPTRACE is already active  
 DMKMCC215E Monitor active; DASTAP cannot be enabled dynamically  
 DMKMCC216E SYSPROF class is dependent on schedule and DASTAP  
 DMKMCC217E MONITOR TAPE not started, no class enabled  
 DMKMCC221E MONITOR to spool is already active  
 DMKMCD002E Invalid operand - *operand*  
 DMKMCD003E Invalid option - *option*  
 DMKMCD021E Real device address missing or invalid  
 DMKMCD026E Operand missing or invalid  
 DMKMCD040E Device *rdev* does not exist  
 DMKMCD212E Monitor is not active  
 DMKMCD214E MONITOR CPTRACE is not active

# DMK

---

DMKMCD218E Monitor not stopped, outstanding I/O  
DMKMCD222E TIME parameter specifies invalid time  
DMKMCD223E Start time must precede stop time  
DMKMCD224E Limit must be between 10 and 50000  
DMKMCD226E 'FOR' value spans midnight - command invalid  
DMKMCD227E 'FOR' option invalid with AUTODISK off  
DMKMCD228E 'FOR' option invalid with monitor on  
DMKMIA002E Invalid operand - *operand*  
DMKMNI220I Error on monitor tape, monitor stopped by system  
DMKMNJ225E Invalid monitor userid specified, MONITOR not enabled  
DMKMON219I End of monitor tape, monitor stopped by system  
DMKMON220I Error on monitor tape, monitor stopped by system

## NCPDUMP (A CMS command)

DMKRND850I UNABLE TO READ DUMP FROM READER  
DMKRND852I FATAL I/O ERROR WRITING DUMP  
DMKRND853I NO DUMP FILES EXIST  
DMKRND861E DUMP FILE *fn* NOT FOUND  
DMKRND863I INVALID PARAMETER - *parameter*

## NETWORK

DMKNEA331E *vdev* not defined - use a {shared|nonshared} VCU instead  
DMKNES002E Invalid operand - *operand*  
DMKNES004E Invalid hexloc - *operand*  
DMKNES006E Invalid device type - *devtype*  
DMKNES009E Invalid range - *range*  
DMKNES021E Real device address missing or invalid  
DMKNES026E Operand missing or invalid  
DMKNES033E Hexloc missing or invalid  
DMKNES040E Device *rdev* does not exist  
DMKNES046E {Device *rid*|*devtype* *rdev*} offline  
DMKNES049E {Device *rid*|*devtype*} *rdev* in use  
DMKNES098E Device *rid* mode switch not possible  
DMKNES140E *devtype* *rdev* attached to *userid*  
DMKNES160E Hexloc *hexloc* exceeds storage  
DMKNES199E Command rejected; device *rdev* pending offline  
DMKNES706E Line *rdev* not enabled  
DMKNET002E Invalid operand - *operand*  
DMKNET003E Invalid option - *option*  
DMKNET006E Invalid device type - *devtype*  
DMKNET026E Operand missing or invalid  
DMKNET040E Device *rdev* does not exist  
DMKNET046E {Device *rid*|*devtype* *rdev*} offline  
DMKNET049E {Device *rid*|*devtype*} *rdev* in use  
DMKNET140E *devtype* *rdev* attached to *userid*  
DMKNET157E 'CLUSTER=' parameter missing from RDEVICE macro - device *rdev*  
DMKNET199E Command rejected; device *rdev* pending offline  
DMKNLD002E Invalid operand - *operand*  
DMKNLD006E Invalid device type - *devtype*  
DMKNLD021E Real device address missing or invalid



DMKNLD026E Operand missing or invalid  
 DMKNLD040E Device *rdev* does not exist  
 DMKNLD044E System *sysname* does not exist  
 DMKNLD046E {Device *rid*|*devtype rdev*} offline  
 DMKNLD140E *devtype rdev* attached to *userid*  
 DMKNLD143E *devtype rdev* in use by system  
 DMKNLD170E System *sysname* exceeds storage  
 DMKNLD171E System *sysname* valid *valid* not mounted  
 DMKNLD199E Command rejected; device *rdev* pending offline  
 DMKNLD460E CTLR *rdev* {load|dump} failed; program check  
 DMKNLD461R CTLR *rdev* IPL NOT REQUIRED; ENTER YES TO CONTINUE  
 DMKNLD470E CTLR *rdev* {load|dump} failed; paging I/O error  
 DMKNLD471E CTLR *rdev* {load|dump} failed; unrecoverable I/O error  
 DMKNLE003E Invalid option - *option*  
 DMKNLE006E Invalid device type - *devtype*  
 DMKNLE021E Real device address missing or invalid  
 DMKNLE040E Device *rdev* does not exist  
 DMKNLE046E {Device *rid*|*devtype rdev*} offline  
 DMKNLE140E *devtype rdev* attached to *userid*  
 DMKNLE143E *devtype rdev* in use by system  
 DMKNLE199E Command rejected; device *rdev* pending offline  
 DMKNLE460E CTLR *rdev* {load|dump} failed; program check  
 DMKNLE461R CTLR *rdev* IPL NOT REQUIRED; ENTER 'YES' TO CONTINUE  
 DMKNLE464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
 DMKNLE469E CTLR *rdev* {load|dump} failed; temp space not available  
 DMKNLE470E CTLR *rdev* {load|dump} failed; paging I/O error  
 DMKNLE471E CTLR *rdev* {load|dump} failed; unrecoverable I/O error

**NOTREADY**

DMKCPB006E Invalid device type - *devtype*  
 DMKCPB022E Virtual device address missing or invalid  
 DMKCPB040E Device *vdev* does not exist

**ORDER**

DMKCSV003E Invalid option - *option*  
 DMKCSV006E Invalid device type - *devtype*  
 DMKCSV007E Invalid *userid* - *userid*  
 DMKCSV008E Invalid spoolid - *spoolid*  
 DMKCSV013E Conflicting option - *option*  
 DMKCSV020E *userid* missing or invalid  
 DMKCSV024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSV026E Operand missing or invalid  
 DMKCSV027E Spoolid missing or invalid  
 DMKCSV028E Class missing or invalid  
 DMKCSV035E Device type missing or invalid  
 DMKCSV042E Spoolid *nnnn* does not exist

**OVERRIDE**

DMKOV751E INVALID OPERAND - operand  
 DMKOV753E OPERAND MISSING

# DMK

DMKOV754E DEV rdev NOT OPERATIONAL  
DMKOV755E I/O ERROR rdev CSW = csw SENSE = sense  
DMKOV760E NOT ENOUGH SPACE ALLOCATED FOR OVERRIDES  
DMKOV761E VOLID READ IS valid1 NOT valid2 ON rdev  
DMKOV762E DESTINATION STATEMENT MISSING  
DMKOV763E INVALID FILENAME OR FILE NOT FOUND  
DMKOV764E ERROR IN routine

## PER

DMKPEI002E Invalid operand - *operand*  
DMKPEI003E Invalid option - *option*  
DMKPEI010E Invalid register - *register*  
DMKPEI026E Operand missing or invalid  
DMKPEI312E More than {8 ranges|1 PASS|1 STEP} specified on a command line  
DMKPEL013E Conflicting option - {*option|option1* and *option2*}  
DMKPEL013W Conflicting option- {NORUN conflicts with PRINTER |PRINTER conflicts with NONUN|STEP conflicts with PRINTER |PRINTER conflicts with STEP} - {BOTH|RUN} option forced  
DMKPEL047E {*userid* {*vdev|segname*} |The current traceset|The traceset *traceset* |A saved traceset} does not exist  
DMKPEL311E Maximum number of trace elements exceeded  
DMKPEN002E Invalid operand - *operand*  
DMKPEN003E Invalid option - *option*  
DMKPEN026E Operand missing or invalid  
DMKPEN047E {*userid* {*vdev|segname*} |The current traceset|The traceset *traceset* |A saved traceset} does not exist  
DMKPEN180E PER trace not in effect  
DMKPEN311E Maximum number of trace elements exceeded  
DMKPER174E Paging error - {I/O|address exception}: {command terminated, IPL failed}  
DMKPER182I PER trace is active  
DMKPER313E PER failure - code *n*  
DMKPER314W PER failure - code *n*, *userid* = *userid*  
DMKPET003E Invalid option - *option*  
DMKPET061E Virtual printer error  
DMKPET180E PER trace not in effect  
DMKPET313E PER failure - code *n*  
DMKPET314W PER failure - code *n*, *userid* = *userid*

## PURGE

DMKCSV003E Invalid option - *option*  
DMKCSV006E Invalid device type - *devtype*  
DMKCSV007E Invalid *userid* - *userid*  
DMKCSV008E Invalid spoolid -*spoolid*  
DMKCSV013E Conflicting option - *option*  
DMKCSV020E *userid* missing or invalid  
DMKCSV024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSV026E Operand missing or invalid  
DMKCSV028E Class missing or invalid  
DMKCSV035E Device type missing or invalid  
DMKCSV042E Spoolid *nnnn* does not exist

DMKTCS240E Printer *rdev*, FCB-forms mismatch; fileid *nnnn* {held|purged}  
 DMKTCS241E Printer *rdev*, invalid load module *mmmm* specified, file *nnnn* {held|purged}

### QUERY

DMKCQG022E Virtual device address missing or invalid  
 DMKCQG040E Device *vdev* does not exist  
 DMKCQG045E *userid* not logged on  
 DMKCQG361E LOGOFF/FORCE pending for user *userid*  
 DMKCQH024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCQH028E Class missing or invalid  
 DMKCQH042E Spoolid *nnnn* does not exist  
 DMKCQP003E Invalid option - *option*  
 DMKCQP023E Volid missing or invalid  
 DMKCQP040E Device *rdev* does not exist  
 DMKCQP466I CTLR *rdev* IN BUFFER SLOWDOWN MODE  
 DMKCQQ006E Invalid device type - *devtype*  
 DMKCQQ021E Real device address missing or invalid  
 DMKCQQ022E Virtual device address missing or invalid  
 DMKCQQ040E Device *rdev* does not exist  
 DMKCQQ045E *userid* not logged on  
 DMKCQQ361E LOGOFF/FORCE pending for user *userid*  
 DMKCQR020E Userid missing or invalid  
 DMKCQR026E Operand missing or invalid  
 DMKCQR045E *userid* not logged on  
 DMKCQS003E Invalid option - *option*  
 DMKCQT002E Invalid operand - *operand*  
 DMKCQT006E Invalid device type - *devtype*  
 DMKCQT021E Real device address missing or invalid  
 DMKCQT747A Device *rdev* VARY in progress, please re-enter this command  
 DMKCQT747A CSW = (*csw*)[, sense = (*sense*)], please re-enter this command  
 DMKCQT747A Error encountered, no IOERBLOK can be found, please re-enter this command  
 DMKCQT747A Device unit check - no sense data is found, please re-enter this command  
 DMKCQY020E Userid missing or invalid  
 DMKCQY026E Operand missing or invalid  
 DMKCQY045E *userid* not logged on  
 DMKCQY361E LOGOFF/FORCE pending for user *userid*  
 DMKPEI047E {*userid* {*vdev*|*segname*}|The current traceset |The traceset *traceset*|A saved  
 traceset} does not exist  
 DMKPEQ003E Invalid option - *option*  
 DMKPEQ180E PER trace not in effect

### QVM

DMKQVM020E Userid missing or invalid  
 DMKQVM026E Operand missing or invalid  
 DMKQVM800E Command rejected, other virtual machines logged on  
 DMKQVM801E Free storage page is not available  
 DMKQVM802E Command rejected, devices not dedicated  
 DMKQVM803E Command rejected, spool devices not drained  
 DMKQVM806E Command rejected, virtual address not equal to real address  
 DMKQVM807E Command rejected, VM/SP attached processor mode  
 DMKQVM809E Command rejected, TRACE/ADSTOP/CCW translation in effect

# DMK

---

## READY

DMKCPB006E Invalid device type - *devtype*  
DMKCPB022E Virtual device address missing or invalid  
DMKCPB040E Device *vdev* does not exist  
DMKCPB087I Device *vdev* is in the process of being reset  
DMKCPB089I Device *vdev* is in the process of being detached

## REPEAT

DMKCSF003E Invalid option - *option*  
DMKCSF006E Invalid device type - *devtype*  
DMKCSF013E Conflicting option - *option*  
DMKCSF021E Real device address missing or invalid  
DMKCSF030E Copies missing or invalid  
DMKCSF040E Device *rdev* does not exist  
DMKCSF046E {Device *rid*|*devtype rdev*} offline  
DMKCSF140E *devtype rdev* attached to *userid*  
DMKCSF141E *devtype rdev* not active

## RESET

DMKCFQ546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, *userid userid*  
DMKCFR546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, *userid userid*  
DMKCPB022E Virtual device address missing or invalid  
DMKCPB040E Device *vdev* does not exist  
DMKCPB087I Device *vdev* is in the process of being reset  
DMKCPB089I Device *vdev* is in the process of being detached

## REWIND

DMKCPB006E Invalid device type - *devtype*  
DMKCPB022E Virtual device address missing or invalid  
DMKCPB040E Device *vdev* does not exist

## SAVESYS

DMKCFH006E Invalid device type - *devtype*  
DMKCFH026E Operand missing or invalid  
DMKCFH044E System *sysname* does not exist  
DMKCFH170E System *sysname* exceeds storage  
DMKCFH171E System *sysname* valid *valid* not mounted  
DMKCFH172E System *sysname* DASD *vdev* incompatible SYSRES  
DMKCFH173E System *sysname* requires DASD *vdev*  
DMKCFH179E System *sysname* valid *valid* not CP-owned  
DMKCFH300E Save request beyond virtual machine size  
DMKCFH435E Paging error writing saved system  
DMKCFH436E INTERRUPT PENDING. TO PROCEED TYPE YES, TO END TYPE NO.

## SCREEN

DMKCFW002E Invalid operand - *operand*  
 DMKCFW026E Operand missing or invalid

## SEND

DMKSND020E Userid missing or invalid  
 DMKSND045E *userid* not logged on  
 DMKSND068E SEND command failed - receiver {is not disconnected | has not authorized sender |  
 has no virtual console | console input waiting | is executing a console function}

## SET

DMKCFJ002E Invalid operand - *operand*  
 DMKCFJ004E Invalid hexloc - *operand*  
 DMKCF0003E Invalid option - *option*  
 DMKCF0020E Userid missing or invalid  
 DMKCF0026E Operand missing or invalid  
 DMKCF0045E *userid* not logged on  
 DMKCF0175E {RESERVE|*name*} already in use by *userid*  
 DMKCF0184E VM assist not available on processor *xx*  
 DMKCF0186E CP assist not available  
 DMKCF0188E Specified processor unavailable  
 DMKCF0250E 370E is not available [on processor *xx*]  
 DMKCF0255W 370E feature now disabled  
 DMKCF03003E Invalid option - *option*  
 DMKCF03006E Invalid device type - *devtype*  
 DMKCF03026E Operand missing or invalid  
 DMKCF03044E System *sysname* does not exist  
 DMKCF03080E No preallocated VMSAVE area  
 DMKCF03081E VMSAVE area already in use, must use SET command  
 DMKCF03082E More than one VMSAVE area allocated, must specify area name  
 DMKCF03086E I/O error on DASD  
 DMKCF03170E System *sysname* exceeds storage  
 DMKCF03171E System *sysname* valid *valid* not mounted  
 DMKCF03175E {RESERVE|*name*} already in use by *userid*  
 DMKCF03179E System *sysname* valid *valid* not CP-owned  
 DMKCF03250E 370E is not available [on processor *xx*]  
 DMKCF03251E 370E feature is not active  
 DMKCF03420E No SVCACCL specified in directory  
 DMKCFU0003E Invalid option - *option*  
 DMKCFU0006E Invalid device type - *devtype*  
 DMKCFU0013E Conflicting option - *option*  
 DMKCFU0021E Real device address missing or invalid  
 DMKCFU0026E Operand missing or invalid  
 DMKCFU0040E Device *rdev* does not exist  
 DMKCFU0046E {Device *rid*|*devtype* *rdev*} offline  
 DMKCFU0140E *devtype* *rdev* attached to *userid*  
 DMKCFU0143E *devtype* *rdev* in use by system  
 DMKCFU0199E Command rejected; device *rdev* pending offline  
 DMKCFU0316E Command rejected; LOGMSG/DUMP being updated

# DMK

---

DMKCFU547E Missing interrupt monitoring not available  
DMKCFU925I System auto dump reallocated to DASD *rdev*  
DMKCFU953I Unable to allocate system auto dump  
DMKCFV003E Invalid option - *option*  
DMKCFV026E Operand missing or invalid  
DMKCFV062E ECMODE not set on  
DMKCFV063E Shadow table bypass; not set  
DMKCFV065E Highest allowable high-water mark value is *xxxxxK*  
DMKCFW002E Invalid operand - *operand*  
DMKCFW026E Operand missing or invalid  
DMKCFY003E Invalid option - *option*  
DMKCFY026E Operand missing or invalid  
DMKCFY045E *userid* not logged on  
DMKCFY052E Error in CP directory  
DMKCFY053E *userid* not in CP directory  
DMKCFY183E VM assist not active  
DMKCFY184E VM assist not available on processor *xx*  
DMKCFY187E Timer assist not available  
DMKCFY188E Specified processor unavailable  
DMKCFY189E AFFINITY not set; system in uniprocessor mode  
DMKCFY190E No AFFINITY specified in directory  
DMKJRL145I USERID. *userid* AT *rdev* WITH INVALID {LINK|LOGON} PASSWORD NO. *nnn*  
HAS VIOLATED THE LIMIT OF *limit*  
DMKMCI003E Invalid option - *option*  
DMKMCI026E Operand missing or invalid  
DMKMSG003E Invalid option - *option*  
DMKVAT064E Shadow table bypass; reset

## SHUTDOWN

DMKCPS003E Invalid option - *option*  
DMKCOPE928W Permanent I/O error in warm start data area

## SLEEP

DMKCFJ002E Invalid operand - *operand*

## SMSG

DMKMSG045E *userid* not logged on  
DMKMSG057W *userid* not receiving; {disconnected|MSG off|message too long|SMSG off| not  
authorized|WNG off|IUCV error *nnnn*|VMCF error *nnnn*|quiesced}

## SPACE

DMKCSF006E Invalid device type - *devtype*  
DMKCSF021E Real device address missing or invalid  
DMKCSF040E Device *rdev* does not exist  
DMKCSF046E {Device *rid*|*devtype rdev*} offline  
DMKCSF140E *devtype rdev* attached to *userid*  
DMKCSF141E *devtype rdev* not active

**SPMODE**

DMKSPM026E Operand missing or invalid  
 DMKSPM804E Single processor mode ON rejected  
 DMKSPM805E Single processor mode OFF rejected  
 DMKSPM808I SINGLE PROCESSOR MODE ACTIVE

**SPOOL**

DMKCQH013E Conflicting option - *option*  
 DMKCQH024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSO006E Invalid device type - *devtype*  
 DMKCSO024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSO040E Device *rdev* does not exist  
 DMKCSP003E Invalid option - *option*  
 DMKCSP007E Invalid userid - *userid*  
 DMKCSP013E Conflicting option - *option*  
 DMKCSP020E Userid missing or invalid  
 DMKCSP024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSP028E Class missing or invalid  
 DMKCSP030E Copies missing or invalid  
 DMKCSP032E Distribution code missing or invalid  
 DMKCSP052E Error in CP directory  
 DMKCSP053E *userid* not in CP directory  
 DMKCSP243E FLASH missing or invalid  
 DMKCSP246E FCB missing or invalid  
 DMKCSP253E MODIFY missing or invalid  
 DMKCSQ022E Virtual device address missing or invalid  
 DMKCSQ024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSQ028E Class missing or invalid  
 DMKCSQ029E Filename and/or filetype missing or invalid  
 DMKCSQ030E Copies missing or invalid  
 DMKCSR026E Operand missing or invalid  
 DMKCSR245E CHARS missing or invalid  
 DMKCSV013E Conflicting option - *option*  
 DMKCSV024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSV026E Operand missing or invalid  
 DMKSPT024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid

**SPTAPE**

DMKSPS014E Tape *rdev* dump tape capacity exceeded  
 DMKSPS037E Tape *rdev* invalid for SPTAPE command  
 DMKSPS426E Tape *rdev* system spool space full; file purged  
 DMKSPS428E Tape *rdev* spool error; file {held|purged}  
 DMKSPT002E Invalid operand - *operand*  
 DMKSPT003E Invalid option - *option*  
 DMKSPT006E Invalid device type - *devtype*  
 DMKSPT008E Invalid spoolid - *spoolid*  
 DMKSPT021E Real device address missing or invalid  
 DMKSPT024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKSPT026E Operand missing or invalid

# DMK

---

DMKSPT028E Class missing or invalid  
DMKSPT040E Device *rdev* does not exist  
DMKSPT046E {Device *rid*|*devtype rdev*} offline  
DMKSPT140E *devtype rdev* attached to *userid*  
DMKSPT143E *devtype rdev* in use by system  
DMKSPT199E Command rejected; device *rdev* pending offline

## START

DMKCSO003E Invalid option - *option*  
DMKCSO006E Invalid device type - *devtype*  
DMKCSO013E Conflicting option - *option*  
DMKCSO021E Real device address missing or invalid  
DMKCSO024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSO028E Class missing or invalid  
DMKCSO040E Device *rdev* does not exist  
DMKCSO046E {Device *rid*|*devtype rdev*} offline  
DMKCSO140E *devtype rdev* attached to *userid*  
DMKCSO243E FLASH missing or invalid  
DMKCSO244E Image library missing or invalid  
DMKCSO245E CHARS missing or invalid  
DMKCSO246E FCB missing or invalid

## STCP

DMKCDS004E Invalid hexloc - *operand*  
DMKCDS005E Invalid hexdata - *data*  
DMKCDS026E Operand missing or invalid  
DMKCDS033E Hexloc missing or invalid  
DMKCDS160E Hexloc *hexloc* exceeds storage  
DMKCDS161E Shared page *hexloc* altered by *userid*  
DMKCDS162W Invalid ECR *x* - *xxxxxxxx*  
DMKCDS166E Changed shared page not written to auxiliary storage  
DMKCDS168E Status operand requires *ecmode*  
DMKCDS923I Failing storage frame at location *rstor*

## STORE

DMKCDS004E Invalid hexloc - *operand*  
DMKCDS005E Invalid hexdata - *data*  
DMKCDS010E Invalid register - *register*  
DMKCDS012E Invalid PSW - *psw*  
DMKCDS026E Operand missing or invalid  
DMKCDS033E Hexloc missing or invalid  
DMKCDS160E Hexloc *hexloc* exceeds storage  
DMKCDS162W Invalid ECR *x* - *xxxxxxxx*  
DMKCDS163E Store exceeds maximum register  
DMKCDS164E Hexloc *hexloc* non-addressable storage  
DMKCDS166E Changed shared page not written to auxiliary storage  
DMKCDS168E Status operand requires *ECMODE*  
DMKCDS923I Failing storage frame at location *rstor*



**SYSTEM**

DMKCPB012E Invalid PSW - *psw*  
DMKCPB026E Operand missing or invalid

**TAG**

DMKCST003E Invalid option - *option*  
DMKCST006E Invalid device type - *devtype*  
DMKCST016E TAG invalid for specified file type  
DMKCST022E Virtual device address missing or invalid  
DMKCST026E Operand missing or invalid  
DMKCST027E Spoolid missing or invalid  
DMKCST040E Device *vdev* does not exist  
DMKCST042E Spoolid *nnnn* does not exist  
DMKCST424E Reader file spool error; file unchanged

**TERMINAL**

DMKCFT002E Invalid operand - *operand*  
DMKCFT006E Invalid device type - *devtype*  
DMKCFT013E Conflicting option - *option*  
DMKCFT026E Operand missing or invalid  
DMKCFT052E Error in CP directory  
DMKCFT053E *userid* not in CP directory

**TRACE**

DMKTRA002E Invalid operand - *operand*  
DMKTRA003E Invalid option - *option*  
DMKTRA013E Conflicting option - *option*  
DMKTRA026E Operand missing or invalid  
DMKTRA180W TRACE not in effect  
DMKVDD273E DETACH rejected; virtual machine tracing I/O

**TRANSFER**

DMKCSX003E Invalid option - *option*  
DMKCSX006E Invalid device type - *devtype*  
DMKCSX007E Invalid userid - *userid*  
DMKCSX008E Invalid spoolid - *spoolid*  
DMKCSX013E Conflicting option - *option*  
DMKCSX020E Userid missing or invalid  
DMKCSX024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSX026E Operand missing or invalid  
DMKCSX027E Spoolid missing or invalid  
DMKCSX028E Class missing or invalid  
DMKCSX035E Device type missing or invalid  
DMKCSX042E Spoolid *nnnn* does not exist  
DMKCSX053E *userid* not in CP directory

# DMK

---

## TRAPRED (A CMS command)

DMKTRR002E Invalid operand - *operand*  
DMKTRR005E Invalid hexdata - *data*  
DMKTRR008E Invalid spoolid - *spoolid*  
DMKTRR026E Operand missing or invalid  
DMKTRR027E Spoolid missing or invalid  
DMKTRR042E SPOOLID nnn DOES NOT EXIST OR IS HELD  
DMKTRR301E Requested file is not a CPTRAP file  
DMKTRR302E I/O error on 00C - *message*  
DMKTRR303E 00C reader file not locatable  
DMKTRR305I TRAPRED selectivity reset  
DMKTRR764E ERROR IN ROUTINE routine

## UNLOCK

DMKCPY004E Invalid hexloc - *operand*  
DMKCPY009E Invalid range - *range*  
DMKCPY020E Userid missing or invalid  
DMKCPY033E Hexloc missing or invalid  
DMKCPY045E *userid* not logged on  
DMKCPY159E SPMODE on - cannot unlock Virtual = Real  
DMKCPY160E Hexloc *hexloc* exceeds storage  
DMKCPY165I Page *hexloc* not locked; shared page  
DMKCPY174E Paging error - I/O: page not locked  
DMKCPY176E Virtual = Real area in use by *userid*  
DMKCPY202E Virtual = Real area not available; insufficient storage  
DMKCPY204E Invalid page(s) specified, Virtual = Real area

## VARY

DMKCPO049E {*Device rid|devtype*} *rdev* in use  
DMKCPO124E DASD *rdev* in use by *nnn* users  
DMKCPO140E *devtype rdev* attached to *userid*  
DMKCPO142E *devtype rdev* not drained  
DMKCPO143E *devtype rdev* in use by system  
DMKCPO198W LAST PATH TO DEVICE *rdev* ON PROCESSOR **xx**  
DMKCPP623I CHANNEL SET CONNECTED TO PROCESSOR **xx**  
DMKCPT003E Invalid option - *option*  
DMKCPT021E Real device address missing or invalid  
DMKCPT026E Operand missing or invalid  
DMKCPT040E Device *rdev* does not exist  
DMKCPT049E {*Device rid|devtype*} *rdev* in use  
DMKCPT084E VARY failed, device *rdev* busy or reserved  
DMKCPT085E Vary failed, fatal I/O error, device *rdev*  
DMKCPT099E VARY FAILED, ENVIRONMENTAL DATA DEV *rdev*  
DMKCPT123E DASD *rdev* CP-owned  
DMKCPT124E DASD *rdev* in use by *nnn* users  
DMKCPT136E Device *rdev* not varied; channel *x* dedicated  
DMKCPT140E *devtype rdev* attached to *userid*  
DMKCPT142E *devtype rdev* not drained  
DMKCPT143E *devtype rdev* in use by system

DMKCPT154E Device *rdev* VARY failed, VARY in process  
 DMKCPT169I VARY not performed, device *rdev* not ready  
 DMKCPT192E VARY PROCESSOR command failed  
 DMKCPT235I Device *rdev* varied online; unable to establish a path group id for channel path(s)  
*rdev*  
 DMKCPT236I Device *rdev* VARY failed; unable to establish a path group id for device  
 DMKCPT237I Device *rdev* VARY failed; device cannot be assigned  
 DMKCPT238I Device *rdev* varied offline; unassign failed  
 DMKCPT330E VARY failed; mismatched device types at address *rdev*  
 DMKCPU021E Real device address missing or invalid  
 DMKCPU191E Processor *xx* does not exist  
 DMKCPU192E VARY PROCESSOR command failed  
 DMKCPU193I PROCESSOR *xx* ONLINE  
 DMKCPU195A 370E FEATURE UNAVAILABLE ON PROCESSOR *xx*  
 DMKCPU812E MSSF RESPONSE CODE TO VARY CP {ON|OFF} IS *nnnn*  
 DMKMCT621I MACHINE CHECK; AFFINITY SET OFF  
 DMKMCT625I ALTERNATE PROCESSOR RECOVERY SUCCESSFUL; PROCESSOR *nn*  
 OFFLINE

**VMDUMP**

DMKVMD009E Invalid range - *range*  
 DMKVMD013E Conflicting option - *option*  
 DMKVMD020E Userid missing or invalid  
 DMKVMD033E Hexloc missing or invalid  
 DMKVMD038E Parameter for *option* option missing or invalid  
 DMKVMD053E *userid* not in CP directory  
 DMKVMD160E Hexloc *hexloc* exceeds storage  
 DMKVME146I VMDUMP failed; spooling error  
 DMKVME174E Paging error - I/O: {command complete|no dump created}

**WARNING**

DMKMSG003E Invalid option - *option*  
 DMKMSG020E Userid missing or invalid  
 DMKMSG045E *userid* not logged on  
 DMKMSG057W *userid* not receiving; {disconnected|MSG off|message too long|SMSG off| not  
 authorized|WNG off|IUCV error *nnnn*|VMCF error *nnnn*|quiesced}

**CP Spontaneous Messages**

DMKRNH454I {Line *rdev*|Device *rid*} disabled  
 DMKRNH462I CTLR *rdev* unit check; IPL required  
 DMKRNH463I CTLR *rdev* unit check; restart in progress  
 DMKRNH464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
 DMKRNH465I LINE TRACE TERMINATED DUE TO ERROR

# DMS

---

## CMS Message Summary by Command

### CMS Commands, Execs, and Macros

#### ACCESS Command

DMSACC003E Invalid option: *option*  
DMSACC017E Invalid device address *vdev*  
DMSACC048E Invalid mode *mode*  
DMSACC059E *vdev* already accessed as read/write *mode* disk  
DMSACC060E File(s) *fn [ft [fm]]* not found; disk *mode(vdev)* will not be accessed  
DMSACC066E *option* and *option2* are conflicting options  
DMSACC109S Virtual storage capacity exceeded  
DMSACC112S Disk *mode(vdev)* device error  
DMSACC113S *mode(vdev)* not attached  
DMSACC230W O/S disk--fileid and/or options specified are ignored  
DMSACC724I *vdev* replaces *mode (vdev)*  
DMSACP060E File(s) *fn [ft [fm]]* not found; disk *mode(vdev)* will not be accessed  
DMSACP109S Virtual storage capacity exceeded  
DMSACP113S *mode(vdev)* not attached  
DMSACP230W O/S disk--fileid and/or options specified are ignored  
DMSACP723I *mode (vdev)* {R/O|R/W} [-OS|-DOS]  
DMSACP725I *vdev* also = *mode* [-OS|-DOS] disk  
DMSACP726I *vdev mode* released  
DMSACP1078E Cannot access saved file directory for this disk

#### ALARM VSCREEN Command

DMSALA386E Missing operand(s)  
DMSALA388E Invalid keyword: *keyword*  
DMSALA391E Unexpected operand(s): *operand*  
DMSALA921E Virtual screen *vscreen* is not defined

#### ALTER Macro

DMSALT520E Invalid operand: *operand*  
DMSALT545E Missing operand(s)

#### AMSERV Command

DMSAMS001E No filename specified  
DMSAMS002E File FNAME1 AMSERV not found  
DMSAMS003E Invalid option: *option*  
DMSAMS006E No read/write disk accessed for FNAME2 LISTING  
DMSAMS007E File FNAME1 AMSERV *fm* not fixed, 80-character records  
DMSAMS065E *option* option specified twice  
DMSAMS066E *option1* and *option2* are conflicting options  
DMSAMS070E Invalid parameter *parameter*  
DMSAMS109S Virtual storage capacity exceeded  
DMSASN113S TAPn(*vdev*) not attached  
DMSAMS136S Unable to load IDCMA5

DMSAMS228E No DDNAME entered  
 DMSAMS367R Enter tape {input|output} DDNAMEs:  
 DMSAMS722I File *fn* LISTING *fm* will hold AMSERV output

**APPLMSG Macro**

DMSMGM813E *repos* repository not found, message *text* cannot be retrieved  
 DMSMGM814E Message number *nnnn*, format *nn*, line *nn* was not found; it was called from  
     *routine* in application *applid*  
 DMSMGM815E Invalid double-byte character string *text* replaced by '\*\*'

**ASM3705 Command**

DMSARN001E NO FILENAME SPECIFIED  
 DMSARN002E FILE 'fn ASM3705' NOT FOUND  
 DMSARN003E INVALID OPTION 'option'  
 DMSARN004W WARNING MESSAGES ISSUED  
 DMSARN006E NO READ/WRITE DISK ACCESSED  
 DMSARN007E FILE 'fn ft fm' NOT FIXED, 80 CHAR. RECORDS  
 DMSARN008W ERROR MESSAGES ISSUED  
 DMSARN012W SEVERE ERROR MESSAGES ISSUED  
 DMSARN016W TERMINAL ERROR MESSAGES ISSUED  
 DMSARN109S VIRTUAL STORAGE CAPACITY EXCEEDED  
 DMSARX001E NO FILENAME SPECIFIED  
 DMSARX002E FILE 'fn ASM3705' NOT FOUND  
 DMSARX003E INVALID OPTION 'option'  
 DMSARX006E NO READ/WRITE DISK ACCESSED  
 DMSARX007E FILE 'fn ASM3705' IS NOT FIXED, 80 CHAR. RECORDS  
 DMSARX038E FILEID CONFLICT FOR DDNAME 'ASM3705'  
 DMSARX052E MORE THAN 100 CHARS. OF OPTIONS SPECIFIED  
 DMSARX070E INVALID PARAMETER 'parameter'  
 DMSARX074E ERROR {SETTING|RESETTING} AUXILIARY DIRECTORY  
 DMSARX075E DEVICE 'devtype' ILLEGAL FOR INPUT

**ASSEMBLE Command**

DMSASM001E No filename specified  
 DMSASM002E File *fn* ASSEMBLE not found  
 DMSASM003E Invalid option: *option*  
 DMSASM006E No read/write disk accessed  
 DMSASM007E File *fn* ASSEMBLE is not fixed, 80-character records  
 DMSASM038E Fileid conflict for DDNAME ASM3705  
 DMSASM052E More than 100 characters of options specified  
 DMSASM070E Invalid parameter *parameter*  
 DMSASM074E Error {setting|resetting} auxiliary directory  
 DMSASM075E Device *devtype* illegal for input

**ASSGN Command**

DMSASN003E Invalid option: *option*  
 DMSASN027E Invalid device *devtype* [for SYSaaa]  
 DMSASN028E No logical unit specified  
 DMSASN029E Invalid parameter *parameter* in the option *option* field

# DMS

---

DMSASN035E Invalid tape mode  
DMSASN050E Parameter missing after *SYSaaa*  
DMSASN065E *option* option specified twice  
DMSASN066E *option1* and *option2* are conflicting options  
DMSASN069E Disk *mode* not accessed  
DMSASN070E Invalid parameter *parameter*  
DMSASN087E Invalid assignment of *SYSaaa* to device *devtype*  
DMSASN090E Invalid device class *devclass* for *devtype*  
DMSASN099E CMS/DOS environment not active  
DMSASN113S TAP*n*(*vdev*) not attached

## **BORDER Commands**

DMSWBX922E Window does not fit entirely on the screen  
DMSWBX930E Cursor is not in a valid location  
DMSWBX931E Invalid {border|WM} command: {*character*|*command*}

## **CANCEL Macro**

DMSCAN520E Invalid operand: *operand*

## **CATCHECK Command**

DMSCCK803E Invalid parameter specification  
DMSCCK804S Error establishing CMS/DOS environment  
DMSCCK805S Error assigning output to printer  
DMSCCK806S VSE/VSAM phase IKQVCHK not found  
DMSCCK807S Error encountered issuing ASSGN for catalog

## **CLEAR VSCREEN Command**

DMSCLR386E Missing operand(s)  
DMSCLR388E Invalid keyword: *keyword*  
DMSCLR391E Unexpected operand(s): *operand*  
DMSCLR921E Virtual screen *vname* is not defined  
DMSCLR928E Command is not valid for virtual screen *vname*

## **CLEAR WINDOW Command**

DMSCLR386E Missing operand(s)  
DMSCLR388E Invalid keyword: *keyword*  
DMSCLR391E Unexpected operand(s): *operand*  
DMSCLR921E Window *wname* is not defined  
DMSCLR929E Window *wname* is not connected to a virtual screen

## **CMSBATCH Command**

DMSBTB100E No batch processor available  
DMSBTB101E Batch not loaded  
DMSBTP105E No job card provided  
DMSBTP106E /JOB card format invalid  
DMSBTP107E CP/CMS command *command* [*devtype*] not allowed

DMSBTP108E /SET card format invalid  
 DMSBTP109E {CPU|Printer|Punch} limit exceeded

#### CMSSERV Command

DMSDFT639E Error in *routine* routine. Return code was *nnn*  
 DMSDFT716E SRPI subcommand environment was not found.  
 DMSDFT718E Unable to link to work station.  
 DMSDFT719E Work station communications not active.  
 DMSDFT720E No longer linked to work station; error code was *nnn*  
 DMSDFT812E Input was ignored.

#### COMPARE Command

DMSCMP002E File *fn [ft [fm]]* not found  
 DMSCMP003E Invalid option: *option*  
 DMSCMP005E No column specified  
 DMSCMP009E Column *col* exceeds record length  
 DMSCMP010E Premature EOF on file *fn ft [fm]*  
 DMSCMP011E Conflicting file formats  
 DMSCMP019E Identical fileids  
 DMSCMP029E Invalid parameter *parameter* in the option *option* field  
 DMSCMP054E Incomplete fileid specified  
 DMSCMP062E Invalid \* in fileid  
 DMSCMP069E Disk *mode* not accessed  
 DMSCMP104S Error *nn* reading file *fn ft fm* from disk  
 DMSCMP109S Virtual storage capacity exceeded  
 DMSCMP179I Comparing *fn ft fm* with *fn ft fm*  
 DMSCMP209W Files do not compare  
 DMSCMP211E Column fields out of sequence

#### CONVERT Commands

DMSCON006E No read/write {disk|*diskmode* disk} accessed  
 DMSCON639E Error in *routine* routine, return code was *retcode*  
 DMSCON950I Conversion of *fn ft fm* from XEDIT complete  
 DMSCON950I Conversion of file *fn ft fm* complete  
 DMSCON950I No errors found in file *fn ft fm*  
 DMSCON950I No errors found in *fn ft fm* from XEDIT  
 DMSPCA947E Line *line*: A syntax may not be defined after an arbitrary modifier statement.  
 DMSPCA947E Line *line*: An arbitrary modifier may not be the first or only :KW.n at its level.  
 DMSPCA947E Line *line*: The synonym *synonym* conflicts with a command on line *line*.  
 DMSPCA947E Line *line*: The translation *translation* conflicts with a command on line *line*.  
 DMSPCA947E Line *line*: The command *command* conflicts with a synonym on line *line*.  
 DMSPCA947E Line *line*: The command *command* conflicts with a translation on line *line*.  
 DMSPCA947E Line *line*: The synonym *synonym* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The synonym *synonym* conflicts with a translation used on line *line*.  
 DMSPCA947E Line *line*: The translation *translation* conflicts with a synonym used on line *line*.  
 DMSPCA947E Line *line*: The translation *translation* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The modifier *modifier* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The keyword *keyword* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The unique id *uniqueid* has already been used on line *line*.  
 DMSPCA947E Line *line*: TEXT function may not have values.

DMSPCA947E Line *line*: TEXT may not be mixed with other functions.  
DMSPCA947E Line *line*: *value* is not a valid value for the function *function*.  
DMSPCA947E Line *line*: *function* is not an active user function.  
DMSPCA947E Line *line*: *function* is not a system function.  
DMSPCA947E Line *line*: *routine* is not a valid routine name.  
DMSPCA947E Line *line*: Only :SYN statements may be used with a blank unique id.  
DMSPCC639E Error in *routine* routine, return code was *retcode*  
DMSPCC946E XEDIT is not active. Specify a file name.  
DMSPCR002E File *fn ft fm* not found  
DMSPCR069E Disk *diskmode* not accessed  
DMSPCR639E Error in *routine* routine, return code was *retcode*  
DMSPCR948E Line *line*: *data* expected, not: *value*  
DMSPCR948E Line *line*: *value* is out of order or not a CSDL statement name.  
DMSPCR949E Line *line*: Invalid double-byte character(s)  
DMSPCR949E Line *line*: Odd number of characters between SO and SI  
DMSPCR949E Line *line*: Unmatched shift-out (SO) and shift-in (SI)  
DMSPCR949E Line *line*: The character *character* may not be used in a name.  
DMSPCR949E Line *line*: There are no characters in a quoted string.  
DMSPCR949E Line *line*: A closing quote was not found for a string.  
DMSPCR949E Line *line*: The minimum length must be less than *value*, not *value*  
DMSPCR949E Line *line*: The minimum length must be a positive number, not *value*  
DMSPCR949E Line *line*: This modifier level cannot be more than *number*. You used *value*  
DMSPCR949E Line *line*: The modifier level must be a positive number, not *value*  
DMSPCR949E Line *line*: The unique id *uniqueid* is longer than 16 characters.  
DMSPCR949E Line *line*: The System/User indicator *indicator* does not start with S or U.  
DMSPCR949E Line *line*: The application id *applid* does not contain only letters and numbers.  
DMSPCR949E Line *line*: The application id *applid* does not start with a capital letter.  
DMSPCR949E Line *line*: The application id must be 3 characters long.  
DMSPCT396E Maximum number of command table entries exceeded  
DMSPCT639E Error in *routine* routine, return code was *retcode*  
DMSPCW396E Maximum number of command table entries exceeded  
DMSPCW639E Error in *routine* routine, return code was *retcode*

## COPYFILE Command

DMSCPY002E {File[(s)]|input file[(s)]|overlay file[(s)]} [*fn* [*ft* [*fm*]]] not found  
DMSCPY003E Invalid option: *option*  
DMSCPY024E File *fn ft fm* already exists; specify REPLACE option  
DMSCPY029E Invalid parameter *parameter* in the option *option* field  
DMSCPY030E File *fn ft fm* already active  
DMSCPY037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSCPY042E No fileid(s) specified  
DMSCPY048E Invalid mode *mode*  
DMSCPY054E Incomplete fileid specified  
DMSCPY062E Invalid character *char* in fileid *fn ft [fm]*  
DMSCPY063E No [sort|translation|specification] list {entered|given}  
DMSCPY064E Invalid [translate] specification at or near *list*  
DMSCPY065E *option* option specified twice  
DMSCPY066E *option1* and *option2* are conflicting options  
DMSCPY067E Combined input files illegal with PACK or UNPACK options  
DMSCPY068E Input file *fn ft fm* not in packed format  
DMSCPY069E Disk *mode* not accessed



DMSCPY101S SPECS temp string storage exhausted at *storarea*  
 DMSCPY102S Too many fileids  
 DMSCPY103S Number of SPECS exceeds maximum *nn*  
 DMSCPY156E FROM *nnn* not found--the file *fn ft fm* has only *nnn* records  
 DMSCPY157E Label *label* not found in file *fn ft fm*  
 DMSCPY172E TOLABEL *label* {equals|is an initial substring of} FRLABEL *label*  
 DMSCPY173E No records were copied to output file *fn ft fm*  
 DMSCPY601R Enter specification list:  
 DMSCPY602R Enter translation list:  
 DMSCPY721I Copy *fn ft fm* {to|append|ovly} *fn ft fm* ({old|new} file)  
 DMSCPY901T Unexpected error at *vstor1*: *plist function fn ft fm* at *vstor2*, base *vstor3*, rc *nn*  
 DMSCPY903T Impossible PHASE code *xx*  
 DMSCPY904T Unexpected UNPACK error at *vstor1*, base *vstor2*

**CPEREP Command**

DMSIFC002E FILE *fn ft [fm]* NOT FOUND  
 DMSIFC007E FILE *fn ft fm* IS NOT FIXED, 80-CHARACTER RECORDS  
 DMSIFC023E NO FILETYPE SPECIFIED  
 DMSIFC070E INVALID PARAMETER *PARAMETER*  
 DMSIFC104S ERROR *NN* READING FILE *fn ft fm* FROM DISK  
 DMSIFC825E CLEAR IS VALID ONLY WHEN SPECIFIED BY ITSELF  
 DMSIFC826E EREP TXTLIBS NOT FOUND  
 DMSIFC828I CPEREP ZERO OR CLEAR HAS BEEN COMPLETED  
 DMSIFC829W ATTEMPTED ZERO WAS SUPPRESSED. REQUIRES PRIVILEGE CLASS F  
 DMSIFC831E MORE THAN 100 CHARACTERS OF OPTIONS SPECIFIED  
 DMSIFC832S SOFTWARE INCOMPATIBILITY AT THE CPEREP-EREP INTERFACE; CODE  
 = *NNN*  
 DMSREA830E I/O ERROR READING A BLOCK OF RECORDS FROM THE ERROR  
 RECORDING CYLINDERS

**CURSOR VSCREEN Command**

DMSCUR386E Missing operand(s)  
 DMSCUR388E Invalid keyword: *keyword*  
 DMSCUR389E Invalid operand: *operand*  
 DMSCUR391E Unexpected operand(s): *operand*  
 DMSCUR394E Invalid option: *option*  
 DMSCUR921E Virtual screen *vname* is not defined  
 DMSCUR923E Specified location is outside the virtual screen  
 DMSCUR928E Command is not valid for virtual screen *vname*

**DCSSGEN Command**

DMSEXG042E No {fileid|execid} specified  
 DMSEXG042W No {fileid|execid} specified  
 DMSEXG054E Incomplete {fileid|execid} specified  
 DMSEXG054W Incomplete {fileid|execid} specified.  
 DMSEXG062E Invalid {character [*char*]\*} in [ output] fileid [*fn ft [fm]*]  
 DMSEXG062W Invalid [character] '[=\*|*char*|*char*]' in fileid [*fn ft [fm]*']  
 DMSEXG070E INVALID {PARAMETER *PARAMETER* |ARGUMENT *ARGUMENT*}  
 DMSEXG070W Invalid {parameter '*parameter*' | argument '*argument*' }

# DMS

---

DMSEXG104S ERROR *NN* READING FILE *fn ft fm*  
[FROM {DISK|XEDIT}]  
DMSEXG104W Error *nn* reading file *fn ft fm* [from {disk|XEDIT}]  
DMSEXG105S Error *nn* writing file *fn ft fm* [{on disk|to XEDIT}]  
DMSEXG109S Virtual storage capacity exceeded  
DMSEXG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from  
FINDSYS  
DMSEXG286W The DCSS is too small for the data being stored.  
DMSEXG288E *dcssname* DCSS not saved.  
DMSEXG288I *dcssname* DCSS not saved.  
DMSEXG297W Execid '*execid*' was not loaded.  
DMSEXG298R An error has been detected while building the DCSS. Do you still want the DCSS  
saved? Enter 1 (YES) or 0 (NO)  
DMSEXG414E Execid *execname* *exectype* already in storage  
DMSEXG415W Invalid character '*char*' in execid '*execname* *exectype*'.  
DMSEXG417W Only EXEC 2 and REXX EXECs are supported as storage resident EXECs.

## DDR Command

See "DDR (A CMS Command)" on page 2-5 for a list of these messages.

## DEBUG Command

DMSDBG728I Debug entered

## DEFAULTS Command

DMSWDF003E Invalid option: *option*  
DMSWDF641E No options specified  
DMSWDF653E Error executing GLOBALV

## DEFINE VSCREEN Command

DMSDEF014E Invalid function *function*  
DMSDEF386E Missing operand(s)  
DMSDEF389E Invalid operand: *operand*  
DMSDEF391E Unexpected operand(s): *operand*  
DMSDEF394E Invalid option: *option*  
DMSDEF622E Insufficient free storage  
DMSDEF913E Invalid virtual screen name: *vname*  
DMSDEF920E Virtual screen *name* already exists  
DMSDEF926E Command is only valid on a display terminal

## DEFINE WINDOW Command

DMSDEF014E Invalid function *function*  
DMSDEF386E Missing operand(s)  
DMSDEF389E Invalid operand: *operand*  
DMSDEF391E Unexpected operand(s): *operand*  
DMSDEF394E Invalid option: *option*  
DMSDEF622E Insufficient free storage  
DMSDEF676E Invalid character {'\*' | '='} for window name

DMSDEF915E Maximum number of windows already defined

DMSDEF920E Window *name* already exists

DMSDEF922E Window does not fit entirely on the screen

DMSDEF926E Command is only valid on a display terminal

#### DELETE VSCREEN Command

DMSDEL386E Missing operand(s)

DMSDEL388E Invalid keyword: *keyword*

DMSDEL391E Unexpected operand(s): *operand*

DMSDEL919E The CMS {window|virtual screen} cannot be deleted

DMSDEL921E Virtual screen *vname* is not defined

#### DELETE WINDOW Command

DMSDEL386E Missing operand(s)

DMSDEL388E Invalid keyword: *keyword*

DMSDEL391E Unexpected operand(s): *operand*

DMSDEL919E The CMS {window|virtual screen} cannot be deleted

DMSDEL921E Window *wname* is not defined

#### DIRECT Command

See "DIRECT (A CMS command)" on page 2-7 for a list of these messages.

#### DISCARD Command

DMSWDC651E DISCARD must be issued from FILELIST, RDRLIST, MACLIST or PEEK

DMSWDC653E Error executing *command*; rc = *nn*

#### DISK Command

DMSDSK002E File *fn [ft [fm]]* not found

DMSDSK014E Invalid function *function*

DMSDSK024E File *fn ft fm* already exists; specify REPLACE option

DMSDSK037E Disk *mode* is accessed as read/only

DMSDSK047E No function specified

DMSDSK054E Incomplete fileid specified

DMSDSK062E Invalid \* in fileid

DMSDSK069E Disk *mode* not accessed

DMSDSK069E Output disk *mode[(vdev)]* not accessed

DMSDSK070E Invalid parameter *parameter*

DMSDSK077E End card missing from input deck

DMSDSK078E Invalid card in input deck

DMSDSK078W Sequence error detected loading *fn ft*--expected *seqno1* found *seqno2*

DMSDSK104S Error *nn* reading file *fn ft fm* from disk

DMSDSK105S Error *nn* writing file *fn ft fm* on disk

DMSDSK109S Virtual storage capacity exceeded

DMSDSK118S Error punching file

DMSDSK124S Error reading card file

DMSDSK205W Reader empty or not ready

DMSDSK257T Internal system error at address *address* (offset *offset*)

DMSDSK445W Invalid data in sequence field, bypassing sequence check

# DMS

DMSDSK496S Invalid file *fn ft fm* found in input record  
DMSDSK550W Date/Time data not present for file *fn ft*  
DMSDSK639E Error in *routine* routine; return code was *nnnn*  
DMSDSK671E Error loading file *fn ft fm*; rc = *nn* from RENAME  
DMSDSK1079R Receive *fn1 ft1 fm1*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSDSK1079R Receive *fn1 ft1 fm1* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSDSK1079R Receive *fn1 ft1 fm1* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSDSK1080R Enter the new name for *fn ft fm*  
DMSDSK1081R Replace *fn ft fm*?  
DMSDSK1123E Unknown response *text* ignored.  
DMSDSK1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

## DLBL Command

DMSDLB001E No filename specified  
DMSDLB003E Invalid option: *option*  
DMSDLB005E No *option* specified  
DMSDLB023E No filetype specified  
DMSDLB048E Invalid mode *mode*  
DMSDLB050E Parameter missing after DDNAME  
DMSDLB065E *option* option specified twice  
DMSDLB066E *option1* and *option2* are conflicting options  
DMSDLB069E Disk *mode* not accessed  
DMSDLB070E Invalid parameter *parameter*  
DMSDLB086E Invalid DDNAME *ddname*  
DMSDLB109S Virtual storage capacity exceeded  
DMSDLB220R Enter data set name:  
DMSDLB221E Invalid data set name  
DMSDLB301E SYSaaa not assigned for disk *fm*  
DMSDLB302E No SYSXXX operand entered  
DMSDLB304E Invalid operand value *value*  
DMSDLB305E Incomplete extent range  
DMSDLB306E SYSaaa not assigned for IGNORE  
DMSDLB307E Catalog DDNAME *ddname* not found  
DMSDLB308E *mode* disk in [non-]CMS format; invalid for [non-]CMS dataset  
DMSDLB320I Maximum number of disk entries recorded  
DMSDLB321I Maximum number of extents recorded  
DMSDLB322I DDNAME *ddname* not found; no CLEAR executed  
DMSDLB323I Job catalog DLBL cleared  
DMSDLB323I Master catalog DLBL cleared  
DMSDLB324I No user defined {DLBL|MULT|EXTENT}s in effect  
DMSDLB330R Enter volume specifications:

DMSDLB331R Enter extent specifications:

#### DOSGEN EXEC

DMSGEN006E NO READ/WRITE A-DISK ACCESSED.  
DMSGEN095E INVALID ADDRESS '*vstor*'.  
DMSGEN110E CORRECT FORM IS: DOSGEN LOCATION (SEGNAME)  
DMSGEN111E DOSGEN FAILED DUE TO LOAD ERRORS.  
DMSGEN141S DOSGEN FAILED DUE TO SAVESYS ERRORS.  
DMSGEN412S DOSGEN FAILED DUE TO SETKEY ERRORS  
DMSGEN715I DOSGEN COMPLETE.

#### DOSLIB Command

DMSDSL002E File *fn* DOSLIB not found  
DMSDSL003E Invalid option: *option*  
DMSDSL013W Phase *phase* not found in library *libname*  
DMSDSL014E Invalid function *function*  
DMSDSL037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSDSL046E No library name specified  
DMSDSL047E No function specified  
DMSDSL069E Disk *mode* not accessed  
DMSDSL070E Invalid parameter *parameter*  
DMSDSL098E No phase name specified  
DMSDSL104S Error *nn* reading file *fn ft fm* from disk  
DMSDSL105S Error *nn* writing file *fn ft fm* on disk  
DMSDSL213W Library *fn ft fm* not created

#### DOSLKED Command

DMSDLK001E No filename specified  
DMSDLK003E Invalid option: *option*  
DMSDLK006E No read/write disk accessed  
DMSDLK007E File *fn ft fm* is not fixed, 80-character records  
DMSDLK070E Invalid parameter *parameter*  
DMSDLK099E CMS/DOS environment not active  
DMSDLK104S Error *nn* reading file *fn ft fm* from disk  
DMSDLK105S Error *nn* writing file *fn ft fm* on disk  
DMSDLK210E Library *fn ft* is on a read/only disk  
DMSDLK245S Error *nnn* on printer

#### DOSPLI EXEC

DMSPLO001E NO FILENAME SPECIFIED.  
DMSPLO002E FILE '*fn ft*' NOT FOUND.  
DMSPLO006E NO READ / WRITE DISK ACCESSED.  
DMSPLO027E INVALID DEVICE '*devtype*' FOR '*SYSaaa*'.  
DMSPLO037E DISK '*mode*' IS READ ONLY.  
DMSPLO070E INVALID ARGUMENT '*argument*'.  
DMSPLO099E CMS/DOS ENVIRONMENT NOT ACTIVE.

## DROP WINDOW Command

DMSDRP386E Missing operand(s)  
DMSDRP388E Invalid keyword: *keyword*  
DMSDRP389E Invalid operand: *operand*  
DMSDRP391E Unexpected operand(s): *operand*  
DMSDRP921E Window *wname* is not defined  
DMSDRP929E Window *wname* is not connected to a virtual screen

## DSERV Command

DMSDSV003E Invalid option: *option*  
DMSDSV021W No transient directory  
DMSDSV022W No core image directory  
DMSDSV023W No relocatable directory  
DMSDSV024W No procedure directory  
DMSDSV025W No source statement directory  
DMSDSV026W *phase* not in library  
DMSDSV027E Invalid device *devtype* [for SYSaaa]  
DMSDSV027W No private core image library  
DMSDSV028W No {private|system} transient directory entries  
DMSDSV047E No function specified  
DMSDSV065E *option* option specified twice  
DMSDSV066E *option1* and *option2* are conflicting options  
DMSDSV070E Invalid parameter *parameter*  
DMSDSV095E Invalid address *vstor*  
DMSDSV099E CMS/DOS environment not active  
DMSDSV105S Error *nn* writing file *fn ft fm* on disk  
DMSDSV245S Error *nnn* on printer  
DMSDSV411S Input error code *nn* on SYSaaa

## EDIT Command

DMSEDI003E INVALID OPTION 'option'  
DMSEDI024E FILE 'fn ft fm' ALREADY EXISTS  
DMSEDI029E INVALID PARAMETER 'parameter' IN THE 'LRECL' OPTION FIELD  
DMSEDI044E RECORD LENGTH EXCEEDS ALLOWABLE MAXIMUM  
DMSEDI048E INVALID MODE 'mode'  
DMSEDI054E INCOMPLETE FILEID SPECIFIED  
DMSEDI069E DISK 'mode' NOT ACCESSED  
DMSEDI076E ACTUAL RECORD LENGTH EXCEEDS THAT SPECIFIED  
DMSEDI104S ERROR 'nn' READING FILE 'fn ft fm' FROM DISK  
DMSEDI105S ERROR 'nn' WRITING FILE 'fn ft fm' ON DISK  
DMSEDI117S ERROR WRITING TO DISPLAY TERMINAL  
DMSEDI132S FILE 'fn ft fm' TOO LARGE  
DMSEDI143S UNABLE TO LOAD MODULE  
DMSEDI144S REQUESTED FILE IS IN ACTIVE STATUS  
DMSEDI151E 3278 MOD5 DISPLAY TERMINAL NOT SUPPORTED BY OLD CMS EDITOR  
DMSEDX069E DISK 'mode' NOT ACCESSED  
DMSEDX109S VIRTUAL STORAGE CAPACITY EXCEEDED

**ERASE Command**

DMSERS002E File [*fn [ft [fm]]*] not found  
 DMSERS003E Invalid option: *option*  
 DMSERS037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSERS048E Invalid mode *mode*  
 DMSERS054E Incomplete fileid specified  
 DMSERS069E Disk *mode* not accessed  
 DMSERS070E Invalid parameter *parameter*  
 DMSERS071E Erase \* \* [*fm*]\* not allowed  
 DMSERS109T Virtual storage capacity exceeded

**ESERV Command**

DMSERV001E NO FILENAME SPECIFIED.  
 DMSERV002E FILE 'fn ESERV ' NOT FOUND.  
 DMSERV006E NO READ / WRITE DISK ACCESSED.  
 DMSERV070E INVALID ARGUMENT '*argument*'.  
 DMSERV099E CMS/DOS ENVIRONMENT NOT ACTIVE.  
 DMSERV027E INVALID DEVICE '*devtype*' FOR 'SYSaaa'.  
 DMSERV037E DISK '*mode*' IS READ ONLY.

**EXEC Command**

DMSEXC001E No filename specified  
 DMSEXT072E ERROR IN EXEC FILE '*fn*' LINE '*nnn*' - message

**EXEC 2 Interpreter**

DMSEXE085E Error in *fn ft fm*, line *nnn* - message  
 DMSEXE175E Invalid EXEC command  
 DMSEXE255T Insufficient storage for Exec interpreter

**EXECDROP Command**

DMSEXD003E Invalid option: *option*  
 DMSEXD042E No execid specified  
 DMSEXD070E Invalid parameter *parameter*  
 DMSEXD109S Virtual storage capacity exceeded  
 DMSEXD415E Invalid character *char* in execid *execname exectype*  
 DMSEXD416W There are no '*execname exectype*' {SYSTEM|[or]USER|[or]SHARED} EXECs  
                   storage resident.  
 DMSEXD418W Drop pending for *execname exectype*

**EXECIO Command**

DMSEIO621E Bad plist: *message*  
 DMSEIO622E Insufficient free storage for EXECIO  
 DMSEIO631E *function* can only be executed from an EXEC-2 or REXX EXEC  
 DMSEIO632E I/O error in EXECIO: rc=*nnn* from *command* command

# DMS

---

## EXECLOAD Command

DMSEXL003E Invalid option: *option*  
DMSEXL042E No execid specified  
DMSEXL054E Incomplete fileid specified  
DMSEXL062E Invalid character \* in fileid  
DMSEXL070E Invalid parameter *parameter*  
DMSEXL104S Error *nn* reading file *fn ft fm* from disk  
DMSEXL109S Virtual storage capacity exceeded  
DMSEXL414E Execid *execname exectype* already in storage  
DMSEXL415E Invalid character *char* in execid *execname exectype*  
DMSEXL417E Only EXEC-2 and REXX EXECs are supported as storage resident EXECs

## EXECMAP Command

DMSEXM003E Invalid option: *option*  
DMSEXM070E Invalid parameter *parameter*  
DMSEXM109S Virtual storage capacity exceeded  
DMSEXM415E Invalid character *char* in execid *execname exectype*  
DMSEXM416W There are no '*execname exectype*' {SYSTEM|[or]USER|[or]SHARED} EXECs storage resident. There are no *execname exectype* {system|user} EXECs storage resident

## EXECSTAT Command

DMSEXQ003E Invalid option: *option*  
DMSEXQ042E No execid specified  
DMSEXQ054E Incomplete execid specified  
DMSEXQ070E Invalid parameter *parameter*  
DMSEXQ109S Virtual storage capacity exceeded  
DMSEXQ415E Invalid character *char* in execid *execname exectype*

## EXECUPDT Command

DMSWUP054E Incomplete fileid specified  
DMSWUP002E File *fn ft fm* not found  
DMSWUP419E *fn ft* has an error with quote/comment nesting. {A quote is|A comment is|n comments are} open at the end of the program.  
DMSWUP637E Missing value for the CTL option  
DMSWUP649E Extraneous parameter *parameter*  
DMSWUP671E Error updating *fn ft fm*; rc = *nn* from XEDIT  
DMSUPD001E No filename specified  
DMSUPD002E File [*fn [ft [fm]]*] not found  
DMSUPD003E Invalid option: *option*  
DMSUPD007E File *fn ft fm* is not fixed, 80-character records  
DMSUPD010W Premature EOF on file *fn ft fm*--sequence number *seqno* not found  
DMSUPD024E File *fn ft fm* already exists  
DMSUPD048E Invalid mode *mode*  
DMSUPD065E *option* option specified twice  
DMSUPD066E *option1* and *option2* are conflicting options  
DMSUPD069E Disk *mode* not accessed  
DMSUPD070E Invalid parameter *parameter*



DMSUPD104S Error *nn* reading file *fn ft fm* from disk  
 DMSUPD105S Error *nn* writing file *fn ft fm* on disk  
 DMSUPD174W Sequence error introduced in output file: *seqno1* to *seqno2* *seqno1* to *seqno2*  
 DMSUPD176W Sequencing overflow following sequence number *seqno*  
 DMSUPD179E Missing or duplicate MACS card in control file *fn ft fm*  
 DMSUPD181E No update files were found  
 DMSUPD182W Sequence increment is zero  
 DMSUPD183E Invalid {CONTROL|AUX} file control card  
 DMSUPD184W ./S not first card in update file--ignored  
 DMSUPD185W Invalid character in sequence field *seqno*  
 DMSUPD186W Sequence number *seqno* not found  
 DMSUPD187E Option STK invalid without CTL  
 DMSUPD207W Invalid update file control card  
 DMSUPD210W Input file sequence error: *seqno1* to *seqno2*  
 DMSUPD299E Insufficient storage to complete update  
 DMSUPD300E Insufficient storage to begin update  
 DMSUPD361E Disk *mode* is not a CMS disk

**EXECUTE Macro**

DMSWEX526E Option CURSOR valid in display mode only  
 DMSWEX543E Invalid number: *number*  
 DMSWEX561E Cursor is not on a valid data field  
 DMSWEX651E EXECUTE must be issued from RDRLIST, FILELIST or MACLIST  
 DMSWEX654E Invalid symbol *symbol*; {/0 must be specified alone|invalid character *char* following / symbol}

**EXCP Command**

DMSXCP037E Output disk *mode*[(*vdev*)] is accessed as read/only  
 DMSXCP043E TAP*n*[(*vdev*)] is file protected  
 DMSXCP104S Error *nn* reading file *fn ft fm* from disk  
 DMSXCP105S Error *nn* writing file *fn ft fm* on disk  
 DMSXCP113S {*mode*|Device|Disk|Printer|Punch| Reader|TAP*n*|Tapin|Tapout}[(*vdev*)] not attached  
 DMSXCP361E Disk *mode* is not a DOS disk  
 DMSXCP161S Unexpected error code *nn* on SYS*aaa*  
 DMSXCP361E Disk *mode* is not a DOS disk  
 DMSXCP411S Input error code *nn* on SYS*aaa*  
 DMSXCP411S Output error code *nn* on SYS*aaa*

**EXECUTE EXEC**

DMSWEX526E Option CURSOR valid in display mode only  
 DMSWEX543E Invalid number: *number*  
 DMSWEX561E Cursor is not on a valid data field  
 DMSWEX651E EXECUTE must be issued from RDRLIST, FILELIST or MACLIST  
 DMSWEX654E Invalid symbol *symbol*; {/0 must be specified alone|invalid character *char* following / symbol}

**EXPAND Command**

DMSWXP001E No filename specified  
 DMSWXP002E File *fn ft* [*fm*] not found

# DMS

---

DMSWXP003E Invalid option: *option*  
DMSWXP005E No *option* specified  
DMSWXP029E Invalid parameter *parameter* in the option *option* field  
DMSWXP037E Disk *mode* is read/only  
DMSWXP048E Invalid output filemode '*mode*'  
DMSWXP065E *option* option specified twice  
DMSWXP066E *option1* and *option2* are conflicting options  
DMSWXP069E Disk *mode* not accessed  
DMSWXP070E Invalid parameter *parameter*  
DMSWXP235E Error *n* in input text file *fn ft fm*  
DMSWXP372E Invalid EXPAND control card  
DMSWXP373E Control section *csect* does not exist  
DMSWXP374W Zero-length CSECT *csect* encountered  
DMSWXP375I *nnnnn* (HEX *xxxx*) bytes at an offset of *hhhhhhh* into CSECT *csect* have been added  
DMSWXP376I EXPAND processing complete  
DMSWXP653E Error executing command *command*, rc = *nn*

## FCOBOL EXEC

DMSFCO001E NO FILENAME SPECIFIED.  
DMSFCO002E FILE '*fn* COBOL ' NOT FOUND.  
DMSFCO006E NO READ/WRITE DISK ACCESSED.  
DMSFCO027E INVALID DEVICE '*devtype*' FOR '*SYSaaa*'.  
DMSFCO037E DISK '*mode*' IS READ ONLY.  
DMSFCO070E INVALID ARGUMENT '*argument*'.  
DMSFCO099E CMS/DOS ENVIRONMENT NOT ACTIVE.

## FETCH Command

DMSFCH016E No private core image library found  
DMSFCH104S Error *nn* reading file *fn ft fm* from disk  
DMSFCH109S Virtual storage capacity exceeded  
DMSFCH113S Disk(*vdev*) not attached  
DMSFCH115E Phase load point less than *vstor*  
DMSFCH411S Input error code *nn* on *SYSaaa*  
DMSFCH623S Phase cannot be loaded at location *hexloc*--this area is available for system use only  
DMSFCH777S DOS partition too small to accommodate fetch request  
DMSFET003E Invalid option: *option*  
DMSFET004E Phase *phase* not found  
DMSFET029E Invalid parameter *parameter* in the option *option* field  
DMSFET070E Invalid parameter *parameter*  
DMSFET098E No phase name specified  
DMSFET099E CMS/DOS environment not active  
DMSFET623S Phase cannot be loaded at location *hexloc*--this area is available for system use only  
DMSFET710I Phase *phase* entry point at location *hexloc*

**FILEDEF Command**

DMSFLD003E Invalid option: *option*  
 DMSFLD023E No filetype specified  
 DMSFLD027E Invalid device *devtype* [for SYSaaa]  
 DMSFLD029E Invalid parameter *parameter* in the option *option* field  
 DMSFLD035E Invalid tape mode  
 DMSFLD050E Parameter missing after DDNAME  
 DMSFLD065E *option* option specified twice  
 DMSFLD066E *option1* and *option2* are conflicting options  
 DMSFLD069I Disk *mode* not accessed  
 DMSFLD070E Invalid parameter *parameter*  
 DMSFLD109S Virtual storage capacity exceeded  
 DMSFLD220R Enter data set name:  
 DMSFLD221E Invalid data set name  
 DMSFLD224E Fileid already in use  
 DMSFLD324I No user defined FILEDEFs in effect  
 DMSFLD420E NSL exit filename missing or invalid  
 DMSFLD699E No filetype specified or *vdev* is an invalid disk address  
 DMSFLD704I Invalid CLEAR request  
 DMSFLD735E Primary and alternate drives are identical.

DMSFLO003E Invalid option: *option*  
 DMSFLO029E Invalid parameter *parameter* in the option *option* field  
 DMSFLO035E Invalid tape mode  
 DMSFLO066E *option* and *option* are conflicting options  
 DMSFLO109S Virtual storage capacity exceeded  
 DMSFLO447E Invalid SYSPARM information.  
 DMSSTT228I User labels bypassed on data set *data set name*

**FILELIST Command**

DMSWFL002E File *fn ft fm* not found  
 DMSWFL054E Incomplete fileid specified  
 DMSWFL651E APPEND must be issued from RDRLIST or FILELIST  
 DMSWFL680E Invalid fileid specified with FILELIST option

**FORMAT Command**

DMSFOR003E Invalid option: *option*  
 DMSFOR005E No BLKSIZE specified  
 DMSFOR017E Invalid device address *vdev*  
 DMSFOR028E No device specified  
 DMSFOR037E Disk *mode*(*vdev*) is accessed as read/only  
 DMSFOR048E Invalid mode *mode*  
 DMSFOR069E Disk *mode* not accessed  
 DMSFOR070E Invalid parameter *parameter*  
 DMSFOR113S Device *vdev* not attached  
 DMSFOR114S Device *vdev* is an unsupported device type, or requested BLKSIZE is not supported for the device  
 DMSFOR125S Permanent unit check on disk *mode*(*vdev*)  
 DMSFOR126S Error {reading|writing} label on disk *mode*(*vdev*)

# DMS

---

DMSFOR214W Cannot recompute without loss of data; no change  
DMSFOR216E Insufficient blocks on disk to support CMS disk structure  
DMSFOR603R Format will erase all files on disk *mode(vdev)*. Do you wish to continue? Enter 1  
(YES) or 0 (NO)  
DMSFOR605R Enter disk label:  
DMSFOR705I Disk remains unchanged  
DMSFOR732I *nnnn* {cylinders|FB-512 blocks} formatted on *mode(vdev) mode(vdev)*  
DMSFOR733I Formatting disk *mode*

## GENDIRT Command

DMSGND002W File *fn ft [fm]* not found  
DMSGND021E Entry point *name* not found  
DMSGND022E No directory name specified  
DMSGND070E Invalid parameter *parameter*

## GENMOD Command

DMSMOD003E Invalid option: *option*  
DMSMOD005E No *option* specified  
DMSMOD018E No load map available  
DMSMOD021E Entry point *name* not found  
DMSMOD032E Invalid filetype *ft*  
DMSMOD037E Disk *mode[(vdev)]* is accessed as read/only  
DMSMOD040E No files loaded  
DMSMOD069E Disk *mode* not accessed  
DMSMOD070E Invalid parameter *parameter*  
DMSMOD084E Invalid use of FROM and TO options  
DMSMOD105S Error *nn* writing file *fn ft fm* on disk

## GENMSG Command

DMSMGC002E File *fn ft fm* not found  
DMSMGC003E Invalid option: *option*  
DMSMGC006E No read/write disk accessed  
DMSMGC029E Invalid parameter *parameter* in the option *option* field  
DMSMGC049E Invalid line number *nn*  
DMSMGC054E Incomplete fileid specified  
DMSMGC065E *option* option specified twice  
DMSMGC066E *option1* and *option2* are conflicting options  
DMSMGC073E Unable to open file *ddname*  
DMSMGC104S Error *nn* reading file *fn ft fm* from disk  
DMSMGC105S Error *nn* writing file *fn ft fm* to disk  
DMSMGC109S Virtual storage capacity exceeded  
DMSMGC147E Message not in ascending sequence  
DMSMGC580E Invalid string: unmatched shift-out (SO) and shift-in (SI)  
DMSMGC580E Invalid string: invalid double-byte character(s)  
DMSMGC766I Substitution character is *char*  
DMSMGC767I Number of message number characters to be displayed is *nn*  
DMSMGC768W Invalid substitution character value *char*  
DMSMGC769W Invalid number of message characters value *value*  
DMSMGC770E Invalid application id *applid*

DMSMGC771E Invalid message number  
DMSMGC772E Invalid format number  
DMSMGC773E Duplicate message id *id*  
DMSMGC774E Line numbers for messages are not consecutive  
DMSMGC775W Text too long - 240 characters is the maximum allowed  
DMSMGC776I Options used: *list*

**GEN3705 Command**

DMSGRN002E File *fn* [*ft* [*fm*]] not found  
DMSGRN003E Invalid option: *option*  
DMSGRN007E File *fn ft fm* is not fixed, 80-character records  
DMSGRN048E Invalid mode *mode*  
DMSGRN054E Incomplete fileid specified  
DMSGRN078E Invalid card in input file *fn*

**GET VSCREEN Command**

DMSGET069E Disk *mode* not accessed  
DMSGET386E Missing operand(s)  
DMSGET388E Invalid keyword: *keyword*  
DMSGET389E Invalid operand: *operand*  
DMSGET391E Unexpected operand(s): *operand*  
DMSGET921E Virtual screen *vname* is not defined  
DMSSTT048E Invalid mode *mode*  
DMSSTT062E Invalid character *char* in fileid [*fn ft &lbrkfm*]  
DMSWVL002E File *fn ft fm* not found  
DMSWVL104S Error *nn* reading file *fn ft fm* from disk  
DMSWVL109S Virtual storage capacity exceeded  
DMSWVL156E Record *nn* not found - file *fn ft fm* has only *nn* records  
DMSWVL928E Command is not valid for virtual screen *vname*

**GLOBAL Command**

DMSGLB002W File *fn ft [fm]* not found  
DMSGLB014E Invalid function *function*  
DMSGLB047E No function specified  
DMSGLB056E File *fn ft [fm]* contains invalid record formats  
DMSGLB104S Error *nn* reading file *fn ft fm* from disk  
DMSGLB108S More than *nn* libraries specified.  
DMSGLB109S Virtual storage capacity exceeded  
DMSSTT062E Invalid character *char* in fileid [*fn ft &lbrkfm*]

**GLOBALV Command**

DMSGLO047E No function specified  
DMSGLO104S Error *nn* reading file *fn* GLOBALV A from disk  
DMSGLO109S Virtual storage capacity exceeded  
DMSGLO622E Insufficient free storage; no table made  
DMSGLO628E Invalid GLOBALV function *function*  
DMSGLO631E *function* can only be executed from an EXEC-2 or REXX exec [or as a CMS command]  
DMSGLO649E Extraneous parameter *parameter*

# DMS

## HELP, HELPCONV Commands

- DMSHEL241I {Press PF10 for detail information; PF11 for related information.}Press PF10 for detail information.}Press PF11 to get related information.}
- DMSHEL241I {Press PF10 for detail information; PF11 for related information.}Press PF10 for detail information.}Press PF11 to get related information.}
- DMSHEL241I {Press PF10 for detail information; PF11 for related information.}Press PF10 for detail information.}Press PF11 to get related information.}
- DMSHEL242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.
- DMSHEL243I RELATED information is not available.
- DMSHEL244W Requested HELP section unavailable; *option* option has been assumed.
- DMSHEL254E Help cannot find the requested information. If not misspelled, enter HELP for menu assistance or HELP HELP for the HELP command.
- DMSHEL529E *subcommand* subcommand is only valid in editing mode
- DMSHEL545E Missing operand(s)
- DMSHEL561E Cursor is not on a valid data field
- DMSHEL586E String not found
- DMSHEL657E Undefined PFkey/PAkey
- DMSHLB251E HELP processing error code *nnn* - description.
- DMSHLC003E Invalid option: *option*
- DMSHLI002E File not found
- DMSHLI104S Error *nn* reading file *fn ft fm* from disk
- DMSHLI109S Virtual storage capacity exceeded
- DMSHLL242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.
- DMSHLL243I RELATED information is not available.
- DMSHLL244W Requested HELP section unavailable; *option* option has been assumed.
- DMSHLL254E Help cannot find the requested information. If not misspelled, enter HELP for menu assistance or HELP HELP for the HELP command.
- DMSHLL355I For related information on this subject, enter MOREHELP (RELATED).
- DMSHLL356I For more detail on this subject, enter MOREHELP.
- DMSHLL639E Error in *routine* routine; return code was *nn*
- DMSHLP251E Help processing error; code *nnn*: *description*
- DMSHLR639E Error in *routine* routine; return code was *nn*
- DMSHLS109S Virtual storage capacity exceeded
- DMSHLS250S I/O error or device error
- DMSHLS907T I/O error on file *fn ft fm*
- DMSHLZ242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.

## HIDE WINDOW Command

- DMSHID386E Missing operand(s)
- DMSHID388E Invalid keyword: *keyword*
- DMSHID389E Invalid operand: *operand*
- DMSHID391E Unexpected operand(s): *operand*
- DMSHID921E Window *wname* is not defined
- DMSWMM921E {Virtual screen *vname*|Window *wname*} is not defined
- DMSWMM923E Specified location is outside the virtual screen
- DMSWMM929E Window *wname* is not connected to a virtual screen

**IDENTIFY Command**

DMSIDE003E Invalid option: *option*  
DMSIDE056E File *fn ft [fm]* contains invalid record formats  
DMSIDE070E Invalid parameter *parameter*  
DMSIDE104S Error *nn* reading file *fn ft fm* from disk

**IMAGEMOD Command**

DMSIMA001E No module name specified  
DMSIMA002E File *fn ft fm* not found  
DMSIMA003E Invalid option *option*  
DMSIMA013E Member *membername* not found in library *libname*  
DMSIMA014E Invalid function *function*  
DMSIMA046E No library name specified  
DMSIMA047E No function specified  
DMSIMA109S Virtual storage capacity exceeded  
DMSIMA346E Error *nn* loading *fn ft* from disk  
DMSIMA347E Error *nn* loading library *libname*  
DMSIMA348E Error *nn* saving library *libname*  
DMSIMA349E Invalid library *libname*  
DMSIMA751I Member *membername* found in library *libname*

**IMMCMD Command**

DMSIMM014E Invalid function *function*  
DMSIMM047E No function specified  
DMSIMM070E Invalid parameter *parameter*  
DMSIMM109S Virtual storage capacity exceeded  
DMSIMM261E No immediate command name was specified  
DMSIMM262E Immediate command *command* not found  
DMSIMM263E Specified immediate command is a nucleus extension and cannot be cleared

**INCLUDE Command**

DMSLIO001E No filename specified  
DMSLIO002E File[(s)] *fn* TXTLIB not found  
DMSLIO003E Invalid option: *option*  
DMSLIO005E No *option* specified  
DMSLIO021E Entry point *name* not found  
DMSLIO029E Invalid parameter *parameter* in the option *option* field  
DMSLIO055E No entry point defined  
DMSLIO056E File *fn ft [fm]* contains invalid record formats  
DMSLIO099E CMS/DOS environment not active  
DMSLIO104S Error *nn* reading file *fn ft fm* from disk  
DMSLIO105S Error *nn* writing file *fn ft fm* on disk  
DMSLIO109S Virtual storage capacity exceeded  
DMSLIO116S Loader table overflow  
DMSLIO168S Pseudo register table overflow  
DMSLIO169S ESDID table overflow  
DMSLIO201W The following names are undefined: *namelist*  
DMSLIO202W Duplicate identifier *identifier*

# DMS

---

DMSLIO203W SET LOCATION COUNTER *name* undefined  
DMSLIO206W Pseudo register alignment error  
DMSLIO623S Module cannot be loaded at location *location*--this area is available for system use only  
DMSLIO625S There are too many items that require relocation to save all of the RLD information  
DMSLIO740I Execution begins ...  
DMSLIO749W There are too many comments in text files to be included in the module  
DMSLIO907T I/O error on file *fn ft fm*

## IOCP Command

DMSICP001E No filename specified  
DMSICP002E File *fn* IOCP not found  
DMSICP003E Invalid option: *option*  
DMSICP006E No read/write disk accessed  
DMSICP007E File *fn* IOCP is not fixed, 80-character records  
DMSICP038E Fileid conflict for DDNAME SYSIN  
DMSICP070E Invalid parameter *parameter*  
DMSICP075E Device *devtype* invalid for input  
DMSICP099E CMS/DOS environment active

## ITASK EXEC

DMSWTK002E *fn ft [fm]* NOT FOUND  
DMSWTK003E Invalid option:*option*  
DMSWTK008E Device *vdev* invalid or nonexistent  
DMSWTK050E Parameter missing after *value*  
DMSWTK070E INVALID PARAMETER *parameter*  
DMSWTK095E Invalid address *vstor*  
DMSWTK360E Invalid response *response*  
DMSWTK961E There are class *class* files in the *device*  
DMSWTK965I You may wish to tailor the following files at this time:

DMKSNT ASSEMBLE  
DMKRIO ASSEMBLE  
DMKSYS ASSEMBLE  
DMKBOX ASSEMBLE  
DMKFCB ASSEMBLE  
DMSNGP ASSEMBLE  
VMUSERS DIRECT

DMSWTK966I Do you wish to have the HELP files converted to uppercase?  
DMSWTK967R Type: (Yes) or No  
DMSWTK968I The following minidisks defined in the base CP directory will be formatted:

AUTOLOG1 191           CMSBATCH 195  
CMSUSER 191           EREP 191  
OPERATNS 191,193      MAINT 201,319  
MAINT 293,294,494,496,596

DMSWTK970I Formatting *user's vdev* minidisk  
DMSWTK981R What is the real address of your *volume* volume?  
DMSWTK982R Type: real address or SKIP  
DMSWTK983E Violation of CMS naming convention found in *args*



**JOIN Macro**

DMSJOI526E Option CURSOR valid in display mode only  
 DMSJOI561E Cursor is not on a valid data field  
 DMSJOI564W EOF reached  
 DMSJOI575E Invalid argument or JOIN column(s) defined  
 DMSJOI585E No line(s) changed  
 DMSJOI685E Joined line(s) exceed zone settings

**LABELDEF Command**

DMSLBD003E Invalid option: *option*  
 DMSLBD029E Invalid parameter *parameter* in the option *option* field  
 DMSLBD065E *option* option specified twice  
 DMSLBD066E *option1* and *option2* are conflicting options  
 DMSLBD070E Invalid parameter *parameter*  
 DMSLBD109S Virtual storage capacity exceeded  
 DMSLBD220R Enter data set name:  
 DMSLBD221E Invalid data set name  
 DMSLBD324I No user defined LABELDEFs in effect  
 DMSLBD438E Valid *valid* is a duplicate entry  
 DMSLBD439E Valid *valid* is an invalid entry  
 DMSLBD441R Enter valid information  
 DMSLBD442E SCRATCH may only be used as the last valid for the file  
 DMSLBD704I Invalid CLEAR request

**LANGGEN Command**

DMSWLG002E File *fn ft fm* not found  
 DMSWLG006E No read/write disk accessed  
 DMSWLG032E Invalid filetype *ft*  
 DMSWLG048E Invalid filemode *fm*  
 DMSWLG069E Disk *mode* not accessed  
 DMSWLG104S Error *nn* reading file *fn ft fm* from disk  
 DMSWLG105S Error *nn* writing file *fn ft fm* to disk  
 DMSWLG210E File SYSTEM LANGUAGE is on a read/only disk  
 DMSWLG235E Error 1 on input text file *fn ft fm*  
 DMSWLG252E Invalid filename *fn*  
 DMSWLG276E Invalid language id *langid*  
 DMSWLG279E Application DMS not found in the language DCSS  
 DMSWLG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from  
 FINDSYS  
 DMSWLG284E The DCSS is not completely inside the virtual machine.  
 DMSWLG285E CP repository not saved  
 DMSWLG285I CP repository saved  
 DMSWLG286E The DCSS is too small for the data being stored  
 DMSWLG287E You must have a CP privilege class E to build a DCSS  
 DMSWLG288E *dcssname* DCSS not saved  
 DMSWLG289E The default language, *langid*, must be active  
 DMSWLG290E Duplicate applications specified in control file *fn ft fm*  
 DMSWLG291E Error occurred while loading the DCSS  
 DMSWLG292W Text data will be loaded at '20000'x in user area; user data may be overwritten

# DMS

---

DMSWLG294E Invalid language level id *levelid*  
DMSWLG312W Language not generated - no text decks specified in control file *fn ft fm*

## LANGMERG Command

DMSWLM002E File *fn ft fm* not found  
DMSWLM006E No read/write disk accessed  
DMSWLM104S Error *nn* reading file *fn ft fm* from disk  
DMSWLM105S Error *nn* writing file *fn ft fm* to disk  
DMSWLM252E Invalid filename *fn*  
DMSWLM276E Invalid language id *langid*  
DMSWLM282E Error(s) occurred while creating *fn ft fm*. Check *fn ft fm* for details.  
DMSWLM440W No text decks specified in control file  
DMSWLM770E Invalid application id *name*

## LISTDS Command

DMSLDS002E Dataset not found  
DMSLDS003E Invalid option: *option*  
DMSLDS048E Invalid mode *mode*  
DMSLDS069E Disk *mode* not accessed  
DMSLDS220R Enter data set name:  
DMSLDS221E Invalid data set name  
DMSLDS222E I/O error reading *data set name* from {*fm*|OS|DOS} disk  
DMSLDS223E No filemode specified  
DMSLDS226E No dataset name allowed with FREE option  
DMSLDS227W Invalid extent found for *data set name* on *fm* disk  
DMSLDS229I No members found  
DMSLDS231E I/O error reading VTOC from {*fm*|OS|DOS} disk  
DMSLDS233I No free space available on *fm* disk  
DMSLDS333E *nnnnnK* partition too large for this virtual machine

## LISTFILE Command

DMSLST002E File[(s)] [*fn [fn [fm]]*] not found  
DMSLST003E Invalid option: *option*  
DMSLST037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSLST037E Output disk *mode*[(*vdev*)] is accessed as read/only  
DMSLST048E Invalid mode *mode*  
DMSLST066E *option1* and *option2* are conflicting options  
DMSLST069E Disk *mode* not accessed  
DMSLST070E Invalid parameter *parameter*  
DMSLST105S Error *nn* writing file *fn ft fm* on disk  
DMSLST688E XEDIT option only valid from XEDIT environment  
DMSLST689E File must be F-format 108 or V-format

## LISTIO Command

DMSLLU003E Invalid option: *option*  
DMSLLU006E No read/write A disk accessed  
DMSLLU070E Invalid parameter *parameter*  
DMSLLU099E CMS/DOS environment not active

DMSLLU105S Error *nn* writing file *fn ft fm* on disk  
 DMSLLU303E No SYSXXX satisfies request

**LKED Command**

DMSLKD001E No filename specified  
 DMSLKD002E File *fn [ft [fm]]* not found  
 DMSLKD004W Warning messages issued  
 DMSLKD005E No *option* specified  
 DMSLKD006E No read/write disk accessed  
 DMSLKD007E File *fn ft fm* [is] not fixed, 80-character records  
 DMSLKD008W Error messages issued  
 DMSLKD012W Severe error messages issued  
 DMSLKD016W Terminal error messages issued  
 DMSLKD070E Invalid parameter *parameter*

**LOAD Command**

DMSLGT002I File *fn* TXTLIB not found  
 DMSLIO001E No filename specified  
 DMSLIO002E File[(s)] *fn* TXTLIB not found  
 DMSLIO003E Invalid option: *option*  
 DMSLIO005E No *option* specified  
 DMSLIO021E Entry point *name* not found  
 DMSLIO029E Invalid parameter *parameter* in the option *option* field  
 DMSLIO055E No entry point defined  
 DMSLIO056E File *fn ft [fm]* contains invalid record formats  
 DMSLIO099E CMS/DOS environment not active  
 DMSLIO104S Error *nn* reading file *fn ft fm* from disk  
 DMSLIO105S Error *nn* writing file *fn ft fm* on disk  
 DMSLIO109S Virtual storage capacity exceeded  
 DMSLIO116S Loader table overflow  
 DMSLIO168S Pseudo register table overflow  
 DMSLIO169S ESDID table overflow  
 DMSLIO201W The following names are undefined: *namelist*  
 DMSLIO202W Duplicate identifier *identifier*  
 DMSLIO203W SET LOCATION COUNTER *name* undefined  
 DMSLIO206W Pseudo register alignment error  
 DMSLIO623S Module cannot be loaded at location *location*--this area is available for system use only  
 DMSLIO625S There are too many items that require relocation to save all of the RLD information  
 DMSLIO740I Execution begins ...  
 DMSLIO749W There are too many comments in text files to be included in the module  
 DMSLIO907T I/O error on file *fn ft fm*  
 DMSSTT062E Invalid character *char* in fileid *fn ft*

**LOADLIB Command**

DMSUTL003E Invalid option: *option*  
 DMSUTL014E Invalid function *function*  
 DMSUTL024E File *fn ft fm* already exists  
 DMSUTL032E Invalid filetype *ft*

# DMS

DMSUTL037E Output disk *mode* is accessed as read/only  
DMSUTL039E No entries in library *fn ft fm*  
DMSUTL042E No fileid(s) specified  
DMSUTL047E No function specified  
DMSUTL054E Incomplete fileid specified  
DMSUTL065E *option* option specified twice  
DMSUTL066E *option1* and *option2* are conflicting options  
DMSUTL073E Unable to open file *ddname*  
DMSUTL188W SYSUT2 header is invalid because of blocksize incompatibility; user action required  
DMSUTL189E The LIST function of the LOADLIB command does not support concatenated SYSUT1  
DMSUTL901T Unexpected error at *vstor1*: plist function *fn ft fm* at *vstor2*, base *vstor3*, rc = *nn*  
DMSUTL907T I/O error on file *fn ft fm*

## LOADMOD Command

DMSMOD001E No filename specified  
DMSMOD002E File(s) [*fn* [*ft* [*fm*]]] not found  
DMSMOD018E No load map available  
DMSMOD032E Invalid filetype *ft*  
DMSMOD037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSMOD069E Disk *mode* not accessed  
DMSMOD070E Invalid parameter *parameter*  
DMSMOD104S Error *nn* reading file *fn ft fm* from disk  
DMSMOD109S Virtual storage capacity exceeded  
DMSMOD114E *fn ft fm* not loaded; CMS/DOS environment [not] active  
DMSMOD116S Loader table overflow

## MACLIB Command

DMSLBM001E No filename specified  
DMSLBM002E File *fn* MACLIB not found  
DMSLBM002W File *fn ft [fm]* not found  
DMSLBM003E Invalid option: *option*  
DMSLBM013W Member *membername* not found in library *libname*  
DMSLBM014E Invalid function *function*  
DMSLBM037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSLBM046E No library name specified  
DMSLBM047E No function specified  
DMSLBM056E File *fn ft [fm]* contains invalid record formats  
DMSLBM069E Disk *mode* not accessed  
DMSLBM070E Invalid parameter *parameter*  
DMSLBM104S Error *nn* reading file *fn ft fm* from disk  
DMSLBM105S Error *nn* writing file *fn ft fm* on disk  
DMSLBM109S Virtual storage capacity exceeded  
DMSLBM157S MACLIB limit exceeded[, last member added was *membername*]  
DMSLBM167S Previous MACLIB function not finished  
DMSLBM213W Library *fn* MACLIB *fm* not created, or erased if empty  
DMSLBM688E XEDIT option only valid from XEDIT environment  
DMSLBM689E File must be F-format 130 or V-format  
DMSLBM907T I/O error on file *fn ft fm*

**MACLIST Command**

DMSWML002E File *fn* MACLIB \* not found  
DMSWML651E APPEND must be issued from MACLIST  
DMSWML668E The APPEND option must be specified alone

**MAXIMIZE WINDOW Command**

DMSMAX386E Missing operand(s)  
DMSMAX388E Invalid keyword: *keyword*  
DMSMAX391E Unexpected operand(s): *operand*  
DMSMAX921E Window *wname* is not defined

**MINIMIZE WINDOW Command**

DMSMIN386E Missing operand(s)  
DMSMIN388E Invalid keyword: *keyword*  
DMSMIN391E Unexpected operand(s): *operand*  
DMSMIN921E Window *wname* is not defined

**MODMAP Command**

DMSMDP001E No filename specified  
DMSMDP070E Invalid parameter *parameter*

**MOREHELP Command**

DMSMOR353E No previous HELP command has been entered. Please enter HELP MOREHELP for information on the MOREHELP command.  
DMSMOR354E Related information is not available for the last HELP command entered.  
DMSMOR639E Error in *routine* routine; return code was *nn*

**MOVEFILE Command**

DMSMVE002E File[(s)] [*fn* [*ft* [*fm*]]] not found  
DMSMVE003E Invalid option: *option*  
DMSMVE037E Output disk *mode*[(*vdev*)] is accessed as read/only  
DMSMVE041E Input and output files are the same  
DMSMVE069E Output disk *mode* is not accessed  
DMSMVE070E Invalid parameter *parameter*  
DMSMVE075E Device *devtype* invalid for {input|output}  
DMSMVE086E Invalid DDNAME *ddname*  
DMSMVE127S Unsupported device for DDNAME  
DMSMVE128S I/O error on input after reading *nnn* records; input error code on DDNAME  
DMSMVE129S I/O error on output writing record number *nnnn*; output error code on DDNAME  
DMSMVE130S Blocksize on V format file *ddname* is less than 9  
DMSMVE225I PDS member *membername* moved  
DMSMVE226I End of PDS move  
DMSMVE232E Invalid RECFM--spanned records not supported  
DMSMVE706I Terminal input; type null line for end of data  
DMSMVE708I Disk file *fn ddname* A1 assumed for DDNAME *ddname*  
DMSMVG089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}

## NAMEFIND Command

DMSNAM002E Files [*fn* [*ft* [*fm*]]] not found  
DMSNAM003E Invalid option: *option*  
DMSNAM029E Invalid parameter *parameter* in the option *option* field  
DMSNAM104S Error *nn* reading file *fn ft fm* from {disk|XEDIT}  
DMSNAM156E Record *nnn* not found-- the file *fn ft fm* has only *nnn* records  
DMSNAM618E NUCEXT failed  
DMSNAM621E Bad plist: *message*  
DMSNAM622E Insufficient free storage for NAMEFIND  
DMSNAM622W Insufficient free storage for NAMEFIND buffer, processing continues  
DMSNAM633E Too many tags were encountered--maximum is 64 per line  
DMSNAM633W Returned values were truncated  
DMSNAM634E No value to search for was specified  
DMSNAM635I No entries were found that matched your search criteria  
DMSNAM637E Missing value for the *option* option  
DMSNAM688E XEDIT option only valid from XEDIT environment

## NAMES Command

DMSWNM006E No read/write disk accessed  
DMSWNM645W The user tag name *name* is too long to display in the panel  
DMSWNM653E Error executing GLOBALV  
DMSWNM656E Error searching your NAMES file; rc = *nn* from NAMEFIND command  
DMSWNM657E Undefined PFkey/PAkey  
DMSWNM658W The value for the *tag* tag is too long to display on the panel  
DMSWNM660E The nickname field must be filled in  
DMSWNM660W Warning: this entry duplicates an existing nickname  
DMSWNM662E You are not on an entry; press PF 5, 7 or 8 to move to an entry  
DMSWNM663W There is/are *nn* undisplayed tag(s)  
DMSWNM664E Entry not found  
DMSWNM664E Next entry not found  
DMSWNM664E Previous entry not found

## NCPDUMP Command

See "NCPDUMP (A CMS command)" on page 2-14 for a list of these messages.

## NOTE Command

DMSWNT006E No read/write disk accessed  
DMSWNT637E Missing {value|nodeid} for the {*option* *option*|*operand* *operand*}  
DMSWNT647E Userid not specified for *nickname* in *userid* NAMES file  
DMSWNT648E Userid *name* not found; check the *userid* NAMES file  
DMSWNT651E ADD must be issued from NOTE  
DMSWNT651E CANCEL must be issued from NOTE  
DMSWNT665E File *userid* NOTE \* not found; to begin a new note, enter NOTE *name*  
DMSWNT666E NOTE already exists; enter NOTE to continue or specify REPLACE option  
DMSWNT667E Note header does not contain the {keyword FROM|keyword TO|OPTIONS  
line|DATE line}  
DMSWNT668E ADD option must be specified alone  
DMSWNT669E List of addressees cannot begin with CC:

DMSWNT670E No names to be added were specified  
DMSWNT676E Invalid character \* for Network ID  
DMSWNT677E Invalid option: *option* in option line

#### NUCXDROP Command

DMSNXD050E Parameter missing after NUCXDROP  
DMSNXD070E Invalid argument *argument*  
DMSNXD616W *name* does not exist  
DMSNXD617E Error code *nn* from DMSFRET while unloading *module* module  
DMSNXD624W No nucleus extensions are loaded

#### NUCXLOAD Command

DMSNXL001E No filename specified  
DMSNXL070E Invalid parameter *parameter*  
DMSNXL589E Missing FILEDEF for DDNAME SYSIN  
DMSNXL618E NUCEXT failed  
DMSNXL619E Module *module* not found  
DMSNXL622E Insufficient free storage  
DMSNXL639E Error in DMSRLD routine; return code was *nnn*

#### NUCXMAP Command

DMSNXM070E Invalid parameter *parameter*  
DMSNXM622E Insufficient free storage (*nn* entries)  
DMSNXM624I No nucleus extensions are loaded

#### Open Library Command for CMS/DOS

DMSOPL089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}  
DMSOPL099E I/O error reading *vdev*  
DMSOPL158E No CMS/DOS procedure library support

#### OPTION Command

DMSOPT070E Invalid parameter *parameter*  
DMSOPT099E CMS/DOS environment not active

#### OSRUN Command

DMSLOS002I File(s) *fn* LOADLIB not found  
DMSLOS013E Member *membername* not found in library *libname*  
DMSLOS073E Unable to open file *ddname*  
DMSOSR001E No filename specified  
DMSOSR052E More than 100 characters of options specified  
DMSOSR070E Invalid parameter *parameter*

#### Parsing Messages

DMSPAR280E Application *applid* not active  
DMSPAR580E Invalid string: Unmatched shift-out (SO) and shift-in (SI).  
DMSPAR580E Invalid string: Invalid double-byte character(s).

# DMS

---

DMSPAR580E Invalid string: Odd number of characters between SO and SI.  
DMSPAR622E Insufficient free storage  
DMSPAR727E Syntax definition for uniqueid *uniqueid* not found  
DMSPCL384E Missing modifier keyword(s)  
DMSPCL385E Invalid modifier keyword *keyword*  
DMSPCL386E Missing operand(s)  
DMSPCL387E Missing value for the *operand* operand  
DMSPCL387E Missing *valuetype* for the *operand* operand  
DMSPCL388E Invalid keyword: *keyword*  
DMSPCL389E Invalid operand: *operand*  
DMSPCL389E Invalid *operandtype*: *operand*  
DMSPCL390E Invalid value *value* for *operand* operand  
DMSPCL390E Invalid *valuetype value* for *operand* operand  
DMSPCL391E Unexpected operand(s): *operand(s)*  
DMSPCL393E Missing value for *option* option  
DMSPCL393E Missing *valuetype* for *option* option  
DMSPCL394E Invalid option: *option*  
DMSPCL395E Invalid *valuetype value* for *option* option  
DMSPCL395E Invalid value *value* for *option* option  
DMSPKT580E Invalid string: Shift-out (SO) is not a valid delimiter  
DMSPKT580E Invalid string: Unmatched shift-out (SO) and shift-in (SI).  
DMSPKT580E Invalid string: Invalid double-byte character(s).  
DMSPKT580E Invalid string: Odd number of characters between SO and SI.

## PARSECMD Command

DMSPMD407E Invalid unique ID *uniqueid*  
DMSPMD622E Insufficient free storage  
DMSPMD631E *cmdname* must be invoked from an EXEC-2 or REXX EXEC  
DMSPMD639E Error in *routine* routine; return code was *retcode*

## PEEK Command

DMSWPK132S File is too large  
DMSWPK156E FROM *nnn* not found--the file *fn ft fm* has only *nnn* records  
DMSWPK630S Error accessing spool file  
DMSWPK643E No class *class* files in your reader  
DMSWPK644E All reader files are in HOLD status or not class *class*  
DMSWPK653E Error executing EXECIO  
DMSWPK655E Spoolid *nnnn* does not exist  
DMSWPK672E Virtual reader invalid or not defined  
DMSWPK674E Reader is not ready  
DMSWPK683E The entire file must be peeked at to be formatted  
DMSWPK683W The file has an LRECL greater than 255 and cannot be reformatted  
DMSWPK684E File contains invalid records and cannot be reformatted  
DMSWPK687E This is a system {HELD|DUMP} file--this file cannot be {peeked at|received}

## POP WINDOW Command

DMSPP0386E Missing operand(s)  
DMSPP0388E Invalid keyword: *keyword*  
DMSPP0389E Invalid operand: *operand*



DMSPPO391E Unexpected operand(s): *operand*  
 DMSPPO921E Window *wname* is not defined  
 DMSPPO929E Window *wname* is not connected to a virtual screen

#### POSITION WINDOW Command

DMSPST386E Missing operand(s)  
 DMSPST388E Invalid keyword: *keyword*  
 DMSPST389E Invalid operand: *operand*  
 DMSPST391E Unexpected operand(s): *operand*  
 DMSPST921E Window *wname* is not defined  
 DMSPST922E Window does not fit entirely on the screen

#### PREFIXX Macro

DMSPXX646E PREFIXX must be invoked from the prefix area  
 DMSPXX659E Invalid prefix subcommand: *prefix*  
 DMSPXX661E Prefix *name* is invalid for the line on which it was entered  
 DMSPXX686E Synonym *name* not recognized by prefix macro PREFIXX

#### PRELOAD EXEC

DMSPRE001E No filename specified  
 DMSPRE002E File [*fn* [*ft* [*fm*]]] not found  
 DMSPRE104S Error *nn* reading file *fn ft fm* from disk  
 DMSPRE105S Error *nn* writing file *fn ft fm* on disk  
 DMSPRE109S Virtual storage capacity exceeded  
 DMSPRE183E Invalid {CONTROL|AUX} file control card  
 DMSPRE234E Error in LOAD LIST file *fn ft fm*[: no input]  
 DMSPRE235E Error *n* in input text file *fn ft* [*fm*]  
 DMSPRE236E Unresolved external reference(s) encountered  
 DMSPRE237E Duplicate external symbol(s) encountered  
 DMSPRE238E Preloader processing error

#### PRFSHIFT Macro

DMSPSH646E PRFSHIFT must be invoked from the prefix area  
 DMSPSH659E Invalid prefix subcommand: *prefix*  
 DMSPSH661E Prefix *name* is invalid for the line on which it was entered  
 DMSPSH686E Synonym *name* not recognized by prefix macro PRFSHIFT

#### PRFSHOW Macro

DMSPSW646E PRFSHOW must be invoked from the prefix area  
 DMSPSW659E Invalid prefix subcommand: *prefix*  
 DMSPSW661E Prefix *name* is invalid for the line on which it was entered

#### PRINT Command

DMSVRT002E File [*fn* [*ft* [*fm*]]] not found  
 DMSVRT008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
 DMSVRT013E Member *membername* not found in library *libname*  
 DMSVRT029E Invalid parameter *parameter* [in the [option] *option* field]

# DMS

DMSVRT033E File *fn ft fm* is not a library  
DMSVRT039E No entries in library *fn ft fm*  
DMSVRT044E Record length exceeds allowable maximum  
DMSVRT069E Disk *mode* not accessed  
DMSVRT104S Error *nn* reading file *fn ft fm* from disk  
DMSVRT123S Error *nn* printing file *fn ft fm*

## PRINTL Macro

DMSPIO109S Virtual storage capacity exceeded

## Programmable Operator Facility (PROP)

DMSPOA105S Error *nn* writing file *fn ft [fm]* on disk  
DMSPOC003E Invalid option: *option*  
DMSPOC047E No function specified  
DMSPOC690E HOSTCHK not specified in RTABLE  
DMSPOC690E PROPCHK not specified in RTABLE  
DMSPOC709E PROPCHK not specified in RTABLE for node *nodeid*  
DMSPOC762E Host checking suspended--LGLOPR not on a checkable node  
DMSPOE148T System abend *xxx* call from *vstor*  
DMSPOE691I VMDUMP taken, PROP will IPL CMS  
DMSPOE692I Action routine *name* abended, PROP continuing  
DMSPOE759I PMX terminated  
DMSPOE761I NCCF LGLOPR session terminated  
DMSPOL003E Invalid option: *option*  
DMSPOL070E Invalid parameter *parameter*  
DMSPOL758I NCCF user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOL758I VM user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOL760E GLOBALV subfunction error in PROP, code=*code*  
DMSPOP003E Invalid option: *option*  
DMSPOP713E Cannot connect to message system service, CMSIUCV error, code=*code*  
DMSPOP714E Cannot connect to message system service, service already in use  
DMSPOP755E Cannot complete PROP/PMX IUCV connection, CMSIUCV error, code=*code*  
DMSPOP760E GLOBALV subfunction error in PROP, code=*code*  
DMSPOQ002E [Input|Overlay] {file[(s)]|data set|note} [*fn ft [fm]*] not found  
DMSPOQ104S Error *nn* reading file *fn ft fm* from {disk|XEDIT}  
DMSPOQ620E RTABLE error on line *nnn*: *message*  
DMSPOQ693E Missing *statement* statement in RTABLE  
DMSPOQ694E More than one *statement* statement in RTABLE  
DMSPOQ760E GLOBALV subfunction error in PROP, code=*code*  
DMSPOR014E Invalid function *function*  
DMSPOR047E No function specified  
DMSPOR070E Invalid parameter *parameter*  
DMSPOR105S Error *nn* writing file *fn ft fm* {on disk|to XEDIT}  
DMSPOR513E Unknown CP/CMS command  
DMSPOR545E Missing operand(s)  
DMSPOR626E Invalid action routine parameter *parameter*  
DMSPOR627E Result is *nnnn* bytes too large for CP command buffer  
DMSPOR690E HOSTCHK not specified in RTABLE  
DMSPOR690E PROPCHK not specified in RTABLE  
DMSPOR709E PROPCHK not specified in RTABLE for node *nodeid*

DMSPOR756E LGLOPR *userid nodeid* already assigned  
DMSPOR757E *function* function not allowed for default LGLOPR  
DMSPOR758I NCCF user *userid [nodeid]* is now LGLOPR for PROP on node *nodeid*  
DMSPOR758I VM user *userid [nodeid]* is now LGLOPR for PROP on node *nodeid*  
DMSPOR760E GLOBALV subfunction error in PROP, code = *code*  
DMSPOR762E Host checking suspended--LGLOPR not on a checkable node  
DMSPOR763E Not currently assigned as LGLOPR, cannot be released  
DMSPOR626E Invalid action routine parameter *parameter*

#### PSERV Command

DMSPRV003E Invalid option: *option*  
DMSPRV004E Procedure *procedure* not found  
DMSPRV006E No read/write A disk accessed  
DMSPRV070E Invalid parameter *parameter*  
DMSPRV097E No SYSRES volume active  
DMSPRV098E No procedure name specified  
DMSPRV099E CMS/DOS environment not active  
DMSPRV105S Error *nn* writing file *fn ft fm* on disk  
DMSPRV113S Disk(*vdev*) not attached  
DMSPRV411S Input error code *nn* on SYSRES

#### PUNCH Command

DMSPUN002E File [*fn [ft [fm]]*] not found  
DMSPUN008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
DMSPUN013E Member *membername* not found  
DMSPUN033E File *fn ft fm* is not a library  
DMSPUN039E No entries in library *fn ft fm*  
DMSPUN044E Record length exceeds allowable maximum  
DMSPUN069E Disk *mode* not accessed  
DMSPUN026E Invalid parameter *parameter* in the option field *fieldname*  
DMSPUN104S Error *nn* reading file *fn ft fm* from disk  
DMSPUN123S Error *nn* punching file *fn ft fm*

#### PUT SCREEN Command

DMSERD107S Disk *mode(vdev)* is full  
DMSPUT069E Disk *mode* not accessed  
DMSPUT386E Missing operand(s)  
DMSPUT388E Invalid keyword: *keyword*  
DMSPUT391E Unexpected operand(s): *operand*  
DMSPUT917E No windows are displayed  
DMSSTT048E Invalid mode *mode*  
DMSSTT062E Invalid character *char* in fileid [*fn ft fm* ]  
DMSWVL037E Disk *mode* is accessed as read/only  
DMSWVL105S Error *nn* writing file *fn ft fm* on disk  
DMSWVL531E Disk is full; set new filemode or clear some disk space  
DMSWVL924E Data was truncated

# DMS

---

## PUT VSCREEN Command

DMSERD107S Disk *mode* (*vdev*) is full  
DMSPUT069E Disk *mode* not accessed  
DMSPUT386E Missing operand(s)  
DMSPUT388E Invalid keyword: *keyword*  
DMSPUT389E Invalid operand: *operand*  
DMSPUT391E Unexpected operand(s): *operand*  
DMSPUT921E Virtual screen *vname* is not defined  
DMSSTT048E Invalid mode *mode*  
DMSSTT062E Invalid character *char* in fileid [ *fn ft fm*]  
DMSWVL037E Disk *mode* is read only  
DMSWVL105S Error *nn* writing file *fn ft fm* on disk  
DMSWVL109S Virtual storage capacity exceeded  
DMSWVL531E Disk is full; set new filemode or clear some disk space  
DMSWVL923E Specified location is outside the virtual screen  
DMSWVL924E Data was truncated  
DMSWVL928E Command is not valid for virtual screen *vname*  
DMSWVL936W Virtual screen *vname* is empty

## QUERY Command

DMSQRF109S Virtual storage capacity exceeded  
DMSQRF525E Invalid PF Key number  
DMSQRF921E Virtual screen *vname* is not defined  
DMSQRF926E Command is only valid {in CMS FULLSCREEN mode|on a display terminal}  
DMSQRG109S Virtual storage capacity exceeded  
DMSQRG918E No {virtual screens|windows} are defined  
DMSQRG921E Window *wname* is not defined  
DMSQRG921E Virtual screen *vname* is not defined  
DMSQRG1082E No window qualifies as the window on top  
DMSQRH109S Virtual storage capacity exceeded  
DMSQRH916E Window *wname* is not {displayed|hidden}  
DMSQRH917E No windows are {displayed|hidden}  
DMSQRH921E Window *wname* is not defined  
DMSQRH921E Virtual screen *vname* is not defined  
DMSQRH926E Command is only valid in CMS FULLSCREEN mode  
DMSQRS006E No read/write disk accessed  
DMSQRS104E Error *nn* reading SYSTEM LANGUAGE S from disk  
DMSQRS109S Virtual storage capacity exceeded  
DMSQRS280E Application *applid* not active  
DMSQRS639E Error in QUERY routine; return code was *nnn*  
DMSQRT109S Virtual storage capacity exceeded  
DMSQRT639E Error in QUERY routine; return code was *nnn*  
DMSQRU109S Virtual storage capacity exceeded  
DMSQRU639E Error in QUERY routine; return code was *nnn*  
DMSQRV109S Virtual storage capacity exceeded  
DMSQRV639E Error in QUERY routine; return code was *nnn*  
DMSQRW109T Virtual storage capacity exceeded  
DMSQRW639E Error in QUERY routine; return code was *nnn*  
DMSQRX070E Invalid parameter *parameter*  
DMSQRX099E CMS/DOS environment [not] active

DMSQRX109S Virtual storage capacity exceeded  
 DMSQRX639E Error in QUERY routine; return code was *nnn*  
 DMSQRY003E Invalid option: *option*  
 DMSQRY014E Invalid function *function*  
 DMSQRY065E *option* option specified twice  
 DMSQRY066E *option1* and *option2* are conflicting options  
 DMSQRY109S Virtual storage capacity exceeded  
 DMSQRY618E NUCEXT failed  
 DMSQRY621E Bad plist: *message*

#### QUERY LANGLIST Command

DMSQRS104S Error *nn* reading SYSTEM LANGUAGE from disk

#### QUERY TRANSLATE Command

DMSQRS280E Application *applid* not active

#### RDR Command

DMSRDR070E Invalid parameter *parameter*  
 DMSRDR630S Error accessing spool file

#### RDRLIST (RLIST) Command

DMSWRL205E No files in your reader  
 DMSWRL651E APPEND must be issued from RDRLIST or FILELIST

#### READCARD Command

DMSRDC008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
 DMSRDC024E File *fn ft fm* already exists; specify REPLACE option  
 DMSDSK037E Disk *mode* is accessed as read/only  
 DMSRDC042E No fileid specified  
 DMSRDC054E Incomplete fileid specified  
 DMSRDC062E Invalid \* in *fileid*  
 DMSRDC069E Disk *mode* not accessed  
 DMSRDC105S Error *nn* writing file *fn ft fm* on disk  
 DMSRDC124S Error reading card file  
 DMSRDC205W Reader empty or not ready  
 DMSRDC257T Internal system error at address *address* (offset *offset*)  
 DMSRDC639E Error in *routine* routine; return code was *nnnn*  
 DMSRDC671E Error loading file *fn ft fm*; rc = *nn* from RENAME  
 DMSRDC701I Null file  
 DMSRDC702E Missing, invalid, or incomplete fileid in  
 following READ control card:  
   :READ ...  
   Command terminated  
 DMSRDC702I {READ control card missing. Following assumed:  
   :READ READCARD CMSUT1 A1|  
   :READ}

# DMS

DMSRDC702W Missing, invalid, or incomplete fileid in following READ control card:  
:READ ...  
Fileid changed to READCARD CMSUT1

DMSRDC738I Record length is *nnn* bytes

DMSRDC1079R Receive *fn1 ft1 fm1*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1080R Enter the new name for *fn ft fm*

DMSRDC1081R Reply 0 (NO), 1 (YES), or 2 (QUIT)

DMSRDC1123E Unknown response *text* ignored.

DMSRDC1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

## RECEIVE Command

DMSWRC006E No read/write disk accessed

DMSWRC024E File *fn ft fm* already exists; specify REPLACE option

DMSWRC037E Disk *mode* is accessed as read/only[; A must be R/W for DISK LOAD]

DMSWRC062E Invalid character *char* in fileid *fn ft [fm]*

DMSWRC069E Disk *mode* not accessed

DSMWRC630S Error accessing spool file

DMSWRC643E No class *class* files in your reader

DMSWRC644E All reader files are in HOLD status or not class *class*

DMSWRC655E Spoolid *nnnn* does not exist

DMSWRC671E Error receiving file *fn ft fm*; rc = *nn* from *command*

DMSWRC672E Virtual reader invalid or not defined

DMSWRC674E Reader is not ready

DMSWRC681E This is an unnamed file; specify filename and filetype

DMSWRC682E Error copying file *fn ft A* to {*fn ft fm|mode* disk.}; rc = *nn* from COPYFILE

DMSWRC687E This is a system {HELD|DUMP} file--this file cannot be peeked at

DMSWRC1123E Unknown response *text* ignored.

DMSWRC1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

## REFRESH Command

DMSREF391E Unexpected operand(s): *operand*

DMSREF622E Insufficient free storage

DMSREF917E No windows are displayed

DMSREF925E I/O error on screen

DMSREF926E Command is only valid on a display terminal

**RELEASE Command**

DMSARE017E Invalid device address *vdev*  
DMSARE028E No device specified  
DMSARE048E Invalid mode *mode*  
DMSARE069E Disk *mode* not accessed  
DMSARE070E Invalid parameter *parameter*

**RENAME Command**

DMSRNM002E File [*fn* [*ft* [*fm*]]] not found  
DMSRNM019E Identical fileids  
DMSRNM024E File *fn ft fm* already exists  
DMSRNM030E File *fn ft fm* already active  
DMSRNM037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSRNM048E Invalid filemode *mode*  
DMSRNM051E Invalid mode change  
DMSRNM054E Incomplete fileid specified  
DMSRNM062E Invalid \* in output in fileid *fn ft*  
DMSRNM069E Disk *mode* not accessed

**RESERVE Command**

DMSRSV037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSRSV042E No fileid(s) specified  
DMSRSV054E Incomplete fileid specified  
DMSRSV069E {Disk|Output disk} *mode* not accessed  
DMSRSV070E Invalid parameter *parameter*  
DMSRSV109T Virtual storage capacity exceeded  
DMSRSV113S Disk(*vdev*) not attached  
DMSRSV223E No filemode specified  
DMSRSV260E Disk not properly formatted for RESERVE  
DMSRSV603R RESERVE will erase all files on disk *mode*(*vdev*). Do you wish to continue? Enter  
1 (YES) or 0 (NO)  
DMSRSV705I Disk remains unchanged  
DMSRSV733I Formatting disk *mode*  
DMSRSV908E File system error detected at virtual address *vdev*; reason code *nn*  
DMSRSV909E Permanent I/O error on *vdev*; *csw* = *csw*, *sense* = *sense*

**RESTORE WINDOW Command**

DMSRES386E Missing operand(s)  
DMSRES388E Invalid keyword: *keyword*  
DMSRES391E Unexpected operand(s): *operand*  
DMSRES921E Window *wname* is not defined

**RGTLLEFT Macro**

DMSSRL529E RGTLLEFT is only valid in display mode  
DMSSRL520E Invalid operand : *operand*  
DMSSRL543E Invalid number : *number*

# DMS

---

## ROUTE Command

DMSROU386E Missing operand(s)  
DMSROU388E Invalid keyword: *keyword*  
DMSROU391E Unexpected operand(s): *operand*  
DMSROU394E Invalid option: *option*  
DMSROU921E Virtual screen *vname* is not defined  
DMSROU926E Command is only valid in CMS FULLSCREEN mode  
DMSROU928E Command is not valid for virtual screen *vname*

## RSERV Command

DMSRRV003E Invalid option: *option*  
DMSRRV004E Module *module* not found  
DMSRRV006E No read/write A disk accessed  
DMSRRV070E Invalid parameter *parameter*  
DMSRRV089E Open error code *nn* on SYSRLB  
DMSRRV097E No SYSRES volume active  
DMSRRV098E No module name specified  
DMSRRV099E CMS/DOS environment not active  
DMSRRV105S Error *nn* writing file *fn ft fm* on disk  
DMSRRV113S Disk(*vdev*) not attached  
DMSRRV411S Input error code *nn* on SYSaaa

## RUN Command

DMSRUN001E NO FILENAME SPECIFIED.  
DMSRUN002E FILE ' *fn ft fm* ' NOT FOUND.  
DMSRUN048E INVALID MODE ' *fm* '.  
DMSRUN070E INVALID PARAMETER ' *parameter* '.  
DMSRUN999E NO *ft* PROCESSOR FOUND.

## SAMGEN EXEC

DMSSGN015E INVALID SUBSET COMMAND  
DMSSGN360E INVALID RESPONSE 'response'  
DMSSGN363R ENTER LOCATION WHERE CMSBAM WILL BE LOADED AND SAVED:  
DMSSGN364I FETCHING CMSBAM ...  
DMSSGN365I SYSTEM *sysname* SAVED.  
DMSSGN366R ENTER NAME OF SYSTEM TO BE SAVED:

## SAVEFD Command

DMSSFD014E Invalid {function *function*|keyword *keyword*}  
DMSSFD017E Invalid device address *vdev*  
DMSSFD047E No function specified  
DMSSFD050E Parameter missing after *value*  
DMSSFD070E Invalid {parameter *parameter*|argument *argument*}  
DMSSFD109S Insufficient free storage available  
DMSSFD126S Error {reading|writing} label on disk *mode* (*vdev*)  
DMSSFD283E The *name*DCSS could not be {found|loaded|saved} [condition code *cc*] return code *rc* from {FINDSYS|LOADSYS|SAVESYS}



DMSSFD286E The DCSS is too small for the data being stored  
 DMSSFD288I *dcssname* DCSS not saved  
 DMSSFD401S VM size cannot exceed segment start address (*hex address*)  
 DMSSFD653E Error executing *command*, rc = *nn*  
 DMSSFD1074S Disk not linked as R/W  
 DMSSFD1075E Label on disk *label* and label on command *label* do not match  
 DMSSFD1076E Segment name in disk label *segname* and segment name on command *segname* do not match  
 DMSSFD1077S Invalid disk format, only EDF disk is allowed

**SAVENCP EXEC**

DMSNCP001E NO FILENAME SPECIFIED  
 DMSNCP002E FILE '*fn ft fm*' NOT FOUND  
 DMSNCP003E INVALID OPTION '*option*'  
 DMSNCP013E MEMBER '*membername*' NOT FOUND IN LIBRARY '*libname*'  
 DMSNCP021E ENTRY POINT '*name*' NOT FOUND  
 DMSNCP025E INVALID DATA IN 370X CONTROL PROGRAM  
 DMSNCP045E UNSUPPORTED 370X CONTROL PROGRAM TYPE  
 DMSNCP056E FILE '*fn ft fm*' CONTAINS INVALID RECORD FORMATS  
 DMSNCP099W GENERATION PARAMETERS INCOMPATIBLE WITH VM/370  
 DMSNCP109S VIRTUAL STORAGE CAPACITY EXCEEDED

**SCHANGE Macro**

DMSSCH520E Invalid operand: *operand*  
 DMSSCH525E Invalid {PFkey|PFkey/PAkey} number  
 DMSSCH529E Subcommand is only valid in {display|editing} mode  
 DMSSCH545E Missing operand(s)  
 DMSSCH551I String *string* found; PF*nn* set for selective change  
 DMSSCH551I Target *name* found; PF*nn* set for selective change  
 DMSSCH561E Cursor is not on a valid data field  
 DMSSCH569E No CHANGE or CLOCATE subcommand specified  
 DMSSCH574E Change not valid {with CLOCATE|after cursor movement}  
 DMSSCH586E Not found [on screen]

**SCROLL Command**

DMSSCL386E Missing operand(s)  
 DMSSCL388E Invalid keyword: *keyword*  
 DMSSCL389E Invalid operand: *operand*  
 DMSSCL391E Unexpected operand: *operand*  
 DMSSCL921E Window *wname* is not defined  
 DMSSCL929E Window *wname* is not connected to a virtual screen

**SENDFILE Command**

DMSWSF002E File *fn ft fm* not found  
 DMSWSF006E No read/write disk accessed  
 DMSWSF048E Invalid mode *mode*  
 DMSWSF054E Incomplete fileid specified  
 DMSWSF062E Invalid character \* in fileid *fn ft fm*  
 DMSWSF069E Disk *mode* not accessed

# DMS

---

DMSWSF081E Invalid reply; enter 1 (YES) or 0 (NO)  
DMSWSF579E Records truncated to *nn* when added to *fn ft fm*  
DMSWSF637E Missing nodeid for the AT operand  
DMSWSF647E Userid not specified for *nickname* in *userid NAMES* file  
DMSWSF648E Userid *name* not found; no files have been sent  
DMSWSF657E Undefined PFkey/PAkey  
DMSWSF667E NOTE header does not contain the {keyword FROM|keyword TO|OPTIONS  
line|DATE line}  
DMSWSF671E Error sending file *fn ft fm*; rc = *nn* from *command*  
DMSWSF672E Virtual punch invalid or not defined  
DMSWSF673E Addressees are in the note header cards; do not specify names with NOTE option  
DMSWSF674E Punch is not ready  
DMSWSF675E No names specified  
DMSWSF676E Invalid character \* for Network ID  
DMSWSF677E Invalid option: *option* in option line  
DMSWSF678E Invalid note header format; note cannot be sent  
DMSWSF679E Disk *mode* is not accessed; note cannot be sent  
DMSWSF680E Invalid fileid specified with FILELIST option

## SET APL Command

DMSSEF524W NONDISP character reset to ”.  
DMSSEF622E Insufficient free storage  
DMSSEF926E Command is only valid on a display terminal  
DMSSET109S Virtual storage capacity exceeded  
DMSWIR329W Warning: APL/TEXT option not in effect

## SET BORDER Command

DMSSEF921E Window *wname* is not defined  
DMSSET109S Virtual storage capacity exceeded

## SET CHARMODE Command

DMSSEF926E Command is only valid on a display terminal  
DMSSEF109S Virtual storage capacity exceeded  
DMSSET109S Virtual storage capacity exceeded

## SET CMSPF Command

DMSSEF525E Invalid PFKey number  
DMSSEF622E Insufficient free storage  
DMSSEF926E Command is only valid {in CMS FULLSCREEN mode|on a display terminal}  
DMSSET109S Virtual storage capacity exceeded

## SET FULLREAD Command

DMSSEF926E Command is only valid on a display terminal  
DMSSEF109S Virtual storage capacity exceeded  
DMSSET109S Virtual storage capacity exceeded

**SET FULLSCREEN Command**

DMSSEF926E Command is only valid on a display terminal  
 DMSSEF927E {The virtual screen must contain at least {1 line|5 lines and 20 columns}|The physical screen must contain at least 20 lines and 80 columns}  
 DMSSEF109S Virtual storage capacity exceeded  
 DMSSET109S Virtual storage capacity exceeded  
 DMSWEN931E Invalid {border|WM} command: {*character*|*command*}

**SET IMESCAPE Command**

DMSSET109S Virtual storage capacity exceeded

**SET IMPCP Command**

DMSSET109S Virtual storage capacity exceeded

**SET IMPEX Command**

DMSSET109S Virtual storage capacity exceeded

**SET INPUT Command**

DMSSET109S Virtual storage capacity exceeded

**SET INSTSEG Command**

DMSSET048E Invalid mode *mode*  
 DMSSET109S Virtual storage capacity exceeded

**SET LANGUAGE Command**

DMSSLG005E No application id specified  
 DMSSLG109S Virtual storage capacity exceeded  
 DMSSLG276E Invalid language id *langid*  
 DMSSLG277E The DCSS is located partially or entirely inside the virtual machine  
 DMSSLG278E {Unable to set requested language: *langid*. |The requested language: *langid* is not available;} [*langid2* forced [[by CP], condition code *code*, return code *rc*]]  
 DMSSLG279E Application *applid* not found in the language DCSS  
 DMSSLG279I Application *applid* not found in the language DCSS  
 DMSSLG280E Application *applid* not active  
 DMSSLG281E Application DMS cannot be deleted  
 DMSSLG332E No user additions were loaded  
 DMSSLG332I No user additions were loaded  
 DMSSLG334E No system information or user additions were found for application *applid*  
 DMSSLG346E Error *nn* loading *fn ft fm* from disk  
 DMSSLG770E Invalid application ID *applid*

**SET LDRTBLS Command**

DMSSET031E Loader tables cannot be modified  
 DMSSET109S Virtual storage capacity exceeded

# DMS

---

## SET LINEND Command

DMSSEF926E Command is only valid in CMS FULLSCREEN mode  
DMSSET109S Virtual storage capacity exceeded

## SET LOCATION Command

DMSSEF921E Window *wname* is not defined  
DMSSET109S Virtual storage capacity exceeded

## SET LOGFILE Command

DMSSEF921E Virtual screen *vname* is not defined  
DMSSET109S Virtual storage capacity exceeded  
DMSWVL928E Command is not valid for virtual screen *vname*

## SET NONDISP Command

DMSSEF926E Command is only valid on a display terminal  
DMSSEF109S Virtual storage capacity exceeded  
DMSSET109S Virtual storage capacity exceeded

## SET NONSHARE Command

DMSSET109S Virtual storage capacity exceeded  
DMSSET400S System *sysname* does not exist  
DMSSET401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSSET410S Control program error indication *xxx*

## SET OUTPUT Command

DMSSET061E No translation character specified  
DMSSET109S Virtual storage capacity exceeded

## SET PROTECT Command

DMSSET109S Virtual storage capacity exceeded

## SET RDYMSG Command

DMSSET109S Virtual storage capacity exceeded

## SET REDTYPE Command

DMSSET109S Virtual storage capacity exceeded

## SET RELPAGE Command

DMSSET109S Virtual storage capacity exceeded

**SET REMOTE Command**

DMSSEF926E Command is only valid on a display terminal  
DMSSEF109S Virtual storage capacity exceeded  
DMSSET109S Virtual storage capacity exceeded

**SET RESERVED Command**

DMSSEF921E Window *wname* is not defined  
DMSSET109S Virtual storage capacity exceeded

**SET SYSNAME Command**

DMSSET109S Virtual storage capacity exceeded  
DMSSET142S Saved system name *sysname* invalid

**SET TEXT Command**

DMSSEF524W NONDISP character reset to ".  
DMSSEF926E Command is only valid on a display terminal  
DMSSEF109S Virtual storage capacity exceeded  
DMSSET109S Virtual storage capacity exceeded  
DMSWIR329W Warning: APL/TEXT option not in effect

**SET TRANSLATE Command**

DMSSET258E {USER|SYSTEM} translations can not be set OFF unless {USER|SYSTEM}  
translation synonyms are also set OFF, application id: *applid*  
DMSSET258E {USER|SYSTEM} translation synonyms can not be set ON unless  
{USER|SYSTEM} translations are also set ON, application id: *applid*  
DMSSET280E Application *applid* not active

**SET UPSI Command**

DMSSET099E CMS/DOS environment not active  
DMSSET109S Virtual storage capacity exceeded

**SET VSCREEN Command**

DMSSEF921E Virtual screen *vname* is not defined  
DMSSEF928E Command is not valid for virtual screen *vname*  
DMSSET109S Virtual storage capacity exceeded

**SET WINDOW Command**

DMSSEF921E Window *wname* is not defined  
DMSSET109S Virtual storage capacity exceeded

**SET WMPF Command**

DMSSEF525E Invalid PF Key number  
DMSSEF926E Command is only valid on a display terminal

# DMS

---

DMSSSEF109S Virtual storage capacity exceeded  
DMSSSET109S Virtual storage capacity exceeded

## SETKEY Command

DMSSSK070E Invalid parameter *parameter*  
DMSSSK362E Invalid storage protect key *key*  
DMSSSK363E Invalid starting address *vstor*  
DMSSSK364E VM storage not large enough to contain system loading at *vstor1* to *vstor2*  
DMSSSK365E System name not specified  
DMSSSK400S System *sysname* does not exist  
DMSSSK410S Control program error indication *xxx*

## SETPRT Command

DMSSPR002E File [*fn* [*ft* [*fm*]]] not found  
DMSSPR014E Invalid keyword *function*  
DMSSPR026E Invalid value *value* for *keyword* keyword  
DMSSPR113S Printer 00E not attached  
DMSSPR145S Intervention required on printer  
DMSSPR196I Printer *vdev* setup complete  
DMSSPR197S Undiagnosed error from printer 00E  
DMSSPR198E SETPRT load check; sense = *sense*  
DMSSPR199S Printer 00E not a virtual 3800 Model 1 or Model 3  
DMSSPR204E Too many WCGMs needed for CHARS  
DMSSPR352E Invalid SETPRT data in file *fn ft*

## SHOW WINDOW Command

DMSSHO386E Missing operand(s)  
DMSSHO388E Invalid keyword: *keyword*  
DMSSHO389E Invalid operand: *operand*  
DMSSHO391E Unexpected operand(s): *operand*  
DMSSHO921E Window *wname* is not defined  
DMSWMM921E {Virtual screen *vname*|Window *wname*} is not defined  
DMSWMM923E Specified location is outside the virtual screen  
DMSWMM929E Window *wname* is not connected to a virtual screen

## SI Macro

DMSPSI520E Invalid operand: *operand*  
DMSPSI529E SI is only valid in display mode  
DMSPSI561E Cursor is not on a valid data field  
DMSPSI659E Invalid prefix subcommand: *prefix*  
DMSPSI661E Prefix *name* is invalid for the line on which it was entered

## SIZE WINDOW Command

DMSSIZ386E Missing operand(s)  
DMSSIZ388E Invalid keyword: *keyword*  
DMSSIZ389E Invalid operand: *operand*  
DMSSIZ391E Unexpected operand(s): *operand*

DMSSIZ921E Window *uname* is not defined  
 DMSSIZ922E Window does not fit entirely on the screen

**SNTMAP EXEC**

DMSWSM006E No read/write [A] disk accessed [for *fn ft*]  
 DMSWSM847R Enter name of SNT definition file or press ENTER key to quit  
 DMSWSM848E Unable to proceed without \$DASD\$ CONSTS file information.  
 DMSWSM849R Enter *valid* DASD type or type QUIT to end SNTMAP processing  
 DMSWSM850W *devtype* is not a valid DASD type  
 DMSWSM851W Page number exceeds device limit of *limit* for *sysname*; SYSSTRT parameter =  
     *parameter sysname*; SYSSTRT parameter = *parameter*  
 DMSWSM852E SYSSTRT parameter for *sysname* is not compatible with *devtype* DASD type for  
     *valid*; SYSSTRT parameter = *parameter*  
 DMSWSM853R Enter the name of your current CP directory file (the default is VMUSERS  
     DIRECT):  
 DMSWSM854W Unable to find CP directory file *fn ft fm*; no \$SAVSYS\$ boundary checking will  
     be done.  
 DMSWSM855W No \$SAVSYS\$ areas defined in the CP directory file; no \$SAVSYS\$ boundary  
     checking will be done.  
 DMSWSM884I Results of mapping are in two CMS files: DASD SNTMAP contains DASD related  
     information, and MEMORY SNTMAP contains memory related information.

**SORT Command**

DMSSRT002E File [*fn [ft [fm]]*] not found  
 DMSSRT009E Column *col* exceeds record length  
 DMSSRT019E Identical fileids  
 DMSSRT034E File *fn ft fm* is not fixed length  
 DMSSRT037E Disk *mode[(vdev)]* is accessed as read/only  
 DMSSRT053E Invalid sort field pair defined  
 DMSSRT054E Incomplete fileid specified  
 DMSSRT062E Invalid \* in fileid [*fn ft [fm]*]  
 DMSSRT063E No list entered  
 DMSSRT069E Disk *mode* not accessed  
 DMSSRT070E Invalid parameter *parameter*  
 DMSSRT104S Error *nn* reading file *fn ft fm* from disk  
 DMSSRT105S Error *nn* writing file *fn ft fm* on disk  
 DMSSRT212E Maximum number of records exceeded  
 DMSSRT604R Enter sort fields:

**SORT Macro**

DMSSOR545E Missing operand(s)  
 DMSSOR581E Subcommand is not valid in extended mode

**SPGEN EXEC**

DMSWSG003E Invalid option: *option*  
 DMSWSG014E Invalid keyword *keyword*  
 DMSWSG024E File *fn [ft fm]* already exists [specify REPLACE option]  
 DMSWSG026E Invalid value *value* for *keyword* keyword  
 DMSWSG032E Invalid filetype *ft*

# DMS

---

DMSWSG047E No function specified  
DMSWSG050E Parameter missing after *value*  
DMSWSG065E *option* option specified twice  
DMSWSG069E Disk *mode*[(*vdev*)] not accessed  
DMSWSG070E INVALID PARAMETER parameter  
DMSWSG095E Invalid address *vstor*  
DMSWSG252E Invalid filename *fn*  
DMSWSG637E Missing value for the *option* option  
DMSWSG643E No class *fileclass* files in your reader  
DMSWSG957E Incompatible *option1* options for *options*  
DMSWSG958I No *keyword* initialized in *fn ft fm*  
DMSWSG959E Missing value for *keyword* keyword  
DMSWSG960E Error in line *line* of *fn ft fm*  
DMSWSG961E There are class *class* files in the *device*  
DMSWSG962E Invalid character: *character*  
DMSWSG984E Too many class *class* files in *device*  
DMSWSG985E Conflicting values for duplicate keyword *keyword*

## SPLIT Macro

DMSSPL526E Option *option* valid in display mode only  
DMSSPL561E Cursor is not on a valid data field  
DMSSPL575E Invalid SPLIT columns defined  
DMSSPL585E No line(s) changed  
DMSSPL586E Not found

## SPLOAD EXEC

DMSWSL002E FILE(S) [*fn [ft [fm]]*] NOT FOUND  
DMSWSL032E Invalid filetype *ft*  
DMSWSL050E Parameter missing after *value*  
DMSWSL070E INVALID PARAMETER parameter  
DMSWSL095E Invalid address *vstor*  
DMSWSL252E Invalid filename *fn*  
DMSWSL409I Loading *fn ft* to *user's vdev*  
DMSWSL737R Enter the minidisk address for the *group element*  
DMSWSL963E *keyword value* not found in *fn ft fm*  
DMSWSL964R Wrong tape mounted; mount product tape VOL *n*  
Press ENTER when the correct tape is mounted or type QUIT  
DMSWSL968I The following minidisks defined in the base CP directory will be formatted:

AUTOLOG1 191	CMSBATCH 195
CMSUSER 191	EREP 191
OPERATNS 191,193	MAINT 201,319
MAINT 293,294,494,496,596	

DMSWSL986I Unable to restore ACCESS to *mdisk*

## SPLTJOIN Macro

DMSSJC529E SPLTJOIN is only valid in {display|editing} mode  
DMSSJC561E Cursor is not on a valid data field  
DMSSJC520E Invalid operand : *operand*



**SSERV Command**

DMSSRV003E Invalid option: *option*  
DMSSRV004E Book *subl.book* not found  
DMSSRV006E No read/write A disk accessed  
DMSSRV070E Invalid parameter *parameter*  
DMSSRV089E Open error code *nn* on SYSSLB  
DMSSRV097E No SYSRES volume active  
DMSSRV098E No book name specified  
DMSSRV099E CMS/DOS environment not active  
DMSSRV105S Error *nn* writing file *fn ft fm* on disk  
DMSSRV113S Disk(*vdev*) not attached  
DMSSRV194S Book *subl.book* contains bad records  
DMSSRV411S Input error code *nn* on SYSaaa

**START Command**

DMSLIO021E Entry point *name* not found  
DMSLIO055E No entry point defined  
DMSLIO740I Execution begins ...

**STATE/STATEW Command**

DMSSTT002E File [*fn [ft [fm]]*] not found  
DMSSTT048E Invalid mode *mode*  
DMSSTT054E Incomplete fileid specified  
DMSSTT062E Invalid character *char* in fileid *fn ft*  
DMSSTT062E SO and SI are invalid fileid characters  
DMSSTT069E Disk *mode* not accessed  
DMSSTT070E Invalid parameter *parameter*  
DMSSTT227I Processing volume no in data set *data set name*  
DMSSTT228I User labels bypassed on data set *data set name*  
DMSSTT229E Unsupported OS data set, error *nn*  
DMSSTT253E File *fn ft fm* cannot be handled with supplied parameter list

**STATUS Macro**

DMSSTA024E File *fn* XEDIT A already exists  
DMSSTA520E Invalid operand: *operand*  
DMSSTA671E Error creating file *fn ft fm*; rc = *nn* from *command*  
DMSSTA703I File *fn ft [fm]* {copied|created}

**SVCTRACE Command**

DMSOVR014E Invalid function *function*  
DMSOVR047E No function specified  
DMSOVR104S Error *nn* reading file *fn ft fm* from disk  
DMSOVR109S Virtual storage capacity exceeded

# DMS

---

## SYNONYM Command

DMSSYN002E File *[fn [ft [fm]]]* not found  
DMSSYN003E Invalid option: *option*  
DMSSYN007E File *fn ft fm* [is] not fixed, 80-character records  
DMSSYN032E Invalid filetype *ft*  
DMSSYN056E File *fn ft [fm]* contains invalid record formats  
DMSSYN066E *option1* and *option2* are conflicting options  
DMSSYN104S Error *nn* reading file *fn ft fm* from disk  
DMSSYN711I No system synonyms in effect  
DMSSYN712I No synonyms (DMSINA not in nucleus)

## SYSPROF EXEC

DMSWSP003E Invalid option: *option*  
DMSWSP029W Invalid parameter *parameter* found during CMS initialization  
DMSWSP100W Shared [S-STAT|Y-STAT] not available  
DMSWSP309W CMSBATCH command ignored--it is valid only when the NOSPROF parameter was specified on the IPL command  
DMSWSP311W No system name specified; system not saved  
DMSWSP314W Automatic re-IPL by CP; no information available  
DMSINS314W Automatic re-IPL by CP due to translation exception while in non-EC mode  
DMSINS314W Automatic re-IPL by CP due to a paging error  
DMSINS314W Automatic re-IPL by CP due to external interrupt loop; PSW *psw*  
DMSINS314W Automatic re-IPL by CP *name*-shared page *hexloc* altered  
DMSINS314W Automatic re-IPL by CP due to disabled wait; PSW *psw*  
DMSINS314W Automatic re-IPL by CP due to program interrupt loop; PSW *psw*  
DMSWSP315W Conflicting parameters specified; all parameters have been ignored  
DMSWSP327I The EXEC DCSS could not be loaded.  
DMSWSP327W INSTSEG value omitted; no shared EXECs loaded.  
DMSWSP731W System will not be saved; reissue the IPL command with the SAVESYS parameter

## TAPE Command

DMSLMX264E *command* is not a valid command to be established as a nucleus extension by DMSLMX  
DMSLMX514E Return code *nnn* from NUCXLOAD  
DMSTPF701I Null file  
DMSTPI613E Tape must be invoked as a nucleus extension  
DMSTPJ002E File(s) *[fn [ft [fm]]]* not found  
DMSTPJ003E Invalid option: *option*  
DMSTPJ010E Premature EOF on file *{fn ft [fm]}number nn*  
DMSTPJ014E Invalid function *function*  
DMSTPJ017E Invalid device address *vdev*  
DMSTPJ023E No filetype specified  
DMSTPJ027E Invalid device *devtype* [for SYSaaa]  
DMSTPJ029E Invalid parameter *parameter* in the option *option* field  
DMSTPJ037E Disk *mode* is read/only  
DMSTPJ042E No fileid(s) specified  
DMSTPJ043E TAPn(*vdev*) is file protected  
DMSTPJ047E No function specified  
DMSTPJ048E Invalid mode *mode*

DMSTPJ057E Invalid record format  
DMSTPJ058E End-of-file or end-of-tape  
DMSTPJ069E Disk *mode* not accessed  
DMSTPJ070E Invalid parameter *parameter*  
DMSTPJ096E File *fn ft* data block count incorrect  
DMSTPJ104S Error *nn* reading file *fn ft fm* from disk  
DMSTPJ105S Error *nn* writing file *fn ft fm* on disk  
DMSTPJ109S Virtual storage capacity exceeded  
DMSTPJ110S Error reading TAP*n(vdev)*  
DMSTPJ111S Error writing TAP*n(vdev)*  
DMSTPJ113S TAP*n(vdev)* not attached  
DMSTPJ115S Conversion feature not supported on device *vdev*  
DMSTPJ115S Dual density feature not supported on device *vdev*  
DMSTPJ115S Translation feature not supported on device *vdev*  
DMSTPJ115S 7-track feature not supported on device *vdev*  
DMSTPJ115S 9-track feature not supported on device *vdev*  
DMSTPJ115S 18-track feature not supported on device *vdev*  
DMSTPJ115S 800 BPI feature not supported on device *vdev*  
DMSTPJ115S 1600 BPI feature not supported on device *vdev*  
DMSTPJ115S 6250 BPI feature not supported on device *vdev*  
DMSTPJ431E TAP*n(vdev)* VOL1 label missing  
DMSTPJ671E Error loading file *fn ft fm*; rc = *nn* from RENAME

#### TAPEMAC Command

DMSTMA001E No filename specified  
DMSTMA003E Invalid option: *option*  
DMSTMA027E Invalid device *devtype* [for SYSaaa]  
DMSTMA057E Invalid record format  
DMSTMA069E Disk *mode* not accessed  
DMSTMA070E Invalid parameter *parameter*  
DMSTMA105S Error *nn* writing file *fn ft fm* on disk  
DMSTMA109S Virtual storage capacity exceeded  
DMSTMA110S Error reading TAP*n(vdev)*  
DMSTMA137S Error *nn* on STATE for *fn ft fm*  
DMSTMA138S Error *nn* erasing *fn ft* before loading tape  
DMSTMA139S Tape file exceeds 9 CMS MACLIBs  
DMSTMA420E NSL exit filename missing or invalid

#### TAPPDS Command

DMSTPD003E Invalid option: *option*  
DMSTPD027E Invalid device *devtype* [for SYSaaa]  
DMSTPD058E End-of-file or end-of-tape  
DMSTPD105S Error *nn* writing file *fn ft fm* on disk  
DMSTPD109S Virtual storage capacity exceeded  
DMSTPD110S Error reading TAP*n(vdev)*  
DMSTPD420E Nsl exit filename missing or invalid  
DMSTPD703I File *fn ft* [*fm*] copied  
DMSTPD707I Ten files copied

# DMS

---

## TELL Command

DMSWTL499E User not authorized to issue *command* command  
DMSWTL647E Userid not specified for *nickname* in *userid* NAMES file  
DMSWTL648E Userid *name* not found; no message has been sent  
DMSWTL676E Invalid character \* for Network ID

## TRAPRED Command

See "TRAPRED (A CMS command)" on page 2-24 for a list of these messages.

## TXTLIB Command

DMSLBT001E No {file|CSECT} name specified  
DMSLBT002E File *fn [ft [fm]]* not found  
DMSLBT002W File *fn ft [fm]* not found  
DMSLBT003E Invalid option: *option*  
DMSLBT013E Member *membername* not found in file *fn ft fm*  
DMSLBT037E Disk *mode[(vdev)]* is accessed as read/only  
DMSLBT047E No function specified  
DMSLBT056E File *fn ft [fm]* contains invalid [name|alias|entry|ESD] record formats  
DMSLBT069E Disk *mode* not accessed  
DMSLBT104S Error *nn* reading file *fn ft fm* from disk  
DMSLBT105S Error *nn* writing file *fn ft fm* on disk  
DMSLBT106S Number of member names exceeds maximum of 2000; file *fn* TEXT not added  
DMSLBT213W Library *fn* TXTLIB not created, or erased if empty

## TYPE Command

DMSTYP002E File [*fn [ft [fm]]*] not found  
DMSTYP003E Invalid option: *option*  
DMSTYP005E No *option* specified  
DMSTYP009E Column *col* exceeds record length  
DMSTYP013E Member *membername* not found in library  
DMSTYP029E Invalid parameter *parameter* in the option *option* field  
DMSTYP033E File *fn ft fm* is not a library  
DMSTYP039E No entries in library *fn ft fm*  
DMSTYP049E Invalid line number *nn*  
DMSTYP054E Incomplete fileid specified  
DMSTYP062E Invalid \* in fileid  
DMSTYP069E Disk *mode* not accessed  
DMSTYP104S Error *nn* reading file *fn ft fm* from disk

## UPDATE Command

DMSUPD001E No filename specified  
DMSUPD002E File [*fn [ft [fm]]*] not found  
DMSUPD003E Invalid option: *option*  
DMSUPD007E File *fn ft fm* is not fixed, 80-character records  
DMSUPD010W Premature EOF on file *fn ft fm*--sequence number *seqno* not found  
DMSUPD024E File *fn ft fm* already exists  
DMSUPD037E Disk *mode[(vdev)]* is accessed as read/only

DMSUPD048E Invalid mode *mode*  
 DMSUPD065E *option* option specified twice  
 DMSUPD066E *option1* and *option2* are conflicting options  
 DMSUPD069E Disk *mode* not accessed  
 DMSUPD070E Invalid parameter *parameter*  
 DMSUPD104S Error *nn* reading file *fn ft fm* from disk  
 DMSUPD105S Error *nn* writing file *fn ft fm* on disk  
 DMSUPD174W Sequence error introduced in output file: *seqno1* to *seqno2* *seqno1* to *seqno2*  
 DMSUPD176W Sequencing overflow following sequence number *seqno*  
 DMSUPD177I Warning messages issued (severity = *nn*); REP option ignored]  
 DMSUPD178I Updating *fn ft fm*  
 DMSUPD178I Updating *fn ft fm*  
 DMSUPD179E Missing or duplicate MACS card in control file *fn ft fm*  
 DMSUPD180W Missing PTF file *fn ft fm*  
 DMSUPD181E No update files were found  
 DMSUPD182W Sequence increment is zero  
 DMSUPD183E Invalid {CONTROL|AUX} file control card  
 DMSUPD184W ./S not first card in update file--ignored  
 DMSUPD185W Invalid character in sequence field *seqno*  
 DMSUPD186W Sequence number *seqno* not found  
 DMSUPD187E Option STK invalid without CTL  
 DMSUPD207W Invalid update file control card  
 DMSUPD210W Input file sequence error: *seqno1* to *seqno2*  
 DMSUPD299E Insufficient storage to complete update  
 DMSUPD300E Insufficient storage to begin update  
 DMSUPD304I Update processing will be done using disk  
 DMSUPD361E Disk *mode* is not a CMS disk

#### UTILITY EXEC

DMSWUT050E Parameter missing after *value*  
 DMSWUT070E INVALID PARAMETER parameter  
 DMSWUT095E Invalid address *vstor*  
 DMSWUT971E Unable to locate *fn ft*  
 DMSWUT972I *fn ft fm* spooled to printer  
 DMSWUT973R Enter the minidisk address where the IPL decks were loaded  
 DMSWUT974I Unable to find IPL decks on the minidisk you indicated  
 DMSWUT975I Moving *fn ft* to tape  
 DMSWUT976I The *fn ft* program is on tape file number *number*  
 DMSWUT977I Enter disk address where the service programs are to be written  
 DMSWUT978R Type: (190) or cuu  
 DMSWUT979I IPL *vdev* has been created  
 DMSWUT980I An IPLable CP nucleus now exists on tape  
 DMSWUT986I Unable to restore ACCESS to *mdisk*

#### VALIDATE Command

DMSSTT048E Invalid mode *mode*  
 DMSSTT054E Incomplete fileid specified  
 DMSSTT062E Invalid character *char* in fileid  
 DMSSTT069E Disk *mode* not accessed  
 DMSSTT070E Invalid parameter *parameter*

## VMFLKED EXEC

DMSWLK002E File *fn ft [fm]* not found  
DMSWLK003E Invalid option *opt*  
DMSWLK005E No {LKEDCTRL|MODULE} specified  
DMSWLK010E Premature EOF on file *fn ft*  
DMSWLK842E No {control|library} file name found in *fn ft [fm]*  
DMSWLK843I An invalid control record was found and ignored  
DMSWLK844E No linkedit performed  
DMSWLK845W Errors were encountered during the link edit processing that will probably make the loadlib unusable  
DMSWLK846I LKED *target module* into *library*, RC = *nn*.

## VMFMERGE EXEC

DMSWMG002E File *fn ft [fm]* not found  
DMSWMG008E Device *vdev* invalid or nonexistent  
DMSWMG017E Invalid device address *vdev*  
DMSWMG520E Invalid operand : *operand*  
DMSWMG545E Missing operands  
DMSWMG649E Extraneous parameter *parm*  
DMSWMG653E Error executing *command*, RC = *nn*  
DMSWMG856E Disk address *vdev* is listed more than once on the DELTA and/or MERGE entry records in the *prodid* VMFPARM file  
DMSWMG857E The number of disk addresses on the DELTA entry record cannot exceed nine  
DMSWMG858E Unable to find a *tag* entry record in the *fn ft* file.  
DMSWMG859E The *prodid* VMFPARM file has no disk addresses on the {MERGE|DELTA} entry record  
DMSWMG860E Only one {MERGE|DELTA} entry record may appear in the *prodid* VMFPARM file  
DMSWMG861I Accessing *disk type* disk *vdev* as *mode*.  
DMSWMG862I Change *name* has been *action*  
DMSWMG863E The MERGE disk *vdev* must be linked read-write.  
DMSWMG864E PTF *name* will not be *action* because it already is *status*  
DMSWMG864I PTF *name* will not be *action* because it already is *status*  
DMSWMG864W PTF *name* will not be *action* because it already is *status*  
DMSWMG865I Processing PTF *name*  
DMSWMG866W No PTFs have been *action*.  
DMSWMG867E Invalid status *status* in *prodid* VMFMGLOG for entry *ptf*.  
DMSWMG868E PTF *name* is not a part of product *prodid*.  
DMSWMG869E Error in file *fn ft fm*. *data* is invalid for *tag* tag.  
DMSWMG870E Error in file *fn ft fm*. There are no elements.  
DMSWMG871E Error in file *fn ft fm*. The *name* tag is missing.  
DMSWMG872E Error in file *fn ft fm*. REPLACE tag missing after the element *name*  
DMSWMG873E Error in file *fn ft fm*. *parm* is an invalid parameter. Expecting parameter(s) PRODID, PREREQ, COREQ, SUP, APARTEXT, or CHANGES  
DMSWMG874E Invalid entry found at line *line* in *fn ft*  
DMSWMG882W File *fn ft [fm]* [ from *name*] not found on any DELTA disks from the VMFPARM file  
DMSWMG883W PTF *name* is not a part of product *prodid* and must be *action* in product *prodid*.  
DMSWMG886E Filename *name* from the *fn ft [fm]* file is longer than 8 characters  
DMSWMG892E PTF *name* has not been *action*.

DMSWVG893E Incomplete processing, not all [required] PTFs were *action*  
DMSWVG893W Incomplete processing, not all [required] PTFs were *action*  
DMSWVG898E VMFREMOV processing is incomplete

**VMFMSG EXEC**

DMSWMS405W Invalid or missing message number *msgno*

**VMFNLS EXEC**

DMSWNL001E No filename specified  
DMSWNL002E File *fn ft* not found  
DMSWNL023E No filetype specified  
DMSWNL029E Invalid parameter *parameter*  
DMSWNL032E Invalid filetype *ft*  
DMSWNL062E Invalid character *char* in fileid *fn ft*  
DMSWNL122E Return code *rc* from *routine*  
DMSWNL328E Control file not specified  
DMSWNL448E Country code *code* not in *list*

**VMFPLC2 Command**

DMSVMF002E FILE(S) '*fn ft fm*' NOT FOUND  
DMSVMF003E INVALID OPTION: '*option*'  
DMSVMF010E PREMATURE EOF ON FILE NUMBER '*nn*'  
DMSVMF014E INVALID FUNCTION '*function*'  
DMSVMF017E INVALID DEVICE ADDRESS '*vdev*'  
DMSVMF023E NO FILETYPE SPECIFIED  
DMSVMF027E INVALID DEVICE '*devtype*' FOR '*SYSaaa*'  
DMSVMF029E INVALID PARAMETER '*parameter*' IN THE OPTION '*option*' FIELD  
DMSVMF037E DISK '*mode*' IS READ/ONLY  
DMSVMF042E NO FILEID SPECIFIED  
DMSVMF043E TAPn(*vdev*) IS FILE PROTECTED  
DMSVMF047E NO FUNCTION SPECIFIED  
DMSVMF048E INVALID MODE '*mode*'  
DMSVMF057E INVALID RECORD FORMAT  
DMSVMF058E END-OF-FILE OR END-OF-TAPE  
DMSVMF070E INVALID PARAMETER '*parameter*'  
DMSVMF096E FILE '*fn ft*' DATA BLOCK COUNT INCORRECT  
DMSVMF104S ERROR '*nn*' READING FILE '*fn ft fm*' FROM DISK  
DMSVMF105S ERROR '*nn*' WRITING FILE '*fn ft fm*' ON DISK  
DMSVMF110S ERROR READING TAPn(*vdev*)  
DMSVMF111S ERROR WRITING TAPn(*vdev*)  
DMSVMF113S TAPn(*vdev*) NOT ATTACHED  
DMSVMF115S CONVERSION FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S DUAL DENSITY FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S TRANSLATION FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S 7-TRACK FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S 9-TRACK FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S 18-TRACK FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S 800 BPI FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S 1600 BPI FEATURE NOT SUPPORTED ON DEVICE '*vdev*'  
DMSVMF115S 6250 BPI FEATURE NOT SUPPORTED ON DEVICE '*vdev*'

# DMS

---

DMSVMF613E VMFPLC2 must be invoked as a nucleus extension  
DMSVMF671E Error loading file *fn ft fm*; rc = *nn* from RENAME  
DMSVMF701I NULL FILE

## VMFREMOV EXEC

DMSWRM002E File *fn ft [fm]* not found  
DMSWRM002W File *fn ft [fm]* not found  
DMSWRM008E Device *vdev* invalid or nonexistent  
DMSWRM017E Invalid device address *vdev*  
DMSWRM520E Invalid operand: *operand*  
DMSWRM545E Missing operands  
DMSWRM632E I/O error in EXECIO; RC=*nn* from *command* command  
DMSWRM649E Extraneous parameter *parm*  
DMSWRM653E Error executing *command*, RC = *nn*  
DMSWRM823E PTF *name1* is listed as a dependent of PTF *name2*, but PTF *name1* is not merged  
DMSWRM824E *prodid* VMFREQBY may be incomplete due to a missing SCF  
DMSWRM856E Disk address *vdev* is listed more than once on the DELTA and/or MERGE entry records in the *prodid* VMFPARM file  
DMSWRM857E The number of disk addresses on the DELTA entry record cannot exceed nine  
DMSWRM858E Unable to find a *tag* entry record in the *fn ft* file.  
DMSWRM859E The *prodid* VMFPARM file has no disk addresses on the {MERGE|DELTA} entry record  
DMSWRM860E Only one {MERGE|DELTA} entry record may appear in the *prodid* VMFPARM file  
DMSWRM861I Accessing *disk type* disk *vdev* as *mode*  
DMSWRM862I Change *name* {has been *action*|is no longer SUPERSEDED by *name*  
DMSWRM863E The MERGE disk *vdev* must be linked read-write.  
DMSWRM864W PTF *name* will not be *action* because it is not *status*  
DMSWRM865I Processing PTF *name*  
DMSWRM866W No PTFs have been *action*.  
DMSWRM867E Invalid status *status* in *prodid* VMFMGLOG for entry *ptf*.  
DMSWRM874E Invalid entry found at line *line* in *fn ft*  
DMSWRM879W Change name *name* appears more than once in the *fn ft*  
DMSWRM882E File *fn ft [fm]* [from *name*] not found on any DELTA disks from the VMFPARM file  
DMSWRM882W File *fn ft [fm]* not found  
DMSWRM883W PTF *name* is not a part of product *prodid* and must be *action* in product *prodid*  
DMSWRM888E Error in *name* SCF. No entry for element *fn ft*.  
DMSWRM892E PTF *name* has not been *action*.  
DMSWRM893W Incomplete processing, not all [required] PTFs were *action*

## VMFTXT EXEC Command

DMSWTX001E No filename specified  
DMSWTX002E File *fn ft fm* not found  
DMSWTX006E No read/write 'A' disk accessed  
DMSWTX024E File *fn ft fm* already exists  
DMSWTX026E Invalid parameter *parameter* for *function*  
DMSWTX056E File *fn ft [fm]* contains invalid record formats  
DMSWTX062E Invalid character *char* in fileid *fn ft*  
DMSWTX179E Missing or duplicate MACS card in control file *fn ft fm*



DMSWTX183E Invalid control file control card  
 DMSWTX895I Member *fn ft* added  
 DMSWTX896E File *{fn ft fm|fn TEXT or fn TXT}* not found  
 DMSWTX897E Due to previous errors, the result of this TXTLIB build is called VMFTXT  
 TXTLIB; your *fn* TXTLIB has not been replaced

**VMFZAP EXEC**

DMSWZP002E File *fn ft [fm]* not found.  
 DMSWZP008E Device *vdev* invalid or nonexistent.  
 DMSWZP017E Invalid device address *vdev*  
 DMSWZP520E Invalid operand : *operand*  
 DMSWZP545E Missing operands  
 DMSWZP649E Extraneous parameter *parm*  
 DMSWZP653E Error executing *command*, RC = *nn*  
 DMSWZP856E Disk address *vdev* is listed more than once on the BASE, ZAP and/or MERGE  
 entry records in the *prodid* VMFPARM file  
 DMSWZP858E Unable to find a *tag* entry record in the *fn ft* ' file.  
 DMSWZP859E The '*prodid* VMFPARM' file has no disk addresses on the {BASE|MERGE|ZAP}  
 entry record.  
 DMSWZP860E Only one {BASE|MERGE|ZAP} entry record may appear in the *prodid*  
 VMFPARM file.  
 DMSWZP861I Accessing *disk type* disk *vdev* as *mode*.  
 DMSWZP862I ZAP *name* has been *action*  
 DMSWZP863E The ZAP disk *vdev* must be linked read-write.  
 DMSWZP864W ZAP *name* will not be *action* because it already is *status*  
 DMSWZP865I Processing ZAP *name*  
 DMSWZP874E Invalid entry found at line *line* in *fn ft*  
 DMSWZP875E File *fn ft [fm]* not found on any disks from the VMFPARM file.  
 DMSWZP876E The total number of disk addresses on the BASE and MERGE records cannot  
 exceed nine  
 DMSWZP877W *fn* TEXT was previously zapped but was not found on the ZAP disk.  
 DMSWZP878E *prodid* ZAPLIST does not contain any superseded zap names. No zaps will be  
 applied.  
 DMSWZP879W ZAP *name name* appears more than once in the *fn ft* [It will only be applied once]  
 DMSWZP880E Error in ZAPTEXT while processing *fn* TEXT, RC = *nn*. Text files affected by  
*filename2* ZAP will not be saved on the ZAP disk.  
 DMSWZP881E *fn* TEXT was found on the ZAP disk but was not zapped during VMFZAP run.  
 This file should not be on the ZAP disk.  
 DMSWZP885I File *prodid* VMFZPLOG not found on the ZAP disk. No text files will be removed  
 from the ZAP disk.  
 DMSWZP886E Filename *name* from the *fn ft [fm]* file is longer than 8 characters  
 DMSWZP887E Record number *number* from the *fn ft [fm]* file is longer than 80 bytes.

**VSAMGEN EXEC**

DMSVGN006E NO READ/WRITE 'A' DISK ACCESSED  
 DMSVGN015E INVALID SUBSET COMMAND  
 DMSVGN069E DISK 'mode' NOT ACCESSED  
 DMSVGN360E INVALID RESPONSE 'response'.  
 DMSVGN361E DISK 'A' IS NOT A CMS DISK  
 DMSVGN362I LINK-EDITING *sysname* ...  
 DMSVGN363I *sysname* DOSLIB CREATED ON DISK 'mode'.

# DMS

DMSVGN363R ENTER LOCATION WHERE *sysname* WILL BE LOADED AND SAVED:  
DMSVGN364I FETCHING *sysname* ...  
DMSVGN365I SYSTEM *sysname* SAVED.  
DMSVGN365R ONE OR MORE OF THE TEXT FILES LISTED IN THE *fn* EXEC ARE MISSING.  
THE VSAM PP PID TAPE SHOULD BE ON TAPE DRIVE 181 TO RESTORE  
THE FILES. ENTER:  
  
    'GO' IF TAPE DRIVE IS READY  
          TO LOAD FILES.  
    'QUIT' TO STOP GENERATION PROCESS.

DMSVGN366I STARTING TO READ PTF DECKS FROM READER...  
DMSVGN366R ENTER NAME OF SYSTEM TO BE SAVED:  
DMSVGN367I 'module' TEXT WRITTEN ON A-DISK  
DMSVGN368I 'nn' MODULES HAVE BEEN RESTORED  
DMSVGN368R ERASE *sysname* DOSLIB?...ENTER 'YES' OR {NO:|ENTER A FILENAME TO  
RENAME THE EXISTING DOSLIB;}  
DMSVGN369E INVALID--RELEASE 31 OR LATER REQUIRED  
DMSVGN370R ENTER 'GO' IF SAVED SYSTEM IS TO BE CREATED, OTHERWISE ENTER  
'QUIT'  
DMSVGN371R *sysname* IS LOADED, IF ZAPS ARE TO BE APPLIED GO 'CP' MODE, APPLY  
THE ZAPS AND THEN REPLY 'GO'.  
DMSVGN382R ENTER NUMBER OF TAPE FILES TO BE PROCESSED:  
DMSVPD070E Invalid parameter *parameter*  
DMSVPD105S Error *nn* writing file *fn ft fm* on disk  
DMSVPD109S Virtual storage capacity exceeded  
DMSVPD110S Error reading TAP*n*[(*vdev*)]  
DMSVPD113S {*mode*|Device|Disk|Printer|Punch| Reader|TAP*n*|Tapin|Tapout;}[(*vdev*)] not  
attached  
DMSVPD368I *nn* modules have been restored  
DMSVPD383R Apply *fn*? (Enter NO or EOB)

## VSEVSAM EXEC

DMSWVV788R Are the macros to be read from tape or are they already on disk? Reply TAPE or  
DISK. If a default of TAPE is to be used, press "ENTER."  
DMSWVV789W Invalid response  
DMSWVV790R If the default library name of "VSEVSAM" is to be used, press "ENTER." Else,  
enter the name to be used for the library.  
DMSWVV791I The library name will be *libname*. Press "ENTER" to continue, else enter "QUIT"  
or the name to be used for the library.  
DMSWVV792R Are the macros to be erased from disk? Reply (YES|NO). Press "ENTER" for  
default of "YES."  
DMSWVV793I Maclib generation completed.  
DMSWVV794E Error in maclib generation.  
DMSWVV795E Error reading macros from tape.  
DMSWVV796E Error reading from VSEVSAM SCAN file.  
DMSWVV797I "QUIT" may be entered in response to any query to end processing.  
DMSWVV798R The VSE/VSAM Optional Source Statement Library tape must be mounted as  
virtual 181. If it is not, enter QUIT here and have the tape mounted. Else, press  
"ENTER" to continue.  
DMSWVV799E Error reading from "VSEVSAM SCAN" file; all macros may not be erased.

DMSWVV800E One of the files needed for maclib generation is missing.  
DMSWVV801I Arguments entered are ignored.  
DMSWVV802I Macros erased - VSEVSAM processing complete.  
DMSWVV808R Macro library *libname* will be erased. Press "ENTER" to continue or type  
"QUIT" to exit.  
DMSWVV809E Error copying "VSEVSAM SCAN" file from {T|S} disk to A-disk

#### WAITREAD VSCREEN Command

DMSWIO494W FULLREAD set off  
DMSWIO614E Screen modifications lost. See 'SET FULLREAD' to use PA keys safely.  
DMSWIO629W Screen modifications may be lost. Press ENTER key to process screen changes.  
DMSWIR329W Warning: APL/TEXT option not in effect  
DMSWIR696W Invalid data received from the display  
DMSWRD386E Missing operand(s)  
DMSWRD388E Invalid keyword: *keyword*  
DMSWRD391E Unexpected operand(s): *operand*  
DMSWRD622E Insufficient free storage  
DMSWRD631E WAITREAD can only be executed from and EXEC2 or REXX exec  
DMSWRD917E No windows are {displayed|showing virtual screen: *vname*}  
DMSWRD921E Virtual screen *vname* is not defined  
DMSWRD925E I/O error on screen  
DMSWRD926E Command is only valid on a display terminal  
DMSWRD928E Command is not valid for virtual screen *vname*

#### WAITT VSCREEN Command

DMSWAT386E Missing operand(s)  
DMSWAT388E Invalid keyword: *keyword*  
DMSWAT391E Unexpected operand(s): *operand*  
DMSWAT921E Virtual screen *vname* is not defined  
DMSWAT928E Command is not valid for virtual screen *vname*  
DMSWVT037E Disk *mode* is read only  
DMSSTT062E Invalid character *char* in fileid *fn ft fm*  
DMSWVT069E Disk *mode* not accessed  
DMSWVT105S Error *nn* writing file *fn ft fm* on disk  
DMSWVT109S Virtual storage capacity exceeded  
DMSWVT531E Disk is full; set new filemode or clear some disk space  
DMSWVT924E Data was truncated  
DMSWVT933W Logging stopped for virtual screen *vname*  
DMSWVT934E Text was not written to virtual screen. No field was defined.

#### WRITE VSCREEN Command

DMSWRT622E Insufficient free storage  
DMSWRT921E Virtual screen *vname* is not defined  
DMSWRT923E Specified location is outside the virtual screen  
DMSWRT928E Command is not valid for virtual screen *vname*

#### XEDIT Command (and XEDIT Subcommands)

DMSXBG109S Virtual storage capacity exceeded  
DMSXCG498E Not executed--the two areas to merge overlap each other

# DMS

---

DMSXCG501I *nn* line(s) deleted  
DMSXCG502I No line(s) recovered  
DMSXCG503E Spilled  
DMSXCG503E Truncated  
DMSXCG504E *nn* line(s) {truncated|spilled}  
DMSXCG505E Not executed--the target line (*nn*) is within the lines to move  
DMSXCG506I *nn* lines {moved|copied|merged}  
DMSXCG511E String2 contains more arbitrary characters than string1  
DMSXCG517I *nn* occurrence(s) changed on *nn* line(s)  
DMSXCG518E *nn* occurrence(s) changed on *nn* line(s); *nn* line(s) {truncated|spilled} *nn* line(s)  
          {truncated|spilled}  
DMSXCG520E Invalid operand: *operand*  
DMSXCG522I *nn* occurrences  
DMSXCG543E Invalid number: *number*  
DMSXCG581E Subcommand is not valid in extended mode  
DMSXCG593E *nn* lines merged, *nn* line(s) {truncated|spilled}  
DMSXCM512E Invalid subset command  
DMSXCM513E Unknown CP/CMS command  
DMSXCM514E Return code *nn* from *command*  
DMSXCT002E File *fn ft fm* not found  
DMSXCT037E Disk *mode* is accessed as read/only  
DMSXCT048E Invalid mode *mode*  
DMSXCT105S Error *nn* writing file *fn ft fm* on disk  
DMSXCT117S Error writing to display terminal  
DMSXCT507E No preserved data to restore  
DMSXCT509E *subcommand* subcommand not valid from a prefix macro  
DMSXCT520E Invalid operand: *operand*  
DMSXCT521E Invalid line number  
DMSXCT523I Typewriter mode  
DMSXCT526E Option *option* valid in display mode only  
DMSXCT527E Invalid column number  
DMSXCT529E Subcommand is only valid in display mode  
DMSXCT531E Disk is full; set new filemode or clear some disk space  
DMSXCT532E Disk is full; AUTOSAVE failed  
DMSXCT534E Too many logical screens defined  
DMSXCT535E Invalid parameters for RENUM  
DMSXCT536E Logical screens exceed physical screen size  
DMSXCT537E Each logical screen must contain at least 5 lines and 20 columns  
DMSXCT539E Named line not found  
DMSXCT540E Name already defined on line *nn*  
DMSXCT541E Invalid name  
DMSXCT543E Invalid number: *number*  
DMSXCT545E Missing operand(s)  
DMSXCT554E No storage available  
DMSXCT566E Logical screen (*sl1,sw1,sh1,sv1*) is outside the virtual screen  
DMSXCT567E Logical screens (*sl1,sw1,sh1,sv1*) and (*sl2,sw2,sh2,sv2*) overlap each other  
DMSXCT578W *macroname* macro is not currently in storage  
DMSXCT583I EOF:  
DMSXCT584I TOF:  
DMSXCT594E File *fn ft fm* already exists; use FFILE/SSAVE  
DMSXCT622E Insufficient free storage for MSGLINE  
DMSXCT697E The logical screens must cover the full virtual screen width

DMSXDC497E Minimum abbreviation is between SO and SI  
DMSXDC512E Invalid subset command  
DMSXDC520E Invalid operand: *operand*  
DMSXDC542E No such subcommand: *subcommand*  
DMSXDC543E Invalid number: *number*  
DMSXDC544E Invalid hex data: *xxxxxxx*  
DMSXDC545E Missing operand(s)  
DMSXDC546E Target not found  
DMSXDC547E Synonym definition incomplete  
DMSXDC548E Invalid synonym operand: *operand*  
DMSXDC549E Synonym abbreviation too large  
DMSXDC550E Too many operands in synonym definition  
DMSXDC554E No storage available  
DMSXDC580E Invalid string: unmatched shift-out (SO) and shift-in (SI)  
DMSXDC580E Invalid string: odd number of characters between SO and SI  
DMSXDC580E Invalid string: invalid double-byte character(s)  
DMSXDS589E Missing FILEDEF for DDNAME SYSIN  
DMSXDS590E Dataset too large  
DMSXDS591E Open error on SYSIN  
DMSXED553I Editing file: *fn ft fm*  
DMSXED554E No storage available  
DMSXED622E Insufficient free storage for MSGLINE  
DMSXFC557S No more storage to insert lines  
DMSXFC622E Insufficient free storage for line to spill  
DMSXFC698W New record length may result in loss of double-byte characters  
DMSXFD554E No storage available  
DMSXFD559W Warning: file is empty  
DMSXFD560E Not enough space for serialization between TRUNC and LRECL  
DMSXFD580E Invalid string: shift-out (SO) is not a valid delimiter  
DMSXFD592W Wrapped ....  
DMSXFD700E Logical AND operator & not valid for column targets  
DMSXGT002E File *fn ft fm* not found  
DMSXGT048E Invalid mode *mode*  
DMSXGT104S Error *nn* reading file *fn ft fm* from disk  
DMSXGT156E Record *nnn* not found--the file *fn ft fm* has only *nnn* records  
DMSXGT520E Invalid operand: *operand*  
DMSXGT521E Invalid line number  
DMSXGT554E No storage available  
DMSXGT562E No line(s) saved by PUT(D) subcommand  
DMSXGT563W Records {truncated|spilled}  
DMSXGT564W EOF reached  
DMSXGT565W EOF reached; records {truncated|spilled}  
DMSXIN002E File *fn ft fm* not found  
DMSXIN003E Invalid option: *option*  
DMSXIN024E File *fn ft fm* already exists  
DMSXIN029E Invalid parameter *parameter* in the option *option* field  
DMSXIN048E Invalid mode *mode*  
DMSXIN054E Incomplete fileid specified  
DMSXIN065E *option* option specified twice  
DMSXIN066E *option1* and *option2* are conflicting options  
DMSXIN070E Invalid parameter *parameter*  
DMSXIN104S Error *nn* reading file *fn ft fm* from disk  
DMSXIN132S File *fn ft fm* too large

# DMS

---

DMSXIN500E Unable to unpack file *fn ft fm*  
DMSXIN508E LOAD must be the first subcommand in the profile  
DMSXIN554E No storage available  
DMSXIN570W Update *ft* specified in the UNTIL option field not found  
DMSXIN571I Creating new file:  
DMSXIN622E Insufficient free storage for {MSGLINE|PAkey/PFkey|synonyms}  
DMSXIN928E Command is not valid for virtual screen CMS  
DMSXIO572E Terminal error; data changed to uppercase  
DMSXMA554S No storage available  
DMSXMB002E File *fn ft fm* not found  
DMSXMB007E File *fn ft fm* is not fixed, 80-character records  
DMSXMB033E File *fn ft fm* is not a library  
DMSXMB037E Disk *fm* is accessed as read/only  
DMSXMB039E No entries in library *fn ft fm*  
DMSXMB104S Error *nn* reading file *fn ft fm* from disk  
DMSXMB105S Error *nn* writing file *fn ft fm* on disk  
DMSXMB157S MACLIB limit exceeded  
DMSXMB167S Previous MACLIB function not finished  
DMSXMB531E Disk is full; set new filemode or clear some disk space  
DMSXMB559W Warning: file is empty  
DMSXMB594E File *fn ft fm* already exists; use FFILE/SSAVE  
DMSXMB622E Insufficient free storage for reading map  
DMSXMC009E Column [*col*] exceeds record length [(*nn*)]  
DMSXMC545E Missing operand(s)  
DMSXMC575E Invalid VERIFY column(s) defined  
DMSXMC576E Total offset width exceeds screen size (*nn*)  
DMSXMC576E Total verify width exceeds screen size (*nn*)  
DMSXMC581E Subcommand is not valid in extended mode  
DMSXMC622E Insufficient free storage for I/O buffer  
DMSXMD503E Spilled  
DMSXMD503E Truncated  
DMSXMD510I Autosaved as *fn ft fm*  
DMSXMD529E Subcommand is only valid in display mode  
DMSXMD543E Invalid number: *number*  
DMSXMD573I Input mode:  
DMSXMD587I XEDIT:  
DMSXML529E Subcommand is only valid in display mode  
DMSXML592W Wrapped ....  
DMSXMS009E Column *col* exceeds record length  
DMSXMS053E Invalid sort field pair defined  
DMSXMS063E No sort list given  
DMSXMS493E SORT invalid in update mode  
DMSXMS554S No storage available  
DMSXMS596E This module must be called within the editor  
DMSXPO117S Error writing to display terminal  
DMSXPO503E Truncated  
DMSXPO529E Subcommand is only valid in display mode  
DMSXPO554E Insufficient free storage  
DMSXPO557S No more storage to insert lines  
DMSXPO581E Subcommand is not valid in extended mode  
DMSXPO622E Insufficient free storage for processing screen changes  
DMSXPO915E Maximum number of windows already defined

DMSXPO917E No windows are showing virtual screen *vname*  
DMSXPT037E Disk *mode* is accessed as read/only  
DMSXPT048E Invalid mode *mode*  
DMSXPT069E Disk *mode* not accessed  
DMSXPT105S Error *nn* writing file *fn ft fm* on disk  
DMSXPT554S No storage available  
DMSXPT571I Creating new file:  
DMSXPT579E Records truncated to *nn* when added to *fn ft fm*  
DMSXPT698W New record length may result in loss of double-byte characters  
DMSXPX554E No storage available  
DMSXPX659E Invalid prefix subcommand: *prefix*  
DMSXPX661E Prefix *name* is invalid for the line on which it was entered  
DMSXQR520E Invalid operand: *operand*  
DMSXQR525E Invalid PFkey/PAkey number  
DMSXQR530I *nn* file(s) in storage  
DMSXQR538E No name defined  
DMSXQR545E Missing operand(s)  
DMSXQR552E No synonym currently defined  
DMSXQR586E Not found  
DMSXRE104S Error *nn* reading file *fn ft fm* from disk  
DMSXRE105S Error *nn* writing file *fn ft fm* on disk  
DMSXRE554E Insufficient free storage  
DMSXSC117S Error writing to display terminal  
DMSXSC510I Autosaved as *fn ft fm*  
DMSXSC554E Insufficient free storage  
DMSXSC622E Insufficient free storage for COPYKEY  
DMSXSC622E Insufficient free storage for processing screen changes  
DMSXSC657E Undefined PFkey/PAkey  
DMSXSC696W Invalid data received from the display  
DMSXSC915E Maximum number of windows already displayed  
DMSXSC917E No windows are showing virtual screen *vname*  
DMSXSD696W Invalid data received from the display  
DMSXSE009E Column [*col*] exceeds record length [(*nn*)]  
DMSXSE037E Disk *mode* is accessed as read/only  
DMSXSE048E Invalid mode *mode*  
DMSXSE514E Return code *nn* from *command*  
DMSXSE515E RECFM must be F, V, FP, or VP  
DMSXSE516E LRECL too large for V-format file  
DMSXSE519E LRECL must be lower than width (*nn*)  
DMSXSE520E Invalid operand: *operand*  
DMSXSE521E Invalid line number  
DMSXSE525E Invalid PFkey/PAkey number  
DMSXSE526E Option *option* valid in display mode only  
DMSXSE528E Invalid range: target2 (line *nn*) precedes target1 (line *nn*)  
DMSXSE543E Invalid number: *number*  
DMSXSE545E Missing operand(s)  
DMSXSE548E Invalid synonym operand: *operand*  
DMSXSE554E No storage available  
DMSXSE555E File *fn ft fm* already in storage  
DMSXSE558E Wrong file format for serialization  
DMSXSE559W Warning: file is empty  
DMSXSE560E Not enough space for serialization between TRUNC and LRECL  
DMSXSE568E Subcommand not valid with this screen definition

# DMS

DMSXSE575E Invalid {TABS|ZONE} column(s) defined  
DMSXSE600E First selection level (*nn*) cannot be greater than second selection level (*nn*)  
DMSXSF520E Invalid operand: *operand*  
DMSXSF521E Invalid line number  
DMSXSF533E Line *nn* is not reserved  
DMSXSF545E Missing operand(s)  
DMSXSF554E No storage available  
DMSXSF695E Cannot define more than 64 CTLCHARs  
DMSXSS520E Invalid operand: *operand*  
DMSXSS525E Invalid PFkey/PAkey number  
DMSXSS529E Subcommand is only valid in display mode  
DMSXSS561E Cursor is not on a valid data field  
DMSXSU048E Invalid mode *mode*  
DMSXSU062E Invalid character in fileid *fn ft fm*  
DMSXSU069E Disk *mode* not accessed  
DMSXSU137S Error *nn* on STATE for *fn ft fm*  
DMSXSU229E Unsupported OS dataset, error *nn*  
DMSXSU509E *subcommand* subcommand not valid from a prefix macro  
DMSXSU510I Autosaved as *fn ft fm*  
DMSXSU559W Warning: file is empty  
DMSXSU577E File has been changed; use QQUIT to quit anyway  
DMSXSU582S Editorabend  
DMSXSU583I EOF:  
DMSXSU584I TOF:  
DMSXSU585E No line(s) changed  
DMSXSU586E Not found  
DMSXSU587I XEDIT:  
DMSXSU588E Prefix subcommand waiting...  
DMSXTR622E Insufficient free storage for {EXTRACT|EXECOMM}  
DMSXTR631E *function* can only be executed from an EXEC-2 or REXX EXEC  
DMSXUP002E File *fn ft fm* not found  
DMSXUP007E File *fn ft fm* [is] not fixed, 80-character records  
DMSXUP104S Error *nn* reading file *fn ft fm* from disk  
DMSXUP174W Sequence error introduced in output file: *seqno1* to *seqno2*  
DMSXUP178I Applying *fn ft fm*  
DMSXUP178I Applying *fn ft fm*  
DMSXUP179E Missing or duplicate MACS card in control file *fn ft fm*  
DMSXUP180W Missing PTF file *fn ft fm*  
DMSXUP183E Invalid {CONTROL|AUX} file control card  
DMSXUP184W ./S not first card in update file--ignored  
DMSXUP185W Non numeric character in sequence field *seqno*  
DMSXUP186W Sequence number not found  
DMSXUP207W Invalid update file control card  
DMSXUP210W Input file sequence error: *seqno1* to *seqno2*  
DMSXUP570W Update *ft* specified in the UNTIL option field not found  
DMSXUP597E Unable to merge updates containing ./S cards  
DMSXUP598S Unable to build update file: internal list destroyed  
DMSXUP599S Unable to build update file: serialization destroyed  
DMSXWS915E Maximum number of windows already defined  
DMSXWS927E {The virtual screen must contain at least {1 line|5 lines and 20 columns}|The  
physical screen must contain at least 20 lines and 80 columns}  
DMSXWS554E Insufficient free storage



**XMITMSG Command**

DMSMGX003E Invalid option: *option*  
 DMSMGX029E Invalid parameter *parameter* in the option *option* field  
 DMSMGX050E Parameter missing after *option*  
 DMSMGX065E *option* option specified twice  
 DMSMGX066E *option1* and *option2* are conflicting options  
 DMSMGX080E Invalid *numtype* number  
 DMSMGX109S Virtual storage capacity exceeded  
 DMSMGX405E Invalid or missing message number  
 DMSMGX408E Number of substitutions exceeds 20  
 DMSMGX631E XMITMSG must be invoked from a EXEC2 or REXX EXEC or as a CMS  
 command

**ZAP Command**

DMSZAP001E No filename specified  
 DMSZAP002E File [*fn ft [fm]*] not found  
 DMSZAP002W File *fn ft [fm]* not found  
 DMSZAP003E Invalid option: *option*  
 DMSZAP007E File *fn ft fm* is not fixed, 80-character records  
 DMSZAP014E Invalid function *function*  
 DMSZAP047E No function specified  
 DMSZAP056E File *fn ft [fm]* contains invalid record formats  
 DMSZAP070E Invalid parameter *parameter*  
 DMSZAP104S Error *nn* reading file *fn ft fm* from disk  
 DMSZAP109S Virtual storage capacity exceeded  
 DMSZAP190W Invalid control record or NO GO switch set  
 DMSZAP191W Patch overlaps; set NO GO switch  
 DMSZAP192W Odd number of digits; set NO GO switch  
 DMSZAP193W Preceding control record flushed  
 DMSZAP194W CSECT not found in {member *membername*|module *module*}; set NO GO switch  
 DMSZAP195W Base value invalid; set NO GO switch  
 DMSZAP200W Verify reject; set NO GO switch  
 DMSZAP208E File *fn ft* is not variable record format  
 DMSZAP210E File *fn ft* is on a read/only disk  
 DMSZAP245S Error *nnn* on printer  
 DMSZAP246W No loader table present for module *fn*; set NO GO switch  
 DMSZAP247W Member *membername* not found; set NO GO switch  
 DMSZAP248W Invalid VER/REP displacement; set NO GO switch  
 DMSZAP249I Dummy log entry in file *fn* ZAPLOG *fm*  
 DMSZAP750I ZAP processing complete  
 DMSZAP751I Member *membername* found in library *libname*

**ZAPTEXT EXEC**

DMSWZT001E No filename specified  
 DMSWZT002E File *fn ft [fm]* not found  
 DMSWZT003E Invalid option: *option*  
 DMSWZT005E No *option* specified  
 DMSWZT006E No read/write [A] disk accessed  
 DMSWZT037E Disk *mode* is read/only

# DMS

---

DMSWZT065E *option* option specified twice  
DMSWZT066E *option1* and *option2* are conflicting options  
DMSWZT069E Disk *mode* not accessed  
DMSWZT070E Invalid parameter *parameter*  
DMSWZT653E Error executing *command*, rc = *nn*

## #WM Command

DMSWEN931E Invalid {border|WM} command: {*character*|*command*}  
DMSWEN1125E *command* is not allowed as an immediate command

## Other CMS Routines and Functions

### CMS Initialization

DMSINI079E Invalid device address; reenter  
DMSINI080E Invalid CYL/BLK number; reenter  
DMSINI081E Invalid reply; enter 1 (YES) or 0 (NO)  
DMSINI082E IPL device error; reenter  
DMSINI083E Nucleus CYL/BLK specification unacceptable; error *x*  
DMSINI131S IPL device write I/O error  
DMSINI260T Virtual machine size too small to IPL non-shared copy of CMS  
DMSINI360E Invalid response *response*  
DMSINI607R Rewrite the nucleus? Enter 1 (YES) or 0 (NO)  
DMSINI608R IPL device address = *vdev*  
DMSINI609R Nucleus (CYL or BLK) address = *nnnn*  
DMSINI610R Also IPL CYL/BLK 0? Enter 1 (YES) or 0 (NO)  
DMSINI611R Version identification =  
DMSINI612R Installation heading =  
DMSINI729R Do you want to save the system? Enter 1 (YES) or 0 (NO).  
DMSINI730R Saved systemname =  
DMSINS731W System will not be saved; reissue the IPL command with the SAVESYS parameter  
DMSINI902T IPL device read I/O error  
DMSINQ079E Invalid device address; reenter  
DMSINQ296R Should the installation segment be used? Enter 1 (YES) or 0 (NO)  
DMSINQ310R Installation segment name =  
DMSINQ606R System disk address = *vdev*  
DMSINQ615R Y-disk address = *vdev*  
DMSINQ640R HELP disk address = *vdev*  
DMSINS003E Invalid option: *option*  
DMSINS100W Shared {S-STAT|Y-STAT} not available  
DMSINS311W No system name specified; system not saved  
DMSINS313W SYSPROF EXEC not found; notify system administrator  
DMSINS314W Automatic re-IPL by CP; no information available  
DMSINS314W Automatic re-IPL by CP due to translation exception while in non-EC mode  
DMSINS314W Automatic re-IPL by CP due to a paging error  
DMSINS314W Automatic re-IPL by CP due to external interrupt loop; PSW *psw*  
DMSINS314W Automatic re-IPL by CP *name*-shared page *hexloc* altered  
DMSINS314W Automatic re-IPL by CP due to disabled wait; PSW *psw*  
DMSINS314W Automatic re-IPL by CP due to program interrupt loop; PSW *psw*  
DMSINS315W Conflicting parameters specified; all parameters have been ignored

DMSINS327I The EXEC DCSS could not be loaded.  
DMSINS327W INSTSEG value omitted; no shared EXECs loaded.

#### CMS/DOS Close

DMSCLS043E TAPn(*vdev*) is file protected  
DMSCLS058E End-of-file or end-of-tape [on TAPn]  
DMSCLS088E Unsupported DTF type *dtftype*  
DMSCLS089E Close error code *nn* on {*fn*|SYSaaa|TAPn}  
DMSCLS113S {*mode*|Device|Disk|Printer|Punch| Reader|TAPn|Tapin|Tapout}|(*vdev*) not attached  
DMSCLS140S SEOV/FEOV macro not supported  
DMSCLS403S CMSBAM shared segment not available; reload CMSDOS  
DMSCLS404S Logic module *fn* not found in CMSBAM segment  
DMSCLS429I TAPn(*vdev*) EOT on output  
DMSCLS995E Unable to obtain free storage for DMSCLS processing; redefine storage size

#### CMS/DOS Open

DMSBOP037E Disk *mode*{(*vdev*)} is accessed as read/only  
DMSBOP043E TAPn(*vdev*) is file protected  
DMSBOP058E End-of-file or end-of-tape  
DMSBOP069E Disk *mode* not accessed  
DMSBOP086W DLBL *ddname* dummy invalid for VSAM  
DMSBOP088E Unsupported DTF type *dtftype*  
DMSBOP089E Open error code *nn* on {*fn*|SYSaaa|TAPn}  
DMSBOP113S TAPn(*vdev*) not attached  
DMSBOP302E No SYSXXX operand specified  
DMSBOP308E *mode* disk in CMS format; invalid for non-CMS dataset  
DMSBOP400S System *sysname* does not exist  
DMSBOP401S VM size (*size*) cannot exceed CMSDOS start address (*vstor*)  
DMSBOP403S CMSBAM shared segment not available; reload CMSDOS  
DMSBOP404S Logic module *fn* not found in CMSDOS segment  
DMSBOP410S Control program error indication *xxx*  
DMSBOP413S Storage not initialized for VSAM processing  
DMSBOP995E Unable to obtain free storage for DMSCLS processing; redefine storage size  
DMSBOP996E NO logic module pointer in DTF for *dtfname*

#### CMS/DOS Open Library

DMSOPL089E Open error code *nn* on {*fn*|SYSaaa|TAPn}  
DMSOPL099E I/O error reading *vdev*  
DMSOPL158E No CMS/DOS procedure library support

#### CMS/DOS SVC Handler Routine

DMSDOS091E Save area address in partition PIB not equivalent to LTA save area address  
DMSDOS095E Invalid address *vstor*  
DMSDOS121S {Unsupported [function *function* of]} Invalid form of; SVC *svc* (HEX *xx*) called from *vstor*  
DMSDOS160S Job *jobname* canceled due to program request  
DMSDOS787E Error decompressing *macroname* macro

# DMS

---

DMSGMF121S {Unsupported [function *function* of] Invalid form of} SVC *svc* (HEX *xx*) called from *vstor*  
DMSGMF121S {Unsupported [function *function* of] Invalid form of} SVC *svc* (HEX *xx*) called from *vstor*  
DMSGVE069E Disk *mode* not accessed  
DMSLDF004E Phase *phase* not found  
DMSLDF140S *function* function(s) not supported in CMS/DOS  
DMSLDF161S Unexpected error code *nn* on SYS*aaa*  
DMSLDF401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSLDF413S Storage not initialized for VSAM processing  
DMSLIC096S Unsupported function in a LIOCS routine for command  
DMSMCM093E MVCOM macro attempt to alter positions other than 12-23 of COMREG  
DMSMCM094E FROM address on MVCOM macro invalid  
DMSSTX092E STXIT save area address invalid  
DMSSTX326E Illegal SVC *svc* (HEX *nn*) called from *vstor*  
DMSVLT089E Close error code *nn* on {*fn*|SYS*aaa*|TAP*n*}  
DMSVLT089E Open error code *nn* on {*fn*|SYS*aaa*|TAP*n*}

## Dump Routines

DMSDMP020W INVALID {PDUMP|IDUMP} ADDRESS '*vstor*'; NO DUMP OPERATION PERFORMED  
DMSDMP109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMSDMP146I IDUMP FOR identifier CALLED FROM mm/dd/yy hh:mm:ss  
DMSDMP325W IDUMP FOR '*jobname*' TERMINATED DUE TO ERROR ON '00E'

## OS Simulation

DMSSBS120S Input error code *nn* on *ddname*  
DMSSBS120S Output error code *nn* on *ddname*  
DMSSCT120S Input error code *nn* on *ddname*  
DMSSCT120S Output error code *nn* on *ddname*  
DMSSLN002E File *fn* MODULE not found  
DMSSLN104S Error *nn* reading file *fn ft fm* from disk  
DMSSLN105S Error *nn* writing file *fn ft fm* on disk  
DMSSLN109S Virtual storage capacity exceeded  
DMSSLN116S Loader table overflow  
DMSSLN350E Module is marked Not Executable  
DMSSLN351E Module is marked Only Loadable  
DMSSMN109S Virtual storage capacity exceeded  
DMSSMN133S Invalid GETMAIN or FREEMAIN specification  
DMSSOP036E Open error code *nn* on *ddname*  
DMSSOP430E TAP*n*(*vdev*) LABELDEF information missing for file *fn*  
DMSSTP027E Invalid device *devtype* [for SYS*aaa*]  
DMSSTP113S TAP*n* (*vdev*) not attached  
DMSSTP429I TAP*n*(*vdev*) EOT on output  
DMSSTP430E TAP*n*(*vdev*) LABELDEF information missing for file *fn*  
DMSSVT033E File *fn ft fm* is not a library  
DMSSVT119S Unsupported form of *macro* macro  
DMSSVT120S Input error code *nn* on *ddname*  
DMSSVT120S Output error code *nn* on *ddname*

DMSSVT121S {Unsupported [function *function* of]| Invalid form of} SVC *svc* (HEX *xx*) called from *vstor*

### OS Tape Volume Switching

DMSTVS109S Virtual storage capacity exceeded  
 DMSTVS265I Attempting to change tape volume for DDNAME *ddname*  
 DMSTVS266I To cancel the tape volume switch, type CANCEL  
 DMSTVS267I Tape mount for volume *valid* on virtual *nnn* was canceled by the user  
 DMSTVS268I Message sent to userid *userid*:  
 DMSTVS269I Mount tape volume *valid* on virtual *nnn* {without|with} a write ring; request number *n*  
 DMSTVS270I Wait time for tape volume switch has almost expired; to continue waiting, type EXTEND  
 DMSTVS271I Wait time for tape volume switch has expired; tape volume switch for volume *valid* on virtual *nnn* canceled  
 DMSTVS272E Tape on virtual *nnn* is not a standard label tape  
 DMSTVS273E Tape on virtual *nnn* is volume *valid*--wrong tape  
 DMSTVS274E Tape on virtual *nnn*, volume *valid*, requires a write ring  
 DMSTVS275E Tape on virtual *nnn*, volume *valid*, has a write ring--no write ring was requested

### REXX (System Product Interpreter)

DMSREX255T Insufficient storage for Exec interpreter  
 DMSREX449E Error 22 running *fn ft*, line *nn*: Invalid char string  
 DMSREX450E Error 5 running *fn ft*, line *nn*: Machine storage exhausted  
 DMSREX451E Error 3 running *fn ft*, line *nn*: Program is unreadable  
 DMSREX452E Error 4 running *fn ft*, line *nn*: Program interrupted  
 DMSREX453E Error 6 running *fn ft*, line *nn*: Unmatched “/” or quote  
 DMSREX454E Error 7 running *fn ft*, line *nn*: WHEN or OTHERWISE expected  
 DMSREX455E Error 8 running *fn ft*, line *nn*: Unexpected THEN or ELSE  
 DMSREX456E Error 9 running *fn ft*, line *nn*: Unexpected WHEN or OTHERWISE  
 DMSREX457E Error 10 running *fn ft*, line *nn*: Unexpected or unmatched END  
 DMSREX458E Error 11 running *fn ft*, line *nn*: Control stack full  
 DMSREX459E Error 12 running *fn ft*, line *nn*: Clause > 500 characters  
 DMSREX460E Error 13 running *fn ft*, line *nn*: Invalid char in data  
 DMSREX461E Error 14 running *fn ft*, line *nn*: Incomplete DO/SELECT/IF  
 DMSREX462E Error 15 running *fn ft*, line *nn*: Invalid hex constant  
 DMSREX463E Error 16 running *fn ft*, line *nn*: Label not found  
 DMSREX464E Error 21 running *fn ft*, line *nn*: Invalid data on end of clause  
 DMSREX465E Error 17 running *fn ft*, line *nn*: Unexpected procedure  
 DMSREX466E Error 26 running *fn ft*, line *nn*: Invalid whole number  
 DMSREX467E Error 27 running *fn ft*, line *nn*: Invalid DO syntax  
 DMSREX468E Error 30 running *fn ft*, line *nn*: Name or string > 250 characters  
 DMSREX469E Error 31 running *fn ft*, line *nn*: Name starts with numeric or “.”  
 DMSREX470E Error 34 running *fn ft*, line *nn*: Logical value not 0 or 1  
 DMSREX471E Error 35 running *fn ft*, line *nn*: Invalid expression  
 DMSREX472E Error 36 running *fn ft*, line *nn*: Unmatched “(” in expression  
 DMSREX473E Error 37 running *fn ft*, line *nn*: Unexpected “,” or “)”  
 DMSREX474E Error 39 running *fn ft*, line *nn*: Evaluation stack overflow  
 DMSREX475E Error 40 running *fn ft*, line *nn*: Incorrect call to routine  
 DMSREX476E Error 41 running *fn ft*, line *nn*: Bad arithmetic conversion  
 DMSREX477E Error 42 running *fn ft*, line *nn*: Arithmetic overflow/underflow

DMSREX478E Error 43 running *fn ft*, line *nn*: Routine not found  
DMSREX479E Error 44 running *fn ft*, line *nn*: Function did not return data  
DMSREX480E Error 45 running *fn ft*, line *nn*: No data specified on function RETURN  
DMSREX481E Error 49 running *fn ft*, line *nn*: Interpreter failure  
DMSREX482E Error 19 running *fn ft*, line *nn*: String or symbol expected  
DMSREX483E Error 20 running *fn ft*, line *nn*: Symbol expected  
DMSREX484E Error 24 running *fn ft*, line *nn*: Invalid TRACE request  
DMSREX485E Error 25 running *fn ft*, line *nn*: Invalid sub-keyword found  
DMSREX486E Error 28 running *fn ft*, line *nn*: Invalid LEAVE or ITERATE  
DMSREX487E Error 29 running *fn ft*, line *nn*: Environment name too long  
DMSREX488E Error 33 running *fn ft*, line *nn*: Invalid expression result  
DMSREX489E Error 38 running *fn ft*, line *nn*: Invalid template or pattern  
DMSREX490E Error 48 running *fn ft*, line *nn*: Failure in system service  
DMSREX491E Error 18 running *fn ft*, line *nn*: THEN expected  
DMSREX492E Error 32 running *fn ft*, line *nn*: Invalid use of stem

## Saved System Routines

DMSVIB109S Virtual storage capacity exceeded  
DMSVIB400S System *sysname* does not exist  
DMSVIB401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSVIB410S Control program error indication *xxx*

## Tape Label Processing Routines

DMSTLM027E Invalid device *devtype* [for SYSaaa]  
DMSTLM043E TAP*n*(*vdev*) is file protected  
DMSTLM058E End-of-file or end-of-tape  
DMSTLM109S Virtual storage capacity exceeded  
DMSTLM110S Error reading TAP*n*(*vdev*)  
DMSTLM111S Error writing TAP*n*(*vdev*)  
DMSTLM113S {TAP*n*|Tapin|Tapout}(*vdev*) not attached  
DMSTLM421E TAP*n*(*vdev*) HDR1 label missing for *fn*  
DMSTLM422E TAP*n*(*vdev*) positioned wrong for *fn*  
DMSTLM423I TAP*n*(*vdev*) positioned parameter ignored; output file will be written immediately after new VOL1 label  
DMSTLM424E TAP*n*(*vdev*) not positioned at EOF1 or EOVI label  
DMSTLM425R TAP*n*(*vdev*) block count error for *fn*; enter IGNORE or CANCEL  
DMSTLM426R TAP*n*(*vdev*) unexpired file; enter IGNORE or ERROR  
DMSTLM427I TAP*n*(*vdev*) EOVI label read  
DMSTLM428I TAP*n*(*vdev*) EOVI label written on *valid*  
DMSTLM430E TAP*n*(*vdev*) LABELDEF information missing for file *fn*  
DMSTLM431E TAP*n*(*vdev*) VOL1 label missing  
DMSTLM432E TAP*n*(*vdev*) valid *valid* does not match LABELDEF valid (*valid*) for *fn*  
DMSTLM433R Enter WRITE (*valid*) or REJECT  
DMSTLM434E TAP*n*(*vdev*) input label check error for file *fn*  
DMSTLM435R Enter IGNORE or CANCEL  
DMSTLM436I TAP*n*(*vdev*) missing user standard label for *ddname*  
DMSTLM437I TAP*n*(*vdev*) NSL routine returned an error code *code* for *fn*  
DMSTLM439E Valid *valid* is an invalid entry  
DMSTLM443R Enter REJECT or NEWTAPE  
DMSTLM446R Enter WRITE (*valid*), REJECT, or NEWTAPE

## IPCS Message Summary by Command

### CONVERT

DMMCVD100S ERROR 'nnn' READING FILE 'fn'  
DMMCVD200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMCVD803I 'fn ft fm' CONVERSION COMPLETE  
DMMCVD811I NO IPCS MAP APPENDED TO DUMP  
DMMCVD812E 'fn ft fm' ALREADY CONVERTED  
DMMCVD820I INSUFFICIENT MAP PROCESSING DISK SPACE FOR 'fn ft fm'  
DMMCVS100S ERROR 'nnn' READING FILE 'fn'  
DMMCVS200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMCVS803I 'fn ft fm' CONVERSION COMPLETE  
DMMCVS812E 'fn ft fm' ALREADY CONVERTED  
DMMCVS862E NO PARAMETERS ENTERED  
DMMCVS866E 'fn ft fm' NOT FOUND  
DMMCVS867E 'fn ft fm' NOT A SYMPTOM SUMMARY FILE

### DUMPSCAN

DMMAMP721I THE &NAME TABLE IS FULL  
DMMAMP722I INVALID ENTRY INTO &NAME TABLE  
DMMCHN610I POSSIBLE INVALID CHAIN - COMMAND TERMINATED  
DMMCHN611I LOOP DETECTED IN CHAIN - COMMAND TERMINATED  
DMMCHN708I PAGE 'page' NOT FOUND IN DUMP  
DMMCOM100S ERROR 'nnn' READING FILE 'fn'  
DMMCOM109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMMCOM500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER  
DMMCOM864E STORAGE INITIALIZATION INCOMPLETE  
DMMCOR609I REQUESTED ADDRESS NOT IN REAL STORAGE  
DMMCOR708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCC708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCD708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCD728I DOS SIMULATION NOT IN EFFECT  
DMMDCM718I THIS DUMP HAS NO LOAD MAP  
DMMDCM723I THE DUMP IS NOT ON THE A-DISK  
DMMDCM856E UNABLE TO LOCATE CMS DUMPSCAN ROUTINE DMMMAP  
DMMDCM863E INVALID OPERAND - operand  
DMMDCO708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCP731E OPERAND MISSING OR INVALID  
DMMDCP863E INVALID OPERAND - operand  
DMMDID500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER  
DMMDID729I NO DUMPID INFORMATION FOUND  
DMMDIN702I NON-HEX CHARACTER IN COUNT - RETRY  
DMMDIN703I NON-HEX CHARACTER IN ADDRESS - RETRY  
DMMDIN708I PAGE 'page' NOT FOUND IN DUMP  
DMMDSC100S ERROR 'nnn' READING FILE 'fn'  
DMMDSC500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER

# DMM

DMMDSC701R A VALID DUMP HAS NOT BEEN SPECIFIED.  
PLEASE ENTER ONE OF THE FOLLOWING OPERANDS:  
NNNNN < MODE > - TO VIEW PRBNNNNN FROM CMS DISK 'MODE'  
HELP - TO REQUEST HELP INFORMATION  
END, QUIT, HX - TO EXIT

DMMDSC705W 'dumptype' DUMPSCAN FUNCTIONS NOT AVAILABLE  
DMMDSC717E INVALID FORM OF LOCATE COMMAND  
DMMDSC719I ERROR 'nnn' IN FSSTATE FILE 'fn ft fm'  
DMMDSC720I LOAD MAP ALREADY PRESENT  
DMMDSC723I THE DUMP IS NOT ON THE A-DISK  
DMMDSC725R DO YOU WISH TO REPLACE IT? RESPOND YES|NO  
DMMDSC732E UNRECOGNIZED SUBCOMMAND - subcommand  
DMMDSC733E ERROR DETECTED WHILE PROCESSING THE SUBCOMMAND - subcommand  
DMMDSC856E UNABLE TO LOCATE 'type' DUMPSCAN ROUTINE 'name'  
DMMDSC863E INVALID OPERAND - operand  
DMMFEX703I NON-HEX CHARACTER IN ADDRESS - RETRY  
DMMFEX708I PAGE 'page' NOT FOUND IN DUMP  
DMMHEX714I NON-HEX CHARACTER IN INPUT - RETRY  
DMMIOB708I PAGE 'page' NOT FOUND IN DUMP  
DMMIOB712I DEVICE {'rdev'|'vdev'} NOT FOUND  
DMMIOB713I USER 'userid' VMBLOK NOT FOUND  
DMMIOB726I IPL RIOBLOKS REQUESTED IN NON-MULTIPROCESSOR DUMP  
DMMIOB726I NON-IPL RIOBLOKS REQUESTED IN NON-MULTIPROCESSOR DUMP  
DMMLOC708I PAGE 'page' NOT FOUND IN DUMP  
DMMLOC715I NON-HEX CHARACTER IN STRING  
DMMLOC716I STRING 'string' NOT FOUND  
DMMLOC717E INVALID FORM OF LOCATE COMMAND  
DMMMAPP100S ERROR 'nnn' READING FILE 'fn ft fm'  
DMMMAPP200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMMAPP801I maptype MAP 'fn ft fm' IS NOT VALID  
DMMMAPP802I FOR maptype, THE MAP NAMED 'fn ft fm' WAS ADDED TO THE IPCS MAP  
DMMMAPP806R FOR type, ENTER 'fn ft fm' OF THE maptype MAP,  
OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
DMMMAPP807I UNABLE TO LOCATE maptype MAP 'fn ft fm'  
DMMMAPP810I FORMAT OF maptype MAP 'fn ft fm' IS INVALID  
DMMMAPP817E maptype MAP 'fn ft fm' OVERLAPS A PREVIOUS MAP  
DMMMAPP707I 'module' 'page' NOT VALID  
DMMMAPP708I PAGE 'page' NOT FOUND IN DUMP  
DMMMAPP718I THIS DUMP HAS NO LOAD MAP  
DMMREG708I PAGE 'page' NOT FOUND IN DUMP  
DMMREG724I IPL REGISTERS REQUESTED IN UNIPROCESSOR DUMP  
DMMREG724I NON-IPL REGISTERS REQUESTED IN UNIPROCESSOR DUMP  
DMMSCR708I PAGE 'page' NOT FOUND IN DUMP  
DMMSCR709I NO VALID SCROLL ADDRESS  
DMMSCR863E INVALID OPERAND - operand  
DMMTIU868I REQUIRED RESOURCES ARE NOT AVAILABLE, SYMPTOM RECORD FOR  
FILE 'PRBnnnnn' CANNOT BE DISPLAYED  
DMMTIU869I ERROR 'nnn' OCCURRED WHILE READING SYMPTOM RECORD FOR FILE  
'PRBnnnnn'  
DMMTIU870I SYMPTOM RECORD FOR FILE 'PRBnnnnn' CANNOT BE FOUND  
DMMTRC708I PAGE 'page' NOT FOUND IN DUMP  
DMMTRC710I NON-NUMERIC COUNT CHARACTER--RETRY



DMMTRC730E CONFLICTING OPERAND - operand  
 DMMTRC731E OPERAND MISSING OR INVALID  
 DMMTRC741E "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
     START = start END = end CURRENT = current  
 DMMTRC741I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
     START = start END = end CURRENT = current  
 DMMTRC742I "FROM" LOCATION NOT ON A 16 BYTE BOUNDARY  
 DMMTRC868E REQUIRED RESOURCES NOT AVAILABLE  
 DMMTRD708I PAGE 'page' NOT FOUND IN DUMP  
 DMMTRD740I TRACE TABLE POINTERS INVALID:  
     START = start END = end CURRENT = current  
 DMMTRD741I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
     START = start END = end CURRENT = current  
 DMMTRD743I TRACE ENTRY IS TOO LARGE TO BE COMPLETELY DISPLAYED  
 DMMTRD744E COMMAND TERMINATED, CAN NOT PROCESS BEYOND STORAGE  
     BOUNDARY  
 DMMVAL100S ERROR 'nnn' READING FILE 'fn'  
 DMMVAL200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMVAL806R FOR type, ENTER 'fn ft fm' OF THE matype MAP,  
     OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
 DMMVAL807I UNABLE TO LOCATE matype MAP 'fn ft fm'

**IPCSDUMP**

DMMCOM100S ERROR 'nnn' READING FILE 'fn'  
 DMMCOM109S VIRTUAL STORAGE CAPACITY EXCEEDED  
 DMMCOM200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMCOM864E STORAGE INITIALIZATION INCOMPLETE  
 DMMCPA805I xxxxxx ABEND CODE NOT RECOGNIZED BY DATA EXTRACTION  
 DMMINI100S ERROR 'nnn' READING FILE 'fn'  
 DMMINI200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMINI300S ERROR 'nnn' ON FSSTATE 'fn ft fm'  
 DMMINI400S ERROR 'nnn' CLOSING 'fn ft fm'  
 DMMPRM804E PROCESSING ERROR IN DATA EXTRACTION  
 DMMSUM501S INVALID PARM 'parameter' PASSED TO SUMMARY UPDATE PROGRAM  
 DMMVAL100S ERROR 'nnn' READING FILE 'fn'  
 DMMVAL200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMVAL806R FOR type, ENTER 'fn ft fm' OF THE matype MAP,  
     OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
 DMMVAL807I UNABLE TO LOCATE matype MAP 'fn ft fm'

**MAP**

DMMCOM109S VIRTUAL STORAGE CAPACITY EXCEEDED  
 DMMCOM864E STORAGE INITIALIZATION INCOMPLETE  
 DMMMAP100S ERROR 'nnn' READING FILE 'fn'  
 DMMMAP200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMMAP801I matype MAP 'fn ft fm' IS NOT VALID  
 DMMMAP802I FOR matype, THE MAP NAMED 'fn ft fm' WAS ADDED TO THE IPCS MAP  
 DMMMAP806R FOR type, ENTER 'fn ft fm' OF THE matype MAP,  
     OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
 DMMMAP807I UNABLE TO LOCATE matype MAP 'fn ft fm'  
 DMMMAP810I FORMAT OF matype MAP 'fn ft fm' IS INVALID

# DMM

---

DMMMAP817E maptype MAP 'fn ft fm' OVERLAPS A PREVIOUS MAP  
DMMMAP863E INVALID OPERAND - operand

## PRB

DMMSUM100S ERROR 'nnn' READING FILE 'fn'  
DMMSUM200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMSUM501S INVALID PARM 'parameter' PASSED TO SUMMARY UPDATE PROGRAM  
DMMSUM502S PROBLEM 'PRBnnnnn' NOT FOUND IN SYMPTOM SUMMARY

## PROB

DMMPRO100S ERROR 'nnn' READING FILE 'fn'  
DMMPRO200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMPRO300S ERROR 'nnn' ON FSSTATE 'fn ft fm'  
DMMSEA100S ERROR 'nnn' READING FILE 'fn'  
DMMSUM100S ERROR 'nnn' READING FILE 'fn'  
DMMSUM200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMSUM501S INVALID PARM 'parameter' PASSED TO SUMMARY UPDATE PROGRAM  
DMMSUM502S PROBLEM 'PRBnnnnn' NOT FOUND IN SYMPTOM SUMMARY  
DMMWRT200S ERROR 'nnn' WRITING FILE 'fn ft fm'

## PRTDUMP

DMMCOM100S ERROR 'nnn' READING FILE 'fn'  
DMMCOM109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMMCOM500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER  
DMMCOM864E STORAGE INITIALIZATION INCOMPLETE  
DMMEDM840I ADDRESS 'rstor' NOT AVAILABLE  
DMMEDM841I LOW CORE 'rstor' REFERENCED  
DMMEDM842I ADDRESS 'rstor' RE-REFERENCED  
DMMEDM843I REQUIRED RESOURCES NOT AVAILABLE - FORMATTING BYPASSED  
DMMEDM863E INVALID OPERAND - operand  
DMMEDX840I ADDRESS 'rstor' NOT AVAILABLE  
DMMPRT100S ERROR 'nnn' READING FILE 'fn'  
DMMPRT855I 'type' FORMAT ROUTINE NOT FOUND  
DMMPRT856E UNABLE TO LOCATE 'type' FORMATTING ROUTINE 'name'  
DMMPRT861E FILE 'fn' NOT FOUND  
DMMPRT862E NO PARAMETERS ENTERED  
DMMPRT863E INVALID OPERAND - operand  
DMMTIU868I REQUIRED RESOURCES ARE NOT AVAILABLE, SYMPTOM RECORD FOR  
FILE 'PRBnnnnn' CANNOT BE DISPLAYED  
DMMTIU869I ERROR 'nnn' OCCURRED WHILE READING SYMPTOM RECORD FOR FILE  
'PRBnnnnn'  
DMMTIU870I SYMPTOM RECORD FOR FILE 'PRBnnnnn' CANNOT BE FOUND

## STAT

DMMSTA100S ERROR 'nnn' READING FILE 'SYMPTOM SUMMARY \*'  
DMMSTA200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMSTA601S OPERAND 'xxxxxxx' NOT RECOGNIZED

## GCS Message Summary by Command

### GCS Command, Execs, and Macros

#### ACCESS

CSIACC005S Virtual storage capacity exceeded  
 CSIACC006E Invalid parameter '*parameter*'  
 CSIACC012E No options allowed  
 CSIACC021E Invalid mode '*mode*'  
 CSIACC414E Disk '*vdev*' not properly formatted for ACCESS  
 CSIACC415E Invalid device address '*vdev*'  
 CSIACC422E '*vdev*' already accessed as Read/Write '*mode*' disk  
 CSIACC423I *mode (vdev) {R/O|R/W}*  
 CSIACC424I '*vdev mode*' released  
 CSIACC425I '*vdev*' replaces '*mode*' (*vdev*)  
 CSIACC426I '*vdev*' also = '*mode*' disk  
 CSIACC427S '*mode (vdev)*' device error  
 CSIACC428S '*mode (vdev)*' not attached  
 CSIACC429E File '*fn ft fm*' not found. Disk '*mode (vdev)*'  
 CSIACC430W OS disk - Fileid specified is ignored  
 CSIRO005S Virtual storage capacity exceeded  
 CSIRO0423I *mode (vdev) {R/O|R/W} {-OS|-DOS}*  
 CSIRO0426I '*vdev*' also = '*mode*' {-OS|-DOS} disk

#### DLBL

CSIDL001E Invalid option '*option*'  
 CSIDL002E Invalid parameter '*parameter*' in the option '*option*' field  
 CSIDL003E '*option*' option specified twice  
 CSIDL004E '*option1*' and '*option2*' are conflicting options  
 CSIDL005S Virtual storage capacity exceeded  
 CSIDL006E Invalid parameter '*parameter*'  
 CSIDL017E Disk '{*mode|vdev|valid*}' not accessed  
 CSIDL021E Invalid mode '*mode*'  
 CSIDL302E Parameter missing after DDNAME  
 CSIDL303I No user defined {FILEDEFS|DLBLs} in effect  
 CSIDL305I DDNAME '*ddname*' not found; CLEAR not executed  
 CSIDL310R Enter data set name:  
 CSIDL311E Invalid data set name  
 CSIDL312R Enter volume specifications:  
 CSIDL313E Invalid ddname '*ddname*'  
 CSIDL314I Maximum number of disk entries recorded  
 CSIDL315E Catalog DDNAME '*ddname*' not found  
 CSIDL316E *mode* disk is in CMS format; Invalid for VSAM data set.  
 CSIDL317I Job catalog DLBL cleared  
 CSIDL318I Master catalog DLBL cleared  
 CSIDL345I No *option* specified

# CSI

---

## ETTRACE

CSIYTE001E Invalid option '*option*'  
CSIYTE009E Operand is missing or invalid  
CSIYTE509I ETRACE set ON for *event-type(s)*  
CSIYTE510I ETRACE set ON for *event-type(s)* for GROUP  
CSIYTE511I ETRACE set OFF for *event-type(s)*  
CSIYTE512I ETRACE set OFF for *event-type(s)* for GROUP  
CSIYTE513E ETRACE GROUP option is in effect for *event-type(s)*

## FILEDEF

CSIFLD001E Invalid option '*option*'  
CSIFLD002E Invalid parameter '*parameter*' in the option '*option*' field  
CSIFLD003E '*option*' option specified twice  
CSIFLD004E '*option1*' and '*option2*' are conflicting options  
CSIFLD005S Virtual storage capacity exceeded  
CSIFLD006E Invalid parameter '*parameter*'  
CSIFLD011E Invalid character in fileid '*fn ft*'  
CSIFLD017I Disk '*mode*' not accessed  
CSIFLD021E Invalid mode '*mode*'  
CSIFLD023E No filetype specified  
CSIFLD301E Invalid device '*devname*'  
CSIFLD302E Parameter missing after DDNAME  
CSIFLD303I No user defined {FILEDEFs|DLBLs} in effect  
CSIFLD304I Invalid CLEAR request  
CSIFLD320E Error during FILEDEF CLEAR processing, DCB(s) not closed.

## GDUMP

CSIDUM009E Operand is missing or invalid  
CSIDUM010E Command Complete  
CSIDUM525E Userid is missing or invalid  
CSIDUM526E Userid '*userid*' is not in CP directory  
CSIDUM527E Invalid range  
CSIDUM529E Partial dump taken  
CSIDUM531E Dump failed: Spooling error  
CSIDUM532E Dump failed: I/O error  
CSIDUR528I Dump complete  
CSIDUR529E Partial dump taken  
CSIDUR530E Dump failed

## GLOBAL

CSIGLB005S Virtual storage capacity exceeded  
CSIGLB013E No function specified  
CSIGLB014E Invalid function '*function*'  
CSIGLB024E File '*fileid*' not found  
CSIGLB220E Unable to open file '*filename*'  
CSIGLB221S More than *nnn* libraries specified.  
CSIGLB222E File *fileid* contains invalid record formats  
CSIGLB223S Error '*nn*' reading file '*fileid*' from disk

**HX**

CSIABD225I HX Complete

**ITRACE**

CSIYTG001E Invalid option '*option*'  
 CSIYTG009E Operand is missing or invalid  
 CSIYTG517I ITRACE set ON for *event-type(s)*  
 CSIYTG518I ITRACE set ON for *event-type(s)* for GROUP  
 CSIYTG519I ITRACE set OFF for *event-type(s)*  
 CSIYTG520I ITRACE set OFF for *event-type(s)* for GROUP  
 CSIYTG521E ITRACE GROUP option is in effect for *event-type(s)*

**LOADCMD**

CSILDC212E Member cannot be loaded, command not defined, RC = *nn*  
 CSILDC240I No entry points were loaded by the LOADCMD command

**OSRUN**

CSILOS220E Unable to open file '*fn*'  
 CSILOS223S Error '*nn*' reading file '*fn ft fm*' from disk  
 CSILOS224E Member '*membername*' not found in library  
 CSIOSR006E Invalid parameter '*parameter*'  
 CSIOSR022E No filename specified.  
 CSIOSR219E Parm field contains more than 100 characters  
 CSIOSR236E Ending apostrophe is missing

**QUERY (all QUERY messages except CSIQRL032S are issued without message numbers)**

CSIQRD239I No entry points are currently loaded in this virtual machine  
 CSIQRD240I No entry points were loaded by the LOADCMD command  
 CSIQRL032S Supervisor error 5. Re-IPL *sysname*  
 CSIQRL217E The common lock is free  
 CSIQRL218I The common lock is held by *userid*  
 CSIQRQ514I All external trace events are disabled  
 CSIQRQ515I External trace is enabled for *event-type(s)*  
 CSIQRQ516I External trace is enabled for *event-type(s)* for GROUP  
 CSIQRQ522I Internal trace is enabled for *event-type(s)*  
 CSIQRQ523I Internal trace is enabled for *event-type(s)* for GROUP  
 CSIQRQ524I All internal trace events are disabled  
 CSIQRR005S Virtual storage capacity exceeded  
 CSIQRR214I No replies outstanding  
 CSIQRR215I The following replies are outstanding:  
 CSIQRR216I GROUP ID = *sysname*, Users: Current = *nnnnn*, Maximum = *mmmmm*  
 CSIQRS015E '*parameter*' is invalid for the '*function*' function  
 CSIQRS017E Disk '{*mode|vdev|valid*}' not accessed  
 CSIQRS019E No Read/Write *mode* disk accessed  
 CSIQRS020E No read/write disk with space available accessed  
 CSIQRU303I No user defined {FILEDEFs|DLBLs} in effect  
 CSIQRX005S Virtual storage capacity exceeded

CSIQRX006E Invalid parameter '*parameter*'  
CSIQRX303I No user defined {FILEDEFs|DLBLs} in effect  
CSIQRY005S Virtual storage capacity exceeded  
CSIQRY006E Invalid parameter '*parameter*'  
CSIQRY013E No function specified

## RELEASE

CSIARE006E Invalid parameter '*parameter*'  
CSIARE017E Disk '{*mode|vdev|valid*}' not accessed  
CSIARE021E Invalid mode '*mode*'  
CSIARE415E Invalid device address '*vdev*'  
CSIARE416E No device specified

## REPLY

CSIRPY206E Reply not accepted, ID not specified  
CSIRPY207E Reply not accepted, ID number not 00 to 99  
CSIRPY208I Reply *xx* not outstanding  
CSIRPY209E Reply *xx* not accepted, reply too long for requestor  
CSIRPY210E Reply not accepted, invalid ECB address  
CSIRPY211E Reply not accepted, invalid reply buffer address

## SET

CSISSET006E Invalid parameter '*parameter*'  
CSISSET013E No function specified  
CSISSET321E Saved system name '*name*' is invalid. Only GCSVSAM or GCSBAM allowed.  
CSISSET322E New system name missing after *name*  
CSISSET323E Parameter missing after SYSNAME  
CSISSET351E System name not changed. VSAM already initialized.

## Other GCS Routines and Functions

### ABEND Routine

CSIABD226E Application '*name*' failed - System abend *xxx-yyy*  
CSIABD227E Application '*name*' failed - User abend *xxx-yyy*  
CSIABD228E Subtask of '*name*' failed - System abend *xxx-yyy*  
CSIABD229E Subtask of '*name*' failed - User abend *xxx-yyy*  
CSIABD230E Command '*command*' failed - System abend *xxx-yyy*  
CSIABD231E Command '*command*' failed - User abend *xxx-yyy*  
CSIABD232E Abend *xxx-yyy* occurred during abend ESTAE processing  
CSIABD233E Abend *xxx-yyy* occurred during abend TASKEXIT processing  
CSIABD234E Abend *xxx-yyy* occurred during abend Resource Manager processing  
CSIABD235E Abend *xxx-yyy* occurred during abend internal processing  
CSIABD237E Command ended without detaching subtasks

**CONSOLE Support**

CSICMH203I Ready (*nnnnn*);  
 CSICMH204S Recovery task abended  
 CSICMH205E Unknown CP/GCS command  
 CSICMH238I Ready;  
 CSICON200S Console cannot be initialized - Re-IPL *sysname*  
 CSICON201S Permanent console error - Re-IPL *sysname*  
 CSICON202I GCS  
 CSICON203I Ready (*nnnnn*);  
 CSICON205E Unknown CP/GCS command  
 CSICON238I Ready;

**EXCP Routine**

CSIXCP016E Disk *vdev* not attached  
 CSIXCP018E Disk *mode* is Read/Only  
 CSIXCP306S Input error '*nnn*' on '*ddname*'  
 CSIXCP307S Output error '*nnn*' on '*ddname*'  
 CSIXCP319S Unexpected error code *nn* on *vdev*  
 CSIXCP342S Internal error during VSAM processing: Unexpected error code '*nn*' on *vdev*  
 CSIXCP347R Enter response

**GCS GROUP EXEC**

CSIGRP007E Extraneous parameter '*parameter*'  
 CSIGRP018E Disk *mode* is Read/Only  
 CSIGRP019E No Read/Write *mode* disk accessed  
 CSIGRP025E System '*sysname*' does not exist  
 CSIGRP100E Missing the *sysname* operand  
 CSIGRP104R Enter selection number 1, 2, or 3  
 CSIGRP105E System name not specified  
 CSIGRP106E Maximum number of Virtual Machines missing or invalid  
 CSIGRP107E File has been changed. Use QQUIT to quit anyway.  
 CSIGRP108I Saved System information is continued on the next page  
 CSIGRP109E System '*sysname*' defined in DMKSNT with NAMESYS parameter  
 VMGROUP = NO  
 CSIGRP109I System '*sysname*' defined in DMKSNT with NAMESYS parameter  
 VMGROUP = YES  
 CSIGRP109T System '*sysname*' defined in DMKSNT with NAMESYS parameter  
 VMGROUP = NO  
 CSIGRP110I All saved segment names on this page are valid  
 CSIGRP111I You are now editing your '*fileid*' file  
 CSIGRP112E Undefined PFKEY/PAKEY  
 CSIGRP113I The number of Authorized VM userids processed is *nnnnn*  
 CSIGRP114E No authorized VM userids have been specified  
 CSIGRP115I This is the {*first*|*last*} page for this screen  
 CSIGRP116E The number of invalid userids on this page is *nn*  
 CSIGRP117I All userids on this page have been verified as valid  
 CSIGRP118R Select disk address in the range of 001 through FFF  
 CSIGRP119R Select trace table size in the range of 4K through 16384K  
 CSIGRP120I '*userid*' is a valid Authorized VM userid

CSIGRP121I 'userid' is a valid userid  
 CSIGRP122E 'userid' is not a valid userid  
 CSIGRP123I No userid has been specified to receive dumps  
 CSIGRP124E No userid has been specified as the recovery machine  
 CSIGRP125I The number of Saved Segment names processed is *nnnnn*  
 CSIGRP126E No saved segment names have been specified  
 CSIGRP127E The number of invalid saved segment names on this page is *nn*  
 CSIGRP133E Paging I/O error for segment '*segname*'  
 CSIGRP428S '*mode (vdev)*' not attached

## GCS CLOSE

CSISCL309E Close error '*nn*' on '*ddname*'  
 CSISCL349E Close error '*nn*'

## GCS GET, READ

CSICIO028S Device *vdev* not attached  
 CSICIO029S Unit check on device *vdev*. CSW = *csw*, SENSE = *sense*  
 CSICIO030S Unrecoverable I/O error on device *vdev*. CSW = *csw*  
 CSICIO030T Unrecoverable I/O error on device *vdev*. CSW = *csw*  
 CSICIO346S Intervention required on device *vdev*

## GCS OPEN

CSISOP308E Open error '*nn*' on '*ddname*'  
 CSISOP308W Open error '*nn*' on '*ddname*'  
 CSISOP348E Open error *nn*

## GCS PUT, WRITE

CSIERW421S Disk '*mode (vdev)*' is full  
 CSIPIO005S Virtual storage capacity exceeded  
 CSIPIO028S Device *vdev* not attached  
 CSIPIO029S Unit check on device *vdev*. CSW = *csw*, SENSE = *sense*  
 CSIPIO030S Unrecoverable I/O error on device *vdev*. CSW = *csw*  
 CSIPIO030T Unrecoverable I/O error on device *vdev*. CSW = *csw*  
 CSIPIO346S Intervention required on device *vdev*

## GCS Initialization Routine

CSIINI129T No virtual console attached. Re-IPL *sysname*.  
 CSIINI130T Virtual console not ready. Re-IPL *sysname*.  
 CSIINI131T ECMODE must be set ON to IPL *sysname*.  
 CSIINI134I *sysname* has *nnnnnnnn* bytes of available common free storage  
 CSIINI138T *nnnnnnnn* bytes needed for requested number of users exceeds available common free storage of *mmmmmmmm* bytes  
 CSIINI139T *nnnnnnnn* bytes needed for requested trace size exceeds available common free storage of *mmmmmmmm* bytes  
 CSIINI142T Storage needed for Storage Management exceeds available common free storage. Define more common storage.



CSIINI143T	Storage needed for Storage Management exceeds available private free storage. Define more private storage.
CSIINS109T	System <i>sysname</i> defined in DMKSNT with NAMESYS parameter VMGROUP = NO
CSIINS129T	No virtual console attached. Re-IPL <i>sysname</i> .
CSIINS130T	Virtual console not ready. Re-IPL <i>sysname</i> .
CSIINS131T	ECMODE must be set ON to IPL <i>sysname</i> .
CSIINS132S	Segment ' <i>segname</i> ' does not exist
CSIINS133S	Paging I/O error for segment ' <i>segname</i> '
CSIINS135T	Group allocation exceeded for system ' <i>sysname</i> '
CSIINS136T	Recovery machine ' <i>userid</i> ' is not IPLed. System ' <i>sysname</i> ' cannot be initialized
CSIINS143T	Storage needed for Storage Management exceeds available private free storage. Define more private storage.
CSIIUI401I	Directory error encountered during initialization of the IUCV environment
CSIIUI402I	A GETMAIN error occurred while trying to obtain storage for the <i>sysname</i> IUCV Path Table
CSIIUI403I	An IUCV CONNECT error occurred while trying to connect to CP Signal Services. IPRCODE = <i>xx</i> .

### I/O Routines

CSIFNS005T	Virtual storage capacity exceeded
CSIFNS030T	Unrecoverable I/O error on device <i>vdev</i> . CSW = <i>csw</i>
CSIFNS420T	File system error detected. Virtual address ' <i>vdev</i> '. Reason code <i>nn</i> .
CSISCT306S	Input error ' <i>nnn</i> ' on ' <i>ddname</i> '
CSISCT307S	Output error ' <i>nnn</i> ' on ' <i>ddname</i> '
CSISER306S	Input error ' <i>nnn</i> ' on ' <i>ddname</i> '
CSISER307S	Output error ' <i>nnn</i> ' on ' <i>ddname</i> '

### INTERRUPT Handling Routines

CSII TP400T	Program Exception <i>code</i> occurred at <i>vstor</i> in system routine <i>name</i> . Re-IPL <i>sysname</i> .
CSII TP432T	Program exception <i>code</i> occurred at <i>vstor</i> while no task active, re-IPL <i>sysname</i>
CSII S032S	Supervisor error {1 2}. Re-IPL <i>sysname</i>
CSII XT431T	SEVER external interrupt has occurred on the Signal Services Path. Re-IPL <i>sysname</i> .

### IUCV Interface

CSII UE032S	Supervisor error 2. Re-IPL <i>sysname</i>
CSII UM032S	Supervisor error 2. Re-IPL <i>sysname</i>
CSII US032S	Supervisor error 2. Re-IPL <i>sysname</i>
CSII UX032S	Supervisor error 2. Re-IPL <i>sysname</i>

### IPCS

CSII DS501I	Unable to locate <i>type</i> DUMPSCAN routine ' <i>routine</i> '
CSII EX500I	Unable to locate <i>type</i> extraction routine ' <i>routine</i> '
CSII EX506I	Unable to read dump information record
CSII FT502I	Task ' <i>taskid</i> ' not found
CSII FT504I	Page ' <i>vstor</i> ' not found in dump
CSII FT505I	Taskid ' <i>xxx</i> ' invalid

## IPCS--IUCV Subcommand

CSIIIU031S Insufficient free storage is available  
CSIIIU503I No IUCV path table  
CSIIIU504I Page '*vstor*' not found in dump  
CSIIIU542I NUCON extension ptr is zero. Can't find IUCV path table.  
CSIIIU543I IUCV storage anchor block ptr is zero. Can't find IUCV path table  
CSIIIU544I IUCV path table ptr is zero

## IPCS--PRTDUMP

CSIIIPR008I Invalid reply  
CSIIIPR549E *productname* control block formatting routine *routine* not found.  
CSIIIPR550R Do you wish to format *productname* control blocks? Reply YES or NO.

## IPCS--TACTIVE Subcommand

CSIIAL031S Insufficient free storage is available  
CSIIAL504I Page '*vstor*' not found in dump  
CSIIAL545I NUCON extension ptr is zero. Can't find state block.  
CSIIAL546I Task block pointer is zero. Can't find state block.  
CSIIAL547I State block pointer is zero.  
CSIIAL548I Task ID table pointer is zero. Can't find state block.

## IPCS--TLOADL Subcommand

CSIIITL031S Insufficient free storage is available  
CSIIITL504I Page '*vstor*' not found in dump  
CSIIITL535I NUCON extension ptr is zero. Can't find task load list.  
CSIIITL536I Taskid table ptr is zero. Can't find task load list.  
CSIIITL537I Task block ptr is zero. Can't find task load list.  
CSIIITL538I Task load list ptr is zero.

## IPCS--TSAB Subcommand

CSIIITA031S Insufficient free storage is available  
CSIIITA504I Page '*vstor*' not found in dump  
CSIIITA534I Task storage anchor block ptr is zero  
CSIIITA539I NUCON extension ptr is zero. Can't find task storage anchor block.  
CSIIITA540I Taskid table ptr is zero. Can't find task storage anchor block.  
CSIIITA541I Task block pointer is zero. Can't find task storage anchor block.

## IPCS--VMLOADL Subcommand

CSIIIVL504I Page '*vstor*' not found in dump  
CSIIIVL533I Virtual Machine load list is empty

## MACHINE TERMINATION Routine

CSIDIE140T *sysname* supervisor has terminated because of an unrecoverable error. Virtual machine has been reset.  
CSIDUR528I Dump complete

CSIDUR529E Partial dump taken  
 CSIDUR530E Dump failed  
 CSIMTA032T Supervisor error 1. Re-IPL *sysname*  
 CSIMTA141S Recovery machine 'userid' for *sysname* has abnormally terminated  
 CSIMTB032T Supervisor error 2. Re-IPL *sysname*

**PMX**

CSIPNC407E PROP has terminated or abended. The command is not accepted.  
 CSIPNC409E An error occurred while trying to SEND to PROP virtual machine. The command is not accepted. IUCVCOM return code = *nnnn*.  
 CSIPNC418I Insufficient free storage available. The command is not accepted.  
 CSIPNI410I PROP has resumed activity.  
 CSIPNI411I PROP has abended.  
 CSIPNI412I PROP has stopped  
 CSIPNP407E PROP has terminated or abended. The command is not accepted.  
 CSIPNP408E PMX has not been started. The command is not accepted.  
 CSIPNP418I Insufficient free storage available. The command is not accepted.  
 CSIPNP419E PMX has abended. The command is not accepted.  
 CSIPNX404E Retry will be attempted in 15 seconds; PROP is not active in virtual machine *userid*  
 CSIPNX405E An IUCV error occurred while trying to CONNECT to PROP virtual machine. IUCVCOM return code = *code*.  
 CSIPNX406E PMX has abended and will now take a dump and wait for NCCF termination. Abend code = *xxx*.  
 CSIPNX413I PMX has terminated.

**REXX Interpreter**

CSIRC�496R Enter DEBUG input for EXEC *fn*  
 CSIREX449E Error 22 running *fn ft*, line *nn*: Invalid character string  
 CSIREX450E Error 5 running *fn ft*, line *nn*: Machine storage exhausted  
 CSIREX451E Error 3 running *fn ft*, line *nn*: Program is unreadable  
 CSIREX452E Error 4 running *fn ft*, line *nn*: Program interrupted  
 CSIREX453E Error 6 running *fn ft*, line *nn*: Unmatched *"/\** or quote  
 CSIREX454E Error 7 running *fn ft*, line *nn*: WHEN or OTHERWISE expected  
 CSIREX455E Error 8 running *fn ft*, line *nn*: Unexpected THEN or ELSE  
 CSIREX456E Error 9 running *fn ft*, line *nn*: Unexpected WHEN or OTHERWISE  
 CSIREX457E Error 10 running *fn ft*, line *nn*: Unexpected or unmatched END  
 CSIREX458E Error 11 running *fn ft*, line *nn*: Control stack full  
 CSIREX459E Error 12 running *fn ft*, line *nn*: Clause > 500 characters  
 CSIREX460E Error 13 running *fn ft*, line *nn*: Invalid character in data  
 CSIREX461E Error 14 running *fn ft*, line *nn*: Incomplete DO/SELECT/IF  
 CSIREX462E Error 15 running *fn ft*, line *nn*: Invalid Hex constant  
 CSIREX463E Error 16 running *fn ft*, line *nn*: Label not found  
 CSIREX464E Error 21 running *fn ft*, line *nn*: Invalid data on end of clause  
 CSIREX465E Error 17 running *fn ft*, line *nn*: Unexpected PROCEDURE  
 CSIREX466E Error 26 running *fn ft*, line *nn*: Invalid whole number  
 CSIREX467E Error 27 running *fn ft*, line *nn*: Invalid DO syntax  
 CSIREX468E Error 30 running *fn ft*, line *nn*: Name or String > 250 characters  
  
 CSIREX469E Error 31 running *fn ft*, line *nn*: Name starts with number or *"*  
 CSIREX470E Error 34 running *fn ft*, line *nn*: Logical value not 0 or 1

CSIREX471E Error 35 running *fn ft*, line *nn*: Invalid expression  
 CSIREX472E Error 36 running *fn ft*, line *nn*: Unmatched "(" in expression  
 CSIREX473E Error 37 running *fn ft*, line *nn*: Unexpected "," or ")"  
 CSIREX474E Error 39 running *fn ft*, line *nn*: Evaluation stack overflow  
 CSIREX475E Error 40 running *fn ft*, line *nn*: Incorrect call to routine  
 CSIREX476E Error 41 running *fn ft*, line *nn*: Bad arithmetic conversion  
 CSIREX477E Error 42 running *fn ft*, line *nn*: Arithmetic overflow/underflow  
 CSIREX478E Error 43 running *fn ft*, line *nn*: Routine not found  
 CSIREX479E Error 44 running *fn ft*, line *nn*: Function did not return data  
 CSIREX480E Error 45 running *fn ft*, line *nn*: No data specified on function RETURN  
 CSIREX481E Error 49 running *fn ft*, line *nn*: Interpreter failure  
 CSIREX482E Error 19 running *fn ft*, line *nn*: String or symbol expected  
 CSIREX483E Error 20 running *fn ft*, line *nn*: Symbol expected  
 CSIREX484E Error 24 running *fn ft*, line *nn*: Invalid TRACE request  
 CSIREX485E Error 25 running *fn ft*, line *nn*: Invalid sub-keyword found  
 CSIREX486E Error 28 running *fn ft*, line *nn*: Invalid LEAVE or ITERATE  
 CSIREX487E Error 29 running *fn ft*, line *nn*: Environment name too long  
 CSIREX488E Error 33 running *fn ft*, line *nn*: Invalid expression result  
 CSIREX489E Error 38 running *fn ft*, line *nn*: Invalid template or pattern  
 CSIREX490E Error 48 running *fn ft*, line *nn*: Failure in system service  
 CSIREX491E Error 18 running *fn ft*, line *nn*: THEN expected  
 CSIREX492E Error 32 running *fn ft*, line *nn*: Invalid use of stem  
 CSIREX493E Error 1 running *fn ft*: No filename specified  
 CSIREX494E Error 2 running *fn ft*: File not found  
 CSIRXE495R Enter input for EXEC '*execname*'  
 CSIREX497E Insufficient storage for EXEC interpreter

## SAVE AREA QUEUE Handler

CSISVQ032S Supervisor error 3. Re-IPL *sysname*  
 CSISVQ032S Supervisor error 4. Re-IPL *sysname*

## TRACE DISPLAY

CSIYTD507E Trace formatting routine '*routine*' not found  
 CSIYTD508I The following record was partially lost:

## VSAM Interface

CSIDAS016E Disk *vdev* not attached  
 CSIDAS017E Disk '{*mode|vdev|valid*}' not accessed  
 CSIDAS335S Internal error during VSAM processing: *name* functions not supported  
 CSIDAS343S Internal error during VSAM processing: Invalid device class *devclass* for *devtype*  
 CSIDMP344I VSAM IDUMP taken *date time*  
 CSIDOS336S Internal error during VSAM processing: Illegal use of SVC 11  
 CSIDOS337S Internal error during VSAM processing: Unsupported SVC *svc* (hex *xx*) called from *vstor*  
 CSIGMF338S Internal error during VSAM processing: Invalid form of SVC *svc* (hex *xx*) called from *vstor*  
 CSIGMF339S Internal error during VSAM processing: Unsupported function *name* of SVC *svc* (hex *xx*) called from *vstor*  
 CSIGVE017E Disk '{*mode|vdev|valid*}' not accessed

CSILCK340S Internal error during VSAM processing: Unsupported form of *name* macro  
 CSILDF341S Internal error during VSAM processing: Phase *name* not found  
 CSISUB340S Internal error during VSAM processing: Unsupported form of *name* macro  
 CSIVIB350S Internal error during VTAM processing: Module IST019C1 not found  
  
 CSIVIP017E Disk '{*mode|vdev|valid*}' not accessed  
 CSIVIP018E Disk *mode* is Read/Only  
 CSIVIP316E *mode* disk is in CMS format; Invalid for VSAM dataset.  
 CSIVIP325E Number of VSAM exit routines has exceeded maximum of 128. Unable to continue.  
 CSIVIP326E OPEN error on '*ddname*': Possible volume error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP327E OPEN error on '*ddname*': Possible user programming error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP329E OPEN error on '*ddname*': Possible catalog error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP330E OPEN error on '*ddname*': Possible system error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP331E CLOSE error on '*ddname*': Possible user programming error. See VSE/VSAM documentation for CLOSE error code *code*.  
 CSIVIP332E CLOSE error on '*ddname*': Possible system error. See VSE/VSAM documentation for CLOSE error code *code*.  
 CSIVIP333E Error in request macro processing: Possible user programming error. See VSE/VSAM error code *code*. Return code *code*.  
 CSIVIP334E Error in request macro processing: Possible system error. See VSE/VSAM error code *code*. Return code *code*.  
 CSIVIP341S Internal error during VSAM processing: Phase *name* not found  
 CSIVSI025E System '*sysname*' does not exist  
 CSIVSI300S Control program error indication '*nnn*'  
 CSIVSI324S VM Size (*size*) cannot exceed *sysname* start address *vstor*  
 CSIXCP016E Disk *vdev* not attached  
 CSIXCP018E Disk *mode* is Read/Only  
 CSIXCP306S Input error '*nnn*' on '*ddname*'  
 CSIXCP307S Output error '*nnn*' on '*ddname*'  
 CSIXCP319S Unexpected error code *nn* on *vdev*  
 CSIXCP342S Internal error during VSAM processing: Unexpected error code '*nn*' on *vdev*  
 CSIXCP347R Enter response

#### WTO/WTOR Routine

CSIWTR213I Reply *xx* cancelled

## TSAF Message Summary by Command

### ADD LINK

ATSCOP004E Parameter *parameter* is not valid  
ATSCOP005E A required parameter is missing  
ATSCOP009E *cmd* is not a valid TSAF command  
ATSLLM700E Link-Definition table overflow, unable to add the new link *vdev*  
ATSLLM701E Driver rejected the new link *vdev*  
ATSLLM702E Link unit address *vdev* is not valid  
ATSLLM703E Link *vdev* is not a supported link type  
ATSLLM715E Failed to add the definition of link *vdev* to ATSLINKS FILE A1. Return code from FSWRITE was *nnnn*.  
ATSLLM724I Link *vdev* added  
ATSL1A710E Unable to allocate control block for link *vdev*  
ATSL1A711E Unable to allocate I/O buffer for link *vdev*  
ATSL1A712E Link unit address *vdev* is a duplicate  
ATSL1A799I Unit *vdev* is not operational  
ATSL3A710E Unable to allocate control block for link *vdev*  
ATSL3A712E Link unit address *vdev* is a duplicate  
ATSNHR602E Incompatible release or service level detected on link *vdev*  
ATSNHR603E Duplicate node *nodeid* detected on link *vdev*  
ATSMRI603E Duplicate node *nodeid* detected on link *vdev*

### DELETE LINK

ATSCOP004E Parameter *parameter* is not valid  
ATSCOP005E A required parameter is missing  
ATSCOP009E *cmd* is not a valid TSAF command  
ATSLLM702E Link unit address *vdev* is not valid  
ATSLLM713I Link *vdev* deleted  
ATSLLM716E Driver rejected the request to delete link *vdev*  
ATSLLM720E Failed to delete the definition of link *vdev* from ATSLINKS FILE A1. Return code from FSREAD was *nnnn*  
ATSLLM721E Failed to delete the definition of link *vdev* from ATSLINKS FILE A1. Return code from FSWRITE was *nnnn*.  
ATSLLM723E Link *vdev* not found

### FDISPLAY (IPCS DUMPSCAN Subcommand)

ATSZAD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZAD095I THE LINK WAS NOT FOUND IN THE LINK-TYPE TABLE  
ATSZAD096I THE DATA STRUCTURE IS EMPTY  
ATSZBD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZBD095I THE LINK WAS NOT FOUND IN THE LINK-TYPE TABLE  
ATSZBD096I THE DATA STRUCTURE IS EMPTY  
ATSZCT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZCT096I THE DATA STRUCTURE IS EMPTY  
ATSZLD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZLD096I THE DATA STRUCTURE IS EMPTY  
ATSZNT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO

ATSZNT096I THE DATA STRUCTURE IS EMPTY  
 ATSZPT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZPT096I THE DATA STRUCTURE IS EMPTY  
 ATSZRD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZRD096I THE DATA STRUCTURE IS EMPTY  
 ATSZRT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZRT096I THE DATA STRUCTURE IS EMPTY  
 ATSZST094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZST096I THE DATA STRUCTURE IS EMPTY  
 ATSZTD078E OPERAND MISSING OR INVALID  
 ATSZTD084I PAGE xxxxxxxx NOT FOUND IN DUMP  
 ATSZTD089E UNABLE TO LOCATE GLOBAL CONTROL BLOCK (ATSCGM)

#### IPCSDUMP (IPCS Command)

ATSZEX090E UNABLE TO UPDATE THE DUMP WITH THE ABEND PSW AND REGISTER DATA

#### QUERY

ATSCOP004E Parameter *parameter* is not valid  
 ATSCOP005E A required parameter is missing  
 ATSCOP009E *cmd* is not a valid TSAF command  
 ATSLLM702E Link unit address *vdev* is not valid  
 ATSLLM722I No links are defined  
 ATLLLM723E Link *vdev* not found

#### RUNTSAF

ATSCTL001 Initialization is complete. The service level is *ssss*.  
 ATSCTL002T Parameter *arg* is a duplicate or is not valid

#### SET ETRACE

ATSCOP004E Parameter *parameter* is not valid  
 ATSCOP005E A required parameter is missing  
 ATSCOP009E *cmd* is not a valid TSAF command  
 ATSCOP010I External trace started  
 ATSCOP011I External trace ended

#### STOP TSAF

ATSCOP004E Parameter *parameter* is not valid  
 ATSCOP005E A required parameter is missing  
 ATSCOP009E *cmd* is not a valid TSAF command  
 ATSCTL003I Termination is in progress

#### TRACE (IPCS DUMPSCAN Subcommand)

ATSZTF085E INVALID TRACE ENTRY FOUND IN CPTRAP FILE  
 ATSZTF091E DATA FIELD OVERLAPS TRAILER RECORD  
 ATSZTO076E FORMATTED DATA ENTRY EXCEEDS MAXIMUM SIZE  
 ATSZTR075E NON-NUMERIC COUNT CHARACTER - RETRY

# ATS

---

ATSZTR077E CONFLICTING OPERAND - operand  
ATSZTR078E OPERAND MISSING OR INVALID  
ATSZTS079I TRACE TABLE POINTERS INVALID:  
START = start END = end CURRENT = current  
ATSZTS080I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE: fromloc  
START =start END =end CURRENT = current  
ATSZTS081E "FROM" LOCATION NOT A VALID TRACE ENTRY: fromloc  
ATSZTS082E INVALID TRACE ENTRY FOUND AT addr  
ATSZTS083E REQUIRED RESOURCES NOT AVAILABLE  
ATSZTS084I PAGE xxxxxxxx NOT FOUND IN DUMP  
ATSZTS086E NO TRACE ENTRIES FOUND - addr  
ATSZTS087E ATTEMPT TO GO BEYOND STORAGE BOUNDARY  
ATSZTS088E UNABLE TO LOCATE TRACE TABLE POINTERS  
ATSZTS092I TRACE ENTRY SEARCH STOPPED AT addr1  
TO SEARCH TO LOWER DUMP ADDRESS, TRY ADDRESS addr2 TO SEARCH  
TO HIGHER DUMP ADDRESSES, TRY {ADDRESS addr3 ["SCROLL"]}  
ATSZTS093I POSSIBLE TRACE ENTRY AT addr  
USE THE "FROM" OPERAND TO DISPLAY THE ENTRY



## Chapter 3. Message Summary by Module Code

This chapter lists all the CP, CMS, IPCS, GCS, and TSAF messages alphanumerically, in order by module code. For each module, the messages are listed in message number sequence.

Use this section when you want to find all the messages that are issued by a particular module.

# DMK

## CP Message Summary by Module Code

### ACO

DMKACO425E I/O error on spool device during accounting

### ACR

DMKACR149E DEVICE PATH rdev PRESENTED CC=3 ON I/O REQUEST  
DMKACR603W CHANNEL ERROR  
DMKACR622W MACHINE CHECK; MULTIPLE CHANNEL ERRORS

### ALG

DMKALG059E AUTOLOG FAILED FOR *userid* - {IPL MISSING|IPL FAILED|ACCOUNTING  
ERROR|INCORRECT PASSWORD}  
DMKALG115E {AUTOLOG|LINK} invalid; excessive incorrect passwords

### API

DMKAPI958I ATTACHED PROCESSOR NOW OPERATIONAL

### ATS

DMKATS181E Shared system *sysname* replaced with non-shared copy

### BLD

DMKBLD200E Virtual=Real area not available; in use by {*userid* |system}  
DMKBLD201E Virtual=Real area not available; damaged pages  
DMKBLD202E Virtual=Real area not available; insufficient storage

### BSC

DMKBSC500I LINE rdev devname CMD REJECT CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC501A LINE rdev devname INT REQ CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC502I LINE rdev devname BUSOUT CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKBSC503I LINE rdev devname EQUIP CK CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC504I LINE rdev devname DATA CK CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC505I LINE rdev devname OVERRUN CK CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC516I LINE rdev devname BAD SENSE CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC517I LINE rdev devname NOT/KNOWN CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKBSC520I LINE rdev devname CHANNEL ERROR CMD = cm SENSE = sense CSW = csw  
 USERID = userid  
 DMKBSC527I LINE rdev devname LOST DATA CMD = cm SENSE = sense CSW = csw  
 USERID = userid  
 DMKBSC528I LINE rdev devname TIMEOUT CMD = cm SENSE = sense CSW = csw  
 USERID = userid

## CCH

DMKCCH601I CHANNEL CONTROL CHECK DEVICE rdev; [USER userid]  
 DMKCCH602I INTERFACE CONTROL CHECK DEVICE rdev; [USER userid]  
 DMKCCH603W CHANNEL ERROR  
 DMKCCH605I CHANNEL CHECK RECORDING FAILURE

## CDB

DMKCDB003E Invalid option - *option*  
 DMKCDB004E Invalid hexloc - *operand*  
 DMKCDB009E Invalid range - *range*  
 DMKCDB010E Invalid register - *register*  
 DMKCDB026E Operand missing or invalid  
 DMKCDB033E Hexloc missing or invalid  
 DMKCDB160E Hexloc *hexloc* exceeds storage  
 DMKCDB923I Failing storage frame at location *rstor*

## CDM

DMKCDM003E Invalid option - *option*  
 DMKCDM004E Invalid hexloc - *operand*  
 DMKCDM009E Invalid range - *range*  
 DMKCDM010E Invalid register - *register*  
 DMKCDM026E Operand missing or invalid  
 DMKCDM033E Hexloc missing or invalid  
 DMKCDM060E Dump failed; virtual printer unavailable  
 DMKCDM061E Dump failed; virtual printer error  
 DMKCDM160E Hexloc *hexloc* exceeds storage  
 DMKCDM923I Failing storage frame at location *rstor*

## CDS

DMKCDS004E Invalid hexloc - *operand*  
 DMKCDS005E Invalid hexdata - *data*  
 DMKCDS010E Invalid register - *register*  
 DMKCDS012E Invalid PSW - *psw*  
 DMKCDS026E Operand missing or invalid  
 DMKCDS033E Hexloc missing or invalid  
 DMKCDS160E Hexloc *hexloc* exceeds storage  
 DMKCDS161E Shared page *hexloc* altered by *userid*  
 DMKCDS162W Invalid ECR *x - xxxxxxxx*  
 DMKCDS163E Store exceeds maximum register  
 DMKCDS164E Hexloc *hexloc* non-addressable storage  
 DMKCDS166E Changed shared page not written to auxiliary storage  
 DMKCDS168E Status *operand* requires ECMODE

# DMK

---

DMKCDS923I Failing storage frame at location *rstor*

## CFC

DMKCFC001E Unknown CP command: *command*  
DMKCFC003E Invalid option - *option*  
DMKCFC015E Command not valid before LOGON: *command*  
DMKCFC026E Operand missing or invalid

## CFD

DMKCFD004E Invalid hexloc - *operand*  
DMKCFD021E Real device address missing or invalid  
DMKCFD022E Virtual device address missing or invalid  
DMKCFD026E Operand missing or invalid  
DMKCFD040E Device *vdev* does not exist  
DMKCFD160E Hexloc *hexloc* exceeds storage  
DMKCFD164E Hexloc *hexloc* non-addressable storage

## CFF

DMKCFE083E VMSAVE area does not contain valid saved system  
DMKCFE174E Paging error - I/O: IPL failed

## CFG

DMKCFG001E Unknown CP command: *command*  
DMKCFG002E Invalid operand - *operand*  
DMKCFG003E Invalid option - *option*  
DMKCFG013E Conflicting option - *option*  
DMKCFG026E Operand missing or invalid  
DMKCFG040E Device *vdev* does not exist  
DMKCFG044E System *sysname* does not exist  
DMKCFG170E System *sysname* exceeds storage  
DMKCFG171E System *sysname* valid *valid* not mounted  
DMKCFG172E System *sysname* DASD *vdev* incompatible sysres  
DMKCFG173E System *sysname* requires DASD *vdev*  
DMKCFG174E Paging error - I/O error: IPL failed  
DMKCFG175E {RESERVE|*name*} already in use by *userid*  
DMKCFG177E Parameter exceeds *xx* characters  
DMKCFG179E System *sysname* valid *valid* not CP-owned  
DMKCFG203E Virtual = Real area requires IPL by device address  
DMKCFG437E System paging space not available, IPL terminated

## CFH

DMKCFH006E Invalid device type - *devtype*  
DMKCFH026E Operand missing or invalid  
DMKCFH044E System *sysname* does not exist  
DMKCFH170E System *sysname* exceeds storage  
DMKCFH171E System *sysname* valid *valid* not mounted  
DMKCFH172E System *sysname* DASD *vdev* incompatible SYSRES

DMKCFH173E System *sysname* requires DASD *vdev*  
 DMKCFH179E System *sysname* valid *valid* not CP-owned  
 DMKCFH300E Save request beyond virtual machine size  
 DMKCFH435E Paging error writing saved system  
 DMKCFH436E INTERRUPT PENDING. TO PROCEED TYPE YES, TO END TYPE NO.

## CFJ

DMKCFJ002E Invalid operand - *operand*  
 DMKCFJ004E Invalid hexloc - *operand*

## CFM

DMKCFM288E LOGON from the initial screen was unsuccessful

## CFO

DMKCFO003E Invalid option - *option*  
 DMKCFO020E Userid missing or invalid  
 DMKCFO026E Operand missing or invalid  
 DMKCFO045E *userid* not logged on  
 DMKCFO175E {RESERVE|*name*} already in use by *userid*  
 DMKCFO184E VM assist not available on processor *xx*  
 DMKCFO186E CP assist not available  
 DMKCFO188E Specified processor unavailable  
 DMKCFO250E 370E is not available [on processor *xx*]  
 DMKCFO255W 370E feature now disabled

## CFQ

DMKCFQ546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, *userid*  
*userid*

## CFR

DMKCFR546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, *userid*  
*userid*

## CFS

DMKCFSS003E Invalid option - *option*  
 DMKCFSS006E Invalid device type - *devtype*  
 DMKCFSS026E Operand missing or invalid  
 DMKCFSS044E System *sysname* does not exist  
 DMKCFSS080E No preallocated VMSAVE area  
 DMKCFSS081E VMSAVE area already in use, must use SET command  
 DMKCFSS082E More than one VMSAVE area allocated, must specify area name  
 DMKCFSS086E I/O error on DASD  
 DMKCFSS170E System *sysname* exceeds storage  
 DMKCFSS171E System *sysname* valid *valid* not mounted  
 DMKCFSS175E {RESERVE|*name*} already in use by *userid*  
 DMKCFSS179E System *sysname* valid *valid* not CP-owned  
 DMKCFSS250E 370E is not available [on processor *xx*]

# DMK

---

DMKCFS251E 370E feature is not active  
DMKCFS420E No SVCACCL specified in directory

## CFT

DMKCFT002E Invalid operand - *operand*  
DMKCFT006E Invalid device type - *devtype*  
DMKCFT013E Conflicting option - *option*  
DMKCFT026E Operand missing or invalid  
DMKCFT052E Error in CP directory  
DMKCFT053E *userid* not in CP directory

## CFU

DMKCFU003E Invalid option - *option*  
DMKCFU006E Invalid device type - *devtype*  
DMKCFU013E Conflicting option - *option*  
DMKCFU021E Real device address missing or invalid  
DMKCFU026E Operand missing or invalid  
DMKCFU040E Device *rdev* does not exist  
DMKCFU046E {Device *rid*|*devtype* *rdev*} offline  
DMKCFU140E *devtype* *rdev* attached to *userid*  
DMKCFU143E *devtype* *rdev* in use by system  
DMKCFU199E Command rejected; device *rdev* pending offline  
DMKCFU316E Command rejected; LOGMSG/DUMP being updated  
DMKCFU547E Missing interrupt monitoring not available  
DMKCFU925I System auto dump reallocated to DASD *rdev*  
DMKCFU953I Unable to allocate system auto dump

## CFV

DMKCFV003E Invalid option - *option*  
DMKCFV026E Operand missing or invalid  
DMKCFV062E ECMODE not set on  
DMKCFV063E Shadow table bypass; not set  
DMKCFV065E Highest allowable high-water mark value is xxxxxK

## CFW

DMKCFW002E Invalid operand - *operand*  
DMKCFW026E Operand missing or invalid

## CFY

DMKCFY003E Invalid option - *option*  
DMKCFY026E Operand missing or invalid  
DMKCFY045E *userid* not logged on  
DMKCFY052E Error in CP directory  
DMKCFY053E *userid* not in CP directory  
DMKCFY183E VM assist not active  
DMKCFY184E VM assist not available on processor *xx*  
DMKCFY187E Timer assist not available

DMKCFY188E Specified processor unavailable  
 DMKCFY189E AFFINITY not set; system in uniprocessor mode  
 DMKCFY190E No AFFINITY specified in directory

**CKF**

DMKCKF922W System recovery failure; invalid spooling data

**CKH**

DMKCKH536I *rdev* reports disabled interface; fault code = *code*; notify CE  
 DMKCKH902W SYSTEM RECOVERY FAILURE; FATAL I/O ERROR WARM AREA  
 DMKCKH910W SYSTEM RECOVERY FAILURE; INVALID WARM START AREA  
 DMKCKH911W SYSTEM RECOVERY FAILURE; WARM START AREA FULL

**CKM**

DMKCKM046E {Device *rid*|*devtype* *rdev*} offline  
 DMKCKM164E Hexloc *hexloc* non-addressable storage  
 DMKCKM179E System *sysname* valid *valid* not CP-owned

**CKN**

DMKCKN006E Invalid device type - *devtype*  
 DMKCKN046E {Device *rid*|*devtype* *rdev*} offline  
 DMKCKN435E Paging error writing saved system  
 DMKCKN536I *rdev* reports disabled interface; fault code = *code*; notify CE

**CKP**

DMKCKP308I CPTRAP data lost  
 DMKCKP900W SYSTEM RECOVERY FAILURE; PROGRAM CHECK  
 DMKCKP901W SYSTEM RECOVERY FAILURE; MACHINE CHECK; RUN SEREP  
 DMKCKP902W SYSTEM RECOVERY FAILURE; FATAL I/O ERROR NUCLEUS AREA  
 DMKCKP960I System warm start data saved  
 DMKCKP961W System shutdown complete

**CKS**

DMKCKS174E Paging error - I/O: checkpoint area invalidated  
 DMKCKS400I System {temp space|checkpoint area} full  
 DMKCKS915E Permanent I/O error on checkpoint area  
 DMKCKS919E Checkpoint area invalid; checkpointing terminated

**CKT**

DMKCKT401I System {temp space|checkpoint area} 90 percent full  
 DMKCKT439I Spool fileid limit exceeded  
 DMKCKT903W System recovery failure; valid *valid* allocation error {cylinder  
*cylinder*|page = *page*}  
 DMKCKT912W System recovery failure; valid *valid* not mounted  
 DMKCKT916E Error allocating spool file buffers

# DMK

---

## CKV

DMKCKV401I System {temp space|checkpoint area} 90 percent full  
DMKCKV912W System recovery failure; valid *valid* not mounted  
DMKCKV915E Permanent I/O error on checkpoint area  
DMKCKV916E Error allocating spool file buffers  
DMKCKV917E Checkpoint area invalid; clear storage and cold start

## CLK

DMKCLK970W TOD CLOCK SYNC CHECK RECEIVED

## CNS

DMKCNS454I {Line *rdev*|Device *rid*} disabled  
DMKCNS455I Line *rdev* not operational; {CC = 3|command reject}  
DMKCNS500I CONS rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS501I CONS rdev devname INT REQ [CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS502I CONS rdev devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw  
USERID = userid  
DMKCNS503I CONS rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS504I CONS rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS505I CONS rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS527I CONS rdev devname LOST DATA CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS528I CONS rdev devname TIMEOUT CMD = cm SNS = sense CSW = csw  
USERID = userid

## CPB

DMKCPB005E Invalid hexdata - *data*  
DMKCPB006E Invalid device type - *devtype*  
DMKCPB012E Invalid PSW - *psw*  
DMKCPB022E Virtual device address missing or invalid  
DMKCPB026E Operand missing or invalid  
DMKCPB040E Device *vdev* does not exist  
DMKCPB087I Device *vdev* is in the process of being reset  
DMKCPB089I Device *vdev* is in the process of being detached

## CPI

DMKCPI959W Attached processor not online  
DMKCPI963I Second processor not online  
DMKCPI964I Processor *xx* IPLed; processor *yy* initialized  
DMKCPI966I Initialization complete  
DMKCPI971I System is {uniprocessor|attached processor|multiprocessor} generated  
DMKCPI973I No directory file on IPL volume *valid*



DMKCPI974I No valid override file; using system defaults

## CPJ

DMKCPJ185E CP assist level *nnnn* not supported; CP assist disabled  
 DMKCPJ330E Device not mounted; mismatched device types at address *rdev*  
 DMKCPJ536I *rdev* reports interface; fault code = *code*; notify CE  
 DMKCPJ913I CP-owned valid *valid* invalid for 3330V  
 DMKCPJ920I No warm start data; checkpoint start for retry  
 DMKCPJ951I CP valid *valid* not mounted  
 DMKCPJ952I *nnnnnnK* system storage  
 DMKCPJ954E DASD *rdev* valid *valid* not mounted; duplicate of DASD *rdev*  
 DMKCPJ957I STORAGE SIZE = *xxxxxK*, NUCLEUS SIZE = *xxxK*, DYNAMIC PAGING  
 SIZE = *xxxxxK*, TRACE TABLE SIZE = *xxxK*, FREE STORAGE SIZE =  
*xxxxK*, VIRTUAL=REAL SIZE = *xxxxxK*  
 DMKCPJ961W System shutdown complete  
 DMKCPJ962I CP-owned DASD *rdev* valid *valid* invalid allocation record  
 DMKCPJ968W System shutdown requested

## CPO

DMKCPO049E {*Device rid|devtype*} *rdev* in use  
 DMKCPO124E DASD *rdev* in use by *nnn* users  
 DMKCPO140E *devtype rdev* attached to *userid*  
 DMKCPO142E *devtype rdev* not drained  
 DMKCPO143E *devtype rdev* in use by system  
 DMKCPO192E VARY PROCESSOR command failed  
 DMKCPO194I PROCESSOR *xx* OFFLINE  
 DMKCPO198W LAST PATH TO DEVICE *rdev* ON PROCESSOR *xx*

## CPP

DMKCPP255W 370E feature now disabled  
 DMKCPP623I CHANNEL SET CONNECTED TO PROCESSOR *xx*

## CPS

DMKCPS003E Invalid option - *option*  
 DMKCPS021E Real device address missing or invalid  
 DMKCPS040E Device *rdev* does not exist  
 DMKCPS144W *devtype vdev* RESET BY *userid*

## CPT

DMKCPT003E Invalid option - *option*  
 DMKCPT021E Real device address missing or invalid  
 DMKCPT026E Operand missing or invalid  
 DMKCPT040E Device *rdev* does not exist  
 DMKCPT049E {*Device rid|devtype*} *rdev* in use  
 DMKCPT084E VARY failed, device *rdev* busy or reserved  
 DMKCPT085E Vary failed, fatal I/O error, device *rdev*  
 DMKCPT099E VARY FAILED, ENVIRONMENTAL DATA DEV *rdev*  
 DMKCPT123E DASD *rdev* CP-owned

# DMK

---

DMKCPT124E DASD *rdev* in use by *nnn* users  
DMKCPT136E Device *rdev* not varied; channel *x* dedicated  
DMKCPT140E *devtype rdev* attached to *userid*  
DMKCPT142E *devtype rdev* not drained  
DMKCPT143E *devtype rdev* in use by system  
DMKCPT154E Device *rdev* VARY failed, VARY in process  
DMKCPT169I VARY not performed, device *rdev* not ready  
DMKCPT192E VARY PROCESSOR command failed  
DMKCPT235I Device *rdev* varied online; unable to establish a path group id for channel path(s) *rdev*  
DMKCPT236I Device *rdev* VARY failed; unable to establish a path group id for device  
DMKCPT237I Device *rdev* VARY failed; device cannot be assigned  
DMKCPT238I Device *rdev* varied offline; unassign failed  
DMKCPT330E VARY failed; mismatched device types at address *rdev*  
DMKCPT601E Channel control check device *xxx*  
DMKCPT602E Interface control check device *xxx*

## CPU

DMKCPU021E Real device address missing or invalid  
DMKCPU191E Processor *xx* does not exist  
DMKCPU192E VARY PROCESSOR command failed  
DMKCPU193I PROCESSOR *xx* ONLINE  
DMKCPU195A 370E FEATURE UNAVAILABLE ON PROCESSOR *xx*  
DMKCPU812E MSSF RESPONSE CODE TO VARY CP {ON|OFF} IS *nnnn*

## CPV

DMKCPV003E Invalid option - *option*  
DMKCPV006E Invalid device type - *devtype*  
DMKCPV007E Invalid *userid* - *userid*  
DMKCPV020E *userid* missing or invalid  
DMKCPV021E Real device address missing or invalid  
DMKCPV026E Operand missing or invalid  
DMKCPV040E Device *rdev* does not exist  
DMKCPV045E *userid* not logged on  
DMKCPV046E {Device *rid|devtype rdev*} offline  
DMKCPV140E *devtype rdev* attached to *userid*  
DMKCPV199E Command rejected; device *rdev* pending offline

## CPW

DMKCPW330I Mismatched device types at address *rstor*

## CPY

DMKCPY003E Invalid option - *option*  
DMKCPY004E Invalid hexloc - *operand*  
DMKCPY009E Invalid range - *range*  
DMKCPY020E *userid* missing or invalid  
DMKCPY033E Hexloc missing or invalid  
DMKCPY045E *userid* not logged on

DMKCPY159E SPMODE on - cannot unlock Virtual = Real  
 DMKCPY160E Hexloc *hexloc* exceeds storage  
 DMKCPY165I Page *hexloc* not locked; shared page  
 DMKCPY174E Paging error - I/O: page not locked  
 DMKCPY176E Virtual = Real area in use by *userid*  
 DMKCPY202E Virtual = Real area not available; insufficient storage  
 DMKCPY204E Invalid page(s) specified, Virtual = Real area  
 DMKCPY923I Failing storage frame at location *rstor*  
 DMKCPY924I *xxxx* additional failing storage frames exist

**CQC**

DMKCQC002E Invalid operand - *operand*

**CQG**

DMKCQG022E Virtual device address missing or invalid  
 DMKCQG026E Operand missing or invalid  
 DMKCQG040E Device *vdev* does not exist  
 DMKCQG045E *userid* not logged on  
 DMKCQG361E LOGOFF/FORCE pending for user *userid*

**CQH**

DMKCQH013E Conflicting option - *option*  
 DMKCQH020E Userid missing or invalid  
 DMKCQH024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCQH026E Operand missing or invalid  
 DMKCQH028E Class missing or invalid  
 DMKCQH042E Spoolid *nnnn* does not exist

**CQP**

DMKCQP003E Invalid option - *option*  
 DMKCQP023E Volid missing or invalid  
 DMKCQP040E Device *rdev* does not exist  
 DMKCQP466I CTRL *rdev* IN BUFFER SLOWDOWN MODE

**CQQ**

DMKCQQ006E Invalid device type - *devtype*  
 DMKCQQ021E Real device address missing or invalid  
 DMKCQQ022E Virtual device address missing or invalid  
 DMKCQQ026E Operand missing or invalid  
 DMKCQQ040E Device *rdev* does not exist  
 DMKCQQ045E *userid* not logged on  
 DMKCQQ361E LOGOFF/FORCE pending for user *userid*

**CQR**

DMKCQR020E Userid missing or invalid  
 DMKCQR026E Operand missing or invalid  
 DMKCQR045E *userid* not logged on

# DMK

---

## CQS

DMKCQS003E Invalid option - *option*

## CQT

DMKCQT002E Invalid operand - *operand*  
DMKCQT006E Invalid device type - *devtype*  
DMKCQT021E Real device address missing or invalid  
DMKCQT747A Device *rdev* VARY in progress, please re-enter this command  
DMKCQT747A CSW = (*csw*)[, sense = (*sense*)], please re-enter this command  
DMKCQT747A Error encountered, no IOERBLOK can be found, please re-enter this command  
DMKCQT747A Device unit check - no sense data is found, please re-enter this command

## CQY

DMKCQY020E Userid missing or invalid  
DMKCQY026E Operand missing or invalid  
DMKCQY045E *userid* not logged on  
DMKCQY361E LOGOFF/FORCE pending for user *userid*

## CSB

DMKCSB003E Invalid option - *option*  
DMKCSB006E Invalid device type - *devtype*  
DMKCSB013E Conflicting option - *option*  
DMKCSB021E Real device address missing or invalid  
DMKCSB022E Virtual device address missing or invalid  
DMKCSB026E Operand missing or invalid  
DMKCSB028E Class missing or invalid  
DMKCSB031E Buffer missing or invalid [*modifier*]  
DMKCSB036E Index missing or invalid  
DMKCSB040E Device *rdev* does not exist  
DMKCSB043E Buffer *name* does not exist  
DMKCSB046E {Device *rid*|*devtype rdev*} offline  
DMKCSB140E *devtype rdev* attached to *userid*  
DMKCSB142E *devtype rdev* not drained  
DMKCSB148E *devtype rdev* buffer load *name* failed  
DMKCSB158I UCS image name mismatch; image name loaded is *image*  
DMKCSB174E Paging error - {I/O|address exception}; {command terminated, IPL failed}

## CSF

DMKCSF003E Invalid option - *option*  
DMKCSF006E Invalid device type - *devtype*  
DMKCSF013E Conflicting option - *option*  
DMKCSF021E Real device address missing or invalid  
DMKCSF030E Copies missing or invalid  
DMKCSF040E Device *rdev* does not exist  
DMKCSF046E {Device *rid*|*devtype rdev*} offline  
DMKCSF140E *devtype rdev* attached to *userid*  
DMKCSF141E *devtype rdev* not active

DMKCSF441E Not accepted; previous backspace still being processed

## CSO

DMKCSO003E Invalid option - *option*  
 DMKCSO006E Invalid device type - *devtype*  
 DMKCSO013E Conflicting option - *option*  
 DMKCSO021E Real device address missing or invalid  
 DMKCSO024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSO028E Class missing or invalid  
 DMKCSO040E Device *rdev* does not exist  
 DMKCSO046E {Device *rid*|*devtype* *rdev*} offline  
 DMKCSO140E *devtype* *rdev* attached to *userid*  
 DMKCSO243E FLASH missing or invalid  
 DMKCSO244E Image library missing or invalid  
 DMKCSO245E CHARS missing or invalid  
 DMKCSO246E FCB missing or invalid

## CSP

DMKCSO003E Invalid option - *option*  
 DMKCSO007E Invalid *userid* - *userid*  
 DMKCSO013E Conflicting option - *option*  
 DMKCSO020E *userid* missing or invalid  
 DMKCSO024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSO028E Class missing or invalid  
 DMKCSO030E Copies missing or invalid  
 DMKCSO032E Distribution code missing or invalid  
 DMKCSO052E Error in CP directory  
 DMKCSO053E *userid* not in CP directory  
 DMKCSO243E FLASH missing or invalid  
 DMKCSO245E CHARS missing or invalid  
 DMKCSO246E FCB missing or invalid  
 DMKCSO253E MODIFY missing or invalid

## CSQ

DMKCSQ003E Invalid option - *option*  
 DMKCSQ006E Invalid device type - *devtype*  
 DMKCSQ007E Invalid *userid* - *userid*  
 DMKCSQ013E Conflicting option - *option*  
 DMKCSQ020E *userid* missing or invalid  
 DMKCSQ022E Virtual device address missing or invalid  
 DMKCSQ024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSQ028E Class missing or invalid  
 DMKCSQ029E Filename and/or filetype missing or invalid  
 DMKCSQ030E Copies missing or invalid  
 DMKCSQ032E Distribution code missing or invalid  
 DMKCSQ040E Device *vdev* does not exist  
 DMKCSQ053E *userid* not in CP directory

# DMK

---

## CSR

DMKCSR006E Invalid device type - *devtype*  
DMKCSR022E Virtual device address missing or invalid  
DMKCSR026E Operand missing or invalid  
DMKCSR040E Device *vdev* does not exist  
DMKCSR245E CHARS missing or invalid

## CST

DMKCST003E Invalid option - *option*  
DMKCST006E Invalid device type - *devtype*  
DMKCST016E TAG invalid for specified file type  
DMKCST022E Virtual device address missing or invalid  
DMKCST026E Operand missing or invalid  
DMKCST027E Spoolid missing or invalid  
DMKCST040E Device *vdev* does not exist  
DMKCST042E Spoolid *nnnn* does not exist  
DMKCST424E Reader file spool error; file unchanged

## CSU

DMKCSU003E Invalid option - *option*  
DMKCSU006E Invalid device type - *devtype*  
DMKCSU008E Invalid spoolid - *spoolid*  
DMKCSU013E Conflicting option - *option*  
DMKCSU024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSU026E Operand missing or invalid  
DMKCSU027E Spoolid missing or invalid  
DMKCSU028E Class missing or invalid  
DMKCSU029E Filename and/or filetype missing or invalid  
DMKCSU030E Copies missing or invalid  
DMKCSU032E Distribution code missing or invalid  
DMKCSU035E Device type missing or invalid  
DMKCSU042E Spoolid *nnnn* does not exist  
DMKCSU243E FLASH missing or invalid  
DMKCSU245E CHARS missing or invalid  
DMKCSU246E FCB missing or invalid  
DMKCSU253E MODIFY missing or invalid  
DMKCSU424E Reader file spool error; file unchanged

## CSV

DMKCSV003E Invalid option - *option*  
DMKCSV006E Invalid device type - *devtype*  
DMKCSV007E Invalid userid - *userid*  
DMKCSV008E Invalid spoolid - *spoolid*  
DMKCSV013E Conflicting option - *option*  
DMKCSV020E Userid missing or invalid  
DMKCSV024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSV026E Operand missing or invalid  
DMKCSV027E Spoolid missing or invalid

DMKCSV028E Class missing or invalid  
 DMKCSV035E Device type missing or invalid  
 DMKCSV042E Spoolid *nnnn* does not exist  
 DMKCSV053E *userid* not in CP directory

## CSX

DMKCSX003E Invalid option - *option*  
 DMKCSX006E Invalid device type - *devtype*  
 DMKCSX007E Invalid userid - *userid*  
 DMKCSX008E Invalid spoolid -*spoolid*  
 DMKCSX013E Conflicting option - *option*  
 DMKCSX020E Userid missing or invalid  
 DMKCSX024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
 DMKCSX026E Operand missing or invalid  
 DMKCSX027E Spoolid missing or invalid  
 DMKCSX028E Class missing or invalid  
 DMKCSX035E Device type missing or invalid  
 DMKCSX042E Spoolid *nnnn* does not exist  
 DMKCSX053E *userid* not in CP directory

## DAD

DMKDAD500I DASD rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD501A DASD rdev devname INT REQ CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD502I DASD rdev devname BUSOUT CK CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD503I DASD rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD504I DASD rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD505I DASD rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD506I DASD rdev devname TRKCOND CK CMD = cm SNS = sense CSW = csw  
 USERID = userid BBCCHH = bbcchh  
 DMKDAD508I DASD rdev devname PERM ERROR CMD = cm SNS = sense CSW = csw  
 USERID = userid BBCCHH = bbcchh  
 DMKDAD513I DASD rdev devname FILE PROT CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD516I DASD rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD517I {LINE|TAPE} rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
 USERID = userid  
 DMKDAD518I DASD rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
 USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD520I DASD rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw  
 USEID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]  
 DMKDAD536I *rdev* reports disabled interface; fault code = *code*; notify CE  
 DMKDAD538I DASD rdev devname PROG ERROR CMD = cmd SNS = sense CSW = csw  
 USERID = userid  
 DMKDAD956A DASD rdev VOLID volid NOT MOUNTED; NOW OFFLINE

# DMK

## DAS

DMKDAS500I DASD rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS501A DASD rdev devname INT REQ [CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS502I DASD rdev devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS503I DASD rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS504I DASD rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS505I DASD rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS506I DASD rdev devname TRKCOND CK CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS507I DASD rdev devname SEEK CK CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS508I DASD rdev devname PERM ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS509I DASD rdev devname TRKOVERUN CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS513I DASD rdev devname FILE PROT CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS514I DASD rdev devname ADDMRK CK CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS516I DASD rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS517I {LINE|TAPE} rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKDAS518I DASD rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS520I LINE rdev devname CHANNEL ERROR CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKDAS536I rdev reports disabled interface; fault code = *code*; notify CE

DMKDAS956A DASD rdev VOLID valid NOT MOUNTED; NOW OFFLINE

## DAU

DMKDAU501I {PRT|PUN|RDR} rdev devname INT REQ [CMD = cm SNS = sense CSW = csw  
USERID = userid]

DMKDAU502I {PRT|PUN|RDR} rdev devname BUSOUT CK CMD = CM SNS = SENSE  
CSW = csw USERID = userid

DMKDAU503I {PRT|PUN|RDR} rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKDAU504I {PRT|PUN|RDR} rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKDAU505I devtype rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid [{BBCCHH = bbcchh| BLOCK = nnnnnn}]

DMKDAU513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw  
USERID = userid



DMKDAU516I TAPE rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKDAU517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKDAU518I TAPE rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKDAU520I {PRT|PUN|RDR} rdev devname CHANNEL ERROR CMD = cm SNS = sense  
CSW = csw USERID = userid  
DMKDAU533I DASD rdev devname CHECK DATA CMD = cm SNS = sense CSW = csw  
USERID = userid BLOCK = nnnnnn  
DMKDAU534I DASD rdev devname BKSIZE EX CMD = cm SNS = sense CSW = csw  
USERID = userid BLOCK = nnnnnn  
DMKDAU535I DASD rdev devname WR INHIBT CMD = cm SNS = sense CSW = csw  
USERID = userid BLOCK = nnnnnn  
DMKDAU536I *rdev devname* reports disabled interface; fault code = *code*; notify CE  
DMKDAU956A DASD rdev VOLID *valid* NOT MOUNTED; NOW OFFLINE

## DDR

DMKDDR536I *rdev* reports disabled interface; fault code = *code*; notify CE  
DMKDDR700E INPUT UNIT IS NOT A CPVOL  
DMKDDR701E INVALID OPERAND - operand  
DMKDDR702E CONTROL STATEMENT SEQUENCE ERROR  
DMKDDR703E OPERAND MISSING  
DMKDDR704E DEVICE rdev NOT OPERATIONAL  
DMKDDR705E I/O error *rdev*, CSW = *csw*, sense = *sense*, input = {*bbcchh|nnnnnn*},  
output = {*bbcchh|nnnnnn*}, CCW = *ccw*  
DMKDDR707E MACHINE CHECK  
DMKDDR708E INVALID INPUT OR OUTPUT DEFINITION  
DMKDDR709E WRONG INPUT TAPE MOUNTED  
DMKDDR710A DEVICE rdev INTERVENTION REQUIRED  
DMKDDR711R VOLID READ IS *valid2* [NOT *valid1*]. DO YOU WISH TO CONTINUE?  
RESPOND YES, NO, OR REREAD:  
DMKDDR712E NUMBER OF EXTENTS EXCEEDS 20  
DMKDDR713E OVERLAPPING OR INVALID EXTENTS  
DMKDDR714E RECORD {*bbcchh|nnnnnn*} NOT FOUND ON INPUT TAPE  
DMKDDR715E LOCATION *bbcchh* IS A FLAGGED TRACK  
DMKDDR716R NO VOL1 LABEL FOUND [FOR *valid*]. DO YOU WISH TO CONTINUE?  
RESPOND YES, NO OR REREAD:  
DMKDDR717R DATA DUMPED FROM *valid1* TO BE RESTORED TO *valid2*. DO YOU WISH  
TO CONTINUE? RESPOND YES, NO OR REREAD:  
DMKDDR718E OUTPUT UNIT IS FILE PROTECTED  
DMKDDR719E INVALID FILENAME OR FILE NOT FOUND  
DMKDDR720E ERROR IN CMS routine  
DMKDDR721E RECORD {*cchhr|nnnnnn*} NOT FOUND  
DMKDDR722E OUTPUT UNIT NOT PROPERLY FORMATTED FOR THE CP NUCLEUS  
DMKDDR723E NO VALID CP NUCLEUS ON THE INPUT UNIT  
DMKDDR724E INPUT TAPE CONTAINS A CP NUCLEUS DUMP  
DMKDDR725R DASD INPUT DEVICE WAS (IS) LARGER THAN OUTPUT DEVICE. DO  
YOU WISH TO CONTINUE? RESPOND YES OR NO:  
DMKDDR726E MOVING DATA INTO THE ALTERNATE TRACK CYLINDER(S) IS  
PROHIBITED  
DMKDDR727E FLAGGED TRK *track* HAS NO PROPER ALTERNATE; SKIPPING THIS TRK

# DMK

---

DMKDDR728E DECODE ERROR ENCOUNTERED: nn  
DMKDDR729I FULL TRACK READ FEATURE NOT AVAILABLE  
DMKDDR731I COMPACT OPTION IGNORED FOR COPY OPERATIONS  
DMKDDR756E PROGRAM CHECK PSW = psw

## DEF

DMKDEF003E Invalid option - *option*  
DMKDEF013E Conflicting option - {*option|option1* and *option2*}  
DMKDEF022E Virtual device address missing or invalid  
DMKDEF024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKDEF025E Storage missing or invalid  
DMKDEF026E Operand missing or invalid  
DMKDEF040E Device *vdev* does not exist  
DMKDEF091E DASD *vdev* not defined; temp space not available  
DMKDEF092E Device *vdev* not defined; *devtype vdev* already defined  
DMKDEF095E Device *vdev* not defined; insufficient free storage  
DMKDEF097E Device *vdev* not defined; device *vdev* has active I/O  
DMKDEF136E Device *vdev* not defined; channel *x* dedicated  
DMKDEF153E Device {*vdev|range|channel x*} exceeds maximum number of virtual devices  
DMKDEF258I All 3800 data checks will be reflected  
DMKDEF259E SIZE parameters missing or invalid  
DMKDEF331E *vdev* not defined - use a {*shared|nonshared*} VCU instead

## DEG

DMKDEG025E Storage missing or invalid  
DMKDEG026E Operand missing or invalid  
DMKDEG094E Storage exceeds allowed maximum

## DEI

DMKDEI009E Invalid range - *range*  
DMKDEI021E Real device address missing or invalid  
DMKDEI026E Operand missing or invalid  
DMKDEI046E {Device *rid|devtype rdev*} offline  
DMKDEI075E Device *valid* is not available  
DMKDEI143E *devtype rdev* in use by system  
DMKDEI274E *rdev* has a mounted volume; MSS task not available to demount it  
DMKDEI275E *rdev* already SYSVIRT  
DMKDEI276E *rdev* not a 3330V  
DMKDEI277E Error demounting volume *valid*  
DMKDEI278E Device *rdev* not a DASD  
DMKDEI279E DASD *rdev* not a VUA  
DMKDEI280E *rdev* already virtual

## DIA

DMKDIA011E Invalid device type - *userid vdev*  
DMKDIA017E Insufficient screen space - clear screen and re-dial  
DMKDIA020E Userid missing or invalid  
DMKDIA022E Virtual device address missing or invalid

DMKDIA040E Device *vdev* does not exist  
 DMKDIA045E *userid* not logged on  
 DMKDIA047E *userid vdev* does not exist  
 DMKDIA055E Line(s) not available on *userid*  
 DMKDIA056E Line *vdev* busy on *userid*  
 DMKDIA098E Device *rid* mode switch not possible  
 DMKDIA199E Command rejected; device *rdev* pending offline  
 DMKDIA206E Cannot connect to host virtual machine  
 DMKDIA743A DIAL function not available

**DIB**

DMKIDIB006E Invalid device type - *devtype*  
 DMKIDIB011E Invalid device type - *userid vdev*  
 DMKIDIB020E Userid missing or invalid  
 DMKIDIB022E Virtual device address missing or invalid  
 DMKIDIB040E Device *vdev* does not exist  
 DMKIDIB045E *userid* not logged on  
 DMKIDIB047E *userid vdev* does not exist  
 DMKIDIB058E CTC *vdev* busy on *userid*

**DID**

DMKIDID546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, *userid*  
*userid*

**DIR**

DMKDIR536I *rdev* reports disabled interface; fault code = *code*; notify CE  
 DMKDIR750E RESTRICTED PASSWORD FILE, ERROR DURING READ  
 DMKDIR750E RESTRICTED PASSWORD FILE HAS BAD RECORD FORMAT  
 DMKDIR750E RESTRICTED PASSWORD FILE HAS BAD RECORD LENGTH  
 DMKDIR750W RESTRICTED PASSWORD FILE NOT FOUND  
 DMKDIR751E INVALID OPERAND - operand  
 DMKDIR752E STATEMENT SEQUENCE ERROR FOLLOWING  
 {PROFILE/USER|USER}user  
 DMKDIR753E OPERAND MISSING  
 DMKDIR754E DEV *rdev* NOT OPERATIONAL  
 DMKDIR755E I/O ERROR *rdev* CSW = *csw* SENSE = *sense*  
 DMKDIR756E PROGRAM CHECK PSW = *psw*  
 DMKDIR757E MACHINE CHECK RUN SEREP AND SAVE OUTPUT FOR CE  
 DMKDIR758E DUPLICATE UNIT DEFINITION  
 DMKDIR760E NOT ENOUGH SPACE ALLOCATED FOR DIRECTORY  
 DMKDIR761E VOLID READ IS *valid1* NOT *valid2* ON *rdev*  
 DMKDIR762E DIRECTORY STATEMENT MISSING  
 DMKDIR763E INVALID FILENAME OR FILE NOT FOUND  
 DMKDIR764E ERROR IN routine  
 DMKDIR765E INVALID CLASS DEFINITION  
 DMKDIR766E DUPLICATE CLASS DEFINITION  
 DMKDIR767W PASSWORD CHANGED TO NOLOG FOR *userid*  
 DMKDIR768E FOR *userid* - MOVE *vdev* TO A (NON)SHARED VCU  
 DMKDIR771E RESTRICTED PASSWORD AND NOLOG INVALID FOR *userid*  
 DMKDIR782E ERROR ATTEMPTING TO GET FREE STORAGE

# DMK

---

DMKDIR782I ERROR ATTEMPTING TO RETURN FREE STORAGE

## DMP

DMKDMP536I *rdev* reports disabled interface; fault code = *code*; notify CE  
DMKDMP908I SYSTEM FAILURE; CODE - code PROCESSOR nn  
DMKDMP909W SYSTEM DUMP DEVICE NOT-READY  
DMKDMP918I SYSTEM DUMP FAILURE; STATUS NOT STORED FOR NON-ABENDING  
PROCESSOR

## DRD

DMKDRD925I System auto dump reallocated to DASD *rdev*

## DSB

DMKDSB956A DASD *rdev* VOLID *valid* NOT MOUNTED; NOW OFFLINE

## DSP

DMKDSP450W CP entered; disabled wait PSW *psw*  
DMKDSP452W CP entered; external interrupt loop

## FMT

DMKFMT536I *rdev* reports disabled interface; fault code = *code*; notify CE  
DMKFMT730E DEVICE *rdev* NOT OPERATIONAL OR NOT READY  
DMKFMT732E MACHINE CHECK  
DMKFMT733E VOLID READ IS *valid1* NOT *valid2*  
DMKFMT734E TYPE OR {CYL|PAG} INVALID  
DMKFMT735E FATAL DASD IO ERROR  
DMKFMT736E IO ERROR *rdev* {CCHHR = *cchhr*|BLOCK = *nnnnnn*} SENSE = *sense*  
DMKFMT737E INVALID OPERAND  
DMKFMT738A DEVICE *rdev*. INTERVENTION REQUIRED  
DMKFMT739E FLAGGED PRIMARY TRACK HAS NO ALTERNATE ASSIGNED; IO ERROR  
FOLLOWS  
DMKFMT740E PACK MOUNTED IS 3340-35, NOT 3340-70. MOUNT ANOTHER OR  
RESPECIFY  
DMKFMT741E DEVICE *rdev* IS *devtype1* NOT *devtype2* AS SPECIFIED. RESPECIFY OR  
NOTIFY SYSTEM SUPPORT  
DMKFMT742E ALLOCATION FUNCTION NOT ALLOWED--FORMAT OF VOLUME IS A  
PREREQUISITE  
DMKFMT756E PROGRAM CHECK PSW = *psw*

## GRF

DMKGRF457E Terminal SCRNSAVE unsuccessful  
DMKGRF500I GRAF *rdev* *devname* CMD REJECT CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKGRF501I {PRT|PUN|RDR} *rdev* *devname* INT REQ [CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*]

DMKGRF502I GRAF rdev devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw  
USERID = userid  
DMKGRF503I GRAF rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKGRF504I GRAF rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKGRF530I GRAF rdev devname UNIT SPEC CMD = cm SNS = sense USERID = userid  
DMKGRF531I GRAF rdev devname CNTRL CK CMD = cm SNS = sense USERID = userid  
DMKGRF532I GRAF rdev devname OP CHECK CMD = cm SNS = sense USERID = userid

**IDU**

DMKIDU953I Unable to allocate system auto dump

**IOF**

DMKIOF550E Error recording area 90 percent full; run CPERE  
DMKIOF551E Error recording area full; run CPERE

**IOG**

DMKIOG551E Error recording area full; run CPERE  
DMKIOG552I Formatting error recording area  
DMKIOG553I Error recording area cleared; user *userid*  
DMKIOG558I Unrecoverable I/O error; error recording disabled

**IOH**

DMKIOH550E Error recording area 90 percent full; run CPERE  
DMKIOH551E Error recording area full; run CPERE  
DMKIOH558I Unrecoverable I/O error; error recording disabled  
DMKIOH559W SRF *rdev* not accessible: frames not on error cylinders  
DMKIOH560W Errors on SRF *rdev*: frames not on error cylinders  
DMKIOH561W More than 50 MCH or CCH frames were read from SRF *rdev*

**JRL**

DMKJRL003E Invalid option - *option*  
DMKJRL026E Operand missing or invalid  
DMKJRL145I USERID. *userid* AT *rdev* WITH INVALID {LINK|LOGON} PASSWORD NO.  
nnn HAS VIOLATED THE LIMIT OF *limit*

**LDO**

DMKLDO923I Failing storage frame at location *rstor*  
DMKLDO924I *xxxx* additional failing storage frames exist

**LNM**

DMKLN020E Userid missing or invalid  
DMKLN022E Virtual device address missing or invalid  
DMKLN052E Error in CP directory  
DMKLN053E *userid* not in CP directory

# DMK

DMKLN101W DASD *vdev* forced R/O; R/O by {*nnn users|userid*}  
DMKLN102W DASD *vdev* forced R/O; R/W by {*nnn users|userid*}  
DMKLN103W DASD *vdev* forced R/O; R/W by {*nnn users|userid*}  
DMKLN104E *userid vdev* not linked; R/O by {*nnn users|userid*}  
DMKLN105E *userid vdev* not linked; R/W by {*nnn users|userid*}  
DMKLN107E *userid vdev* not linked; not in CP directory  
DMKLN108E *userid vdev* not linked; valid *valid* not mounted  
DMKLN109E *userid vdev* not linked; invalid link device  
DMKLN110E *userid vdev* not linked; *devtype vdev* already defined  
DMKLN111E *userid vdev* not linked; no read password  
DMKLN112E *userid vdev* not linked; no write password  
DMKLN113E *userid vdev* not linked; no multiple password  
DMKLN114E *userid vdev* not linked; mode or password incorrect  
DMKLN115E LINK invalid; excessive incorrect passwords  
DMKLN116E *userid vdev* not linked; CP directory in use  
DMKLN117E Userid *userid* not linked; valid *valid* conflict  
DMKLN118E *userid vdev* not linked; command format not valid  
DMKLN119E *userid vdev* not linked; insufficient free storage  
DMKLN137E DASD *vdev* not linked; channel *x* dedicated  
DMKLN153E Device {*vdev|range|channel x*} exceeds maximum number of virtual devices  
DMKLN199E Command rejected; device *rdev* pending offline  
DMKLN281E MSS volume *valid* not linked; demount in progress, retry  
DMKLN298E *userid vdev* not linked; request denied  
DMKLN331E *vdev* not linked - use a {*shared|nonshared*} VCU instead

## LOG

DMKLOG003E Invalid option - *option*  
DMKLOG020E Userid missing or invalid  
DMKLOG050E LOGON unsuccessful--incorrect password  
DMKLOG051E Maximum virtual devices exceeded in directory  
DMKLOG052E Error in CP directory  
DMKLOG053E *userid* not in CP directory  
DMKLOG054E Already logged on {{*line|GRAF|LUNAME|LDEV|device*} *rdev|line* disconnected}  
DMKLOG059E AUTOLOG failed for *userid* - IPL missing  
DMKLOG059E AUTOLOG failed for *userid* - IPL failed  
DMKLOG059E AUTOLOG failed for *userid* - accounting errors  
DMKLOG059E AUTOLOG failed for *userid* - incorrect password  
DMKLOG059E AUTOLOG failed for *userid* - I/O error on terminal  
DMKLOG059E AUTOLOG failed for *userid* - IPL failed. Error in CP director  
DMKLOG067E Command format not valid  
DMKLOG131E Insufficient free storage available for LOGON request  
DMKLOG206E Cannot connect to host virtual machine  
DMKLOG361E LOGOFF/FORCE pending for user *userid*  
DMKLOG780E Maximum password attempts exceeded, try again later

## LOH

DMKLOH052E Error in CP directory  
DMKLOH188E Specified processor unavailable  
DMKLOH189E AFFINITY not set; system in uniprocessor mode

DMKLOH250E 370E is not available [on processor *xx*]  
 DMKLOH251E 370E feature is not active  
 DMKLOH365E Requested language *langid1* is unavailable. Language *langid2* set. RC = rc

**LOJ**

DMKLOJ059E AUTOLOG failed for *userid* - accounting error  
 DMKLOJ090E Device *vdev* not defined; device {*rdev*|*volid*} not available  
 DMKLOJ091E DASD *vdev* not defined; temp space not available  
 DMKLOJ092E Device *vdev* not defined; *devtype vdev* already defined  
 DMKLOJ093E Device *vdev* not defined; error in CP directory  
 DMKLOJ095E Device *vdev* not defined; insufficient free storage  
 DMKLOJ331E *vdev* not created - use a {shared|nonshared} VCU instead  
 DMKLOJ769W Incomplete machine - tell your system administrator

**LOM**

DMKLOM095E Device *vdev* not defined; insufficient free storage  
 DMKLOM196E Secondary user not in CP directory  
 DMKLOM331E *vdev* not attached - use a {shared | nonshared} VCU instead

**MCC**

DMKMCC002E Invalid operand - *operand*  
 DMKMCC003E Invalid option - *option*  
 DMKMCC006E Invalid device type - *devtype*  
 DMKMCC021E Real device address missing or invalid  
 DMKMCC026E Operand missing or invalid  
 DMKMCC040E Device *rdev* does not exist  
 DMKMCC046E {Device *rid*|*devtype rdev*} offline  
 DMKMCC140E *devtype rdev* attached to *userid*  
 DMKMCC143E *devtype rdev* in use by system  
 DMKMCC199E Command rejected; device *rdev* pending offline  
 DMKMCC211E MONITOR TAPE is already active  
 DMKMCC213E MONITOR CPTRACE is already active  
 DMKMCC215E Monitor active; DASTAP cannot be enabled dynamically  
 DMKMCC216E SYSPROF class is dependent on schedule and DASTAP  
 DMKMCC217E MONITOR TAPE not started, no class enabled  
 DMKMCC221E MONITOR to spool is already active

**MCD**

DMKMCD002E Invalid operand - *operand*  
 DMKMCD003E Invalid option - *option*  
 DMKMCD021E Real device address missing or invalid  
 DMKMCD026E Operand missing or invalid  
 DMKMCD040E Device *rdev* does not exist  
 DMKMCD212E Monitor is not active  
 DMKMCD214E MONITOR CPTRACE is not active  
 DMKMCD218E Monitor not stopped, outstanding I/O  
 DMKMCD222E TIME parameter specifies invalid time  
 DMKMCD223E Start time must precede stop time  
 DMKMCD224E Limit must be between 10 and 50000

# DMK.

---

DMKMCD226E 'FOR' value spans midnight - command invalid  
DMKMCD227E 'FOR' option invalid with AUTODISK off  
DMKMCD228E 'FOR' option invalid with monitor on

## MCH

DMKMCH609W MACHINE CHECK; PROCESSOR CONTROLLER DAMAGE cpuid  
DMKMCH610W MACHINE CHECK; SUPERVISOR DAMAGE cpuid  
DMKMCH611W MACHINE CHECK; SYSTEM INTEGRITY LOST cpuid  
DMKMCH612W MACHINE CHECK TIMING FACILITIES DAMAGE  
DMKMCH613I SOFT MACHINE CHECK RECORDING DISABLED cpuid  
DMKMCH614I MACHINE CHECK; DAMAGED PAGE NOW DELETED cpuid  
DMKMCH615I MACHINE CHECK RECORDING FAILURE cpuid  
DMKMCH616I MACHINE CHECK; USER userid TERMINATED cpuid  
DMKMCH617I MACHINE CHECK; BUFFER OR DLAT DAMAGE cpuid  
DMKMCH619I MACHINE CHECK; OPERATION TERMINATED cpuid  
DMKMCH622W MACHINE CHECK; MULTIPLE CHANNEL ERRORS  
DMKMCH624I MACHINE CHECK; EXTERNAL DAMAGE  
DMKMCH627I MACHINE CHECK; STORAGE DEGRADATION FOR userid  
DMKMCH628I DEGRADATION; CP WILL TRY RECOVERY IN 1 MINUTE  
DMKMCH629I SOFT MACHINE CHECK REPORTING NOW ENABLED

## MCI

DMKMCI003E Invalid option - *option*  
DMKMCI026E Operand missing or invalid  
DMKMCI618I {INSTRUCTION RETRY|MAIN STORAGE} NOW IN {RECORD|QUIET}  
MODE cpuid

## MCT

DMKMCT610W MACHINE CHECK; SUPERVISOR DAMAGE cpuid  
DMKMCT616I MACHINE CHECK; USER userid TERMINATED cpuid  
DMKMCT619I MACHINE CHECK; OPERATION TERMINATED cpuid  
DMKMCT620I MACHINE CHECK; ATTACHED PROCESSOR NOT BEING USED  
DMKMCT621I MACHINE CHECK; AFFINITY SET OFF  
DMKMCT623I CHANNEL SET CONNECTED TO ATTACHED PROCESSOR nn  
DMKMCT625I ALTERNATE PROCESSOR RECOVERY SUCCESSFUL; PROCESSOR nn  
OFFLINE

## MIA

DMKMIA002E Invalid operand - *operand*

## MID

DMKMID310E Date *date* invalid; not changed

## MNI

DMKMNI220I Error on monitor tape, monitor stopped by system



## MNJ

DMKMNJ002E Invalid operand - *operand*  
 DMKMNJ225E Invalid monitor *userid* specified, MONITOR not enabled

## MON

DMKMON219I End of monitor tape, monitor stopped by system  
 DMKMON220I Error on monitor tape, monitor stopped by system

## MSG

DMKMSG003E Invalid option - *option*  
 DMKMSG020E Userid missing or invalid  
 DMKMSG045E *userid* not logged on  
 DMKMSG057W *userid* not receiving; {disconnected|MSG off|message too long|SMSG off| not  
 authorized|WNG off|IUCV error *nnnn*|VMCF error *nnnn*|quiesced}

## NEA

DMKNEA002E Invalid operand - *operand*  
 DMKNEA006E Invalid device type - *devtype*  
 DMKNEA020E Userid missing or invalid  
 DMKNEA026E Operand missing or invalid  
 DMKNEA040E Device *rdev* does not exist  
 DMKNEA046E {Device *rid*|*devtype rdev*} offline  
 DMKNEA091E DASD *vdev* not defined; temp space not available  
 DMKNEA095E Device *vdev* not defined; insufficient free storage  
 DMKNEA120E {Printer *rid*|*devtype rdev*} not attached; *userid vdev* already defined  
 DMKNEA121E *devtype rdev* not attached to *userid*  
 DMKNEA122E *devtype rdev* already attached to *userid*  
 DMKNEA140E *devtype rdev* attached to *userid*  
 DMKNEA208E Printer *rid* not enabled  
 DMKNEA331E *vdev* not defined - use a {shared|nonshared} VCU instead

## NES

DMKNES002E Invalid operand - *operand*  
 DMKNES004E Invalid hexloc - *operand*  
 DMKNES006E Invalid device type - *devtype*  
 DMKNES009E Invalid range - *range*  
 DMKNES021E Real device address missing or invalid  
 DMKNES026E Operand missing or invalid  
 DMKNES033E Hexloc missing or invalid  
 DMKNES040E Device *rdev* does not exist  
 DMKNES046E {Device *rid*|*devtype rdev*} offline  
 DMKNES049E {Device *rid*|*devtype*} *rdev* in use  
 DMKNES098E Device *rid* mode switch not possible  
 DMKNES140E *devtype rdev* attached to *userid*  
 DMKNES160E Hexloc *hexloc* exceeds storage  
 DMKNES175E {RESERVE|*name*} already in use by *userid*  
 DMKNES199E Command rejected; device *rdev* pending offline  
 DMKNES706E Line *rdev* not enabled

# DMK

---

## NET

DMKNET002E Invalid operand - *operand*  
DMKNET003E Invalid option - *option*  
DMKNET006E Invalid device type - *devtype*  
DMKNET026E Operand missing or invalid  
DMKNET040E Device *rdev* does not exist  
DMKNET046E {Device *rid|devtype rdev*} offline  
DMKNET049E {Device *rid|devtype*} *rdev* in use  
DMKNET140E *devtype rdev* attached to *userid*  
DMKNET157E 'CLUSTER=' parameter missing from RDEVICE macro - device *rdev*  
DMKNET199E Command rejected; device *rdev* pending offline

## NLD

DMKNLD002E Invalid operand - *operand*  
DMKNLD006E Invalid device type - *devtype*  
DMKNLD021E Real device address missing or invalid  
DMKNLD026E Operand missing or invalid  
DMKNLD040E Device *rdev* does not exist  
DMKNLD044E System *sysname* does not exist  
DMKNLD046E {Device *rid|devtype rdev*} offline  
DMKNLD140E *devtype rdev* attached to *userid*  
DMKNLD143E *devtype rdev* in use by system  
DMKNLD170E System *sysname* exceeds storage  
DMKNLD171E System *sysname* valid *valid* not mounted  
DMKNLD179E System *sysname* valid *valid* not CP-owned  
DMKNLD199E Command rejected; device *rdev* pending offline  
DMKNLD460E CTLR *rdev* {load|dump} failed; program check  
DMKNLD461R CTLR *rdev* IPL NOT REQUIRED; ENTER YES TO CONTINUE  
DMKNLD464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
DMKNLD470E CTLR *rdev* {load|dump} failed; paging I/O error  
DMKNLD471E CTLR *rdev* {load|dump} failed; unrecoverable I/O error

## NLE

DMKNLE003E Invalid option - *option*  
DMKNLE006E Invalid device type - *devtype*  
DMKNLE021E Real device address missing or invalid  
DMKNLE040E Device *rdev* does not exist  
DMKNLE046E {Device *rid|devtype rdev*} offline  
DMKNLE140E *devtype rdev* attached to *userid*  
DMKNLE143E *devtype rdev* in use by system  
DMKNLE199E Command rejected; device *rdev* pending offline  
DMKNLE460E CTLR *rdev* {load|dump} failed; program check  
DMKNLE461R CTLR *rdev* IPL NOT REQUIRED; ENTER 'YES' TO CONTINUE  
DMKNLE464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
DMKNLE469E CTLR *rdev* {load|dump} failed; temp space not available  
DMKNLE470E CTLR *rdev* {load|dump} failed; paging I/O error  
DMKNLE471E CTLR *rdev* {load|dump} failed; unrecoverable I/O error

## NMT

DMKNMT247I 3800 NAMED IMAGE imagelib CREATED  
 DMKNMT248E SPECIFIED IMAGE imagelib NON-EXISTENT  
 DMKNMT249E ERROR LOADING IMAGE imagelib  
 DMKNMT254E ERROR SAVING imagelib; RC = nn  
 DMKNMT256E INSUFFICIENT VIRTUAL STORAGE  
 DMKNMT257E RESIDUAL BYTE COUNT = nnnnnnnn (HEX)

## OPE

DMKOPE229I User of monitor does not exist  
 DMKOPE914I Trace table is smaller than requested  
 DMKOPE923I Failing storage frame at location *rstor*  
 DMKOPE924I *xxxx* additional failing storage frames exist  
 DMKOPE928W Permanent I/O error in warm start data area  
 DMKOPE950A Operator not logged on; explicit LOGON required  
 DMKOPE967I Disconnect *userid* - system restarted (*mmmmnn*) and system console not VM operator console

## OVR

DMKOV751E INVALID OPERAND - operand  
 DMKOV753E OPERAND MISSING  
 DMKOV754E DEV rdev NOT OPERATIONAL  
 DMKOV755E I/O ERROR rdev CSW = *csw* SENSE = *sense*  
 DMKOV760E NOT ENOUGH SPACE ALLOCATED FOR OVERRIDES  
 DMKOV761E VOLID READ IS *valid1* NOT *valid2* ON rdev  
 DMKOV762E DESTINATION STATEMENT MISSING  
 DMKOV763E INVALID FILENAME OR FILE NOT FOUND  
 DMKOV764E ERROR IN routine

## PAH

DMKPAH415E CONTINUOUS PAGING ERRORS FROM DASD rdev

## PEI

DMKPEI002E Invalid operand - *operand*  
 DMKPEI003E Invalid option - *option*  
 DMKPEI010E Invalid register - *register*  
 DMKPEI026E Operand missing or invalid  
 DMKPEI047E {*userid* |*vdev*|*segname*}|The current traceset |The traceset *traceset*|A saved traceset} does not exist  
 DMKPEI312E More than {8 ranges|1 PASS|1 STEP} specified on a command line

## PEL

DMKPEL013E Conflicting option - {*option*|*option1* and *option2*}  
 DMKPEL013W Conflicting option- {NORUN conflicts with PRINTER |PRINTER conflicts with NORUN|STEP conflicts with PRINTER |PRINTER conflicts with STEP} - {BOTH|RUN} option forced

# DMK

---

DMKPEL047E {userid {vdev|segname} |The current traceset|The traceset *traceset* |A saved traceset} does not exist  
DMKPEL311E Maximum number of trace elements exceeded

## PEN

DMKPEN002E Invalid operand - *operand*  
DMKPEN003E Invalid option - *option*  
DMKPEN026E Operand missing or invalid  
DMKPEN047E {userid {vdev|segname} |The current traceset|The traceset *traceset* |A saved traceset} does not exist  
DMKPEN180E PER trace not in effect  
DMKPEN311E Maximum number of trace elements exceeded

## PEQ

DMKPEQ003E Invalid option - *option*  
DMKPEQ047E {userid {vdev|segname} | The current traceset | The traceset *traceset* | A saved traceset} does not exist  
DMKPEQ180E PER trace not in effect

## PER

DMKPER174E Paging error - {I/O|address exception}: {command terminated, IPL failed}  
DMKPER182I PER trace is active  
DMKPER313E PER failure - code *n*  
DMKPER314W PER failure - code *n*, userid = *userid*

## PET

DMKPET003E Invalid option - *option*  
DMKPET061E Virtual printer error  
DMKPET180E PER trace not in effect  
DMKPET313E PER failure - code *n*  
DMKPET314W PER failure - code *n*, userid = *userid*

## PGM

DMKPGM026E Operand missing or invalid  
DMKPGM045E *userid* not logged on

## PGT

DMKPGT400I System {temp space|checkpoint area} full  
DMKPGT401I System {temp space|checkpoint area} 90 percent full

## PRG

DMKPRG411W CP ENTERED; TRANSLATION EXCEPTION WHILE IN NON-EC MODE  
DMKPRG453W CP ENTERED; PROGRAM INTERRUPT LOOP

## PTR

DMKPTR410W CP ENTERED; PAGING ERROR

## QCO

DMKQCO150A User *userid* has issued a {CP|VM} read

## QVM

DMKQVM020E Userid missing or invalid  
 DMKQVM026E Operand missing or invalid  
 DMKQVM800E Command rejected, other virtual machines logged on  
 DMKQVM801E Free storage page is not available  
 DMKQVM802E Command rejected, devices not dedicated  
 DMKQVM803E Command rejected, spool devices not drained  
 DMKQVM806E Command rejected, virtual address not equal to real address  
 DMKQVM807E Command rejected, VM/SP attached processor mode  
 DMKQVM809E Command rejected, TRACE/ADSTOP/CCW translation in effect

## RGA

DMKRGA454I {Line *rdev*|Device *rid*} disabled  
 DMKRGA455I Line *rdev* not operational; {CC=3|command reject}  
 DMKRGA458I A condition was detected that should not occur, line *xxx* will be disabled.  
 DMKRGA705I I/O error RESID = *rid*, status = *sense*, line = *rdev*

## RND

DMKRND850I UNABLE TO READ DUMP FROM READER  
 DMKRND851I TEN DUMP FILES ALREADY EXIST  
 DMKRND852I FATAL I/O ERROR WRITING DUMP  
 DMKRND853I NO DUMP FILES EXIST  
 DMKRND861E DUMP FILE *fn* NOT FOUND  
 DMKRND863I INVALID PARAMETER - parameter  
 DMKRND870I UNABLE TO CREATE CONTROL FILE FOR IFLDUMP

## RNH

DMKRNH454I {Line *rdev*|Device *rid*} disabled  
 DMKRNH462I CTLR *rdev* unit check; IPL required  
 DMKRNH463I CTLR *rdev* unit check; restart in progress  
 DMKRNH464I CTLR *rdev* CC=3; press 3705 'LOAD' button  
 DMKRNH465I LINE TRACE TERMINATED DUE TO ERROR  
 DMKRNH468I CTLR *rdev* communications scanner failure

## RSE

DMKRSE242I Printer *rdev* (3800), intervention required, status code *code*  
 DMKRSE252I Printer *rdev*, file *nnnn* requeued and held  
 DMKRSE272I Printer *rdev*, 3800 IML occurred  
 DMKRSE287I Printer *rdev*; page buffer destroyed, backup page count = *nnnn*

# DMK

DMKRSE500I {PRT|PUN|RDR} rdev devname CMD REJECT CMD = cm SNS = sense  
CSW = csw USERID = userid

DMKRSE501A {PRT|PUN|RDR} rdev devname INT REQ [CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKRSE501I {PRT|PUN|RDR} rdev devname INT REQ [CMD = cm SNS = sense CSW = csw  
USERID = userid]

DMKRSE502I {PRT|PUN|RDR} rdev devname BUSOUT CK CMD = CM SNS = SENSE  
CSW = csw USERID = userid

DMKRSE503I {PRT|PUN|RDR} rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKRSE504I {PRT|PUN|RDR} rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKRSE508I {RDR|PRT|PUN} rdev devname PERRM ERROR CMD = cm SNS = sense  
CSW = csw USERID = userid

DMKRSE520I {PRT|PUN|RDR} rdev devname CHANNEL ERROR CMD = cm SNS = sense  
CSW = csw USERID = userid

DMKRSE521I {PRT|PUN|RDR} rdev devname NO DEVICE CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKRSE524I {RDR|PRT|PUN} rdev devname LOAD CHECK CMD = cm SNS = sense  
USERID = userid.

DMKRSE525I {RDR|PRT|PUN} rdev devname FORMAT CK CMD = cm SNS = sense  
USERID = userid

DMKRSE529I {RDR|PRT|PUN} rdev devname PARITY CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKRSE540I PRINTER rdev devname MAINT REQ CMD = cm SNS = sense CSW = csw  
USERID = userid

## RSP

DMKRSP239I Printer rdev drained; possible FCB-forms mismatch

DMKRSP428E {Printer|Punch|Reader|Tape} rdev spool error; file held

DMKRSP430A {Printer|Punch} rdev fatal I/O error; now offline, file held

## RST

DMKRST426E Reader rdev system spool space full; file purged

DMKRST428E {Printer|Punch|Reader|Tape} rdev spool error; file purged

DMKRST431A Reader rdev id card missing or invalid

DMKRST432A Reader rdev id card; userid not in CP directory

DMKRST433A Reader rdev id card; invalid data - data

DMKRST434A Reader rdev fatal I/O error; file purged

## SAV

DMKSAV350W DASD rdev. SYSRES VOLID NOT valid

DMKSAV351W DASD rdev SYSRES NOT READY

DMKSAV352W FATAL DASD I/O ERROR

DMKSAV353W SYSRES DEVICE TYPE INVALID

DMKSAV536I rdev reports disabled interface; fault code = code; notify CE

DMKSAV972E NUCLEUS AREA IS TOO SMALL; IT IS NOT UPDATED.  
THIS NUCLEUS REQUIRES nnnnnn {CYLS|PAGES}

**SEP**

DMKSEP174W Paging error - I/O: default printer logo will be used

**SNC**

DMKSNC044E System *sysname* does not exist  
DMKSNC171E System *sysname* valid *valid* not mounted  
DMKSNC178E System *sysname* exceeds available DASD space  
DMKSNC179E System *sysname* valid *valid* not CP-owned  
DMKSNC435E Paging error writing saved system

**SND**

DMKSND020E Userid missing or invalid  
DMKSND045E *userid* not logged on  
DMKSND068E SEND command failed - receiver {is not disconnected | has not authorized sender | has no virtual console | console input waiting | is executing a console function}

**SPM**

DMKSPM026E Operand missing or invalid  
DMKSPM804E Single processor mode ON rejected  
DMKSPM805E Single processor mode OFF rejected  
DMKSPM808I SINGLE PROCESSOR MODE ACTIVE

**SPS**

DMKSPS014E Tape *rdev* dump tape capacity exceeded  
DMKSPS037E Tape *rdev* invalid for SPTAPE command  
DMKSPS426E Tape *rdev* system spool space full; file purged  
DMKSPS428E Tape *rdev* spool error; file {held|purged}

**SPT**

DMKSPT002E Invalid operand - *operand*  
DMKSPT003E Invalid option - *option*  
DMKSPT006E Invalid device type - *devtype*  
DMKSPT008E Invalid spoolid - *spoolid*  
DMKSPT021E Real device address missing or invalid  
DMKSPT024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKSPT026E Operand missing or invalid  
DMKSPT028E Class missing or invalid  
DMKSPT040E Device *rdev* does not exist  
DMKSPT046E {Device *rid*|*devtype rdev*} offline  
DMKSPT140E *devtype rdev* attached to *userid*  
DMKSPT143E *devtype rdev* in use by system  
DMKSPT199E Command rejected; device *rdev* pending offline

**SRM**

DMKSRM003E Invalid option - *option*

# DMK

---

DMKSRM026E Operand missing or invalid

## SSP

DMKSSP536I *rdev* reports disabled interface; fault code = *code*; notify CE

## SSS

DMKSSS071E Device not available - MSS cannot be accessed  
DMKSSS072E Device not available - *rdev* not proper type  
DMKSSS075E Device *valid* is not available  
DMKSSS076E The *valid* parameter is invalid  
DMKSSS078I MSS mount proceeding for volume *valid*  
DMKSSS079E CP command via central server is not possible  
DMKSSS438E Device is not available for ATTACH

## SST

DMKSST070E Device not available - MSS devices allocated

## SSU

DMKSSU074I Missing interrupt - device *vdev*

## SSV

DMKSSV072E Device not available - *rdev* not proper type  
DMKSSV073E Device not available - MSS error  
DMKSSV078I MSS mount proceeding for volume *valid*

## TAP

DMKTAP500I TAPE *rdev devname* CMD REJECT CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP502I TAPE *rdev devname* BUSOUT CK CMD = *CM* SNS = *SENSE* CSW = *csw*  
USERID = *userid*  
DMKTAP503I TAPE *rdev devname* EQUIP CK CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP504I TAPE *rdev devname* DATA CK CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP505I TAPE *rdev devname* OVERRUN CK CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP511I TAPE *rdev devname* COMPAT CK CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP512I TAPE *rdev devname* LOAD POINT CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP513I TAPE *rdev devname* FILE PROT CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP516I TAPE *rdev devname* BAD SENSE CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*  
DMKTAP517I TAPE *rdev devname* NOT/KNOWN CMD = *cm* SNS = *sense* CSW = *csw*  
USERID = *userid*



DMKTAP518I TAPE rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP519I TAPE rdev devname PE BURST CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP520I TAPE rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP521I TAPE rdev devname NO DEVICE CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP522I TAPE rdev devname ERASE CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP523I TAPE rdev devname CONTROL CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP526I TAPE rdev devname DSE FAILED CMD = cm SNS = sense CSW = csw  
USERID = userid

**TAQ**

DMKTAQ504I TAPE rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ510I TAPE rdev devname CONVERT CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ516I TAPE rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ518I TAPE rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ519I TAPE rdev devname PE BURST CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ520I TAPE rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ539I TAPE rdev devname BOT FAIL CMD = cm SNS = sense CSW = csw  
USERID = userid

**TCS**

DMKTCS240E Printer rdev, FCB-forms mismatch; fileid *nnnn* {held|purged}

DMKTCS241E Printer rdev, invalid load module *mmmm* specified, file *nnnn* {held|purged}

**TCT**

DMKTCT241E Printer rdev, invalid load module *mmmm* specified, file *nnnn* {held|purged}

DMKTCT270E Printer rdev, too many WCGMs needed for 'CHARS', file *nnnn* {held|purged}

**THI**

DMKTHI003E Invalid option - *option*

DMKTHI045E *userid* not logged on

# DMK

## TPE

DMKTPE500I TAPE rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE501A TAPE rdev devname INT REQ CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE502I TAPE rdev devname BUSOUT CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE503I TAPE rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE504I TAPE rdev devname DATA CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE505I TAPE rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE520I TAPE rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE526I TAPE rdev devname DSE FAILED CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE580I TAPE rdev devname NO ERR SNS CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE581I TAPE rdev devname DISPLAY CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE582I TAPE rdev devname WRITEID CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE583I TAPE rdev devname BUFF ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE584I TAPE rdev devname NOT CAPABL CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE585I TAPE rdev devname TAPE VOID CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE586I TAPE rdev devname TENSION CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE587I TAPE rdev devname LENGTH CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE588I TAPE rdev devname PHYS EOT CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE589I TAPE rdev devname BKW AT BOT CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE590I TAPE rdev devname UNLOAD ERR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE591I TAPE rdev devname NO RECORD CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE592I TAPE rdev devname DRIV ASGND CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE593I TAPE rdev devname DRIV OFFLN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE594I TAPE rdev devname CU CK1 ERR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE595I TAPE rdev devname CU ERP ERR CMD = cm SNS = sense CSW = csw  
 USERID = userid  
 DMKTPE596I TAPE rdev devname CU INCOMPA CMD = cm SNS = sense CSW = csw  
 USERID = userid  
 DMKTPE597I TAPE rdev devname RD OPP CK CMD = cm SNS = sense CSW = csw  
 USERID = userid  
 DMKTPE598I TAPE rdev devname BLK ID SEQ CMD = cm SNS = sense CSW = csw  
 USERID = userid

## TRA

DMKTRA002E Invalid operand - *operand*  
 DMKTRA003E Invalid option - *option*  
 DMKTRA013E Conflicting option - *option*  
 DMKTRA026E Operand missing or invalid  
 DMKTRA180W TRACE not in effect

## TRP

DMKTRP002E Invalid operand - *operand*  
 DMKTRP005E Invalid hexdata - *data*  
 DMKTRP013E Conflicting option - {*option|option1 and option2*}  
 DMKTRP020E Userid missing or invalid  
 DMKTRP026E Operand missing or invalid  
 DMKTRP045E *userid* not logged on  
 DMKTRP304E CPTRAP is stopping, no input allowed  
 DMKTRP305I CPTRAP selectivity reset  
 DMKTRP306E CPTRAP is already active  
 DMKTRP309E Operand ignored; select table full

## TRR

DMKTRR002E Invalid operand - *operand*  
 DMKTRR005E Invalid hexdata - *data*  
 DMKTRR008E Invalid spoolid - *spoolid*  
 DMKTRR026E Operand missing or invalid  
 DMKTRR027E Spoolid missing or invalid  
 DMKTRR042E SPOOLID nnn DOES NOT EXIST OR IS HELD  
 DMKTRR301E Requested file is not a CPTRAP file  
 DMKTRR302E I/O error on 00C - *message*  
 DMKTRR303E 00C reader file not locatable  
 DMKTRR305I TRAPRED selectivity reset  
 DMKTRR764E ERROR IN ROUTINE routine

## TRT

DMKTRT307I CPTRAP {CP|virtual} *code* interface data ignored  
 DMKTRT308I CPTRAP data lost  
 DMKTRT317E CPTRAP terminated due to I/O error

## TTY

DMKTTY152E {PFCOPY|PFTAB} NOT AVAILABLE

# DMK

---

## UDR

DMKUDR475I Fatal I/O error trying to read {*directory|overrides*} from *volume*  
DMKUDR476I System {*directory|overrides*} loaded from volume *valid*  
DMKUDR770E Override invalid for *command*

## USO

DMKUSO003E Invalid option - *option*  
DMKUSO020E Userid missing or invalid  
DMKUSO045E *userid* not logged on  
DMKUSO197E Secondary user is not available  
DMKUSO361E LOGOFF/FORCE pending for user *userid*

## VAT

DMKVAT064E Shadow table bypass; reset

## VCH

DMKVCH040E Device *rdev* does not exist  
DMKVCH045E *userid* not logged on  
DMKVCH048E Channel *x* [processor *nn*] does not exist  
DMKVCH129E Channel *x* [processor *nn*] devices in use  
DMKVCH130E Channel *x* [processor *xx*] not attached to *userid*  
DMKVCH132E Channel *x* already defined by *userid*  
DMKVCH138E Channel *x* [processor *xx*] not attached; insufficient free storage  
DMKVCH147E Channel *x* [processor *xx*] not attached; alternate paths defined  
DMKVCH153E Device {*vdev|range|channel x*} exceeds maximum number of virtual devices  
DMKVCH188E Specified processor unavailable  
DMKVCH331E *vdev* not attached - use a {*shared|nonshared*} VCU instead

## VDD

DMKVDD002E INVALID OPERAND - operand  
DMKVDD003E INVALID OPTION - option  
DMKVDD006E Invalid device type - *devtype*  
DMKVDD013E CONFLICTING OPTION - {*option|option1 AND option2*}  
DMKVDD020E Userid missing or invalid  
DMKVDD021E Real device address missing or invalid  
DMKVDD022E vaddr MISSING OR INVALID  
DMKVDD034E Channel missing or invalid  
DMKVDD039E Processor address missing or invalid  
DMKVDD040E Device *rdev* does not exist  
DMKVDD045E *userid* NOT LOGGED ON  
DMKVDD046E {*DEVICE rid|devtype rdev*} OFFLINE  
DMKVDD121E *devtype rdev* not attached to *userid*  
DMKVDD123E DASD *rdev* CP-owned  
DMKVDD124E DASD *rdev* in use by *nnn* users  
DMKVDD135E *devtype vdev* not detached; channel *x* dedicated  
DMKVDD140E *devtype rdev* attached to *userid*  
DMKVDD142E *devtype rdev* not drained

DMKVDD143E *devtype rdev* in use by system  
 DMKVDD273E DETACH rejected; virtual machine tracing I/O  
 DMKVDD285E userid LOGGING ON, TRY AGAIN LATER  
 DMKVDD286E userid LOGGING OFF, TRY AGAIN LATER

**VDS**

DMKVDS467W CTLR *rdev* emulator lines in use by system

**VDE**

DMKVDE003E Invalid option - *option*  
 DMKVDE006E Invalid device type - *devtype*  
 DMKVDE020E Userid missing or invalid  
 DMKVDE021E Real device address missing or invalid *raddr*  
 DMKVDE022E Virtual device address missing or invalid  
 DMKVDE023E Volid missing or invalid  
 DMKVDE034E Channel missing or invalid  
 DMKVDE039E Processor address missing or invalid  
 DMKVDE040E Device *rdev* does not exist  
 DMKVDE045E *userid* not logged on  
 DMKVDE046E {Device *rid|devtype rdev*} offline  
 DMKVDE076E The *valid* parameter is invalid  
 DMKVDE120E {Printer *rid|devtype rdev*} not attached; *userid vdev* already defined  
 DMKVDE122E *devtype rdev* already attached to *userid*  
 DMKVDE123E DASD *rdev* CP-owned  
 DMKVDE124E DASD *rdev* in use by *nnn* users  
 DMKVDE125E DASD *rdev* *valid valid* already attached to system  
 DMKVDE126E DASD *rdev* error reading *valid*  
 DMKVDE127E DASD *rdev* *valid valid* does not match  
 DMKVDE128E DASD *rdev* error reading allocation record  
 DMKVDE131E Insufficient free storage available for ATTACH request  
 DMKVDE133E DASD *rdev* not ready  
 DMKVDE134E *devtype vdev* not attached; channel *x* dedicated  
 DMKVDE142E *devtype rdev* not drained  
 DMKVDE143E *devtype rdev* in use by system  
 DMKVDE151I DASD *rdev* not attached; busy persists, IOBSTAT = *xx*, IOBCSW + 4 = *xxxx*  
 DMKVDE153E Device {*vdev|range|channel x*} exceeds maximum number of virtual devices  
 DMKVDE199E Command rejected; device *rdev* pending offline  
 DMKVDE206E Cannot connect to host virtual machine  
 DMKVDE329E *vdev* improperly genned, device cannot be used as SYSOWN  
 DMKVDE331E *vdev* not attached - use a {*shared|nonshared*} VCU instead

**VER**

DMKVER575I I/O ERROR ADD = *rstor*, USERID = *userid*

**VMA**

DMKVMA456W CP entered; *sysname* shared page *hexloc* altered

# DMK

---

## VMD

DMKVMD009E Invalid range - *range*  
DMKVMD013E Conflicting option - *option*  
DMKVMD020E Userid missing or invalid  
DMKVMD033E Hexloc missing or invalid  
DMKVMD038E Parameter for *option* option missing or invalid  
DMKVMD053E *userid* not in CP directory  
DMKVMD160E Hexloc *hexloc* exceeds storage

## VME

DMKVME146I VMDUMP failed; spooling error  
DMKVME174E Paging error - I/O: {command complete|no dump created}

## VMI

DMKVMI022E Virtual device address missing or invalid  
DMKVMI230E IPL SIO ERROR  
DMKVMI231E IPL TIO ERROR  
DMKVMI232E IPL UNIT ERROR; CSW = csw SNS = sense  
DMKVMI233E IPL OVERLAY ERROR  
DMKVMI234E IPL SENSE ERROR

## VSP

DMKVSP427I {Console|Printer|Punch|Reader} *vdev* system spool space full; file closed  
DMKVSP429I {Console|Printer|Punch|Reader} *vdev* spool error; file {held|purged}

## VST

DMKVST427I {Console|Printer|Punch|Reader} *vdev* system spool space full; file closed  
DMKVST429I {Console|Printer|Punch|Reader} *vdev* spool error; file {held|purged}

## WRM

DMKWARM903W System recovery failure; valid *valid* allocation error {cylinder  
*cylinder*|page = *page*}  
DMKWARM904W System recovery failure; invalid warm start data  
DMKWARM912W System recovery failure; valid *valid* not mounted  
DMKWARM920I No warm start data; checkpoint start for retry  
DMKWARM921W System recovery failure; unrecoverable I/O error

## WRN

DMKWRN174E Paging error - I/O: checkpoint area invalidated  
DMKWRN400I System {temp space|checkpoint area} full  
DMKWRN915E Permanent I/O error on checkpoint area  
DMKWRN919E Checkpoint area invalid; checkpointing terminated

## CMS Message Summary by Module Code

### ABN

DMSABN148T System abend *xxx* called from *vstor*  
 DMSABN149T *nnn* (HEX *xxx*) doublewords of system storage have been destroyed; re-IPL CMS  
 DMSABN150W *nnn* (HEX *xxx*) doublewords of system storage were not recovered  
 DMSABN152T System abend *xxx* called from *vstor* while UFDBUSY = *xx*; re-IPL CMS  
 DMSABN153W HX during abend processing was ignored  
 DMSABN155T User abend *nnnn* called from *vstor*

### ACC

DMSACC003E Invalid option: *option*  
 DMSACC017E Invalid device address *vdev*  
 DMSACC048E Invalid mode *mode*  
 DMSACC059E *vdev* already accessed as read/write *mode* disk  
 DMSACC060E File(s) *fn* [*ft* [*fm*]] not found; disk *mode(vdev)* will not be accessed  
 DMSACC066E *option* and *option2* are conflicting options  
 DMSACC109S Virtual storage capacity exceeded  
 DMSACC112S Disk *mode(vdev)* device error  
 DMSACC113S *mode(vdev)* not attached  
 DMSACC230W O/S disk-fileid and/or options specified are ignored  
 DMSACC724I *vdev* replaces *mode (vdev)*

### ACP

DMSACP060E File(s) *fn* [*ft* [*fm*]] not found; disk *mode(vdev)* will not be accessed  
 DMSACP109S Virtual storage capacity exceeded  
 DMSACP113S *mode(vdev)* not attached  
 DMSACP230W O/S disk-fileid and/or options specified are ignored  
 DMSACP723I *mode (vdev)* {R/O|R/W} [-OS|-DOS]  
 DMSACP725I *vdev* also = *mode* [-OS|-DOS] disk  
 DMSACP726I *vdev mode* released  
 DMSACP1078E Cannot access saved file directory for this disk

### ALA

DMSALA386E Missing operand(s)  
 DMSALA388E Invalid keyword: *keyword*  
 DMSALA391E Unexpected operand(s): *operand*  
 DMSALA921E Virtual screen *vscreen* is not defined

### ALT

DMSALT520E Invalid operand: *operand*  
 DMSALT545E Missing operand(s)

# DMS

---

## AMS

DMSAMS001E No filename specified  
DMSAMS002E File FNAME1 AMSERV not found  
DMSAMS003E Invalid option: *option*  
DMSAMS006E No read/write disk accessed for FNAME2 LISTING  
DMSAMS007E File FNAME1 AMSERV *fn* not fixed, 80-character records  
DMSAMS065E *option* option specified twice  
DMSAMS066E *option1* and *option2* are conflicting options  
DMSAMS070E Invalid parameter *parameter*  
DMSAMS109S Virtual storage capacity exceeded  
DMSAMS136S Unable to load IDCMA5  
DMSAMS228E No DDNAME entered  
DMSAMS367R Enter tape {input|output} DDNAMEs:  
DMSAMS401S VM size (*size*) cannot exceed *sysname* start address  
DMSAMS722I File *fn* LISTING *fn* will hold AMSERV output

## ARE

DMSARE017E Invalid device address *vdev*  
DMSARE028E No device specified  
DMSARE048E Invalid mode *mode*  
DMSARE069E Disk *mode* not accessed  
DMSARE070E Invalid parameter *parameter*

## ARN

DMSARN001E NO FILENAME SPECIFIED  
DMSARN002E FILE 'fn ASM3705' NOT FOUND  
DMSARN003E INVALID OPTION 'option'  
DMSARN004W WARNING MESSAGES ISSUED  
DMSARN006E NO READ/WRITE DISK ACCESSED  
DMSARN007E FILE 'fn ft fm' NOT FIXED, 80 CHAR. RECORDS  
DMSARN008W ERROR MESSAGES ISSUED  
DMSARN012W SEVERE ERROR MESSAGES ISSUED  
DMSARN016W TERMINAL ERROR MESSAGES ISSUED  
DMSARN109S VIRTUAL STORAGE CAPACITY EXCEEDED

## ARX

DMSARX001E NO FILENAME SPECIFIED  
DMSARX002E FILE 'fn ASM3705' NOT FOUND  
DMSARX003E INVALID OPTION 'option'  
DMSARX006E NO READ/WRITE DISK ACCESSED  
DMSARX007E FILE 'fn ASM3705' IS NOT FIXED, 80 CHAR. RECORDS  
DMSARX038E FILEID CONFLICT FOR DDNAME 'ASM3705'  
DMSARX052E MORE THAN 100 CHARS. OF OPTIONS SPECIFIED  
DMSARX070E INVALID PARAMETER 'parameter'  
DMSARX074E ERROR {SETTING|RESETTING} AUXILIARY DIRECTORY  
DMSARX075E DEVICE 'devtype' ILLEGAL FOR INPUT



## ASM

DMSASM001E No filename specified  
 DMSASM002E File *fn* ASSEMBLE not found  
 DMSASM003E Invalid option: *option*  
 DMSASM006E No read/write disk accessed  
 DMSASM007E File *fn* ASSEMBLE is not fixed, 80-character records  
 DMSASM038E Fileid conflict for DDNAME ASM3705  
 DMSASM052E More than 100 characters of options specified  
 DMSASM070E Invalid parameter *parameter*  
 DMSASM074E Error {setting|resetting} auxiliary directory  
 DMSASM075E Device *devtype* illegal for input

## ASN

DMSASN003E Invalid option: *option*  
 DMSASN027E Invalid device *devtype* [for SYSaaa]  
 DMSASN028E No logical unit specified  
 DMSASN029E Invalid parameter *parameter* in the option *option* field  
 DMSASN035E Invalid tape mode  
 DMSASN050E Parameter missing after SYSaaa  
 DMSASN065E *option* option specified twice  
 DMSASN066E *option1* and *option2* are conflicting options  
 DMSASN069E Disk *mode* not accessed  
 DMSASN070E Invalid parameter *parameter*  
 DMSASN087E Invalid assignment of SYSaaa to device *devtype*  
 DMSASN090E Invalid device class *devclass* for *devtype*  
 DMSASN099E CMS/DOS environment not active  
 DMSASN113S {*mode*|Device|Disk|Printer|Punch|Reader| TAP*n*|Tapin|Tapout}[(*vdev*)] not attached

## BOP

DMSBOP037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSBOP043E TAP*n*(*vdev*) is file protected  
 DMSBOP058E End-of-file or end-of-tape  
 DMSBOP069E Disk *mode* not accessed  
 DMSBOP086W DLBL *ddname* dummy invalid for VSAM  
 DMSBOP088E Unsupported DTF type *dtftype*  
 DMSBOP089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}  
 DMSBOP113S TAP*n*(*vdev*) not attached  
 DMSBOP302E No SYSXXX operand specified  
 DMSBOP308E *mode* disk in CMS format; invalid for non-CMS dataset  
 DMSBOP400S System *sysname* does not exist  
 DMSBOP401S VM size (*size*) cannot exceed CMSDOS start address (*vstor*)  
 DMSBOP403S CMSBAM shared segment not available; reload CMSDOS  
 DMSBOP404S Logic module *fn* not found in CMSDOS segment  
 DMSBOP410S Control program error indication *xxx*  
 DMSBOP413S Storage not initialized for VSAM processing  
 DMSBOP995E Unable to obtain free storage for DMSCLS processing; redefine storage size  
 DMSBOP996E NO logic module pointer in DTF for *dtfname*

# DMS

---

## BTB

DMSBTB100E No batch processor available  
DMSBTB101E Batch not loaded  
DMSBTP105E No job card provided  
DMSBTP106E /JOB card format invalid  
DMSBTP107E CP/CMS command *command* [,*devtype*] not allowed  
DMSBTP108E /SET card format invalid  
DMSBTP109E {CPU|Printer|Punch} limit exceeded

## BWR

DMSBWR107S Disk *mode(vdev)* is full  
DMSBWR109S Virtual storage capacity exceeded  
DMSBWR170S Disk *mode(vdev)* has maximum number of files

## CAN

DMSCAN520E Invalid operand: *operand*

## CCK

DMSCCK803E Invalid parameter specification  
DMSCCK804S Error establishing CMS/DOS environment  
DMSCCK805S Error assigning output to printer  
DMSCCK806S VSE/VSAM phase IKQVCHK not found  
DMSCCK807S Error encountered issuing ASSGN for catalog

## CIO

DMSCIO113S {*mode*|Device|Disk|Printer|Punch|Reader| TAP*n*|Tapin|Tapout}{(*vdev*)] not attached  
DMSCIO145S Intervention required on {printer|punch}

## CIT

DMSCIT171T Permanent console error; re-IPL CMS

## CLR

DMSCLR386E Missing operand(s)  
DMSCLR388E Invalid keyword: *keyword*  
DMSCLR391E Unexpected operand(s): *operand*  
DMSCLR921E {Virtual screen *vname*|Window *wname*} is not defined  
DMSCLR928E Command is not valid for virtual screen *vname*  
DMSCLR929E Window *wname* is not connected to a virtual screen

## CLS

DMSCLS043E TAP*n(vdev)* is file protected  
DMSCLS058E End-of-file or end-of-tape [on TAP*n*]  
DMSCLS088E Unsupported DTF type *dtftype*

DMSCLS089E Close error code *nn* on {*fn*|SYSaaa|TAP*n*}  
 DMSCLS113S {*mode*|Device|Disk|Printer|Punch|Reader| TAP*n*|Tapin|Tapout}{(*vdev*)} not  
 attached  
 DMSCLS140S SEOV/FEOV macro not supported  
 DMSCLS403S CMSBAM shared segment not available; reload CMSDOS  
 DMSCLS404S Logic module *fn* not found in CMSBAM segment  
 DMSCLS429I TAP*n*(*vdev*) EOT on output  
 DMSCLS995E Unable to obtain free storage for DMSCLS processing; redefine storage size

**CMP**

DMSCMP002E File *fn* [*ft* [*fm*]] not found  
 DMSCMP003E Invalid option: *option*  
 DMSCMP005E No column specified  
 DMSCMP009E Column *col* exceeds record length  
 DMSCMP010E Premature EOF on file *fn* *ft* [*fm*]  
 DMSCMP011E Conflicting file formats  
 DMSCMP019E Identical fileids  
 DMSCMP029E Invalid parameter *parameter* in the option *option* field  
 DMSCMP054E Incomplete fileid specified  
 DMSCMP062E Invalid \* in fileid  
 DMSCMP069E Disk *mode* not accessed  
 DMSCMP104S Error *nn* reading file *fn* *ft* *fm* from disk  
 DMSCMP109S Virtual storage capacity exceeded  
 DMSCMP179I Comparing *fn* *ft* *fm* with *fn* *ft* *fm*  
 DMSCMP209W Files do not compare  
 DMSCMP211E Column fields out of sequence

**CON**

DMSCON006E No read/write {*disk*|diskmode} accessed  
 DMSCON639E Error in *routine* routine, return code was *retcode*  
 DMSCON950I Conversion of *fn* *ft* *fm* from XEDIT complete  
 DMSCON950I Conversion of file *fn* *ft* *fm* complete  
 DMSCON950I No errors found in file *fn* *ft* *fm*  
 DMSCON950I No errors found in *fn* *ft* *fm* from XEDIT

**CPY**

DMSCPY002E {File[(s)]|input file[(s)]|overlay file[(s)]} [*fn* [*ft* [*fm*]]] not found  
 DMSCPY003E Invalid option: *option*  
 DMSCPY024E File *fn* *ft* *fm* already exists; specify REPLACE option  
 DMSCPY029E Invalid parameter *parameter* in the option *option* field  
 DMSCPY030E File *fn* *ft* *fm* already active  
 DMSCPY037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSCPY042E No fileid(s) specified  
 DMSCPY048E Invalid mode *mode*  
 DMSCPY054E Incomplete fileid specified  
 DMSCPY062E Invalid character *char* in fileid *fn* *ft* [*fm*]  
 DMSCPY063E No [sort|translation|specification] list {entered|given}  
 DMSCPY064E Invalid [translate] specification at or near *list*  
 DMSCPY065E *option* option specified twice  
 DMSCPY066E *option1* and *option2* are conflicting options

# DMS

---

DMSCPY067E Combined input files illegal with PACK or UNPACK options  
DMSCPY068E Input file *fn ft fm* not in packed format  
DMSCPY069E Disk *mode* not accessed  
DMSCPY101S SPECS temp string storage exhausted at *storarea*  
DMSCPY102S Too many fileids  
DMSCPY103S Number of SPECS exceeds maximum *nn*  
DMSCPY156E FROM *nnn* not found--the file *fn ft fm* has only *nnn* records  
DMSCPY157E Label *label* not found in file *fn ft fm*  
DMSCPY172E TOLABEL *label* {equals|is an initial substring of} FRLABEL *label*  
DMSCPY173E No records were copied to output file *fn ft fm*  
DMSCPY601R Enter specification list:  
DMSCPY602R Enter translation list:  
DMSCPY721I Copy *fn ft fm* {to|append|ovly} *fn ft fm* ({old|new} file)  
DMSCPY901T Unexpected error at *vstor1*: *plist function fn ft fm* at *vstor2*, base *vstor3*, rc *nn*  
DMSCPY903T Impossible PHASE code *xx*  
DMSCPY904T Unexpected UNPACK error at *vstor1*, base *vstor2*

## CRD

DMSCRD171T Permanent console error

## CUR

DMSCUR386E Missing operand(s)  
DMSCUR388E Invalid keyword: *keyword*  
DMSCUR389E Invalid operand: *operand*  
DMSCUR391E Unexpected operand(s): *operand*  
DMSCUR394E Invalid option: *option*  
DMSCUR921E Virtual screen *vname* is not defined  
DMSCUR923E Specified location is outside the virtual screen  
DMSCUR928E Command is not valid for virtual screen *vname*

## CVH

DMSCVH161S Unexpected error code *nn* on *SYSaaa*

## CWR

DMSCWR171T Permanent console error

## DAS

DMSDAS109S Virtual storage capacity exceeded  
DMSDAS140S *function* function(s) not supported in CMS/DOS

## DBG

DMSDBG113S {*mode*|Device|Disk|Printer|Punch|Reader|TAP*n*}  
DMSDBG728I Debug entered

## DDL

DMSDDL003E Invalid option: *option*  
 DMSDDL006E No read/write disk accessed for *fn ft*  
 DMSDDL024E File *fn ft fm* already exists; specify REPLACE option  
 DMSDDL070E Invalid parameter *parameter*  
 DMSDDL078E Invalid card in reader deck  
 DMSDDL545E Missing operand(s)  
 DMSDDL636E Unsupported type of NETDATA file  
 DMSDDL636W Received null file; no file created  
 DMSDDL637E Missing value for the NOTEBOOK option  
 DMSDDL638E *fn ft fm* too wide to append to *fn ft fm*  
 DMSDDL639E Error in *routine* routine; return code was *nnn*  
 DMSDDL688E XEDIT option only valid from XEDIT environment

## DEF

DMSDEF014E Invalid function *function*  
 DMSDEF386E Missing operand(s)  
 DMSDEF389E Invalid operand: *operand*  
 DMSDEF391E Unexpected operand(s): *operand*  
 DMSDEF394E Invalid option: *option*  
 DMSDEF622E Insufficient free storage  
 DMSDEF676E Invalid character {'\*' | '='} for window name  
 DMSDEF913E Invalid virtual screen name: *vname*  
 DMSDEF915E Maximum number of windows already defined  
 DMSDEF920E {Virtual screen|Window} *name* already exists  
 DMSDEF922E Window does not fit entirely on the screen  
 DMSDEF926E Command is only valid on a display terminal

## DEL

DMSDEL386E Missing operand(s)  
 DMSDEL388E Invalid keyword: *keyword*  
 DMSDEL391E Unexpected operand(s): *operand*  
 DMSDEL919E The CMS {window |virtual screen} cannot be deleted  
 DMSDEL921E {Virtual screen *vname*|Window *wname*} is not defined

## DFT

DMSDFT015E Unknown CP/CMS command  
 DMSDFT639E Error in *routine* routine. Return code was *nnn*  
 DMSDFT657E Undefined PFkey/PAkey.  
 DMSDFT716E SRPI subcommand environment was not found.  
 DMSDFT717E Return code from command line entry was *nnn*  
 DMSDFT718E Unable to link to work station.  
 DMSDFT719E Work station communications not active.  
 DMSDFT720E No longer linked to work station; error code was *nnn*  
 DMSDFT812E Input was ignored.  
 DMSDFT912I Notification of *xxxx* failed with RC = *nnn*

# DMS

---

## DIO

DMSDIO905S WRITE-INHIBIT switch set on drive; notify operator

## DLB

DMSDLB001E No filename specified  
DMSDLB003E Invalid option: *option*  
DMSDLB005E No *option* specified  
DMSDLB023E No filetype specified  
DMSDLB048E Invalid mode *mode*  
DMSDLB050E Parameter missing after DDNAME  
DMSDLB065E *option* option specified twice  
DMSDLB066E *option1* and *option2* are conflicting options  
DMSDLB069E Disk *mode* not accessed  
DMSDLB070E Invalid parameter *parameter*  
DMSDLB086E Invalid DDNAME *ddname*  
DMSDLB109S Virtual storage capacity exceeded  
DMSDLB220R Enter data set name:  
DMSDLB221E Invalid data set name  
DMSDLB301E SYSaaa not assigned for disk *fm*  
DMSDLB302E No SYSXXX operand entered  
DMSDLB304E Invalid operand value *value*  
DMSDLB305E Incomplete extent range  
DMSDLB306E SYSaaa not assigned for IGNORE  
DMSDLB307E Catalog DDNAME *ddname* not found  
DMSDLB308E *mode* disk in [non-]CMS format; invalid for [non-]CMS dataset  
DMSDLB320I Maximum number of disk entries recorded  
DMSDLB321I Maximum number of extents recorded  
DMSDLB322I DDNAME *ddname* not found; no CLEAR executed  
DMSDLB323I Job catalog DLBL cleared  
DMSDLB323I Master catalog DLBL cleared  
DMSDLB324I No user defined {DLBL|MULT|EXTENT}s in effect  
DMSDLB330R Enter volume specifications:  
DMSDLB331R Enter extent specifications:

## DLK

DMSDLK001E No filename specified  
DMSDLK003E Invalid option: *option*  
DMSDLK006E No read/write disk accessed  
DMSDLK007E File *fn ft fm* is not fixed, 80-character records  
DMSDLK070E Invalid parameter *parameter*  
DMSDLK099E CMS/DOS environment not active  
DMSDLK104S Error *nn* reading file *fn ft fm* from disk  
DMSDLK105S Error *nn* writing file *fn ft fm* on disk  
DMSDLK210E Library *fn ft* is on a read/only disk  
DMSDLK245S Error *nnn* on printer

## DMP

DMSDMP020W INVALID {PDUMP|IDUMP} ADDRESS 'vstor'; NO DUMP OPERATION PERFORMED  
 DMSDMP109S VIRTUAL STORAGE CAPACITY EXCEEDED  
 DMSDMP146I IDUMP FOR identifier CALLED FROM mm/dd/yy hh:mm:ss  
 DMSDMP325W IDUMP FOR 'jobname' TERMINATED DUE TO ERROR ON '00E'

## DOS

DMSDOS091E Save area address in partition PIB not equivalent to LTA.save area address  
 DMSDOS095E Invalid address *vstor*  
 DMSDOS121S {Unsupported [function *function* of]| Invalid form of} SVC *svc* (HEX *xx*) called from *vstor*  
 DMSDOS160S Job *jobname* canceled due to program request  
 DMSDOS787E Error decompressing *macroname* macro

## DRP

DMSDRP386E Missing operand(s)  
 DMSDRP388E Invalid keyword: *keyword*  
 DMSDRP389E Invalid operand: *operand*  
 DMSDRP391E Unexpected operand(s): *operand*  
 DMSDRP921E Window *uname* is not defined  
 DMSDRP929E Window *uname* is not connected to a virtual screen

## DSK

DMSDSK002E File *fn [ft [fm]]* not found  
 DMSDSK014E Invalid function *function*  
 DMSDSK024E File *fn ft fm* already exists; specify REPLACE option  
 DMSDSK037E Disk *mode* is accessed as read/only  
 DMSDSK047E No function specified  
 DMSDSK054E Incomplete fileid specified  
 DMSDSK062E Invalid \* in fileid  
 DMSDSK069E Disk *mode* not accessed  
 DMSDSK070E Invalid parameter *parameter*  
 DMSDSK077E End card missing from input deck  
 DMSDSK078E Invalid card in input deck  
 DMSDSK078W Sequence error detected loading *fn ft*--expected *seqno1* found *seqno2*  
 DMSDSK104S Error *nn* reading file *fn ft fm* from disk  
 DMSDSK105S Error *nn* writing file *fn ft fm* on disk  
 DMSDSK109S Virtual storage capacity exceeded  
 DMSDSK118S Error punching file  
 DMSDSK124S Error reading card file  
 DMSDSK205W Reader empty or not ready  
 DMSDSK257T Internal system error at address *address* (offset *offset*)  
 DMSDSK445W Invalid data in sequence field, bypassing sequence check  
 DMSDSK496S Invalid file *fn ft fm* found in input record  
 DMSDSK550W Date/Time data not present for file *fn ft*  
 DMSDSK639E Error in *routine* routine; return code was *nnnn*  
 DMSDSK671E Error loading file *fn ft fm*; rc = *nn* from RENAME

# DMS

DMSDSK1079R Receive *fn1 ft1 fm1*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1080R Enter the new name for *fn ft fm*

DMSDSK1081R Replace *fn ft fm*?

DMSDSK1123E Unknown response *text* ignored.

DMSDSK1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

## DSL

DMSDSL002E File *fn* DOSLIB not found

DMSDSL003E Invalid option: *option*

DMSDSL013W Phase *phase* not found in library *libname*

DMSDSL014E Invalid function *function*

DMSDSL037E Disk *mode*[(*vdev*)] is accessed as read/only

DMSDSL046E No library name specified

DMSDSL047E No function specified

DMSDSL069E Disk *mode* not accessed

DMSDSL070E Invalid parameter *parameter*

DMSDSL098E No phase name specified

DMSDSL104S Error *nn* reading file *fn ft fm* from disk

DMSDSL105S Error *nn* writing file *fn ft fm* on disk

DMSDSL213W Library *fn ft fm* not created

## DSV

DMSDSV003E Invalid option: *option*

DMSDSV021W No transient directory

DMSDSV022W No core image directory

DMSDSV023W No relocatable directory

DMSDSV024W No procedure directory

DMSDSV025W No source statement directory

DMSDSV026W *phase* not in library

DMSDSV027E Invalid device *devtype* [for SYSaaa]

DMSDSV027W No private core image library

DMSDSV028W No {private|system} transient directory entries

DMSDSV047E No function specified

DMSDSV065E *option* option specified twice

DMSDSV066E *option1* and *option2* are conflicting options

DMSDSV070E Invalid parameter *parameter*

DMSDSV095E Invalid address *vstor*



DMSDSV099E CMS/DOS environment not active  
 DMSDSV105S Error *nn* writing file *fn ft fm* on disk  
 DMSDSV245S Error *nnn* on printer  
 DMSDSV411S Input error code *nn* on SYSaaa

## EDI

DMSEDI003E INVALID OPTION '*option*'  
 DMSEDI024E FILE '*fn ft fm*' ALREADY EXISTS  
 DMSEDI029E INVALID PARAMETER '*parameter*' IN THE 'LRECL' OPTION FIELD  
 DMSEDI044E RECORD LENGTH EXCEEDS ALLOWABLE MAXIMUM  
 DMSEDI048E INVALID MODE '*mode*'  
 DMSEDI054E INCOMPLETE FILEID SPECIFIED  
 DMSEDI069E DISK '*mode*' NOT ACCESSED  
 DMSEDI076E ACTUAL RECORD LENGTH EXCEEDS THAT SPECIFIED  
 DMSEDI104S ERROR '*nn*' READING FILE '*fn ft fm*' FROM DISK  
 DMSEDI105S ERROR '*nn*' WRITING FILE '*fn ft fm*' ON DISK  
 DMSEDI117S ERROR WRITING TO DISPLAY TERMINAL  
 DMSEDI132S FILE '*fn ft fm*' TOO LARGE  
 DMSEDI143S UNABLE TO LOAD MODULE  
 DMSEDI144S REQUESTED FILE IS IN ACTIVE STATUS  
 DMSEDI151E 3278 MOD5 DISPLAY TERMINAL NOT SUPPORTED BY OLD CMS EDITOR

## EDX

DMSEDX069E DISK '*mode*' NOT ACCESSED  
 DMSEDX109S VIRTUAL STORAGE CAPACITY EXCEEDED

## EIO

DMSEIO621E Bad plist: *message*  
 DMSEIO622E Insufficient free storage for EXECIO  
 DMSEIO631E *function* can only be executed from an EXEC-2 or REXX EXEC  
 DMSEIO632E I/O error in EXECIO: rc = *nnn* from *command* command

## ERD

DMSERD107S Disk *mode(vdev)* is full

## ERR

DMSERR215T No virtual console attached; re-IPL CMS

## ERS

DMSERS002E File [*fn [ft [fm]]*] not found  
 DMSERS003E Invalid option: *option*  
 DMSERS037E Disk *mode[(vdev)]* is accessed as read/only  
 DMSERS048E Invalid mode *mode*  
 DMSERS054E Incomplete fileid specified  
 DMSERS069E Disk *mode* not accessed  
 DMSERS070E Invalid parameter *parameter*  
 DMSERS071E Erase \* \* [*fm*]\* not allowed

# DMS

---

DMSERS109T Virtual storage capacity exceeded

## ERV

DMSERV001E NO FILENAME SPECIFIED.  
DMSERV002E FILE '*fn* ESERV ' NOT FOUND.  
DMSERV006E NO READ / WRITE DISK ACCESSED.  
DMSERV027E INVALID DEVICE '*devtype*' FOR '*SYSaaa*'.  
DMSERV037E DISK '*mode*' IS READ ONLY.  
DMSERV070E INVALID ARGUMENT '*argument*'.  
DMSERV099E CMS/DOS ENVIRONMENT NOT ACTIVE.  
DMSERV256S ESERV execution error, code *nn*  
DMSERV402W DMSLBR not in CMSBAM segment; ESERV support not available

## EXC

DMSEXC001E No filename specified

## EXD

DMSEXD003E Invalid option: *option*  
DMSEXD042E No execid specified  
DMSEXD070E Invalid parameter *parameter*  
DMSEXD109S Virtual storage capacity exceeded  
DMSEXD415E Invalid character *char* in execid *execname exectype*  
DMSEXD416W There are no '*execname exectype*' {SYSTEM|[or]USER|[or]SHARED} EXECs storage resident.  
DMSEXD418W Drop pending for *execname exectype*

## EXE

DMSEXE085E Error in *fn ft fm*, line *nnn* - *message*  
DMSEXE175E Invalid EXEC command  
DMSEXE255T Insufficient storage for Exec interpreter

## EXG

DMSEXG042E No {fileid|execid} specified  
DMSEXG042W No {fileid|execid} specified  
DMSEXG054E Incomplete {fileid|execid} specified  
DMSEXG054W Incomplete {fileid|execid} specified.  
DMSEXG062E Invalid {character [*char*]\*} in [output] fileid[*fn ft [fm]*]  
DMSEXG062W Invalid [character] '[=|\*|*char*|*char*]' in fileid [*fn ft [fm]*]  
DMSEXG070E INVALID {PARAMETER *PARAMETER* |ARGUMENT *ARGUMENT* }  
DMSEXG070W Invalid {parameter '*parameter*'|argument '*argument*' }  
DMSEXG104S ERROR *NN* READING FILE *fn ft fm* [FROM {DISK|XEDIT}]  
DMSEXG104W Error *nn* reading file *fn ft fm* [from {disk|XEDIT}]  
DMSEXG105S Error *nn* writing file *fn ft fm* [{on disk|to XEDIT}]  
DMSEXG109S Virtual storage capacity exceeded  
DMSEXG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from FINDSYS  
DMSEXG286W The DCSS is too small for the data being stored.

DMSEXG288E	dcssname DCSS not saved.
DMSEXG288I	dcssname DCSS not saved.
DMSEXG297W	Execid ' <i>execid</i> ' was not loaded.
DMSEXG298R	An error has been detected while building the DCSS. Do you still want the DCSS saved? Enter 1 (YES) or 0 (NO)
DMSEXG414E	Execid <i>execname exectype</i> already in storage
DMSEXG415W	Invalid character ' <i>char</i> ' in execid ' <i>execname exectype</i> '.
DMSEXG417W	Only EXEC 2 and REXX EXECs are supported as storage resident EXECs.

## EXL

DMSEXL003E	Invalid option: <i>option</i>
DMSEXL042E	No execid specified
DMSEXL054E	Incomplete fileid specified
DMSEXL062E	Invalid character * in fileid
DMSEXL070E	Invalid parameter <i>parameter</i>
DMSEXL104S	Error <i>nn</i> reading file <i>fn ft fm</i> from disk
DMSEXL109S	Virtual storage capacity exceeded
DMSEXL414E	Execid <i>execname exectype</i> already in storage
DMSEXL415E	Invalid character <i>char</i> in execid <i>execname exectype</i>
DMSEXL417E	Only EXEC-2 and REXX EXECs are supported as storage resident EXECs

## EXM

DMSEXM003E	Invalid option: <i>option</i>
DMSEXM070E	Invalid parameter <i>parameter</i>
DMSEXM109S	Virtual storage capacity exceeded
DMSEXM415E	Invalid character <i>char</i> in execid <i>execname exectype</i>
DMSEXM416W	There are no ' <i>execname exectype</i> ' {SYSTEM [or]USER [or]SHARED} EXECs storage resident.

## EXQ

DMSEXQ003E	Invalid option: <i>option</i>
DMSEXQ042E	No execid specified
DMSEXQ054E	Incomplete execid specified
DMSEXQ070E	Invalid parameter <i>parameter</i>
DMSEXQ109S	Virtual storage capacity exceeded
DMSEXQ415E	Invalid character <i>char</i> in execid <i>execname exectype</i>

## EXT

DMSEXT072E	ERROR IN EXEC FILE ' <i>fn</i> ' LINE ' <i>nnn</i> ' - message
------------	--

## FCH

DMSFCH016E	No private core image library found
DMSFCH104S	Error <i>nn</i> reading file <i>fn ft fm</i> from disk
DMSFCH109S	Virtual storage capacity exceeded
DMSFCH113S	Disk( <i>vdev</i> ) not attached
DMSFCH115E	Phase load point less than <i>vstor</i>
DMSFCH411S	Input error code <i>nn</i> on SYSaaa

# DMS

---

DMSFCH623S Phase cannot be loaded at location *hexloc*--this area is available for system use only  
DMSFCH777S DOS partition too small to accommodate fetch request

## FCO

DMSFCO001E NO FILENAME SPECIFIED.  
DMSFCO002E FILE 'fn COBOL' NOT FOUND.  
DMSFCO006E NO READ/WRITE DISK ACCESSED.  
DMSFCO027E INVALID DEVICE 'devtype' FOR 'SYSaaa'.  
DMSFCO037E DISK 'mode' IS READ ONLY.  
DMSFCO070E INVALID ARGUMENT 'argument'.  
DMSFCO099E CMS/DOS ENVIRONMENT NOT ACTIVE.

## FET

DMSFET003E Invalid option: *option*  
DMSFET004E Phase *phase* not found  
DMSFET029E Invalid parameter *parameter* in the option *option* field  
DMSFET070E Invalid parameter *parameter*  
DMSFET098E No phase name specified  
DMSFET099E CMS/DOS environment not active  
DMSFET623S Phase cannot be loaded at location *hexloc*--this area is available for system use only  
DMSFET710I Phase *phase* entry point at location *hexloc*

## FLD

DMSFLD003E Invalid option: *option*  
DMSFLD023E No filetype specified  
DMSFLD027E Invalid device *devtype* [for SYSaaa]  
DMSFLD029E Invalid parameter *parameter* in the option *option* field  
DMSFLD035E Invalid tape mode  
DMSFLD050E Parameter missing after DDNAME  
DMSFLD065E *option* option specified twice  
DMSFLD066E *option1* and *option2* are conflicting options  
DMSFLD069I Disk *mode* not accessed  
DMSFLD070E Invalid parameter *parameter*  
DMSFLD109S Virtual storage capacity exceeded  
DMSFLD220R Enter data set name:  
DMSFLD221E Invalid data set name  
DMSFLD224E Fileid already in use  
DMSFLD324I No user defined FILEDEFs in effect  
DMSFLD420E NSL exit filename missing or invalid  
DMSFLD699E No filetype specified or *vdev* is an invalid disk address  
DMSFLD704I Invalid CLEAR request  
DMSFLD735E Primary and alternate drives are identical.

## FLO

DMSFLO003E Invalid option: *option*  
DMSFLO029E Invalid parameter *parameter* in the option *option* field

DMSFLO035E Invalid tape mode  
 DMSFLO066E *option* and *option* are conflicting options  
 DMSFLO109S Virtual storage capacity exceeded  
 DMSFLO447E Invalid SYSPARM information.

## FNS

DMSFNS109T Virtual storage capacity exceeded  
 DMSFNS908T File system error detected at virtual address *vdev*; reason code *nn*  
 DMSFNS909T Permanent I/O error on *vdev*; *csw* = *csw*, *sense* = *sense*

## FOR

DMSFOR003E Invalid option: *option*  
 DMSFOR005E No BLKSIZE specified  
 DMSFOR017E Invalid device address *vdev*  
 DMSFOR028E No device specified  
 DMSFOR037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSFOR048E Invalid mode *mode*  
 DMSFOR069E Disk *mode* not accessed  
 DMSFOR070E Invalid parameter *parameter*  
 DMSFOR113S Device *vdev* not attached  
 DMSFOR114S Device *vdev* is an unsupported device type, or requested BLKSIZE is not supported for the device  
 DMSFOR125S Permanent unit check on disk *mode*(*vdev*)  
 DMSFOR126S Error {reading|writing} label on disk *mode*(*vdev*)  
 DMSFOR214W Cannot recompute without loss of data; no change  
 DMSFOR216E Insufficient blocks on disk to support CMS disk structure  
 DMSFOR603R Format will erase all files on disk *mode*(*vdev*). Do you wish to continue? Enter 1 (YES) or 0 (NO)  
 DMSFOR605R Enter disk label:  
 DMSFOR705I Disk remains unchanged  
 DMSFOR732I *nnnn* {cylinders|FB-512 blocks} formatted on *mode*(*vdev*)  
 DMSFOR733I Formatting disk *mode*

## FRE

DMSFRE159T Insufficient storage available to satisfy DMSFREE request from *vstor*  
 DMSFRE160T Invalid DMSFREE call from *vstor*  
 DMSFRE161T Invalid DMSFRET call from *vstor*, error number *nn*  
 DMSFRE162T Vital free storage pointers destroyed (internal error code *nn*); re-IPL CMS  
 DMSFRE163T {High-core|Low-core} user chain has been destroyed (internal error code *nn*)  
 DMSFRE164T {High-core|Low-core} nucleus storage pointers destroyed (internal error code *nn*)  
 DMSFRE165T Chain header at *vstor*: *vstor*  
 DMSFRE166T Unexpected error in free storage management routine (internal error code *nn*); re-IPL CMS  
 DMSFRE167T Free storage management error (internal code error *n*)

## GAM

DMSGAM951E Invalid SVC *svc*; GAM/SP not installed  
 DMSGAM952E Virtual storage size too large for MSGAM shared segment to load at *vstor*

# DMS

---

DMSGAM953E CMSGAM shared segment error: module address for SVC *svc* is zero  
DMSGAM954E CMSGAM shared segment error: identifier invalid for SVC *svc*  
DMSGAM955E CMSGAM shared segment paging I/O errors with *code*  
DMSGAM956E Insufficient storage for GAM/SP anchor block

## GEN

DMSGEN006E NO READ/WRITE A-DISK ACCESSED.  
DMSGEN095E INVALID ADDRESS '*vstor*'.  
DMSGEN110E CORRECT FORM IS: DOSGEN LOCATION (SEGNAME)  
DMSGEN111E DOSGEN FAILED DUE TO LOAD ERRORS.  
DMSGEN141S DOSGEN FAILED DUE TO SAVESYS ERRORS.  
DMSGEN412S DOSGEN FAILED DUE TO SETKEY ERRORS  
DMSGEN715I DOSGEN COMPLETE.

## GET

DMSGET069E Disk *mode* not accessed  
DMSGET386E Missing operand(s)  
DMSGET388E Invalid keyword: *keyword*  
DMSGET389E Invalid operand: *operand*  
DMSGET391E Unexpected operand(s): *operand*  
DMSGET921E Virtual screen *vname* is not defined

## GLB

DMSGLB002W File *fn ft [fm]* not found  
DMSGLB014E Invalid function *function*  
DMSGLB047E No function specified  
DMSGLB056E File *fn ft [fm]* contains invalid record formats  
DMSGLB104S Error *nn* reading file *fn ft fm* from disk  
DMSGLB108S More than *nn* libraries specified.  
DMSGLB109S Virtual storage capacity exceeded

## GLO

DMSGLO047E No function specified  
DMSGLO104S Error *nn* reading file *fn* GLOBALV A from disk  
DMSGLO109S Virtual storage capacity exceeded  
DMSGLO622E Insufficient free storage; no table made  
DMSGLO628E Invalid GLOBALV function *function*  
DMSGLO631E *function* can only be executed from an EXEC-2 or REXX exec [or as a CMS command]  
DMSGLO649E Extraneous parameter *parameter*

## GMF

DMSGMF121S {Unsupported [function *function* of]} Invalid form of} SVC *svc* (HEX *xx*) called from *vstor*

## GND

DMSGND002W File *fn ft [fm]* not found  
 DMSGND021E Entry point *name* not found  
 DMSGND022E No directory name specified  
 DMSGND070E Invalid parameter *parameter*

## GRN

DMSGRN002E File *fn [ft [fm]]* not found  
 DMSGRN003E Invalid option: *option*  
 DMSGRN007E File *fn ft fm* is not fixed, 80-character records  
 DMSGRN048E Invalid mode *mode*  
 DMSGRN054E Incomplete fileid specified  
 DMSGRN078E Invalid card in input file *fn*

## GVE

DMSGVE069E Disk *mode* not accessed

## HDS

DMSHDS109S Virtual storage capacity exceeded

## HEL

DMSHEL241I {Press PF10 for detail information; PF11 for related information.}Press PF10 for detail information.}Press PF11 to get related information.}  
 DMSHEL241I {Press PF10 for detail information; PF11 for related information.}Press PF10 for detail information.}Press PF11 to get related information.}  
 DMSHEL241I {Press PF10 for detail information; PF11 for related information.}Press PF10 for detail information.}Press PF11 to get related information.}  
 DMSHEL242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.  
 DMSHEL243I RELATED information is not available.  
 DMSHEL244W Requested HELP section unavailable; *option* option assumed.  
 DMSHEL254E Help cannot find the requested information. If not misspelled, enter HELP for menu assistance or HELP HELP for the HELP command.  
 DMSHEL529E *subcommand* subcommand is only valid in editing mode  
 DMSHEL545E Missing operand(s)  
 DMSHEL561E Cursor is not on a valid data field  
 DMSHEL586E String not found  
 DMSHEL649E Extraneous parameter *parameter*  
 DMSHEL657E Undefined PFkey/PAkey

## HID

DMSHID386E Missing operand(s)  
 DMSHID388E Invalid keyword: *keyword*  
 DMSHID389E Invalid operand: *operand*  
 DMSHID391E Unexpected operand(s): *operand*  
 DMSHID921E Window *wname* is not defined

# DMS

---

## HLB

DMSHLB251E HELP processing error code *nnn* - description.

## HLC

DMSHLC003E Invalid option *option*

## HLI

DMSHLI002E File not found.

DMSHLI104S Error *nn* reading file *fn ft fm* from disk.

DMSHLI109S Virtual storage capacity exceeded

## HLL

DMSHLL242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.

DMSHLL243I RELATED information is not available.

DMSHLL244W Requested HELP section unavailable; *option* option assumed.

DMSHLL254E Help cannot find the requested information. If not misspelled, enter HELP for menu assistance or HELP HELP for the HELP command.

DMSHLL355I For related information on this subject, enter MOREHELP (RELATED).

DMSHLL356I For more detail on this subject, enter MOREHELP.

DMSHLL639E Error in *routine* routine; return code was *nn*

## HLP

DMSHLP002E File not found

DMSHLP003E Invalid option: *option*

DMSHLP048E Invalid filemode

DMSHLP054E Incomplete fileid specified

DMSHLP104S Error *nn* reading file *fn ft fm* from disk

DMSHLP109S Virtual storage capacity exceeded

DMSHLP250S I/O error or device error

DMSHLP251E Help processing error; code *nnn*: *description*

DMSHLP649E Extraneous parameter *parameter*

DMSHLP907T I/O error on file *fn ft fm*

## HLR

DMSHLR639E Error in *routine* routine. Return code was *xx*.

## HLS

DMSHLS109S Virtual storage capacity exceeded

DMSHLS250S I/O error or device error.

DMSHLS907T I/O error on file.

## HLZ



DMSHLZ242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.

## ICP

DMSICP001E No filename specified  
 DMSICP002E File *fn* IOCP not found  
 DMSICP003E Invalid option: *option*  
 DMSICP006E No read/write disk accessed  
 DMSICP007E File *fn* IOCP is not fixed, 80-character records  
 DMSICP038E Fileid conflict for DDNAME SYSIN  
 DMSICP070E Invalid parameter *parameter*  
 DMSICP075E Device *devtype* invalid for input  
 DMSICP099E CMS/DOS environment active

## IDE

DMSIDE003E Invalid option: *option*  
 DMSIDE056E File *fn ft [fm]* contains invalid record formats  
 DMSIDE070E Invalid parameter *parameter*  
 DMSIDE104S Error *nn* reading file *fn ft fm* from disk

## IFC

DMSIFC002E FILE *fn ft [fm]* NOT FOUND  
 DMSIFC007E FILE *fn ft fm* IS NOT FIXED, 80-CHARACTER RECORDS  
 DMSIFC023E NO FILETYPE SPECIFIED  
 DMSIFC070E INVALID PARAMETER *PARAMETER*  
 DMSIFC104S ERROR *NN* READING FILE *fn ft fm* FROM DISK  
 DMSIFC825E CLEAR IS VALID ONLY WHEN SPECIFIED BY ITSELF  
 DMSIFC826E EREP TXTLIBS NOT FOUND  
 DMSIFC828I CPEREP ZERO OR CLEAR HAS BEEN COMPLETED  
 DMSIFC829W ATTEMPTED ZERO WAS SUPPRESSED. REQUIRES PRIVILEGE CLASS F  
 DMSIFC831E MORE THAN 100 CHARACTERS OF OPTIONS SPECIFIED  
 DMSIFC832S SOFTWARE INCOMPATIBILITY AT THE CPEREP-EREP INTERFACE;  
 CODE = *NNN*

## IMA

DMSIMA001E No module name specified  
 DMSIMA002E File *fn ft fm* not found  
 DMSIMA003E Invalid option *option*  
 DMSIMA013E Member *membername* not found in library *libname*  
 DMSIMA014E Invalid function *function*  
 DMSIMA046E No library name specified  
 DMSIMA047E No function specified  
 DMSIMA109S Virtual storage capacity exceeded  
 DMSIMA346E Error *nn* loading *fn ft* from disk  
 DMSIMA347E Error *nn* loading library *libname*  
 DMSIMA348E Error *nn* saving library *libname*  
 DMSIMA349E Invalid library *libname*  
 DMSIMA751I Member *membername* found in library *libname*

# DMS

## IMM

DMSIMM014E Invalid function *function*  
DMSIMM047E No function specified  
DMSIMM070E Invalid parameter *parameter*  
DMSIMM109S Virtual storage capacity exceeded  
DMSIMM261E No immediate command name was specified  
DMSIMM262E Immediate command *command* not found  
DMSIMM263E Specified immediate command is a nucleus extension and cannot be cleared

## INI

DMSINI079E Invalid device address; reenter  
DMSINI080E Invalid CYL/BLK number; reenter  
DMSINI081E Invalid reply; enter 1 (YES) or 0 (NO)  
DMSINI082E IPL device error; reenter  
DMSINI083E Nucleus CYL/BLK specification unacceptable; error *x*  
DMSINI131S IPL device write I/O error  
DMSINI259E Disk blocksize of IPL device is too small to save the nucleus  
DMSINI260T Virtual machine size too small to IPL non-shared copy of CMS  
DMSINI360E Invalid response *response*  
DMSINI607R Rewrite the nucleus? Enter 1 (YES) or 0 (NO)  
DMSINI608R IPL device address = *vdev*  
DMSINI609R Nucleus (CYL or BLK) address = *nnnn*  
DMSINI610R Also IPL CYL/BLK 0? Enter 1 (YES) or 0 (NO)  
DMSINI611R Version identification =  
DMSINI612R Installation heading =  
DMSINI729R Do you want to save the system? Enter 1 (YES) or 0 (NO).  
DMSINI730R Saved systemname =  
DMSINI902T IPL device read I/O error

## INQ

DMSINQ079E Invalid device address; reenter  
DMSINQ293R Is this a DBCS language? Enter 1 (YES) or 0 (NO)  
DMSINQ294E Invalid language level id; reenter  
DMSINQ295R Language level id =  
DMSINQ296R Should the installation segment be used? Enter 1 (YES) or 0 (NO)  
DMSINQ310R Installation segment name =  
DMSINQ606R System disk address = *vdev*  
DMSINQ615R Y-disk address = *vdev*  
DMSINQ640R HELP disk address = *vdev*  
DMSINQ764R Language id =

## INS

DMSINS003E Invalid option: *option*  
DMSINS100W Shared {S-STAT|Y-STAT} not available  
DMSINS311W No system name specified; system not saved  
DMSINS313W SYSPROF EXEC not found; notify system administrator  
DMSINS314W Automatic re-IPL by CP; no information available  
DMSINS314W Automatic re-IPL by CP due to translation exception while in non-EC mode

DMSINS314W	Automatic re-IPL by CP due to a paging error
DMSINS314W	Automatic re-IPL by CP due to external interrupt loop; PSW <i>psw</i>
DMSINS314W	Automatic re-IPL by CP <i>name</i> -shared page <i>hexloc</i> altered
DMSINS314W	Automatic re-IPL by CP due to disabled wait; PSW <i>psw</i>
DMSINS314W	Automatic re-IPL by CP due to program interrupt loop; PSW <i>psw</i>
DMSINS315W	Conflicting parameters specified; all parameters have been ignored
DMSINS327I	The EXEC DCSS could not be loaded.
DMSINS327W	INSTSEG value omitted; no shared EXECs loaded.
DMSINS731W	System will not be saved; reissue the IPL command with the SAVESYS parameter

## INT

DMSINT015E	Unknown {CP/CMS CMS CP} {CMS subset} command
DMSINT015E	Invalid {CMS subset} command
DMSINT512E	Invalid subset command
DMSINT513E	Unknown CP/CMS command

## ITE

DMSITE910T	An error occurred while the external interrupt handler was trying to sever IUCV path <i>pathid</i> ; re-IPL CMS
------------	---

## ITP

DMSITP141T	{ <i>exception exception</i>  Program interrupt <i>Xxx</i> } occurred at <i>vstor</i> in routine <i>routine</i>
DMSITP142T	{ <i>exception exception</i>  Program interrupt <i>Xxx</i> } occurred at <i>vstor</i> in routine <i>routine</i> during SPIE exit routine
DMSITP143T	{ <i>exception exception</i>  Program interrupt <i>Xxx</i> } occurred at <i>vstor</i> in system routine <i>routine</i> ; re-IPL CMS
DMSITP144T	{ <i>exception exception</i>  Program interrupt <i>Xxx</i> } occurred at <i>vstor</i> in routine <i>routine</i> while UFDBUSY = <i>xx</i> ; re-IPL CMS

## ITS

DMSITS122S	Error in call to routine from <i>vstor</i> , error code <i>nnn</i> (HEX <i>xxxxxx</i> )
DMSITS134S	Unsupported SVC 203 code <i>nn</i> called from <i>vstor</i>
DMSITS135S	Maximum SVC depth 20 has been exceeded with call at <i>vstor</i>
DMSITS136T	SVC call from <i>vstor</i> illegally re-enters INTSVC; re-IPL CMS
DMSITS137T	Call to routine from <i>vstor</i> destroyed system save area; re-IPL CMS
DMSITS138T	DMSKEY call from <i>vstor</i> overflows key stack, with maximum depth 7
DMSITS139T	DMSKEY RESET from <i>vstor</i> underflows key stack
DMSITS140T	<i>routine</i> routine called from <i>vstor</i> did DMSKEY with no reset
DMSITS154T	Save area for SVC call from <i>vstor</i> cannot be allocated

## IUC

DMSIUC754W	Label CMSGEXIT, the IUCV Pending Connect exit, was given control. This is an error.
DMSIUC911E	An IUCV sever error occurred on path <i>pathid</i> , iprcode = <i>xx</i> ; severing of other paths continues

# DMS

---

## JOI

DMSJOI526E Option CURSOR valid in display mode only  
DMSJOI561E Cursor is not on a valid data field  
DMSJOI564W EOF reached  
DMSJOI575E Invalid argument or JOIN column(s) defined  
DMSJOI585E No line(s) changed  
DMSJOI685E Joined line(s) exceed zone settings

## LBD

DMSLBD003E Invalid option: *option*  
DMSLBD029E Invalid parameter *parameter* in the option *option* field  
DMSLBD065E *option* option specified twice  
DMSLBD066E *option1* and *option2* are conflicting options  
DMSLBD070E Invalid parameter *parameter*  
DMSLBD109S Virtual storage capacity exceeded  
DMSLBD220R Enter data set name:  
DMSLBD221E Invalid data set name  
DMSLBD324I No user defined LABELDEFs in effect  
DMSLBD438E Valid *valid* is a duplicate entry  
DMSLBD439E Valid *valid* is an invalid entry  
DMSLBD441R Enter valid information  
DMSLBD442E SCRATCH may only be used as the last valid for the file  
DMSLBD704I Invalid CLEAR request

## LBM

DMSLBM001E No filename specified  
DMSLBM002E File *fn* MACLIB not found  
DMSLBM002W File *fn ft [fm]* not found  
DMSLBM003E Invalid option: *option*  
DMSLBM013W Member *membername* not found in library *libname*  
DMSLBM014E Invalid function *function*  
DMSLBM037E Disk *mode[(vdev)]* is accessed as read/only  
DMSLBM046E No library name specified  
DMSLBM047E No function specified  
DMSLBM056E File *fn ft [fm]* contains invalid record formats  
DMSLBM069E Disk *mode* not accessed  
DMSLBM070E Invalid parameter *parameter*  
DMSLBM104S Error *nn* reading file *fn ft fm* from disk  
DMSLBM105S Error *nn* writing file *fn ft fm* on disk  
DMSLBM109S Virtual storage capacity exceeded  
DMSLBM157S MACLIB limit exceeded[, last member added was *membername*]  
DMSLBM167S Previous MACLIB function not finished  
DMSLBM213W Library *fn* MACLIB *fm* not created, or erased if empty  
DMSLBM688E XEDIT option only valid from XEDIT environment  
DMSLBM689E File must be F-format 130 or V-format  
DMSLBM907T I/O error on file *fn ft fm*

## LBR

DMSLBR256S ESERV execution error, code *nn*

## LBT

DMSLBT001E No {file|CSECT} name specified  
 DMSLBT002E File *fn* [*ft* [*fm*]] not found  
 DMSLBT002W File *fn* *ft* [*fm*] not found  
 DMSLBT003E Invalid option: *option*  
 DMSLBT013E Member *membername* not found in file *fn* *ft* *fm*  
 DMSLBT037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSLBT047E No function specified  
 DMSLBT056E File *fn* *ft* [*fm*] contains invalid [name|alias|entry|ESD] record formats  
 DMSLBT069E Disk *mode* not accessed  
 DMSLBT104S Error *nn* reading file *fn* *ft* *fm* from disk  
 DMSLBT105S Error *nn* writing file *fn* *ft* *fm* on disk  
 DMSLBT106S Number of member names exceeds maximum of 2000; file *fn* TEXT not added  
 DMSLBT213W Library *fn* TXTLIB not created, or erased if empty

## LCK

DMSLCK109S Virtual storage capacity exceeded  
 DMSLCK119S Unsupported form of {*macroname*|*parameter*}

## LDF

DMSLDF004E Phase *phase* not found  
 DMSLDF140S *function* function(s) not supported in CMS/DOS  
 DMSLDF161S Unexpected error code *nn* on SYSaaa  
 DMSLDF401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
 DMSLDF413S Storage not initialized for VSAM processing

## LDS

DMSLDS002E Dataset not found  
 DMSLDS003E Invalid option: *option*  
 DMSLDS048E Invalid mode *mode*  
 DMSLDS069E Disk *mode* not accessed  
 DMSLDS220R Enter data set name:  
 DMSLDS221E Invalid data set name  
 DMSLDS222E I/O error reading *data set name* from {*fm*|OS|DOS} disk  
 DMSLDS223E No filemode specified  
 DMSLDS226E No dataset name allowed with FREE option  
 DMSLDS227W Invalid extent found for *data set name* on *fm* disk  
 DMSLDS229I No members found  
 DMSLDS231E I/O error reading VTOC from {*fm*|OS|DOS} disk  
 DMSLDS233I No free space available on *fm* disk  
 DMSLDS333E *nnnnn*K partition too large for this virtual machine

## LGT

DMSLGT002I File *fn* TXTLIB not found

# DMS

---

## LIC

DMSLIC096S Unsupported function in a LIOCS routine for command

## LIO

DMSLIO001E No filename specified  
DMSLIO002E File[(s)] *fn* TXTLIB not found  
DMSLIO003E Invalid option: *option*  
DMSLIO005E No *option* specified  
DMSLIO021E Entry point *name* not found  
DMSLIO029E Invalid parameter *parameter* in the option *option* field  
DMSLIO055E No entry point defined  
DMSLIO056E File *fn ft [fm]* contains invalid record formats  
DMSLIO099E CMS/DOS environment not active  
DMSLIO104S Error *nn* reading file *fn ft fm* from disk  
DMSLIO105S Error *nn* writing file *fn ft fm* on disk  
DMSLIO109S Virtual storage capacity exceeded  
DMSLIO116S Loader table overflow  
DMSLIO168S Pseudo register table overflow  
DMSLIO169S ESDID table overflow  
DMSLIO201W The following names are undefined: *namelist*  
DMSLIO202W Duplicate identifier *identifier*  
DMSLIO203W SET LOCATION COUNTER *name* undefined  
DMSLIO206W Pseudo register alignment error  
DMSLIO623S Module cannot be loaded at location *location*--this area is available for system use only  
DMSLIO625S There are too many items that require relocation to save all of the RLD information  
DMSLIO740I Execution begins ...  
DMSLIO749W There are too many comments in text files to be included in the module  
DMSLIO907T I/O error on file *fn ft fm*

## LKD

DMSLKD001E No filename specified  
DMSLKD002E File *fn [ft [fm]]* not found  
DMSLKD004W Warning messages issued  
DMSLKD005E No *option* specified  
DMSLKD006E No read/write disk accessed  
DMSLKD007E File *fn ft fm [is]* not fixed, 80-character records  
DMSLKD008W Error messages issued  
DMSLKD012W Severe error messages issued  
DMSLKD016W Terminal error messages issued  
DMSLKD070E Invalid parameter *parameter*

## LLU

DMSLLU003E Invalid option: *option*  
DMSLLU006E No read/write A disk accessed  
DMSLLU070E Invalid parameter *parameter*  
DMSLLU099E CMS/DOS environment not active

DMSLLU105S Error *nn* writing file *fn ft fm* on disk  
 DMSLLU303E No SYSXXX satisfies request

**LMX**

DMSLMX264E *command* is not a valid command to be established as a nucleus extension by  
 DMSLMX  
 DMSLMX514E Return code *nnn* from NUCXLOAD

**LOS**

DMSLOS002I File(s) *fn* LOADLIB not found  
 DMSLOS013E Member *membername* not found in library *libname*  
 DMSLOS073E Unable to open file *ddname*

**LST**

DMSLST002E File(s) [*fn [fn [fm]]*] not found  
 DMSLST003E Invalid option: *option*  
 DMSLST037E {Disk|Output disk} *mode*[(*vdev*)] is accessed as read/only  
 DMSLST048E Invalid mode *mode*  
 DMSLST066E *option1* and *option2* are conflicting options  
 DMSLST069E Disk *mode* not accessed  
 DMSLST070E Invalid parameter *parameter*  
 DMSLST105S Error *nn* writing file *fn ft fm* on disk  
 DMSLST688E XEDIT option only valid from XEDIT environment  
 DMSLST689E File must be F-format 108 or V-format

**MAX**

DMSMAX386E Missing operand(s)  
 DMSMAX388E Invalid keyword: *keyword*  
 DMSMAX391E Unexpected operand(s): *operand*  
 DMSMAX921E Window *wname* is not defined

**MCM**

DMSMCM093E MVCOM macro attempt to alter positions other than 12-23 of COMREG  
 DMSMCM094E FROM address on MVCOM macro invalid

**MDP**

DMSMDP001E No filename specified  
 DMSMDP070E Invalid parameter *parameter*

**MGC**

DMSMGC002E File *fn ft fm* not found  
 DMSMGC003E Invalid option: *option*  
 DMSMGC006E No read/write disk accessed  
 DMSMGC029E Invalid parameter *parameter* in the option *option* field  
 DMSMGC049E Invalid line number *nn*  
 DMSMGC054E Incomplete fileid specified

# DMS

DMSMGC065E	<i>option</i> option specified twice
DMSMGC066E	<i>option1</i> and <i>option2</i> are conflicting options
DMSMGC073E	Unable to open file <i>ddname</i>
DMSMGC104S	Error <i>nn</i> reading file <i>fn ft fm</i> from disk
DMSMGC105S	Error <i>nn</i> writing file <i>fn ft fm</i> to disk
DMSMGC109S	Virtual storage capacity exceeded
DMSMGC147E	Message not in ascending sequence
DMSMGC580E	Invalid string: {invalid double-byte character(s)  unmatched shift-out (SO) and shift-in (SI)}
DMSMGC766I	Substitution character is <i>char</i>
DMSMGC767I	Number of message number characters to be displayed is <i>nn</i>
DMSMGC768W	Invalid substitution character value <i>char</i>
DMSMGC769W	Invalid number of message characters value <i>value</i>
DMSMGC770E	Invalid application id <i>applid</i>
DMSMGC771E	Invalid message number
DMSMGC772E	Invalid format number
DMSMGC773E	Duplicate message id <i>id</i>
DMSMGC774E	Line numbers for messages are not consecutive
DMSMGC775W	Text too long - 240 characters is the maximum allowed
DMSMGC776I	Options used: <i>list</i>

## MGM

DMSMGM813E	<i>repos</i> repository not found, message <i>text</i> cannot be retrieved
DMSMGM814E	Message number <i>nnnn</i> , format <i>nn</i> , line <i>nn</i> was not found; it was called from <i>routine</i> in application <i>applid</i>
DMSMGM815E	Invalid double-byte character string <i>text</i> replaced by '**'

## MGX

DMSMGX003E	Invalid option: <i>option</i>
DMSMGX029E	Invalid parameter <i>parameter</i> in the option <i>option</i> field
DMSMGX050E	Parameter missing after <i>option</i>
DMSMGX065E	<i>option</i> option specified twice
DMSMGX066E	<i>option1</i> and <i>option2</i> are conflicting options
DMSMGX080E	Invalid <i>numtype</i> number
DMSMGX109S	Virtual storage capacity exceeded
DMSMGX405E	Invalid or missing message number
DMSMGX408E	Number of substitutions exceeds 20
DMSMGX631E	XMITMSG must be invoked from a EXEC2 or REXX EXEC or as a CMS command

## MIN

DMSMIN386E	Missing operand(s)
DMSMIN388E	Invalid keyword: <i>keyword</i>
DMSMIN391E	Unexpected operand(s): <i>operand</i>
DMSMIN921E	Window <i>wname</i> is not defined

## MOD

DMSMOD001E	No filename specified
------------	-----------------------



DMSMOD002E File(s) [fn [ft [fm]]] not found  
 DMSMOD003E Invalid option: *option*  
 DMSMOD005E No *option* specified  
 DMSMOD018E No load map available  
 DMSMOD021E Entry point *name* not found  
 DMSMOD032E Invalid filetype *ft*  
 DMSMOD037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSMOD040E No files loaded  
 DMSMOD069E Disk *mode* not accessed  
 DMSMOD070E Invalid parameter *parameter*  
 DMSMOD084E Invalid use of FROM and TO options  
 DMSMOD104S Error *nn* reading file *fn ft fm* from disk  
 DMSMOD105S Error *nn* writing file *fn ft fm* on disk  
 DMSMOD109S Virtual storage capacity exceeded  
 DMSMOD114E *fn ft fm* not loaded; CMS/DOS environment [not] active  
 DMSMOD116S Loader table overflow

**MOR**

DMSMOR353E No previous HELP command has been entered. Please enter HELP MOREHELP for information on the MOREHELP command.  
 DMSMOR354E Related information is not available for the last HELP command entered.  
 DMSMOR639E Error in *routine* routine. Return code was *xx*.

**MVE**

DMSMVE002E File(s) [fn [ft [fm]]] not found  
 DMSMVE003E Invalid option: *option*  
 DMSMVE037E Output disk *mode*[(*vdev*)] is accessed as read/only  
 DMSMVE041E Input and output files are the same  
 DMSMVE069E Output disk *mode* is not accessed  
 DMSMVE070E Invalid parameter *parameter*  
 DMSMVE075E Device *devtype* invalid for {input|output}  
 DMSMVE086E Invalid DDNAME *ddname*  
 DMSMVE127S Unsupported device for DDNAME  
 DMSMVE128S I/O error on input after reading *nnn* records; input error code on DDNAME  
 DMSMVE129S I/O error on output writing record number *nnnn*; output error code on DDNAME  
 DMSMVE130S Blocksize on V format file *ddname* is less than 9  
 DMSMVE225I PDS member *membername* moved  
 DMSMVE226I End of PDS move  
 DMSMVE232E Invalid RECFM--spanned records not supported  
 DMSMVE706I Terminal input; type null line for end of data  
 DMSMVE708I Disk file *fn ddname* A1 assumed for DDNAME *ddname*

**MVG**

DMSMVG089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}

**NAM**

DMSNAM002E Files [fn [ft [fm]]] not found  
 DMSNAM003E Invalid option: *option*

# DMS

---

DMSNAM029E Invalid parameter *parameter* in the option *option* field  
DMSNAM104S Error *nn* reading file *fn ft fm* from {disk|XEDIT}  
DMSNAM156E Record *nnn* not found-- the file *fn ft fm* has only *nnn* records  
DMSNAM618E NUCEXT failed  
DMSNAM621E Bad plist: *message*  
DMSNAM622E Insufficient free storage for NAMEFIND  
DMSNAM622W Insufficient free storage for NAMEFIND buffer, processing continues  
DMSNAM633E Too many tags were encountered--maximum is 64 per line  
DMSNAM633W Returned values were truncated  
DMSNAM634E No value to search for was specified  
DMSNAM635I No entries were found that matched your search criteria  
DMSNAM637E Missing value for the *option* option  
DMSNAM688E XEDIT option only valid from XEDIT environment

## NCP

DMSNCP001E NO FILENAME SPECIFIED  
DMSNCP002E FILE 'fn ft fm' NOT FOUND  
DMSNCP003E INVALID OPTION 'option'  
DMSNCP013E MEMBER 'membername' NOT FOUND IN LIBRARY 'libname'  
DMSNCP021E ENTRY POINT 'name' NOT FOUND  
DMSNCP025E INVALID DATA IN 370X CONTROL PROGRAM  
DMSNCP045E UNSUPPORTED 370X CONTROL PROGRAM TYPE  
DMSNCP056E FILE 'fn ft fm' CONTAINS INVALID RECORD FORMATS  
DMSNCP099W GENERATION PARAMETERS INCOMPATIBLE WITH VM/370  
DMSNCP109S VIRTUAL STORAGE CAPACITY EXCEEDED

## NXD

DMSNXD050E Parameter missing after NUCXDROP  
DMSNXD070E Invalid argument *argument*  
DMSNXD616W *name* does not exist  
DMSNXD617E Error code *nn* from DMSFRET while unloading *module* module  
DMSNXD624W No nucleus extensions are loaded

## NXL

DMSNXL001E No filename specified  
DMSNXL070E Invalid parameter *parameter*  
DMSNXL589E Missing FILEDEF for DDNAME SYSIN  
DMSNXL618E NUCEXT failed  
DMSNXL619E Module *module* not found  
DMSNXL622E Insufficient free storage  
DMSNXL639E Error in DMSRLD routine; return code was *nnn*

## NXM

DMSNXM070E Invalid parameter *parameter*  
DMSNXM622E Insufficient free storage (*nn* entries)  
DMSNXM624I No nucleus extensions are loaded

## OPL

DMSOPL089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}  
 DMSOPL099E I/O error reading *vdev*  
 DMSOPL158E No CMS/DOS procedure library support

## OPT

DMSOPT070E Invalid parameter *parameter*  
 DMSOPT099E CMS/DOS environment not active

## OSR

DMSOSR001E No filename specified  
 DMSOSR052E More than 100 characters of options specified  
 DMSOSR070E Invalid parameter *parameter*

## OVR

DMSOVR014E Invalid function *function*  
 DMSOVR047E No function specified  
 DMSOVR104S Error *nn* reading file *fn ft fm* from disk  
 DMSOVR109S Virtual storage capacity exceeded

## PAR

DMSPAR280E Application *applid* not active  
 DMSPAR580E Invalid string: Unmatched shift-out (SO) and shift-in (SI).  
 DMSPAR580E Invalid string: Invalid double-byte character(s).  
 DMSPAR580E Invalid string: Odd number of characters between SO and SI.  
 DMSPAR622E Insufficient free storage  
 DMSPAR727E Syntax definition for uniqueid *uniqueid* not found

## PCA

DMSPCA947E Line *line*: A syntax may not be defined after an arbitrary modifier statement.  
 DMSPCA947E Line *line*: An arbitrary modifier may not be the first or only :KW.*n* at its level.  
 DMSPCA947E Line *line*: The synonym *synonym* conflicts with a command on line *line*.  
 DMSPCA947E Line *line*: The translation *translation* conflicts with a command on line *line*.  
 DMSPCA947E Line *line*: The command *command* conflicts with a synonym on line *line*.  
 DMSPCA947E Line *line*: The command *command* conflicts with a translation on line *line*.  
 DMSPCA947E Line *line*: The synonym *synonym* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The synonym *synonym* conflicts with a translation used on line *line*.  
 DMSPCA947E Line *line*: The translation *translation* conflicts with a synonym used on line *line*.  
 DMSPCA947E Line *line*: The translation *translation* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The modifier *modifier* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The keyword *keyword* conflicts with one used on line *line*.  
 DMSPCA947E Line *line*: The unique id *uniqueid* has already been used on line *line*.  
 DMSPCA947E Line *line*: TEXT function may not have values.  
 DMSPCA947E Line *line*: TEXT may not be mixed with other functions.  
 DMSPCA947E Line *line*: *value* is not a valid value for the function *function*.  
 DMSPCA947E Line *line*: *function* is not an active user function.

# DMS

DMSPCA947E Line *line*: *function* is not a system function.  
DMSPCA947E Line *line*: *routine* is not a valid routine name.  
DMSPCA947E Line *line*: Only :SYN statements may be used with a blank unique id.

## PCC

DMSPCC639E Error in *routine* routine, return code was *retcode*  
DMSPCC946E XEDIT is not active. Specify a file name.

## PCL

DMSPCL384E Missing modifier keyword(s)  
DMSPCL385E Invalid modifier keyword *keyword*  
DMSPCL386E Missing operand(s)  
DMSPCL387E Missing {value|*valuetype*} for the *operand* operand  
DMSPCL388E Invalid keyword: *keyword*  
DMSPCL389E Invalid {operand|*operandtype*}: *operand*  
DMSPCL390E Invalid {value|*valuetype*} *value* for *operand* operand  
DMSPCL391E Unexpected operand(s): *operand(s)*  
DMSPCL393E Missing {value|*valuetype*} for *option* option  
DMSPCL394E Invalid option: *option*  
DMSPCL395E Invalid {value|*valuetype*} *value* for *option* option

## PCR

DMSPCR002E File *fn ft fm* not found  
DMSPCR069E Disk *diskmode* not accessed  
DMSPCR639E Error in *routine* routine, return code was *retcode*  
DMSPCR948E Line *line*: *data* expected, not: *value*  
DMSPCR948E Line *line*: *value* is out of order or not a CSDL statement name.  
DMSPCR949E Line *line*: Invalid double-byte character(s)  
DMSPCR949E Line *line*: Odd number of characters between SO and SI  
DMSPCR949E Line *line*: Unmatched shift-out (SO) and shift-in (SI)  
DMSPCR949E Line *line*: The character *character* may not be used in a name.  
DMSPCR949E Line *line*: There are no characters in a quoted string.  
DMSPCR949E Line *line*: A closing quote was not found for a string.  
DMSPCR949E Line *line*: The minimum length must be less than *value*, not *value*  
DMSPCR949E Line *line*: The minimum length must be a positive number, not *value*  
DMSPCR949E Line *line*: This modifier level cannot be more than *number*. You used *value*  
DMSPCR949E Line *line*: The modifier level must be a positive number, not *value*  
DMSPCR949E Line *line*: The unique id *uniqueid* is longer than 16 characters.  
DMSPCR949E Line *line*: The System/User indicator *indicator* does not start with S or U.  
DMSPCR949E Line *line*: The application id *applid* does not contain only letters and numbers.  
DMSPCR949E Line *line*: The application id *applid* does not start with a capital letter.  
DMSPCR949E Line *line*: The application id must be 3 characters long.

## PCT

DMSPCT396E Maximum number of command table entries exceeded  
DMSPCT639E Error in *routine* routine, return code was *retcode*

## PCW

DMSPCW396E Maximum number of command table entries exceeded  
 DMSPCW639E Error in *routine* routine, return code was *retcode*

## PDP

DMSPPDP088E Unsupported DTF type *dtftype*

## PIO

DMSPIO109S Virtual storage capacity exceeded  
 DMSPIO113S {*mode*|Device|Disk|Printer|Punch|Reader| TAP*n*|Tapin|Tapout}{(*vdev*)] not attached  
 DMSPIO145S Intervention required on {printer|punch}

## PKT

DMSPKT580E Invalid string: Invalid double-byte character(s).  
 DMSPKT580E Invalid string: Odd number of characters between SO and SI.  
 DMSPKT580E Invalid string: Unmatched shift-out (SO) and shift-in (SI).  
 DMSPKT580E Invalid string: Shift-out (SO) is not a valid delimiter

## PLO

DMSPLO001E NO FILENAME SPECIFIED.  
 DMSPLO002E FILE 'fn ft' NOT FOUND.  
 DMSPLO006E NO READ / WRITE DISK ACCESSED.  
 DMSPLO027E INVALID DEVICE 'devtype' FOR 'SYSaaa'.  
 DMSPLO037E DISK 'mode' IS READ ONLY.  
 DMSPLO070E INVALID ARGUMENT 'argument'.  
 DMSPLO099E CMS/DOS ENVIRONMENT NOT ACTIVE.

## PMD

DMSPPMD407E Invalid unique ID *uniqueid*  
 DMSPPMD622E Insufficient free storage  
 DMSPPMD631E *cmdname* must be invoked from an EXEC-2 or REXX EXEC  
 DMSPPMD639E Error in *routine* routine; return code was *retcode*

## POA

DMSPOA105S Error *nn* writing file *fn ft [fm]* on disk

## POC

DMSPOC003E Invalid option: *option*  
 DMSPOC047E No function specified  
 DMSPOC690E {HOSTCHK|PROPCHK} not specified in RTABLE  
 DMSPOC709E PROPCHK not specified in RTABLE for node *nodeid*  
 DMSPOC762E Host checking suspended--LGLOPR not on a checkable node

# DMS

---

## POE

DMSPOE148T System abend *xxx* call from *vstor*  
DMSPOE691I VMDUMP taken, PROP will IPL CMS  
DMSPOE692I Action routine *name* abended, PROP continuing  
DMSPOE759I PMX terminated  
DMSPOE761I NCCF LGLOPR session terminated

## POL

DMSPOL003E Invalid option: *option*  
DMSPOL070E Invalid parameter *parameter*  
DMSPOL758I {NCCF|VM} user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOL760E GLOBALV subfunction error in PROP, code = *code*

## POP

DMSPOP003E Invalid option: *option*  
DMSPOP713E Cannot connect to message system service, CMSIUCV error, code = *code*  
DMSPOP714E Cannot connect to message system service, service already in use  
DMSPOP755E Cannot complete PROP/PMX IUCV connection, CMSIUCV error, code = *code*  
DMSPOP760E GLOBALV subfunction error in PROP, code = *code*

## POQ

DMSPOQ002E [Input|Overlay] {file(s)|data set|note} [*fn* [*ft* [*fm*]]] not found  
DMSPOQ104S Error *nn* reading file *fn ft fm* from {disk|XEDIT}  
DMSPOQ620E RTABLE error on line *nnn*: *message*  
DMSPOQ693E Missing *statement* statement in RTABLE  
DMSPOQ694E More than one *statement* statement in RTABLE  
DMSPOQ760E GLOBALV subfunction error in PROP, code = *code*

## POR

DMSPOR014E Invalid function *function*  
DMSPOR047E No function specified  
DMSPOR070E Invalid parameter *parameter*  
DMSPOR105S Error *nn* writing file *fn ft fm* {on disk|to XEDIT}  
DMSPOR513E Unknown CP/CMS command  
DMSPOR545E Missing operand(s)  
DMSPOR626E Invalid action routine parameter *parameter*  
DMSPOR627E Result is *nnnn* bytes too large for CP command buffer  
DMSPOR690E {HOSTCHK|PROPCHK} not specified in RTABLE  
DMSPOR709E PROPCHK not specified in RTABLE for node *nodeid*  
DMSPOR756E LGLOPR *userid nodeid* already assigned  
DMSPOR757E *function* function not allowed for default LGLOPR  
DMSPOR758I {NCCF|VM} user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOR760E GLOBALV subfunction error in PROP, code = *code*  
DMSPOR762E Host checking suspended--LGLOPR not on a checkable node  
DMSPOR763E Not currently assigned as LGLOPR, cannot be released

## POS

DMSPOS626E Invalid action routine parameter *parameter*

## PPO

DMSPPPO386E Missing operand(s)  
 DMSPPPO388E Invalid keyword: *keyword*  
 DMSPPPO389E Invalid operand: *operand*  
 DMSPPPO391E Unexpected operand(s): *operand*  
 DMSPPPO921E Window *wname* is not defined  
 DMSPPPO929E Window *wname* is not connected to a virtual screen

## PRE

DMSPRE001E No filename specified  
 DMSPRE002E File [*fn [ft [fm]]*] not found  
 DMSPRE104S Error *nn* reading file *fn ft fm* from disk  
 DMSPRE105S Error *nn* writing file *fn ft fm* on disk  
 DMSPRE109S Virtual storage capacity exceeded  
 DMSPRE183E Invalid {CONTROL|AUX} file control card  
 DMSPRE234E Error in LOAD LIST file *fn ft fm* [; no input]  
 DMSPRE235E Error *n* in input text file *fn ft [fm]*  
 DMSPRE236E Unresolved external reference(s) encountered  
 DMSPRE237E Duplicate external symbol(s) encountered  
 DMSPRE238E Preloader processing error

## PRT

DMSPRT002E File [*fn [ft [fm]]*] not found  
 DMSPRT008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
 DMSPRT013E Member *membername* not found in library *libname*  
 DMSPRT029E Invalid parameter *parameter* [in the [option] *option* field]  
 DMSPRT033E File *fn ft fm* is not a library  
 DMSPRT039E No entries in library *fn ft fm*  
 DMSPRT044E Record length exceeds allowable maximum  
 DMSPRT069E Disk *mode* not accessed  
 DMSPRT104S Error *nn* reading file *fn ft fm* from disk  
 DMSPRT123S Error *nn* printing file *fn ft fm*

## PRV

DMSPRV003E Invalid option: *option*  
 DMSPRV004E Procedure *procedure* not found  
 DMSPRV006E No read/write A disk accessed  
 DMSPRV070E Invalid parameter *parameter*  
 DMSPRV097E No SYSRES volume active  
 DMSPRV098E No procedure name specified  
 DMSPRV099E CMS/DOS environment not active  
 DMSPRV105S Error *nn* writing file *fn ft fm* on disk  
 DMSPRV113S Disk(*vdev*) not attached  
 DMSPRV411S Input error code *nn* on SYSRES

# DMS

---

## PSH

DMSPSH646E PRFSHIFT must be invoked from the prefix area  
DMSPSH659E Invalid prefix subcommand: *prefix*  
DMSPSH661E Prefix *name* is invalid for the line on which it was entered  
DMSPSH686E Synonym *name* not recognized by prefix macro PRFSHIFT

## PSI

DMSPSI520E Invalid operand: *operand*  
DMSPSI529E SI is only valid in display mode  
DMSPSI561E Cursor is not on a valid data field  
DMSPSI659E Invalid prefix subcommand: *prefix*  
DMSPSI661E Prefix *name* is invalid for the line on which it was entered

## PST

DMSPST386E Missing operand(s)  
DMSPST388E Invalid keyword: *keyword*  
DMSPST389E Invalid operand: *operand*  
DMSPST391E Unexpected operand(s): *operand*  
DMSPST921E Window *wname* is not defined  
DMSPST922E Window does not fit entirely on the screen

## PSW

DMSPSW646E PRFSHOW must be invoked from the prefix area  
DMSPSW659E Invalid prefix subcommand: *prefix*  
DMSPSW661E Prefix *name* is invalid for the line on which it was entered

## PUN

DMSPUN002E File [*fn* [*ft* [*fm*]]] not found

## PUT

DMSPUT069E Disk *mode* not accessed  
DMSPUT386E Missing operand(s)  
DMSPUT388E Invalid keyword: *keyword*  
DMSPUT389E Invalid operand: *operand*  
DMSPUT391E Unexpected operand(s): *operand*  
DMSPUT917E No windows are displayed  
DMSPUT921E Virtual screen *vname* is not defined

## PXX

DMSPXX646E PREFIXX must be invoked from the prefix area  
DMSPXX659E Invalid prefix subcommand: *prefix*  
DMSPXX661E Prefix *name* is invalid for the line on which it was entered  
DMSPXX686E Synonym *name* not recognized by prefix macro PREFIXX



## QRF

DMSQRF109S Virtual storage capacity exceeded  
DMSQRF525E Invalid PF Key number  
DMSQRF921E Virtual screen *vname* is not defined  
DMSQRF926E Command is only valid {in CMS FULLSCREEN mode| on a display terminal}

## QRG

DMSQRG109S Virtual storage capacity exceeded  
DMSQRG918E No {virtual screens|windows} are defined  
DMSQRG921E {Virtual screen *vname*|Window *wname*:} is not defined  
DMSQRG1082E No window qualifies as the window on top

## QRH

DMSQRH109S Virtual storage capacity exceeded  
DMSQRH916E Window *wname* is not {displayed|hidden}  
DMSQRH917E No windows are {displayed|hidden}  
DMSQRH921E {Window *wname*|Virtual screen *vname*} is not defined  
DMSQRH926E Command is only valid in CMS FULLSCREEN mode

## QRS

DMSQRS006E No read/write disk accessed  
DMSQRS104E Error *nn* reading SYSTEM LANGUAGE S from disk  
DMSQRS109S Virtual storage capacity exceeded  
DMSQRS280E Application *applid* not active  
DMSQRS639E Error in QUERY routine; return code was *nnn*

## QRT

DMSQRT109S Virtual storage capacity exceeded  
DMSQRT639E Error in QUERY routine; return code was *nnn*

## QRU

DMSQRU109S Virtual storage capacity exceeded  
DMSQRU639E Error in QUERY routine; return code was *nnn*

## QRV

DMSQRV109S Virtual storage capacity exceeded  
DMSQRV639E Error in QUERY routine; return code was *nnn*

## QRW

DMSQRW109T Virtual storage capacity exceeded  
DMSQRW639E Error in QUERY routine; return code was *nnn*

## QRX

DMSQRX070E Invalid parameter *parameter*

# DMS

DMSQRX099E CMS/DOS environment [not] active  
DMSQRX109S Virtual storage capacity exceeded  
DMSQRX639E Error in QUERY routine; return code was *nnn*

## QRY

DMSQRY003E Invalid option: *option*  
DMSQRY014E Invalid function *function*  
DMSQRY065E *option* option specified twice  
DMSQRY066E *option1* and *option2* are conflicting options  
DMSQRY109S Virtual storage capacity exceeded  
DMSQRY618E NUCEXT failed  
DMSQRY621E Bad plist: *message*

## RDC

DMSRDC008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
DMSRDC042E No fileid specified  
DMSRDC054E Incomplete fileid specified  
DMSRDC062E Invalid \* in *fileid*  
DMSRDC069E Disk *mode* not accessed  
DMSRDC105S Error *nn* writing file *fn ft fm* on disk  
DMSRDC124S Error reading card file  
DMSRDC205W Reader empty or not ready  
DMSRDC257T Internal system error at address *address* (offset *offset*)  
DMSRDC639E Error in *routine* routine; return code was *nnnn*  
DMSRDC671E Error loading file *fn ft fm*; *rc = nn* from RENAME  
DMSRDC701I Null file  
DMSRDC702E Missing, invalid, or incomplete fileid in following READ control card:  
:READ ...  
Command terminated  
DMSRDC702I {READ control card missing. Following assumed:  
:READ READCARD CMSUT1 A1|  
:READ}  
DMSRDC702W Missing, invalid, or incomplete fileid in following READ control card:  
:READ ...  
Fileid changed to READCARD CMSUT1  
DMSRDC738I Record length is *nnn* bytes  
DMSRDC1079R Receive *fn1 ft1 fm1*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSRDC1079R Receive *fn1 ft1 fm1* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSRDC1079R Receive *fn1 ft1 fm1* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)  
DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace the existing file of the same name?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace *fn2 ft2 fm2*?  
Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1080R Enter the new name for *fn ft fm*

DMSRDC1081R Reply 0 (NO), 1 (YES), or 2 (QUIT)

DMSRDC1123E Unknown response *text* ignored.

DMSRDC1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

**RDR**

DMSRDR070E Invalid parameter *parameter*

DMSRDR630S Error accessing spool file

**REA**

DMSREA830E I/O ERROR READING A BLOCK OF RECORDS FROM THE ERROR RECORDING CYLINDERS

**REF**

DMSREF391E Unexpected operand(s): *operand*

DMSREF622E Insufficient free storage

DMSREF917E No windows are displayed

DMSREF925E I/O error on screen

DMSREF926E Command is only valid on a display terminal

**RES**

DMSRES386E Missing operand(s)

DMSRES388E Invalid keyword: *keyword*

DMSRES391E Unexpected operand(s): *operand*

DMSRES921E Window *wname* is not defined

**REX**

DMSREX255T Insufficient storage for Exec interpreter

DMSREX449E Error 22 running *fn ft*, line *nn*: Invalid char string

DMSREX450E Error 5 running *fn ft*, line *nn*: Machine storage exhausted

DMSREX451E Error 3 running *fn ft*, line *nn*: Program is unreadable

DMSREX452E Error 4 running *fn ft*, line *nn*: Program interrupted

DMSREX453E Error 6 running *fn ft*, line *nn*: Unmatched “/” or quote

DMSREX454E Error 7 running *fn ft*, line *nn*: WHEN or OTHERWISE expected

DMSREX455E Error 8 running *fn ft*, line *nn*: Unexpected THEN or ELSE

DMSREX456E Error 9 running *fn ft*, line *nn*: Unexpected WHEN or OTHERWISE

DMSREX457E Error 10 running *fn ft*, line *nn*: Unexpected or unmatched END

DMSREX458E Error 11 running *fn ft*, line *nn*: Control stack full

DMSREX459E Error 12 running *fn ft*, line *nn*: Clause > 500 characters

DMSREX460E Error 13 running *fn ft*, line *nn*: Invalid char in data

DMSREX461E Error 14 running *fn ft*, line *nn*: Incomplete DO/SELECT/IF

DMSREX462E Error 15 running *fn ft*, line *nn*: Invalid hex constant

DMSREX463E Error 16 running *fn ft*, line *nn*: Label not found

DMSREX464E Error 21 running *fn ft*, line *nn*: Invalid data on end of clause

DMSREX465E Error 17 running *fn ft*, line *nn*: Unexpected procedure

# DMS

DMSREX466E Error 26 running *fn ft*, line *nn*: Invalid whole number  
DMSREX467E Error 27 running *fn ft*, line *nn*: Invalid do syntax  
DMSREX468E Error 30 running *fn ft*, line *nn*: Name or string > 250 characters  
DMSREX469E Error 31 running *fn ft*, line *nn*: Name starts with numeric or “.”  
DMSREX470E Error 34 running *fn ft*, line *nn*: Logical value not 0 or 1  
DMSREX471E Error 35 running *fn ft*, line *nn*: Invalid expression  
DMSREX472E Error 36 running *fn ft*, line *nn*: Unmatched “(” in expression  
DMSREX473E Error 37 running *fn ft*, line *nn*: Unexpected “,” or “)”  
DMSREX474E Error 39 running *fn ft*, line *nn*: Evaluation stack overflow  
DMSREX475E Error 40 running *fn ft*, line *nn*: Incorrect call to routine  
DMSREX476E Error 41 running *fn ft*, line *nn*: Bad arithmetic conversion  
DMSREX477E Error 42 running *fn ft*, line *nn*: Arithmetic overflow/underflow  
DMSREX478E Error 43 running *fn ft*, line *nn*: Routine not found  
DMSREX479E Error 44 running *fn ft*, line *nn*: Function did not return data  
DMSREX480E Error 45 running *fn ft*, line *nn*: No data specified on function RETURN  
DMSREX481E Error 49 running *fn ft*, line *nn*: Interpreter failure  
DMSREX482E Error 19 running *fn ft*, line *nn*: String or symbol expected  
DMSREX483E Error 20 running *fn ft*, line *nn*: Symbol expected  
DMSREX484E Error 24 running *fn ft*, line *nn*: Invalid TRACE request  
DMSREX485E Error 25 running *fn ft*, line *nn*: Invalid sub-keyword found  
DMSREX486E Error 28 running *fn ft*, line *nn*: Invalid LEAVE or ITERATE  
DMSREX487E Error 29 running *fn ft*, line *nn*: Environment name too long  
DMSREX488E Error 33 running *fn ft*, line *nn*: Invalid expression result  
DMSREX489E Error 38 running *fn ft*, line *nn*: Invalid template or pattern  
DMSREX490E Error 48 running *fn ft*, line *nn*: Failure in system service  
DMSREX491E Error 18 running *fn ft*, line *nn*: THEN expected  
DMSREX492E Error 32 running *fn ft*, line *nn*: Invalid use of stem

## RNM

DMSRNM002E File [*fn* [*ft* [*fm*]]] not found

## ROS

DMSROS109S Virtual storage capacity exceeded  
DMSROS723I *mode(vdev)* {R/O|R/W} [-OS|-DOS]  
DMSROS725I *vdev* also = *mode* [-OS|-DOS] disk

## ROU

DMSROU386E Missing operand(s)  
DMSROU388E Invalid keyword: *keyword*  
DMSROU391E Unexpected operand(s): *operand*  
DMSROU394E Invalid option: *option*  
DMSROU921E Virtual screen *vname* is not defined  
DMSROU926E Command is only valid in CMS FULLSCREEN mode  
DMSROU928E Command is not valid for virtual screen *vname*

## RRV

DMSRRV003E Invalid option: *option*  
DMSRRV004E Module *module* not found

DMSRRV006E No read/write A disk accessed  
 DMSRRV070E Invalid parameter *parameter*  
 DMSRRV089E Open error code *nn* on SYSRLB  
 DMSRRV097E No SYSRES volume active  
 DMSRRV098E No module name specified  
 DMSRRV099E CMS/DOS environment not active  
 DMSRRV105S Error *nn* writing file *fn ft fm* on disk  
 DMSRRV113S Disk(*vdev*) not attached  
 DMSRRV411S Input error code *nn* on SYSaaa

**RSV**

DMSRSV037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSRSV042E No fileid(s) specified  
 DMSRSV054E Incomplete fileid specified  
 DMSRSV069E {Disk|Output disk} *mode* not accessed  
 DMSRSV070E Invalid parameter *parameter*  
 DMSRSV109T Virtual storage capacity exceeded  
 DMSRSV113S Disk(*vdev*) not attached  
 DMSRSV223E No filemode specified  
 DMSRSV260E Disk not properly formatted for RESERVE  
 DMSRSV603R RESERVE will erase all files on disk *mode*(*vdev*). Do you wish to continue?  
 Enter 1 (YES) or 0 (NO)  
 DMSRSV705I Disk remains unchanged  
 DMSRSV733I Formatting disk *mode*  
 DMSRSV908E File system error detected at virtual address *vdev*; reason code *nn*  
 DMSRSV909E Permanent I/O error on *vdev*; *csw* = *csw*, *sense* = *sense*

**RUN**

DMSRUN001E NO FILENAME SPECIFIED.  
 DMSRUN002E FILE ' *fn ft fm* ' NOT FOUND.  
 DMSRUN070E INVALID PARAMETER ' *parameter* '.  
 DMSRUN999E NO ft PROCESSOR FOUND.  
 DMSRUN048E INVALID MODE ' *fm* '.

**SBS**

DMSSBS120S {Input|Output} error code *nn* on *ddname*

**SCH**

DMSSCH520E Invalid operand: *operand*  
 DMSSCH525E Invalid {PFkey|PFkey/PAkey} number  
 DMSSCH529E Subcommand is only valid in {display|editing} mode  
 DMSSCH545E Missing operand(s)  
 DMSSCH551I {String *string*|Target *name*} found; PF*nn* set for selective change  
 DMSSCH561E Cursor is not on a valid data field  
 DMSSCH569E No CHANGE or CLOCATE subcommand specified  
 DMSSCH574E Change not valid {with CLOCATE|after cursor movement}  
 DMSSCH586E Not found [on screen]

# DMS

## SCL

DMSSCL386E Missing operand(s)  
DMSSCL388E Invalid keyword: *keyword*  
DMSSCL389E Invalid operand: *operand*  
DMSSCL391E Unexpected operand: *operand*  
DMSSCL921E Window *wname* is not defined  
DMSSCL929E Window *wname* is not connected to a virtual screen

## SCT

DMSSCT120S {Input|Output} error code *nn* on *ddname*

## SEF

DMSSEF109S Virtual storage capacity exceeded  
DMSSEF524W NONDISP character reset to ”.  
DMSSEF525E Invalid PF Key number  
DMSSEF622E Insufficient free storage  
DMSSEF921E {Virtual screen *vname*|Window *wname*} is not defined  
DMSSEF926E Command is only valid {on a display terminal| in CMS FULLSCREEN mode}  
DMSSEF927E {The virtual screen must contain at least {1 line|5 lines and 20 columns}|The physical screen must contain at least 20 lines and 80 columns}  
DMSSEF928E Command is not valid for virtual screen *vname*

## SET

DMSSET014E Invalid function *function*  
DMSSET026E Invalid parameter *parameter* for *function* function  
DMSSET031E Loader tables cannot be modified  
DMSSET047E No function specified  
DMSSET048E Invalid mode *mode*  
DMSSET050E Parameter missing after *function*  
DMSSET061E No translation character specified  
DMSSET070E Invalid parameter *parameter*  
DMSSET099E CMS/DOS environment not active  
DMSSET109S Virtual storage capacity exceeded  
DMSSET142S Saved system name *sysname* invalid  
DMSSET258E {USER|SYSTEM} translations can not be set OFF unless {USER|SYSTEM} translation synonyms are also set OFF, application id: *applid*  
DMSSET258E {USER|SYSTEM} translation synonyms can not be set ON unless {USER|SYSTEM} translations are also set ON, application id: *applid*  
DMSSET280E Application *applid* not active  
DMSSET333E *nnnnnK* partition too large for this virtual machine  
DMSSET400S System *sysname* does not exist  
DMSSET401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSSET410S Control program error indication *xxx*  
DMSSET444E Volume *volid* is not a DOS SYSRES

## SFD

DMSSFD014E Invalid {function *function*|keyword *keyword*}

DMSSFD017E Invalid device address *vdev*  
 DMSSFD047E No function specified  
 DMSSFD050E Parameter missing after *value*  
 DMSSFD070E Invalid {parameter *parameter*|argument *argument*}  
 DMSSFD109S Insufficient free storage available  
 DMSSFD126S Error {reading|writing} label on disk *mode (vdev)*  
 DMSSFD283E The *name*DCSS could not be {found|loaded|saved} [condition code *cc*] return  
 code *rc* from {FINDSYS|LOADSYS|SAVESYS}  
 DMSSFD286E The DCSS is too small for the data being stored  
 DMSSFD288I *dcssname* DCSS not saved  
 DMSSFD401S VM size cannot exceed segment start address (*hex address*)  
 DMSSFD653E Error executing *command*, *rc = nn*  
 DMSSFD1074S Disk not linked as R/W  
 DMSSFD1075E Label on disk *label* and label on command *label* do not match  
 DMSSFD1076E Segment name in disk label *segname* and segment name on command *segname*  
 do not match  
 DMSSFD1077S Invalid disk format, only EDF disk is allowed

## SGN

DMSSGN015E INVALID SUBSET COMMAND  
 DMSSGN360E INVALID RESPONSE 'response'  
 DMSSGN363R ENTER LOCATION WHERE CMSBAM WILL BE LOADED AND SAVED:  
 DMSSGN364I FETCHING CMSBAM ...  
 DMSSGN365I SYSTEM *sysname* SAVED.  
 DMSSGN366R ENTER NAME OF SYSTEM TO BE SAVED:

## SHO

DMSSHO386E Missing operand(s)  
 DMSSHO388E Invalid keyword: *keyword*  
 DMSSHO389E Invalid operand: *operand*  
 DMSSHO391E Unexpected operand(s): *operand*  
 DMSSHO921E Window *wname* is not defined

## SIZ

DMSSIZ386E Missing operand(s)  
 DMSSIZ388E Invalid keyword: *keyword*  
 DMSSIZ389E Invalid operand: *operand*  
 DMSSIZ391E Unexpected operand(s): *operand*  
 DMSSIZ921E Window *wname* is not defined  
 DMSSIZ922E Window does not fit entirely on the screen

## SJC

DMSSJC529E SPLTJOIN is only valid in {display|editing} mode  
 DMSSJC561E Cursor is not on a valid data field  
 DMSSJC520E Invalid operand : *operand*

## SLG

DMSSLG005E No application id specified

# DMS

---

DMSSLG109S Virtual storage capacity exceeded  
DMSSLG276E Invalid language id *langid*  
DMSSLG277E The DCSS is located partially or entirely inside the virtual machine  
DMSSLG278E {Unable to set requested language: *langid*. [The requested language: *langid* is not available;] [*langid2* forced [[by CP], condition code *code*, return code *rc*]]  
DMSSLG279E Application *applid* not found in the language DCSS  
DMSSLG279I Application *applid* not found in the language DCSS  
DMSSLG280E Application *applid* not active  
DMSSLG281E Application DMS cannot be deleted  
DMSSLG332E No user additions were loaded  
DMSSLG332I No user additions were loaded  
DMSSLG334E No system information or user additions were found for application *applid*  
DMSSLG346E Error *nn* loading *fn ft fm* from disk  
DMSSLG770E Invalid application ID *applid*

## SLN

DMSSLN002E File *fn* MODULE not found  
DMSSLN104S Error *nn* reading file *fn ft fm* from disk  
DMSSLN105S Error *nn* writing file *fn ft fm* on disk  
DMSSLN109S Virtual storage capacity exceeded  
DMSSLN116S Loader table overflow  
DMSSLN350E Module is marked Not Executable  
DMSSLN351E Module is marked Only Loadable

## SMN

DMSSMN109S Virtual storage capacity exceeded  
DMSSMN133S Invalid GETMAIN or FREEMAIN specification

## SOP

DMSSOP036E Open error code *nn* on *ddname*  
DMSSOP430E TAP*n(vdev)* LABELDEF information missing for file *fn*

## SOR

DMSSOR520E Invalid operand: *operand*  
DMSSOR545E Missing operand(s)  
DMSSOR581E Subcommand is not valid in extended mode

## SPL

DMSSPL526E Option *option* valid in display mode only  
DMSSPL561E Cursor is not on a valid data field  
DMSSPL575E Invalid SPLIT columns defined  
DMSSPL585E No line(s) changed  
DMSSPL586E Not found

## SPR

DMSSPR002E File [*fn [ft [fm]]*] not found



DMSSPR014E Invalid keyword *function*  
 DMSSPR026E Invalid value *value* for *keyword* keyword  
 DMSSPR113S Printer 00E not attached  
 DMSSPR145S Intervention required on printer  
 DMSSPR196I Printer *vdev* setup complete  
 DMSSPR197S Undiagnosed error from printer 00E  
 DMSSPR198E SETPRT load check; *sense* = *sense*  
 DMSSPR199S Printer 00E not a virtual 3800 Model 1 or Model 3  
 DMSSPR204E Too many WCGMs needed for CHARS  
 DMSSPR352E Invalid SETPRT data in file *fn ft*

## SRL

DMSSRL520E Invalid operand : *operand*  
 DMSSRL529E RGTLEFT is only valid in display mode  
 DMSSRL543E Invalid number : *number*

## SRT

DMSSRT002E File [*fn ft [fm]*] not found  
 DMSSRT009E Column *col* exceeds record length  
 DMSSRT019E Identical fileids  
 DMSSRT034E File *fn ft fm* is not fixed length  
 DMSSRT037E Disk *mode*[(*vdev*)] is accessed as read/only  
 DMSSRT053E Invalid sort field pair defined  
 DMSSRT054E Incomplete fileid specified  
 DMSSRT062E Invalid \* in fileid [*fn ft [fm]*]  
 DMSSRT063E No list entered  
 DMSSRT069E Disk *mode* not accessed  
 DMSSRT070E Invalid parameter *parameter*  
 DMSSRT104S Error *nn* reading file *fn ft fm* from disk  
 DMSSRT105S Error *nn* writing file *fn ft fm* on disk  
 DMSSRT212E Maximum number of records exceeded  
 DMSSRT604R Enter sort fields:

## SRV

DMSSRV003E Invalid option: *option*  
 DMSSRV004E Book *subl.book* not found  
 DMSSRV006E No read/write A disk accessed  
 DMSSRV070E Invalid parameter *parameter*  
 DMSSRV089E Open error code *nn* on SYSSLB  
 DMSSRV097E No SYSRES volume active  
 DMSSRV098E No book name specified  
 DMSSRV099E CMS/DOS environment not active  
 DMSSRV105S Error *nn* writing file *fn ft fm* on disk  
 DMSSRV113S Disk(*vdev*) not attached  
 DMSSRV194S Book *subl.book* contains bad records  
 DMSSRV411S Input error code *nn* on SYSaaa

## SSK

DMSSSK070E Invalid parameter *parameter*

# DMS

---

DMSSSK362E Invalid storage protect key *key*  
DMSSSK363E Invalid starting address *vstor*  
DMSSSK364E VM storage not large enough to contain system loading at *vstor1* to *vstor2*  
DMSSSK365E System name not specified  
DMSSSK400S System *sysname* does not exist  
DMSSSK410S Control program error indication *xxx*

## STA

DMSSTA024E File *fn* XEDIT A already exists  
DMSSTA520E Invalid operand: *operand*  
DMSSTA671E Error creating file *fn ft fm*; rc = *nn* from *command*  
DMSSTA703I File *fn ft [fm]* {copied|created}

## STG

DMSSTG133S Invalid GETMAIN or FREEMAIN specification

## STP

DMSSTP429I TAP*n(vdev)* EOT on output  
DMSSTP430E TAP*n(vdev)* LABELDEF information missing for file *fn*

## STT

DMSSTT002E File [*fn [ft [fm]]*] not found  
DMSSTT048E Invalid mode *mode*  
DMSSTT054E Incomplete fileid specified  
DMSSTT062E Invalid character *char* in fileid *fn ft*  
DMSSTT062E SO and SI are invalid fileid characters  
DMSSTT069E Disk *mode* not accessed  
DMSSTT070E Invalid parameter *parameter*  
DMSSTT227I Processing volume no in data set *data set name*  
DMSSTT228I User labels bypassed on data set *data set name*  
DMSSTT229E Unsupported OS data set, error *nn*  
DMSSTT253E File *fn ft fm* cannot be handled with supplied parameter list

## STX

DMSSTX092E STXIT save area address invalid  
DMSSTX326E Illegal SVC *svc* (HEX *nn*) called from *vstor*

## SUB

DMSSUB119S Unsupported form of {*macroname*|*parameter*}

## SVT

DMSSVT033E File *fn ft fm* is not a library  
DMSSVT119S Unsupported form of *macro* *macro*  
DMSSVT120S {Input|Output} error code *nn* on *ddname*

DMSSVT121S {Unsupported [function *function* of]} Invalid form of} SVC *svc* (HEX *xx*) called from *vstor*

## SYN

DMSSYN002E File [*fn* [*ft* [*fm*]]] not found  
 DMSSYN003E Invalid option: *option*  
 DMSSYN007E File *fn ft fm* [is] not fixed, 80-character records  
 DMSSYN032E Invalid filetype *ft*  
 DMSSYN056E File *fn ft [fm]* contains invalid record formats  
 DMSSYN066E *option1* and *option2* are conflicting options  
 DMSSYN104S Error *nn* reading file *fn ft fm* from disk  
 DMSSYN711I No system synonyms in effect  
 DMSSYN712I No synonyms (DMSINA not in nucleus)

## TLM

DMSTLM027E Invalid device *devtype* [for SYSaaa]  
 DMSTLM043E TAPn(*vdev*) is file protected  
 DMSTLM058E End-of-file or end-of-tape  
 DMSTLM109S Virtual storage capacity exceeded  
 DMSTLM110S Error reading TAPn[(*vdev*)]  
 DMSTLM111S Error writing TAPn(*vdev*)  
 DMSTLM113S {TAPn|Tapin|Tapout}(*vdev*) not attached  
 DMSTLM421E TAPn(*vdev*) HDR1 label missing for *fn*  
 DMSTLM422E TAPn(*vdev*) positioned wrong for *fn*  
 DMSTLM423I TAPn(*vdev*) positioned parameter ignored; output file will be written immediately after new VOL1 label  
 DMSTLM424E TAPn(*vdev*) not positioned at EOF1 or EOVI label  
 DMSTLM425R TAPn(*vdev*) block count error for *fn*; enter IGNORE or CANCEL  
 DMSTLM426R TAPn(*vdev*) unexpired file; enter IGNORE or ERROR  
 DMSTLM427I TAPn(*vdev*) EOVI label read  
 DMSTLM428I TAPn(*vdev*) EOVI label written on *valid*  
 DMSTLM430E TAPn(*vdev*) LABELDEF information missing for file *fn*  
 DMSTLM431E TAPn(*vdev*) VOL1 label missing  
 DMSTLM432E TAPn(*vdev*) *valid valid* does not match LABELDEF *valid (valid)* for *fn*  
 DMSTLM433R Enter WRITE (*valid*) or REJECT  
 DMSTLM434E TAPn(*vdev*) input label check error for file *fn*  
 DMSTLM435R Enter IGNORE or CANCEL  
 DMSTLM436I TAPn(*vdev*) missing user standard label for *ddname*  
 DMSTLM437I TAPn(*vdev*) NSL routine returned an error code *code* for *fn*  
 DMSTLM439E *Valid valid* is an invalid entry  
 DMSTLM443R Enter REJECT or NEWTAPE  
 DMSTLM446R Enter WRITE (*valid*), REJECT, or NEWTAPE

## TMA

DMSTMA001E No filename specified  
 DMSTMA003E Invalid option: *option*  
 DMSTMA027E Invalid device *devtype* [for SYSaaa]  
 DMSTMA057E Invalid record format  
 DMSTMA069E Disk *mode* not accessed  
 DMSTMA070E Invalid parameter *parameter*

# DMS

---

DMSTMA105S Error *nn* writing file *fn ft fm* on disk  
DMSTMA109S Virtual storage capacity exceeded  
DMSTMA110S Error reading TAP*n*(*vdev*)  
DMSTMA137S Error *nn* on STATE for *fn ft fm*  
DMSTMA138S Error *nn* erasing *fn ft* before loading tape  
DMSTMA139S Tape file exceeds 9 CMS MACLIBs  
DMSTMA420E NSL exit filename missing or invalid

## TPD

DMSTPD003E Invalid option: *option*  
DMSTPD027E Invalid device *devtype* [for SYSaaa]  
DMSTPD058E End-of-file or end-of-tape  
DMSTPD105S Error *nn* writing file *fn ft fm* on disk  
DMSTPD109S Virtual storage capacity exceeded  
DMSTPD110S Error reading TAP*n*(*vdev*)  
DMSTPD420E Nsl exit filename missing or invalid  
DMSTPD703I File *fn ft [fm]* copied  
DMSTPD707I Ten files copied

## TPF

DMSTPF058E End-of-file or end-of-tape [on TAP*n*]  
DMSTPF701I Null file

## TPI

DMSTPI613E Tape must be invoked as a nucleus extension

## TPJ

DMSTPJ002E File[(s)] [*fn [ft [fm]]*] not found  
DMSTPJ003E Invalid option: *option*  
DMSTPJ010E Premature EOF on file {*fn ft [fm]*}|number *nn*}  
DMSTPJ014E Invalid function *function*  
DMSTPJ017E Invalid device address *vdev*  
DMSTPJ023E No filetype specified  
DMSTPJ027E Invalid device *devtype* [for SYSaaa]  
DMSTPJ029E Invalid parameter *parameter* in the option *option* field  
DMSTPJ037E Disk *mode* is read/only  
DMSTPJ042E No fileid[(s)] specified  
DMSTPJ043E TAP*n*(*vdev*) is file protected  
DMSTPJ047E No function specified  
DMSTPJ048E Invalid mode *mode*  
DMSTPJ057E Invalid record format  
DMSTPJ058E End-of-file or end-of-tape  
DMSTPJ069E Disk *mode* not accessed  
DMSTPJ070E Invalid parameter *parameter*  
DMSTPJ096E File *fn ft* data block count incorrect  
DMSTPJ104S Error *nn* reading file *fn ft fm* from disk  
DMSTPJ105S Error *nn* writing file *fn ft fm* on disk  
DMSTPJ109S Virtual storage capacity exceeded

DMSTPJ110S Error reading TAPn(*vdev*)  
 DMSTPJ111S Error writing TAPn(*vdev*)  
 DMSTPJ113S TAPn(*vdev*) not attached  
 DMSTPJ115S Conversion feature not supported on device *vdev*  
 DMSTPJ115S {7|9|18}-track feature not supported on device *vdev*  
 DMSTPJ115S {800|1600|16250} BPI feature not supported on device *vdev*  
 DMSTPJ115S Translation feature not supported on device *vdev*  
 DMSTPJ115S Dual density feature not supported on device *vdev*  
 DMSTPJ431E TAPn(*vdev*) VOL1 label missing  
 DMSTPJ671E Error loading file *fn ft fm*; rc = *nn* from RENAME

## TVS

DMSTVS109S Virtual storage capacity exceeded  
 DMSTVS265I Attempting to change tape volume for DDNAME *ddname*  
 DMSTVS266I To cancel the tape volume switch, type CANCEL  
 DMSTVS267I Tape mount for volume *valid* on virtual *nnn* was canceled by the user  
 DMSTVS268I Message sent to userid *userid*:  
 DMSTVS269I Mount tape volume *valid* on virtual *nnn* {without|with} a write ring; request number *n*  
 DMSTVS270I Wait time for tape volume switch has almost expired; to continue waiting, type EXTEND  
 DMSTVS271I Wait time for tape volume switch has expired; tape volume switch for volume *valid* on virtual *nnn* canceled  
 DMSTVS272E Tape on virtual *nnn* is not a standard label tape  
 DMSTVS273E Tape on virtual *nnn* is volume *valid*--wrong tape  
 DMSTVS274E Tape on virtual *nnn*, volume *valid*, requires a write ring  
 DMSTVS275E Tape on virtual *nnn*, volume *valid*, has a write ring--no write ring was requested

## TYP

DMSTYP002E File [*fn [ft [fm]]*] not found  
 DMSTYP003E Invalid option: *option*  
 DMSTYP005E No *option* specified  
 DMSTYP009E Column *col* exceeds record length  
 DMSTYP013E Member *membername* not found in library  
 DMSTYP029E Invalid parameter *parameter* in the option *option* field  
 DMSTYP033E File *fn ft fm* is not a library  
 DMSTYP039E No entries in library *fn ft fm*  
 DMSTYP049E Invalid line number *nn*  
 DMSTYP054E Incomplete fileid specified  
 DMSTYP062E Invalid \* in fileid  
 DMSTYP069E Disk *mode* not accessed  
 DMSTYP104S Error *nn* reading file *fn ft fm* from disk

## UPD

DMSUPD001E No filename specified  
 DMSUPD002E File [*fn [ft [fm]]*] not found  
 DMSUPD003E Invalid option: *option*  
 DMSUPD007E File *fn ft fm* is not fixed, 80-character records  
 DMSUPD010W Premature EOF on file *fn ft fm*--sequence number *seqno* not found

# DMS

DMSUPD024E File *fn ft fm* already exists  
DMSUPD037E Disk *mode*[(*vdev*)] is accessed as read/only  
DMSUPD048E Invalid mode *mode*  
DMSUPD065E *option* option specified twice  
DMSUPD066E *option1* and *option2* are conflicting options  
DMSUPD069E Disk *mode* not accessed  
DMSUPD070E Invalid parameter *parameter*  
DMSUPD104S Error *nn* reading file *fn ft fm* from disk  
DMSUPD105S Error *nn* writing file *fn ft fm* on disk  
DMSUPD174W Sequence error introduced in output file: *seqno1* to *seqno2*  
DMSUPD176W Sequencing overflow following sequence number *seqno*  
DMSUPD177I Warning messages issued (severity = *nn*); REP option ignored]  
DMSUPD178I {Applying|Updating} *fn ft fm*  
DMSUPD179E Missing or duplicate MACS card in control file *fn ft fm*  
DMSUPD180W Missing PTF file *fn ft fm*  
DMSUPD181E No update files were found  
DMSUPD182W Sequence increment is zero  
DMSUPD183E Invalid {CONTROL|AUX} file control card  
DMSUPD184W ./S not first card in update file-ignored  
DMSUPD185W Invalid character in sequence field *seqno*  
DMSUPD186W Sequence number *seqno* not found  
DMSUPD187E Option STK invalid without CTL  
DMSUPD207W Invalid update file control card  
DMSUPD210W Input file sequence error: *seqno1* to *seqno2*  
DMSUPD299E Insufficient storage to complete update  
DMSUPD300E Insufficient storage to begin update  
DMSUPD304I Update processing will be done using disk  
DMSUPD361E Disk *mode* is not a CMS disk

## UTL

DMSUTL003E Invalid option: *option*  
DMSUTL014E Invalid function *function*  
DMSUTL024E File *fn ft fm* already exists  
DMSUTL032E Invalid filetype *ft*  
DMSUTL037E Output disk *mode* is accessed as read/only  
DMSUTL039E No entries in library *fn ft fm*  
DMSUTL042E No fileid(s) specified  
DMSUTL047E No function specified  
DMSUTL054E Incomplete fileid specified  
DMSUTL065E *option* option specified twice  
DMSUTL066E *option1* and *option2* are conflicting options  
DMSUTL073E Unable to open file *ddname*  
DMSUTL188W SYSUT2 header is invalid because of blocksize incompatibility; user action required  
DMSUTL189E The LIST function of the LOADLIB command does not support concatenated SYSUT1  
DMSUTL901T Unexpected error at *vstor1*: plist function *fn ft fm* at *vstor2*, base *vstor3*, rc = *nn*  
DMSUTL907T I/O error on file *fn ft fm*

## VGN

DMSVGN006E NO READ/WRITE 'A' DISK ACCESSED  
 DMSVGN015E INVALID SUBSET COMMAND  
 DMSVGN069E DISK 'mode' NOT ACCESSED  
 DMSVGN360E INVALID RESPONSE 'response'.  
 DMSVGN361E DISK 'A' IS NOT A CMS DISK  
 DMSVGN362I LINK-EDITING sysname ...  
 DMSVGN363I sysname DOSLIB CREATED ON DISK 'mode'.  
 DMSVGN363R ENTER LOCATION WHERE sysname WILL BE LOADED AND SAVED:  
 DMSVGN364I FETCHING sysname ...  
 DMSVGN364R ENTER 'CMSVSAM', 'CMSAMS' OR BOTH FOR GENERATION OF NEW  
 SYSTEM(S)  
 DMSVGN365I SYSTEM sysname SAVED.  
 DMSVGN365R ONE OR MORE OF THE TEXT FILES LISTED IN THE fn EXEC ARE  
 MISSING. THE VSAM PP PID TAPE SHOULD BE ON TAPE DRIVE 181 TO  
 RESTORE THE FILES. ENTER:  
  
 'GO' IF TAPE DRIVE IS READY TO LOAD FILES.  
 'QUIT' TO STOP GENERATION PROCESS.  
  
 DMSVGN366I STARTING TO READ PTF DECKS FROM READER...  
 DMSVGN366R ENTER NAME OF SYSTEM TO BE SAVED:  
 DMSVGN367I 'module' TEXT WRITTEN ON A-DISK  
 DMSVGN368I 'nn' MODULES HAVE BEEN RESTORED  
 DMSVGN368R ERASE sysname DOSLIB?...ENTER 'YES' OR {NO:|ENTER A FILENAME TO  
 RENAME THE EXISTING DOSLIB:}  
 DMSVGN369E INVALID-RELEASE 31 OR LATER REQUIRED  
 DMSVGN370R ENTER 'GO' IF SAVED SYSTEM IS TO BE CREATED, OTHERWISE  
 ENTER 'QUIT'  
 DMSVGN371R sysname IS LOADED, IF ZAPS ARE TO BE APPLIED GO 'CP' MODE, APPLY  
 THE ZAPS AND THEN REPLY 'GO'.  
 DMSVGN382R ENTER NUMBER OF TAPE FILES TO BE PROCESSED:

## VIB

DMSVIB109S Virtual storage capacity exceeded  
 DMSVIB400S System *sysname* does not exist  
 DMSVIB401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
 DMSVIB410S Control program error indication *xxx*

## VIP

DMSVIP109S Virtual storage capacity exceeded  
 DMSVIP230E Number of VSAM exit routines has exceeded maximum of 128; unable to  
 continue  
 DMSVIP778E Open error on *ddname*: possible volume error. See VSE/VSAM documentation  
 for open error code *code*.  
 DMSVIP779E Open error on *ddname*: possible user programming error. See VSE/VSAM  
 documentation for open error code *code*.  
 DMSVIP780E Open error on *ddname*: possible DLBL/EXTENT error. See VSE/VSAM  
 documentation for open error code *code*.  
 DMSVIP781E Open error on *ddname*: possible catalog error. See VSE/VSAM documentation  
 for open error code *code*.

# DMS

- DMSVIP782E Open error on *ddname*: possible system error. See VSE/VSAM documentation for open error code *code*.
- DMSVIP783E Close error on *ddname*: possible user programming error. See VSE/VSAM documentation for close error code *code*.
- DMSVIP784E Close error on *ddname*: possible system error. See VSE/VSAM documentation for close error code *code*.
- DMSVIP785E Error in request macro processing: possible user programming error. See VSE/VSAM error code *code*, return code *code*.
- DMSVIP786E Error in request macro processing: possible system error. See VSE/VSAM error code *code*, return code *code*.

## VLT

- DMSVLT089E {Close|Open} error code *nn* on {*fn*|SYSaaa|TAP*n*}

## VMF

- DMSVMF002E FILE(S) '*fn ft fm*' NOT FOUND
- DMSVMF003E INVALID OPTION: '*option*'
- DMSVMF010E PREMATURE EOF ON FILE NUMBER '*nn*'
- DMSVMF014E INVALID FUNCTION '*function*'
- DMSVMF017E INVALID DEVICE ADDRESS '*vdev*'
- DMSVMF023E NO FILETYPE SPECIFIED
- DMSVMF027E INVALID DEVICE '*devtype*' FOR '*SYSaaa*'
- DMSVMF029E INVALID PARAMETER '*parameter*' IN THE OPTION '*option*' FIELD
- DMSVMF037E DISK '*mode*' IS READ/ONLY
- DMSVMF042E NO FILEID SPECIFIED
- DMSVMF043E TAP*n*(*vdev*) IS FILE PROTECTED
- DMSVMF047E NO FUNCTION SPECIFIED
- DMSVMF048E INVALID MODE '*mode*'
- DMSVMF057E INVALID RECORD FORMAT
- DMSVMF058E END-OF-FILE OR END-OF-TAPE
- DMSVMF070E INVALID PARAMETER '*parameter*'
- DMSVMF096E FILE '*fn ft*' DATA BLOCK COUNT INCORRECT
- DMSVMF104S ERROR '*nn*' READING FILE '*fn ft fm*' FROM DISK
- DMSVMF105S ERROR '*nn*' WRITING FILE '*fn ft fm*' ON DISK
- DMSVMF110S ERROR READING TAP*n*(*vdev*)
- DMSVMF111S ERROR WRITING TAP*n*(*vdev*)
- DMSVMF113S TAP*n*(*vdev*) NOT ATTACHED
- DMSVMF115S CONVERSION FEATURE NOT SUPPORTED ON DEVICE '*vdev*'
- DMSVMF115S {7|9|18}-TRACK FEATURE NOT SUPPORTED ON DEVICE '*vdev*'
- DMSVMF115S {800|6250} BPI FEATURE NOT SUPPORTED ON DEVICE '*vdev*'
- DMSVMF115S TRANSLATION FEATURE NOT SUPPORTED ON DEVICE '*vdev*'
- DMSVMF115S DUAL DENSITY FEATURE NOT SUPPORTED ON DEVICE '*vdev*'
- DMSVMF613E VMFPLC2 must be invoked as a nucleus extension
- DMSVMF671E Error loading file *fn ft fm*; rc = *nn* from RENAME
- DMSVMF701I NULL FILE

## VPD

- DMSVPD070E Invalid parameter *parameter*
- DMSVPD105S Error *nn* writing file *fn ft fm* on disk



DMSVDP109S Virtual storage capacity exceeded  
 DMSVDP110S Error reading TAPn[(*vdev*)]  
 DMSVDP113S {*mode*|Device|Disk|Printer|Punch|Reader| TAPn|Tapin|Tapout}{(*vdev*)] not  
 attached  
 DMSVDP368I *nn* modules have been restored  
 DMSVDP383R Apply *fn*? (Enter NO or EOB)

**WAT**

DMSWAT386E Missing operand(s)  
 DMSWAT388E Invalid keyword: *keyword*  
 DMSWAT391E Unexpected operand(s): *operand*  
 DMSWAT921E Virtual screen *vname* is not defined  
 DMSWAT928E Command is not valid for virtual screen *vname*

**WBX**

DMSWBX922E Window does not fit entirely on the screen  
 DMSWBX930E Cursor is not in a valid location  
 DMSWBX931E Invalid {border|WM} command: {*character*|*command*}

**WDC**

DMSWDC651E DISCARD must be issued from FILELIST, RDRLIST, MACLIST or PEEK  
 DMSWDC653E Error executing *command*; rc = *nn*

**WDF**

DMSWDF003E Invalid option: *option*  
 DMSWDF641E No options specified  
 DMSWDF653E Error executing GLOBALV

**WEN**

DMSWEN931E Invalid {border|WM} command: {*character*|*command*}

DMSWEN1125E *command* is not allowed as an immediate command

**WEX**

DMSWEX526E Option CURSOR valid in display mode only  
 DMSWEX543E Invalid number: *number*  
 DMSWEX561E Cursor is not on a valid data field  
 DMSWEX651E EXECUTE must be issued from RDRLIST, FILELIST or MACLIST  
 DMSWEX654E Invalid symbol *symbol*; {/0 must be specified alone|invalid character *char*  
 following / symbol}

**WFL**

DMSWFL002E File *fn ft fm* not found  
 DMSWFL054E Incomplete fileid specified  
 DMSWFL651E APPEND must be issued from RDRLIST or FILELIST  
 DMSWFL680E Invalid fileid specified with FILELIST option

# DMS

---

## WIN

DMSWIN935I FULLSCREEN CMS suspended

## WIO

DMSWIO494W FULLREAD set off.  
DMSWIO614E Screen modifications lost. See 'SET FULLREAD' to use PA keys safely.  
DMSWIO629W Screen modifications may be lost. Press ENTER key to process screen changes.  
DMSWIO935I FULLSCREEN CMS suspended

## WIR

DMSWIR329W Warning: APL/TEXT option not in effect  
DMSWIR614E Screen modifications lost. See 'SET FULLREAD' to use PA keys safely.  
DMSWIR696W Invalid data received from the display  
DMSWIR935I FULLSCREEN CMS suspended

## WLG

DMSWLG002E File *fn ft fm* not found  
DMSWLG006E No read/write disk accessed  
DMSWLG032E Invalid filetype *ft*  
DMSWLG048E Invalid filemode *fm*  
DMSWLG069E Disk *mode* not accessed  
DMSWLG104S Error *nn* reading file *fn ft fm* from disk  
DMSWLG105S Error *nn* writing file *fn ft fm* to disk  
DMSWLG210E File SYSTEM LANGUAGE is on a read/only disk  
DMSWLG235E Error 1 on input text file *fn ft fm*  
DMSWLG252E Invalid filename *fn*  
DMSWLG276E Invalid language id *langid*  
DMSWLG279E Application DMS not found in the language DCSS  
DMSWLG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from FINDSYS  
DMSWLG284E The DCSS is not completely inside the virtual machine.  
DMSWLG285E CP repository not saved  
DMSWLG285I CP repository saved  
DMSWLG286E The DCSS is too small for the data being stored  
DMSWLG287E You must have a CP privilege class E to build a DCSS  
DMSWLG288E *dcssname* DCSS not saved  
DMSWLG289E The default language, *langid*, must be active  
DMSWLG290E Duplicate applications specified in control file *fn ft fm*  
DMSWLG291E Error occurred while loading the DCSS  
DMSWLG292W Text data will be loaded at '20000'x in user area; user data may be overwritten  
DMSWLG294E Invalid language level id *levelid*  
DMSWLG312W Language not generated - no text decks specified in control file *fn ft fm*

## WLK

DMSWLK002E File *fn ft [fm]* not found  
DMSWLK003E Invalid option *opt*

DMSWLK005E No {LKEDCTRL | MODULE} specified  
 DMSWLK010E Premature EOF on file *fn ft*  
 DMSWLK842E No {control | library} file name found in *fn ft [fm]*  
 DMSWLK843I An invalid control record was found and ignored  
 DMSWLK844E No linkedit performed  
 DMSWLK845W Errors were encountered during the link edit processing that will probably make the loadlib unusable  
 DMSWLK846I LKED *target module* into *library*, RC = *nn*.

## WLM

DMSWLM002E File *fn ft fm* not found  
 DMSWLM006E No read/write disk accessed  
 DMSWLM104S Error *nn* reading file *fn ft fm* from disk  
 DMSWLM105S Error *nn* writing file *fn ft fm* to disk  
 DMSWLM252E Invalid filename *fn*  
 DMSWLM276E Invalid language id *langid*  
 DMSWLM282E Error(s) occurred while creating *fn ft fm*. Check *fn ft fm* for details.  
 DMSWLM440W No text decks specified in control file  
 DMSWLM770E Invalid application id *name*

## WMG

DMSWMG002E File *fn ft [fm]* not found  
 DMSWMG008E Device *vdev* invalid or nonexistent  
 DMSWMG017E Invalid device address *vdev*  
 DMSWMG520E Invalid operand : *operand*  
 DMSWMG545E Missing operands  
 DMSWMG649E Extraneous parameter *parm*  
 DMSWMG653E Error executing *command*, RC = *nn*  
 DMSWMG856E Disk address *vdev* is listed more than once on the {BASE, ZAP|DELTA} and/or MERGE entry records in the *prodid* VMFPARM file  
 DMSWMG857E The number of disk addresses on the DELTA entry record cannot exceed nine  
 DMSWMG858E Unable to find a *tag* entry record in the *fn ft* file.  
 DMSWMG859E The *prodid* VMFPARM file has no disk addresses on the {BASE|MERGE|ZAP|DELTA} entry record  
 DMSWMG860E Only one {BASE|MERGE|ZAP|DELTA} entry record may appear in the *prodid* VMFPARM file  
 DMSWMG861I Accessing *disk type* disk *vdev* as *mode*.  
 DMSWMG862I {ZAP|Change} *name* {has been *action*|is no longer SUPERSEDED by *name*}  
 DMSWMG863E The {MERGE|ZAP} disk *vdev* must be linked read-write.  
 DMSWMG864E PTF *name* will not be *action* because it already is *status*  
 DMSWMG864I PTF *name* will not be *action* because it already is *status*  
 DMSWMG864W {PTF|ZAP} *name* will not be *action* because it {already is|is not} *status*  
 DMSWMG865I Processing {PTF|ZAP} *name*  
 DMSWMG866W No PTFs have been *action*.  
 DMSWMG867E Invalid status *status* in *prodid* VMFMGLOG for entry *ptf*.  
 DMSWMG868E PTF *name* is not a part of product *prodid*.  
 DMSWMG869E Error in file *fn ft fm*. *data* is invalid for *tag* tag.  
 DMSWMG870E Error in file *fn ft fm*. There are no elements.  
 DMSWMG871E Error in file *fn ft fm*. The *name* tag is missing.  
 DMSWMG872E Error in file *fn ft fm*. REPLACE tag missing after the element *name*

# DMS

DMSWMG873E Error in file *fn ft fm. parm* is an invalid parameter. Expecting parameter(s) PRODID, PREREQ, COREQ, SUP, APARTEXT, or CHANGES  
DMSWMG874E Invalid entry found at line *line* in *fn ft*  
DMSWMG882W File *fn ft [fm]* [from *name*] not found on any DELTA disks from the VMFPARM file  
DMSWMG883W PTF *name* is not a part of product *prodid* and must be *action* in product *prodid*.  
DMSWMG886E Filename *name* from the *fn ft [fm]* file is longer than 8 characters  
DMSWMG892E PTF *name* has not been *action*.  
DMSWMG893E Incomplete processing, not all [required] PTFs were *action*  
DMSWMG893W Incomplete processing, not all [required] PTFs were *action*  
DMSWMG898E VMFREMOV processing is incomplete.

## WML

DMSWML002E File *fn* MACLIB \* not found  
DMSWML651E APPEND must be issued from MACLIST  
DMSWML668E The APPEND option must be specified alone

## WMM

DMSWMM921E {Virtual screen *vname*|Window *wname*} is not defined  
DMSWMM923E Specified location is outside the virtual screen  
DMSWMM929E Window *wname* is not connected to a virtual screen

## WMS

DMSWMS405W Invalid or missing message number *msgno*

## WNL

DMSWNL001E No filename specified  
DMSWNL002E File *fn ft* not found  
DMSWNL023E No filetype specified  
DMSWNL029E Invalid parameter *parameter*  
DMSWNL032E Invalid filetype *ft*  
DMSWNL062E Invalid character *char* in fileid *fn ft*  
DMSWNL122E Return code *rc* from *routine*  
DMSWNL328E Control file not specified  
DMSWNL448E Country code *code* not in *list*

## WNM

DMSWNM006E No read/write disk accessed  
DMSWNM645W The user tag name *name* is too long to display in the panel  
DMSWNM656E Error searching your NAMES file; rc = *nn* from NAMEFIND command

## WNT

DMSWNT006E No read/write disk accessed  
DMSWNT637E Missing {value|nodeid} for the {*option* option|*operand* operand}  
DMSWNT647E Userid not specified for *nickname* in *userid* NAMES file  
DMSWNT648E Userid *name* not found; check the *userid* NAMES file

DMSWNT651E {ADD|CANCEL} must be issued from NOTE  
 DMSWNT665E File *userid* NOTE \* not found; to begin a new note, enter NOTE *name*  
 DMSWNT666E NOTE already exists; enter NOTE to continue or specify REPLACE option  
 DMSWNT667E Note header does not contain the {keyword FROM|keyword TO|OPTIONS  
 line|DATE line}  
 DMSWNT668E ADD option must be specified alone  
 DMSWNT669E List of addressees cannot begin with CC:  
 DMSWNT670E No names to be added were specified  
 DMSWNT676E Invalid character \* for Network ID  
 DMSWNT677E Invalid option: *option* in option line

## WPK

DMSWPK132S File is too large  
 DMSWPK156E FROM *nnn* not found--the file *fn ft fm* has only *nnn* records  
 DMSWPK630S Error accessing spool file  
 DMSWPK643E No class *class* files in your reader  
 DMSWPK644E All reader files are in HOLD status or not class *class*  
 DMSWPK653E Error executing EXECIO  
 DMSWPK655E Spoolid *nnnn* does not exist  
 DMSWPK672E Virtual reader invalid or not defined  
 DMSWPK674E Reader is not ready  
 DMSWPK683E The entire file must be peeked at to be formatted  
 DMSWPK683W The file has an LRECL greater than 255 and cannot be reformatted  
 DMSWPK684E File contains invalid records and cannot be reformatted  
 DMSWPK687E This is a system {HELD|DUMP} file--this file cannot be {peeked at|received}

## WRC

DMSWRC006E No read/write disk accessed  
 DMSWRC024E File *fn ft fm* already exists; specify REPLACE option  
 DMSWRC037E Disk *mode* is accessed as read/only[; A must be R/W for DISK LOAD]  
 DMSWRC062E Invalid character *char* in fileid *fn ft [fm]*  
 DMSWRC069E Disk *mode* not accessed  
 DSMWRC630S Error accessing spool file  
 DMSWRC643E No class *class* files in your reader  
 DMSWRC644E All reader files are in HOLD status or not class *class*  
 DMSWRC655E Spoolid *nnnn* does not exist  
 DMSWRC671E Error receiving file *fn ft fm*; rc = *nn* from *command*  
 DMSWRC672E Virtual reader invalid or not defined  
 DMSWRC674E Reader is not ready  
 DMSWRC681E This is an unnamed file; specify filename and filetype  
 DMSWRC682E Error copying file *fn ft A* to {*fn ft fm|mode* disk.}; rc = *nn* from COPYFILE  
 DMSWRC687E This is a system {HELD|DUMP} file--this file cannot be peeked at  
 DMSWRC1123E Unknown response *text* ignored.  
 DMSWRC1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

## WRD

DMSWRD386E Missing operand(s)  
 DMSWRD388E Invalid keyword: *keyword*  
 DMSWRD391E Unexpected operand(s): *operand*

# DMS

DMSWRD622E Insufficient free storage  
DMSWRD631E WAITREAD can only be executed from and EXEC2 or REXX exec  
DMSWRD917E No windows are {displayed|showing virtual screen: *vname*}  
DMSWRD921E Virtual screen *vname* is not defined  
DMSWRD925E I/O error on screen  
DMSWRD926E Command is only valid on a display terminal  
DMSWRD928E Command is not valid for virtual screen *vname*

## WRM

DMSWRM002E File *fn ft [fm]* not found  
DMSWRM008E Device *vdev* invalid or nonexistent  
DMSWRM017E Invalid device address *vdev*  
DMSWRM520E Invalid operand: *operand*  
DMSWRM545E Missing operands  
DMSWRM632E I/O error in EXECIO; RC=*nn* from *command* command  
DMSWRM649E Extraneous parameter *parm*  
DMSWRM653E Error executing *command*, RC = *nn*  
DMSWRM823E PTF *name1* is listed as a dependent of PTF *name2*, but PTF *name1* is not merged  
DMSWRM824E *prodid* VMFREQBY may be incomplete due to a missing SCF  
DMSWRM856E Disk address *vdev* is listed more than once on the {BASE|ZAP|DELTA} and/or MERGE entry records in the *prodid* VMFPARM file  
DMSWRM857E The number of disk addresses on the DELTA entry record cannot exceed nine  
DMSWRM858E Unable to find a *tag* entry record in the *fn ft* file.  
DMSWRM859E The *prodid* VMFPARM file has no disk addresses on the {BASE|MERGE|ZAP|DELTA} entry record  
DMSWRM860E Only one {BASE|MERGE|ZAP|DELTA} entry record may appear in the *prodid* VMFPARM file  
DMSWRM861I Accessing *disk type* disk *vdev* as *mode*  
DMSWRM862I {ZAP|Change} *name* {has been *action*|is no longer SUPERSEDED by *name*  
DMSWRM863E The {MERGE|ZAP} disk *vdev* must be linked read-write.  
DMSWRM864W {PTF|ZAP} *name* will not be *action* because it {already is|is not} *status*  
DMSWRM865I Processing {PTF|ZAP} *name*  
DMSWRM866W No PTFs have been *action*.  
DMSWRM867E Invalid status *status* in *prodid* VMFMGLOG for entry *ptf*.  
DMSWRM874E Invalid entry found at line *line* in *fn ft*  
DMSWRM879W {ZAP|Change} name *name* appears more than once in the *fn ft* [It will only be applied once]  
DMSWRM882E File *fn ft [fm]* [from *name*] not found on any DELTA disks from the VMFPARM file  
DMSWRM883W PTF *name* is not a part of product *prodid* and must be *action* in product *prodid*  
DMSWRM888E Error in *name* SCF. No entry for element *fn ft*.  
DMSWRM892E PTF *name* has not been *action*.  
DMSWRM893W Incomplete processing, not all [required] PTFs were *action*

## WRT

DMSWRT622E Insufficient free storage  
DMSWRT921E Virtual screen *vname* is not defined  
DMSWRT923E Specified location is outside the virtual screen  
DMSWRT928E Command is not valid for virtual screen *vname*

## WSF

DMSWSF002E File *fn ft fm* not found  
 DMSWSF006E No read/write disk accessed  
 DMSWSF048E Invalid mode *mode*  
 DMSWSF054E Incomplete fileid specified  
 DMSWSF062E Invalid character \* in fileid *fn ft fm*  
 DMSWSF069E Disk *mode* not accessed  
 DMSWSF081E Invalid reply; enter 1 (YES) or 0 (NO)  
 DMSWSF579E Records truncated to *nn* when added to *fn ft fm*  
 DMSWSF637E Missing nodeid for the AT operand  
 DMSWSF647E Userid not specified for *nickname* in *userid* NAMES file  
 DMSWSF648E Userid *name* not found; no files have been sent  
 DMSWSF657E Undefined PFkey/PAkey  
 DMSWSF667E NOTE header does not contain the {keyword FROM|keyword TO|OPTIONS  
 line|DATE line}  
 DMSWSF671E Error sending file *fn ft fm*; rc = *nn* from *command*  
 DMSWSF672E Virtual punch invalid or not defined  
 DMSWSF673E Addressees are in the note header cards; do not specify names with NOTE  
 option  
 DMSWSF674E Punch is not ready  
 DMSWSF675E No names specified  
 DMSWSF676E Invalid character \* for Network ID  
 DMSWSF677E Invalid option: *option* in option line  
 DMSWSF678E Invalid note header format; note cannot be sent  
 DMSWSF679E Disk *mode* is not accessed; note cannot be sent  
 DMSWSF680E Invalid fileid specified with FILELIST option

## WSG

DMSWSG003E Invalid option: *option*  
 DMSWSG014E Invalid keyword *keyword*  
 DMSWSG024E File *fn [ft fm]* already exists [specify REPLACE option]  
 DMSWSG026E Invalid value *value* for *keyword* keyword  
 DMSWSG032E Invalid filetype *ft*  
 DMSWSG047E No function specified  
 DMSWSG050E Parameter missing after *value*  
 DMSWSG065E *option* option specified twice  
 DMSWSG069E Disk *mode*[(*vdev*)] not accessed  
 DMSWSG070E INVALID PARAMETER parameter  
 DMSWSG095E Invalid address *vstor*  
 DMSWSG252E Invalid filename *fn*  
 DMSWSG637E Missing value for the *option* option  
 DMSWSG643E No class *fileclass* files in your reader  
 DMSWSG957E Incompatible *option1* options for *options*  
 DMSWSG958I No *keyword* initialized in *fn ft fm*  
 DMSWSG959E Missing value for *keyword* keyword  
 DMSWSG960E Error in line *line* of *fn ft fm*  
 DMSWSG961E There are class *class* files in the *device*  
 DMSWSG962E Invalid character: *character*  
 DMSWSG984E Too many class *class* files in *device*  
 DMSWSG985E Conflicting values for duplicate keyword *keyword*

# DMS

## WSL

- DMSWSL002E FILE(S) [*fn ft [fm]*] NOT FOUND  
DMSWSL032E Invalid filetype *ft*  
DMSWSL050E Parameter missing after *value*  
DMSWSL070E INVALID PARAMETER parameter  
DMSWSL095E Invalid address *vstor*  
DMSWSL252E Invalid filename *fn*  
DMSWSL409I Loading *fn ft* to *user's vdev*  
DMSWSL737R Enter the minidisk address for the *group element*  
DMSWSL963E *keyword value* not found in *fn ft fm*  
DMSWSL964R Wrong tape mounted; mount product tape VOL *n*  
Press ENTER when the correct tape is mounted or type QUIT  
DMSWSL968I The following minidisks defined in the base CP directory will be formatted:
- |                           |               |
|---------------------------|---------------|
| AUTOLOG1 191              | CMSBATCH 195  |
| CMSUSER 191               | EREP 191      |
| OPERATNS 191,193          | MAINT 201,319 |
| MAINT 293,294,494,496,596 |               |
- DMSWSL986I Unable to restore ACCESS to *mdisk*

## WSM

- DMSWSM006E No read/write [A] disk accessed [for *fn ft*]  
DMSWSM847R Enter name of SNT definition file or press ENTER key to quit  
DMSWSM848E Unable to proceed without \$DASD\$ CONSTS file information.  
DMSWSM849R Enter *valid* DASD type or type QUIT to end SNTMAP processing  
DMSWSM850W *devtype* is not a valid DASD type  
DMSWSM851W Page number exceeds device limit of *limit* for *sysname*; SYSSTRT parameter = *parameter*  
DMSWSM852E SYSSTRT parameter for *sysname* is not compatible with *devtype* DASD type for *valid*; SYSSTRT parameter = *parameter*  
DMSWSM853R Enter the name of your current CP directory file (the default is VMUSERS DIRECT):  
DMSWSM854W Unable to find CP directory file *fn ft fm*; no \$SAVSYS\$ boundary checking will be done.  
DMSWSM855W No \$SAVSYS\$ areas defined in the CP directory file; no \$SAVSYS\$ boundary checking will be done.  
DMSWSM884I Results of mapping are in two CMS files: DASD SNTMAP contains DASD related information, and MEMORY SNTMAP contains memory related information.

## WSP

- DMSWSP003E Invalid option: *option*  
DMSWSP029W Invalid parameter *parameter* found during CMS initialization  
DMSWSP100W Shared [S-STAT|Y-STAT] not available  
DMSWSP309W CMSBATCH command ignored--it is valid only when the NOSPROF parameter was specified on the IPL command  
DMSWSP311W No system name specified; system not saved  
DMSWSP314W Automatic re-IPL by CP; no information available  
DMSWSP315W Conflicting parameters specified; all parameters have been ignored



DMSWSP327I The EXEC DCSS could not be loaded.  
 DMSWSP327W INSTSEG value omitted; no shared EXECs loaded.  
 DMSWSP731W System will not be saved; reissue the IPL command with the SAVESYS parameter

## WTK

DMSWTK002E *fn ft [fm]* NOT FOUND  
 DMSWTK003E Invalid option:*option*  
 DMSWTK008E Device *vdev* invalid or nonexistent  
 DMSWTK050E Parameter missing after *value*  
 DMSWTK070E INVALID PARAMETER parameter  
 DMSWTK095E Invalid address *vstor*  
 DMSWTK360E Invalid response *response*  
 DMSWTK961E There are class *class* files in the *device*  
 DMSWTK965I You may wish to tailor the following files at this time:

DMKSNT ASSEMBLE  
 DMKRIO ASSEMBLE  
 DMKSYS ASSEMBLE  
 DMKBOX ASSEMBLE  
 DMKFCB ASSEMBLE  
 DMSNGP ASSEMBLE  
 VMUSERS DIRECT

DMSWTK966I Do you wish to have the HELP files converted to uppercase?  
 DMSWTK967R Type: (Yes) or No  
 DMSWTK968I The following minidisks defined in the base CP directory will be formatted:

AUTOLOG1 191 CMSBATCH 195  
 CMSUSER 191 EREP 191  
 OPERATNS 191,193 MAINT 201,319  
 MAINT 293,294,494,496,596

DMSWTK970I Formatting *user's vdev* minidisk  
 DMSWTK981R What is the real address of your *volume* volume?  
 DMSWTK982R Type: real address or SKIP  
 DMSWTK983E Violation of CMS naming convention found in *args*

## WTL

DMSWTL499E User not authorized to issue *command* command  
 DMSWTL647E Userid not specified for *nickname* in *userid* NAMES file  
 DMSWTL648E Userid *name* not found; no message has been sent  
 DMSWTL676E Invalid character \* for Network ID

## WTX

DMSWTX001E No filename specified  
 DMSWTX002E File *fn ft fm* not found  
 DMSWTX006E No read/write 'A' disk accessed  
 DMSWTX024E File *fn ft fm* already exists  
 DMSWTX026E Invalid parameter *parameter* for *function*  
 DMSWTX056E File *fn ft [fm]* contains invalid record formats  
 DMSWTX062E Invalid character *char* in fileid *fn ft*

# DMS

---

DMSWTX179E Missing or duplicate MACS card in control file *fn ft fm*  
DMSWTX183E Invalid control file control card  
DMSWTX895I Member *fn ft* added  
DMSWTX896E File {*fn ft fm*/*fn* TEXT or *fn* TXT} not found  
DMSWTX897E Due to previous errors, the result of this TXTLIB build is called VMFTXT  
TXTLIB; your *fn* TXTLIB has not been replaced

## WUP

DMSWUP002E File *fn ft fm* not found  
DMSWUP054E Incomplete fileid specified  
DMSWUP419E *fn ft* has an error with quote/comment nesting. {A quote is|A comment is|*n*  
comments are} open at the end of the program.  
DMSWUP637E Missing value for the CTL option  
DMSWUP649E Extraneous parameter *parameter*  
DMSWUP671E Error updating *fn ft fm*; rc = *nn* from XEDIT

## WUT

DMSWUT050E Parameter missing after *value*  
DMSWUT070E INVALID PARAMETER parameter  
DMSWUT095E Invalid address *vstor*  
DMSWUT971E Unable to locate *fn ft*  
DMSWUT972I *fn ft fm* spooled to printer  
DMSWUT973R Enter the minidisk address where the IPL decks were loaded  
DMSWUT974I Unable to find IPL decks on the minidisk you indicated  
DMSWUT975I Moving *fn ft* to tape  
DMSWUT976I The *fn ft* program is on tape file number *number*  
DMSWUT977I Enter disk address where the service programs are to be written  
DMSWUT978R Type: (190) or cuu  
DMSWUT979I IPL *vdev* has been created  
DMSWUT980I An IPLable CP nucleus now exists on tape  
DMSWUT986I Unable to restore ACCESS to *mdisk*

## WVL

DMSWVL002E File *fn ft fm* not found  
DMSWVL037E Disk *mode* is accessed as read/only  
DMSWVL069E Disk *mode* not accessed  
DMSWVL104S Error *nn* reading file *fn ft fm* from disk  
DMSWVL105S Error *nn* writing file *fn ft fm* on disk  
DMSWVL109S Virtual storage capacity exceeded  
DMSWVL156E Record *nn* not found - file *fn ft fm* has only *nn* records  
DMSWVL531E Disk is full; set new filemode or clear some disk space  
DMSWVL923E Specified location is outside the virtual screen  
DMSWVL924E Data was truncated  
DMSWVL928E Command is not valid for virtual screen *vname*  
DMSWVL936W Virtual screen *vname* is empty

## WVT

DMSWVT037E Disk *mode* is read only

DMSWVT048E	Invalid mode <i>mode</i>
DMSWVT069E	Disk <i>mode</i> not accessed
DMSWVT105S	Error <i>nn</i> writing file <i>fn ft fm</i> on disk
DMSWVT109S	Virtual storage capacity exceeded
DMSWVT531E	Disk is full; set new filemode or clear some disk space
DMSWVT924E	Data was truncated
DMSWVT933W	Logging stopped for virtual screen <i>vname</i>
DMSWVT934E	Text was not written to virtual screen. No field was defined.

## WVV

DMSWVV788R	Are the macros to be read from tape or are they already on disk? Reply TAPE or DISK. If a default of TAPE is to be used, press "ENTER."
DMSWVV789W	Invalid response
DMSWVV790R	If the default library name of "VSEVSAM" is to be used, press "ENTER." Else, enter the name to be used for the library.
DMSWVV791I	The library name will be <i>libname</i> . Press "ENTER" to continue, else enter "QUIT" or the name to be used for the library.
DMSWVV792R	Are the macros to be erased from disk? Reply (YES NO). Press "ENTER" for default of "YES."
DMSWVV793I	Maclib generation completed.
DMSWVV794E	Error in maclib generation.
DMSWVV795E	Error reading macros from tape.
DMSWVV796E	Error reading from VSEVSAM SCAN file.
DMSWVV797I	"QUIT" may be entered in response to any query to end processing.
DMSWVV798R	The VSE/VSAM Optional Source Statement Library tape must be mounted as virtual 181. If it is not, enter QUIT here and have the tape mounted. Else, press "ENTER" to continue.
DMSWVV799E	Error reading from "VSEVSAM SCAN" file; all macros may not be erased.
DMSWVV800E	One of the files needed for maclib generation is missing.
DMSWVV801I	Arguments entered are ignored.
DMSWVV802I	Macros erased - VSEVSAM processing complete.
DMSWVV808R	Macro library <i>libname</i> will be erased. Press "ENTER" to continue or type "QUIT" to exit.
DMSWVV809E	Error copying "VSEVSAM SCAN" file from {T- S-} disk to A-disk

## WXP

DMSWXP001E	No filename specified
DMSWXP002E	File <i>fn ft [fm]</i> not found
DMSWXP003E	Invalid option: <i>option</i>
DMSWXP005E	No <i>option</i> specified
DMSWXP029E	Invalid parameter <i>parameter</i> in the option <i>option</i> field
DMSWXP037E	Disk <i>mode</i> is read/only
DMSWXP048E	Invalid output filemode ' <i>mode</i> '
DMSWXP065E	<i>option</i> option specified twice
DMSWXP066E	<i>option1</i> and <i>option2</i> are conflicting options
DMSWXP069E	Disk <i>mode</i> not accessed
DMSWXP070E	Invalid parameter <i>parameter</i>
DMSWXP235E	Error <i>n</i> in input text file <i>fn ft fm</i>
DMSWXP372E	Invalid EXPAND control card
DMSWXP373E	Control section <i>csect</i> does not exist
DMSWXP374W	Zero-length CSECT <i>csect</i> encountered

# DMS

DMSWXP375I     *nnnnn* (HEX *xxxx*) bytes at an offset of *hhhhhhh* into CSECT *csect* have been added  
DMSWXP376I     EXPAND processing complete  
DMSWXP653E     Error executing command *command*, rc = *nn*

## WZP

DMSWZP002E     File *fn ft [fm]* not found.  
DMSWZP008E     Device *vdev* invalid or nonexistent.  
DMSWZP017E     Invalid device address *vdev*  
DMSWZP520E     Invalid operand : *operand*  
DMSWZP545E     Missing operands  
DMSWZP649E     Extraneous parameter *parm*  
DMSWZP653E     Error executing *command*, RC = *nn*  
DMSWZP856E     Disk address *vdev* is listed more than once on the {BASE, ZAP|DELTA} and/or MERGE entry records in the *prodid* VMFPARM file  
DMSWZP858E     Unable to find a *tag* entry record in the *fn ft* ' file.  
DMSWZP859E     The '*prodid* VMFPARM' file has no disk addresses on the {BASE|MERGE|ZAP|DELTA} entry record.  
DMSWZP860E     Only one {BASE|MERGE|ZAP|DELTA} entry record may appear in the *prodid* VMFPARM file.  
DMSWZP861I     Accessing *disk type* disk *vdev* as *mode*.  
DMSWZP862I     {ZAP|Change} *name* {has been *action*|is no longer SUPERSEDED BY *name*}  
DMSWZP863E     The {MERGE|ZAP} disk *vdev* must be linked read-write.  
DMSWZP864W     {PTF|ZAP} *name* will not be *action* because it {already is | is not} *status*  
DMSWZP865I     Processing {PTF|ZAP} *name*  
DMSWZP874E     Invalid entry found at line *line* in *fn ft*  
DMSWZP875E     File *fn ft [fm]* not found on any disks from the VMFPARM file.  
DMSWZP876E     The total number of disk addresses on the BASE and MERGE records cannot exceed nine  
DMSWZP877W     *fn* TEXT was previously zapped but was not found on the ZAP disk.  
DMSWZP878E     *prodid* ZAPLIST does not contain any unsuperseded zap names. No zaps will be applied.  
DMSWZP879W     {ZAP|Change} *name* appears more than once in the *fn ft* [It will only be applied once]  
DMSWZP880E     Error in ZAPTEXT while processing *fn* TEXT, RC = *nn*. Text files affected by *filename2* ZAP will not be saved on the ZAP disk.  
DMSWZP881E     *fn* TEXT was found on the ZAP disk but was not zapped during VMFZAP run. This file should not be on the ZAP disk.  
DMSWZP885I     File *prodid* VMFZPLOG not found on the ZAP disk. No text files will be removed from the ZAP disk.  
DMSWZP886E     Filename *name* from the *fn ft [fm]* file is longer than 8 characters  
DMSWZP887E     Record number *number* from the *fn ft [fm]*

## WZT

DMSWZT001E     No filename specified  
DMSWZT002E     File *fn ft [fm]* not found  
DMSWZT003E     Invalid option: *option*  
DMSWZT005E     No *option* specified  
DMSWZT006E     No read/write [A] disk accessed  
DMSWZT037E     Disk *mode* is read/only

DMSWZT065E *option* option specified twice  
 DMSWZT066E *option1* and *option2* are conflicting options  
 DMSWZT069E Disk *mode* not accessed  
 DMSWZT070E Invalid parameter *parameter*  
 DMSWZT653E Error executing *command*, rc = *nn*

**XBG**

DMSXBG109S Virtual storage capacity exceeded

**XCG**

DMSXCG498E Not executed--the two areas to merge overlap each other  
 DMSXCG501I *nn* line(s) deleted  
 DMSXCG502I {No|*nn*} line(s) recovered  
 DMSXCG503E {Truncated|Spilled}  
 DMSXCG504E *nn* line(s) {truncated|spilled}  
 DMSXCG505E Not executed--the target line (*nn*) is within the lines to move  
 DMSXCG506I *nn* lines {moved|copied|merged}  
 DMSXCG511E String2 contains more arbitrary characters than string1  
 DMSXCG517I *nn* occurrence(s) changed on *nn* line(s)  
 DMSXCG518E *nn* occurrence(s) changed on *nn* line(s); *nn* line(s) {truncated|spilled}  
 DMSXCG520E Invalid operand: *operand*  
 DMSXCG522I *nn* occurrences  
 DMSXCG543E Invalid number: *number*  
 DMSXCG581E Subcommand is not valid in extended mode  
 DMSXCG593E *nn* lines merged, *nn* line(s) {truncated|spilled}

**XCM**

DMSXCM512E Invalid subset command  
 DMSXCM513E Unknown CP/CMS command  
 DMSXCM514E Return code *nn* from *command*

**XCP**

DMSXCP037E Output disk *mode*[(*vdev*)] is accessed as read/only  
 DMSXCP043E TAP*n*(*vdev*) is file protected  
 DMSXCP104S Error *nn* reading file *fn ft fm* from disk  
 DMSXCP105S Error *nn* writing file *fn ft fm* on disk  
 DMSXCP113S {*mode*|Device|Disk|Printer|Punch|Reader| TAP*n*|Tapin|Tapout}{(*vdev*)} not attached  
 DMSXCP161S Unexpected error code *nn* on SYS*aaa*  
 DMSXCP361E Disk *mode* is not a DOS disk  
 DMSXCP411S {Input|Output} error code *nn* on SYS*aaa*

**XCT**

DMSXCT002E File *fn ft fm* not found  
 DMSXCT037E Disk *mode* is accessed as read/only  
 DMSXCT048E Invalid mode *mode*  
 DMSXCT104S Error *nn* reading file *fn ft fm* from disk  
 DMSXCT105S Error *nn* writing file *fn ft fm* on disk

# DMS

DMSXCT117S	Error writing to display terminal
DMSXCT507E	No preserved data to restore
DMSXCT509E	<i>subcommand</i> subcommand not valid from a prefix macro
DMSXCT520E	Invalid operand: <i>operand</i>
DMSXCT521E	Invalid line number
DMSXCT523I	Typewriter mode
DMSXCT526E	Option <i>option</i> valid in display mode only
DMSXCT527E	Invalid column number
DMSXCT529E	Subcommand is only valid in display mode
DMSXCT531E	Disk is full; set new filemode or clear some disk space
DMSXCT532E	Disk is full; AUTOSAVE failed
DMSXCT534E	Too many logical screens defined
DMSXCT535E	Invalid parameters for RENUM
DMSXCT536E	Logical screens exceed physical screen size
DMSXCT537E	Each logical screen must contain at least 5 lines and 20 columns
DMSXCT539E	Named line not found
DMSXCT540E	Name already defined on line <i>nn</i>
DMSXCT541E	Invalid name
DMSXCT543E	Invalid number: <i>number</i>
DMSXCT545E	Missing operand(s)
DMSXCT554E	No storage available
DMSXCT566E	Logical screen ( <i>sl1,sw1,sh1,sv1</i> ) is outside the virtual screen
DMSXCT567E	Logical screens ( <i>sl1,sw1,sh1,sv1</i> ) and ( <i>sl2,sw2,sh2,sv2</i> ) overlap each other
DMSXCT578W	<i>macroname</i> macro is not currently in storage
DMSXCT583I	EOF:
DMSXCT584I	TOF:
DMSXCT594E	File <i>fn ft fm</i> already exists; use FFILE/SSAVE
DMSXCT622E	Insufficient free storage for MSGLINE
DMSXCT697E	The logical screens must cover the full virtual screen width

## XDC

DMSXDC497E	Minimum abbreviation is between SO and SI
DMSXDC512E	Invalid subset command
DMSXDC520E	Invalid operand: <i>operand</i>
DMSXDC542E	No such subcommand: <i>subcommand</i>
DMSXDC543E	Invalid number: <i>number</i>
DMSXDC544E	Invalid hex data: <i>xxxxxxx</i>
DMSXDC545E	Missing operand(s)
DMSXDC546E	Target not found
DMSXDC547E	Synonym definition incomplete
DMSXDC548E	Invalid synonym operand: <i>operand</i>
DMSXDC549E	Synonym abbreviation too large
DMSXDC550E	Too many operands in synonym definition
DMSXDC554E	No storage available
DMSXDC580E	Invalid string: unmatched shift-out (SO) and shift-in (SI)
DMSXDC580E	Invalid string: odd number of characters between SO and SI
DMSXDC580E	Invalid string: invalid double-byte character(s)

## XDS

DMSXDS589E	Missing FILEDEF for DDNAME SYSIN
------------	----------------------------------

DMSXDS590E Dataset too large  
 DMSXDS591E Open error on SYSIN

**XED**

DMSXED553I Editing file: *fn ft fm*  
 DMSXED554E No storage available  
 DMSXED622E Insufficient free storage for MSGLINE

**XFC**

DMSXFC557S No more storage to insert lines  
 DMSXFC622E Insufficient free storage for line to spill  
 DMSXFC698W New record length may result in loss of double-byte characters

**XFD**

DMSXFD554E No storage available  
 DMSXFD559W Warning: file is empty  
 DMSXFD560E Not enough space for serialization between TRUNC and LRECL  
 DMSXFD580E Invalid string: shift-out (SO) is not a valid delimiter  
 DMSXFD592W Wrapped ...  
 DMSXFD700E Logical AND operator & not valid for column targets

**XGT**

DMSXGT002E File *fn ft fm* not found  
 DMSXGT048E Invalid mode *mode*  
 DMSXGT104S Error *nn* reading file *fn ft fm* from disk  
 DMSXGT156E Record *nnn* not found--the file *fn ft fm* has only *nnn* records  
 DMSXGT520E Invalid operand: *operand*  
 DMSXGT521E Invalid line number  
 DMSXGT554E No storage available  
 DMSXGT562E No line(s) saved by PUT(D) subcommand  
 DMSXGT563W Records {truncated|spilled}  
 DMSXGT564W EOF reached  
 DMSXGT565W EOF reached; records {truncated|spilled}

**XIN**

DMSXIN002E File *fn ft fm* not found  
 DMSXIN003E Invalid option: *option*  
 DMSXIN024E File *fn ft fm* already exists  
 DMSXIN029E Invalid parameter *parameter* in the option *option* field  
 DMSXIN048E Invalid mode *mode*  
 DMSXIN054E Incomplete fileid specified  
 DMSXIN065E *option* option specified twice  
 DMSXIN066E *option1* and *option2* are conflicting options  
 DMSXIN070E Invalid parameter *parameter*  
 DMSXIN104S Error *nn* reading file *fn ft fm* from disk  
 DMSXIN132S File *fn ft fm* too large  
 DMSXIN500E Unable to unpack file *fn ft fm*  
 DMSXIN508E LOAD must be the first subcommand in the profile

# DMS

---

DMSXIN554E No storage available  
DMSXIN570W Update *ft* specified in the UNTIL option field not found  
DMSXIN571I Creating new file:  
DMSXIN622E Insufficient free storage for {MSGLINE|PAkey/PFkey|synonyms}  
DMSXIN928E Command is not valid for virtual screen CMS

## XIO

DMSXIO572E Terminal error; data changed to uppercase

## XMA

DMSXMA554S No storage available

## XMB

DMSXMB002E File *fn ft fm* not found  
DMSXMB007E File *fn ft fm* is not fixed, 80-character records  
DMSXMB033E File *fn ft fm* is not a library  
DMSXMB037E Disk *fm* is accessed as read/only  
DMSXMB039E No entries in library *fn ft fm*  
DMSXMB104S Error *nn* reading file *fn ft fm* from disk  
DMSXMB105S Error *nn* writing file *fn ft fm* on disk  
DMSXMB157S MACLIB limit exceeded  
DMSXMB167S Previous MACLIB function not finished  
DMSXMB531E Disk is full; set new filemode or clear some disk space  
DMSXMB559W Warning: file is empty  
DMSXMB594E File *fn ft fm* already exists; use FFILE/SSAVE  
DMSXMB622E Insufficient free storage for reading map

## XMC

DMSXMC009E Column [*col*] exceeds record length [(*nn*)]  
DMSXMC545E Missing operand(s)  
DMSXMC575E Invalid VERIFY column(s) defined  
DMSXMC576E Total verify width exceeds screen size (*nn*)  
DMSXMC576E Total offset exceeds LRECL (*nn*)  
DMSXMC581E Subcommand is not valid in extended mode  
DMSXMC622E Insufficient free storage for I/O buffer

## XMD

DMSXMD503E {Truncated|Spilled}  
DMSXMD510I Autosaved as *fn ft fm*  
DMSXMD529E Subcommand is only valid in display mode  
DMSXMD543E Invalid number: *number*  
DMSXMD573I Input mode:  
DMSXMD587I XEDIT:

## XML

DMSXML529E Subcommand is only valid in display mode



DMSXML592W    Wrapped ....

**XMS**

DMSXMS009E    Column *col* exceeds record length  
 DMSXMS053E    Invalid sort field pair defined  
 DMSXMS063E    No sort list given  
 DMSXMS493E    SORT invalid in update mode  
 DMSXMS554S    No storage available  
 DMSXMS596E    This module must be called within the editor

**XPO**

DMSXPO117S    Error writing to display terminal  
 DMSXPO503E    Truncated  
 DMSXPO529E    Subcommand is only valid in display mode  
 DMSXPO557S    No more storage to insert lines  
 DMSXPO581E    Subcommand is not valid in extended mode  
 DMSXPO622E    Insufficient free storage for processing screen changes  
 DMSXPO554E    Insufficient free storage  
 DMSXPO915E    Maximum number of windows already defined  
 DMSXPO917E    No windows are showing virtual screen *vname*

**XPT**

DMSXPT037E    Disk *mode* is accessed as read/only  
 DMSXPT048E    Invalid mode *mode*  
 DMSXPT069E    Disk *mode* not accessed  
 DMSXPT105S    Error *nn* writing file *fn ft fm* on disk  
 DMSXPT554S    No storage available  
 DMSXPT571I    Creating new file:  
 DMSXPT579E    Records truncated to *nn* when added to *fn ft fm*  
 DMSXPT698W    New record length may result in loss of double-byte characters

**XPX**

DMSXPX554E    No storage available  
 DMSXPX659E    Invalid prefix subcommand: *prefix*  
 DMSXPX661E    Prefix *name* is invalid for the line on which it was entered

**XQR**

DMSXQR520E    Invalid operand: *operand*  
 DMSXQR525E    Invalid PFkey/PAkey number  
 DMSXQR530I    *nn* file(s) in storage  
 DMSXQR538E    No name defined  
 DMSXQR545E    Missing operand(s)  
 DMSXQR552E    No synonym currently defined  
 DMSXQR586E    Not found

**XRE**

DMSXRE104S    Error *nn* reading file *fn ft fm* from disk

# DMS

DMSXRE105S Error *nn* writing file *fn ft fm* on disk  
DMSXRE554E Insufficient free storage

## XSC

DMSXSC117S Error writing to display terminal  
DMSXSC510I Autosaved as *fn ft fm*  
DMSXSC554E Insufficient free storage  
DMSXSC622E Insufficient free storage for {COPYKEY|processing screen changes}  
DMSXSC657E Undefined PFkey/PAkey  
DMSXSC696W Invalid data received from the display  
DMSXSC915E Maximum number of windows already displayed  
DMSXSC917E No windows are showing virtual screen *vname*

## XSD

DMSXSD696W Invalid data received from the display

## XSE

DMSXSE009E Column [*col*] exceeds record length [(*nn*)]  
DMSXSE037E Disk *mode* is accessed as read/only  
DMSXSE048E Invalid mode *mode*  
DMSXSE514E Return code *nn* from *command*  
DMSXSE515E RECFM must be F, V, FP, or VP  
DMSXSE516E LRECL too large for V-format file  
DMSXSE519E LRECL must be lower than width (*nn*)  
DMSXSE520E Invalid operand: *operand*  
DMSXSE521E Invalid line number  
DMSXSE525E Invalid PFkey/PAkey number  
DMSXSE526E Option *option* valid in display mode only  
DMSXSE528E Invalid range: target2 (line *nn*) precedes target1 (line *nn*)  
DMSXSE543E Invalid number: *number*  
DMSXSE545E Missing operand(s)  
DMSXSE548E Invalid synonym operand: *operand*  
DMSXSE554E No storage available  
DMSXSE555E File *fn ft fm* already in storage  
DMSXSE558E Wrong file format for serialization  
DMSXSE559W Warning: file is empty  
DMSXSE560E Not enough space for serialization between TRUNC and LRECL  
DMSXSE568E Subcommand not valid with this screen definition  
DMSXSE575E Invalid {TABS|ZONE} column(s) defined  
DMSXSE600E First selection level (*nn*) cannot be greater than second selection level (*nn*)

## XSF

DMSXSF520E Invalid operand: *operand*  
DMSXSF521E Invalid line number  
DMSXSF533E Line *nn* is not reserved  
DMSXSF545E Missing operand(s)  
DMSXSF554E No storage available  
DMSXSF695E Cannot define more than 64 CTLCHARs

## XSS

DMSXSS520E Invalid operand: *operand*  
 DMSXSS525E Invalid PFkey/PAkey number  
 DMSXSS529E Subcommand is only valid in display mode  
 DMSXSS561E Cursor is not on a valid data field

## XSU

DMSXSU048E Invalid mode *mode*  
 DMSXSU062E Invalid character in fileid *fn ft fm*  
 DMSXSU069E Disk *mode* not accessed  
 DMSXSU137S Error *nn* on STATE for *fn ft fm*  
 DMSXSU229E Unsupported OS dataset, error *nn*  
 DMSXSU509E *subcommand* subcommand not valid from a prefix macro  
 DMSXSU510I Autosaved as *fn ft fm*  
 DMSXSU559W Warning: file is empty  
 DMSXSU577E File has been changed; use QQUIT to quit anyway  
 DMSXSU582S Editorabend  
 DMSXSU583I EOF:  
 DMSXSU584I TOF:  
 DMSXSU585E No line(s) changed  
 DMSXSU586E Not found  
 DMSXSU587I XEDIT:  
 DMSXSU588E Prefix subcommand waiting...

## XTR

DMSXTR622E Insufficient free storage for {EXTRACT|EXECOMM}  
 DMSXTR631E *function* can only be executed from an EXEC-2 or REXX EXEC

## XUP

DMSXUP002E File *fn ft fm* not found  
 DMSXUP007E File *fn ft fm* [is] not fixed, 80-character records  
 DMSXUP104S Error *nn* reading file *fn ft fm* from disk  
 DMSXUP174W Sequence error introduced in output file: *seqno1* to *seqno2*  
 DMSXUP178I {Applying|Updating} *fn ft fm*  
 DMSXUP179E Missing or duplicate MACS card in control file *fn ft fm*  
 DMSXUP180W Missing PTF file *fn ft fm*  
 DMSXUP183E Invalid {CONTROL|AUX} file control card  
 DMSXUP184W ./S not first card in update file--ignored  
 DMSXUP185W Non numeric character in sequence field *seqno*  
 DMSXUP186W Sequence number not found  
 DMSXUP207W Invalid update file control card  
 DMSXUP210W Input file sequence error: *seqno1* to *seqno2*  
 DMSXUP570W Update *ft* specified in the UNTIL option field not found  
 DMSXUP597E Unable to merge updates containing ./S cards  
 DMSXUP598S Unable to build update file: internal list destroyed  
 DMSXUP599S Unable to build update file: serialization destroyed

# DMS

---

## XWS

DMSXWS915E Maximum number of windows already defined  
DMSXWS927E {The virtual screen must contain at least {1 line|5 lines and 20 columns}|The physical screen must contain at least 20 lines and 80 columns}  
DMSXWS554E Insufficient free storage

## ZAP

DMSZAP001E No filename specified  
DMSZAP002E File *[fn [ft [fm]]]* not found  
DMSZAP002W File *fn ft [fm]* not found  
DMSZAP003E Invalid option: *option*  
DMSZAP007E File *fn ft fm* is not fixed, 80-character records  
DMSZAP014E Invalid function *function*  
DMSZAP047E No function specified  
DMSZAP056E File *fn ft [fm]* contains invalid record formats  
DMSZAP070E Invalid parameter *parameter*  
DMSZAP104S Error *nn* reading file *fn ft fm* from disk  
DMSZAP109S Virtual storage capacity exceeded  
DMSZAP190W Invalid control record or NO GO switch set  
DMSZAP191W Patch overlaps; set NO GO switch  
DMSZAP192W Odd number of digits; set NO GO switch  
DMSZAP193W Preceding control record flushed  
DMSZAP194W CSECT not found in {member *membername*|module *module*}; set NO GO switch  
DMSZAP195W Base value invalid; set NO GO switch  
DMSZAP200W Verify reject; set NO GO switch  
DMSZAP208E File *fn ft* is not variable record format  
DMSZAP210E File *fn ft* is on a read/only disk  
DMSZAP245S Error *nnn* on printer  
DMSZAP246W No loader table present for module *fn*; set NO GO switch  
DMSZAP247W Member *membername* not found; set NO GO switch  
DMSZAP248W Invalid VER/REP displacement; set NO GO switch  
DMSZAP249I Dummy log entry in file *fn ZAPLOG fm*  
DMSZAP750I ZAP processing complete  
DMSZAP751I Member *membername* found in library *libname*

## IPCS Message Summary by Module Code

### AMP

DMMAMP721I THE &NAME TABLE IS FULL  
DMMAMP722I INVALID ENTRY INTO &NAME TABLE

### CHN

DMMCHN610I POSSIBLE INVALID CHAIN - COMMAND TERMINATED  
DMMCHN611I LOOP DETECTED IN CHAIN - COMMAND TERMINATED  
DMMCHN708I PAGE 'page' NOT FOUND IN DUMP

### COM

DMMCOM100S ERROR 'nnn' READING FILE 'fn'  
DMMCOM109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMMCOM864E STORAGE INITIALIZATION INCOMPLETE

### COR

DMMCOR609I REQUESTED ADDRESS NOT IN REAL STORAGE.  
DMMCOR708I PAGE 'nnnnnnnn' NOT FOUND IN DUMP

### CPA

DMMCPA805I xxxxxx ABEND CODE NOT RECOGNIZED BY DATA EXTRACTION

### CVD

DMMCVD100S ERROR 'nnn' READING FILE 'fn'  
DMMCVD200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMCVD803I 'fn ft fm' CONVERSION COMPLETE  
DMMCVD811I NO IPCS MAP APPENDED TO DUMP  
DMMCVD812E 'fn ft fm' ALREADY CONVERTED  
DMMCVD820I INSUFFICIENT MAP PROCESSING SPACE FOR 'fn ft fm'

### CVS

DMMCVS100S ERROR 'nnn' READING FILE 'fn'  
DMMCVS200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMCVS803I 'fn ft fm' CONVERSION COMPLETE  
DMMCVS812E 'fn ft fm' ALREADY CONVERTED  
DMMCVS862E NO PARAMETERS ENTERED  
DMMCVS866E FILE 'fn ft fm' NOT FOUND  
DMMCVS867E 'fn ft fm' NOT A SYMPTOM SUMMARY FILE

### DCD

DMMDCD708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCD728I DOS SIMULATION NOT IN EFFECT

# DMM

---

## DCM

DMMDCM718I THIS DUMP HAS NO LOAD MAP  
DMMDCM723I THE DUMP IS NOT ON THE A-DISK  
DMMDCM856E UNABLE TO LOCATE CMS DUMPSCAN ROUTINE DMMMAP  
DMMDCM863E INVALID OPERAND - operand

## DCN

DMMDCN708I PAGE 'page' NOT FOUND IN DUMP

## DCO

DMMDCO708I PAGE 'page' NOT FOUND IN DUMP

## DCP

DMMDCP731E OPERAND MISSING OR INVALID  
DMMDCP863E INVALID OPERAND - operand

## DID

DMMDID729I NO DUMPID INFORMATION FOUND

## DIN

DMMDIN702I NON-HEX CHARACTER IN COUNT - RETRY  
DMMDIN703I NON-HEX CHARACTER IN ADDRESS - RETRY  
DMMDIN708I PAGE 'page' NOT FOUND IN DUMP

## DSC

DMMDSC100S ERROR 'nnn' READING FILE 'fn'  
DMMDSC500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER  
DMMDSC701R A VALID DUMP HAS NOT BEEN SPECIFIED.  
PLEASE ENTER ONE OF THE FOLLOWING OPERANDS:  
NNNNN < MODE > - TO VIEW PRBNNNNN FROM CMS DISK 'MODE'  
HELP - TO REQUEST HELP INFORMATION  
END, QUIT, HX - TO EXIT  
DMMDSC705W 'dumptype' DUMPSCAN FUNCTIONS NOT AVAILABLE  
DMMDSC717E INVALID FORM OF LOCATE COMMAND  
DMMDSC719I ERROR 'nnn' IN FSSTATE FILE 'fn ft fm'  
DMMDSC720I LOAD MAP ALREADY PRESENT  
DMMDSC723I THE DUMP IS NOT ON THE A-DISK  
DMMDSC725R DO YOU WISH TO REPLACE IT? RESPOND YES|NO  
DMMDSC732E UNRECOGNIZED SUBCOMMAND - subcommand  
DMMDSC733E ERROR DETECTED WHILE PROCESSING THE SUBCOMMAND -  
subcommand  
DMMDSC856E UNABLE TO LOCATE type DUMPSCAN ROUTINE 'name'  
DMMDSC863E INVALID OPERAND - operand

**EDM**

DMMEDM840I ADDRESS 'rstor' NOT AVAILABLE  
 DMMEDM841I LOW CORE 'rstor' REFERENCED  
 DMMEDM842I ADDRESS 'rstor' RE-REFERENCED  
 DMMEDM843I REQUIRE RESOURCES NOT AVAILABLE - FORMATTING BYPASSED  
 DMMEDM863E INVALID OPERAND - operand

**EDX**

DMMEDX840I ADDRESS 'rstor' NOT AVAILABLE

**FEX**

DMMFEX703I NON-HEX CHARACTER IN ADDRESS - RETRY  
 DMMFEX708I PAGE 'page' NOT FOUND IN DUMP

**HEX**

DMMHEX714I NON-HEX CHARACTER IN INPUT - RETRY

**INI**

DMMINI100S ERROR 'nnn' READING FILE 'fn'  
 DMMINI200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMINI300S ERROR 'nnn' ON FSSTATE 'fn ft fm'  
 DMMINI400S ERROR 'nnn' CLOSING 'fn ft fm'

**IOB**

DMMIOB708I PAGE 'page' NOT FOUND IN DUMP  
 DMMIOB712I DEVICE {'rdev'|'vdev'} NOT FOUND  
 DMMIOB713I USER 'userid' VMBLOK NOT FOUND  
 DMMIOB726I {IPL|NON-IPL} RIOBLOCKS REQUESTED IN NON-MULTIPROCESSOR  
 DUMP

**LOC**

DMMLOC708I PAGE 'page' NOT FOUND IN DUMP  
 DMMLOC715I NON-HEX CHARACTER IN STRING  
 DMMLOC716I STRING 'string' NOT FOUND  
 DMMLOC717E INVALID FORM OF LOCATE COMMAND  
 DMMLOC717I INVALID FORM OF LOCATE COMMAND

**MAP**

DMMMAP100S ERROR 'nnn' READING FILE 'fn ft fm'  
 DMMMAP801I matype MAP 'fn ft fm' IS NOT VALID  
 DMMMAP802I FOR matype, THE MAP NAMED 'fn ft fm' WAS ADDED TO THE IPCS MAP  
 DMMMAP806R FOR type, ENTER 'fn ft fm' OF THE matype MAP,  
 OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
 DMMMAP807I UNABLE TO LOCATE matype MAP 'fn ft fm'  
 DMMMAP810I FORMAT OF matype MAP 'fn ft fm' IS INVALID

# DMM

---

DMMMAP817E matype MAP 'fn ft fm' OVERLAPS A PREVIOUS MAP  
DMMMAP863E INVALID OPERAND - operand

## MOD

DMMMOD706I 'entry' NOT FOUND IN LOAD MAP  
DMMMOD707I 'module' 'page' NOT VALID  
DMMMOD708I PAGE 'page' NOT FOUND IN DUMP  
DMMMOD718I THIS DUMP HAS NO LOAD MAP

## PRM

DMMPRM804E PROCESSING ERROR IN DATA EXTRACTION

## PRO

DMMPRO100S ERROR 'nnn' READING FILE 'fn'  
DMMPRO200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMPRO300S ERROR 'nnn' ON FSSTATE 'filename filetype fm'

## PRT

DMMPT100S ERROR 'nnn' READING FILE 'fn'  
DMMPT855I 'type' FORMAT ROUTINE NOT FOUND  
DMMPT856E UNABLE TO LOCATE 'type' FORMATTING ROUTINE 'name'  
DMMPT861E FILE 'fn' NOT FOUND  
DMMPT862E NO PARAMETERS ENTERED  
DMMPT863E INVALID OPERAND - operand

## REG

DMMREG708I PAGE 'page' NOT FOUND IN DUMP  
DMMREG724I {IPL|NON-IPL} REGISTERS REQUESTED IN UNIPROCESSOR DUMP

## SCR

DMMSCR708I PAGE 'page' NOT FOUND IN DUMP  
DMMSCR709I NO VALID SCROLL ADDRESS  
DMMSCR863E INVALID OPERAND - operand

## SEA

DMMSEA100S ERROR 'nnn' READING FILE 'fn'

## STA

DMMSTA100S ERROR 'nnn' READING FILE 'SYMPTOM SUMMARY \*'  
DMMSTA200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMSTA601S OPERAND 'xxxxxxx' NOT RECOGNIZED



## SUM

DMMSUM100S ERROR 'nnn' READING FILE 'fn'  
 DMMSUM200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMSUM501S INVALID PARM 'parameter' PASSED TO SUMMARY UPDATE PROGRAM  
 DMMSUM502S PROBLEM 'PRBnnnnn' NOT FOUND IN SYMPTOM SUMMARY

## TIU

DMMTIU868I REQUIRED RESOURCES ARE NOT AVAILABLE, SYMPTOM RECORD FOR  
 FILE 'PRBnnnnn' CANNOT BE DISPLAYED  
 DMMTIU869I ERROR 'nnn' OCCURRED WHILE READING SYMPTOM RECORD FOR  
 FILE 'PRBnnnnn'  
 DMMTIU870I SYMPTOM RECORD FOR FILE 'PRBnnnnn' CANNOT BE FOUND

## TRC

DMMTRC708I PAGE 'page' NOT FOUND IN DUMP  
 DMMTRC710I NON-NUMERIC COUNT CHARACTER--RETRY  
 DMMTRC730E CONFLICTING OPERAND - operand  
 DMMTRC731E OPERAND MISSING OR INVALID  
 DMMTRC741E "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
 START = start END = end CURRENT = current  
 DMMTRC741I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
 START = start END = end CURRENT = current  
 DMMTRC742I "FROM" LOCATION NOT ON A 16 BYTE BOUNDARY  
 DMMTRC868E REQUIRED RESOURCES NOT AVAILABLE

## TRD

DMMTRD708I PAGE 'page' NOT FOUND IN DUMP  
 DMMTRD740I TRACE TABLE POINTERS INVALID:  
 START = start END = end CURRENT = current  
 DMMTRD741I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
 START = start END = end CURRENT = current  
 DMMTRD743I TRACE ENTRY IS TOO LARGE TO BE COMPLETELY DISPLAYED  
 DMMTRD744E COMMAND TERMINATED, CAN NOT PROCESS BEYOND STORAGE  
 BOUNDARY

## VAL

DMMVAL100S ERROR 'nnn' READING FILE 'fn'  
 DMMVAL200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
 DMMVAL806R FOR type, ENTER 'fn ft fm' OF THE maptype MAP,  
 OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
 DMMVAL807I UNABLE TO LOCATE maptype MAP 'fn ft fm'

## VMB

DMMVMB708I PAGE 'page' NOT FOUND IN DUMP  
 DMMVMB711I LOOP IN VMBLOK CHAIN  
 DMMVMB713I USER 'userid' VMBLOK NOT FOUND

# DMM

---

## VMF

DMMVMF100S ERROR 'nnn' READING FILE 'fn'  
DMMVMF200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMVMF560E FILE 'PRBXXXXX DUMP A1' ALREADY EXISTS - RENAME OR ERASE  
DMMVMF600S ERROR 'nnn' RENAMING FILE 'fn ft fm'  
DMMVMF830R ENTER KEYWORD 'keyword ='  
DMMVMF853S NO DUMP FILES EXIST  
DMMVMF855I {CP|CMS} EXTRACTION ROUTINE NOT FOUND  
DMMVMF856E UNABLE TO LOCATE {CP|CMS} 'routine' ROUTINE 'name'  
DMMVMF860E FATAL I/O ERROR READING DUMP  
DMMVMF865E NO PARAMETERS ALLOWED  
DMMVMF871E USER NOT AUTHORIZED TO PROCESS CP SYSTEM DUMPS; NO OTHER  
DUMPS EXIST

## WRT

DMMWRT200S ERROR 'nnn' WRITING FILE 'fn ft fm'

## GCS Message Summary by Module Code

### ABD

CSIABD225I HX Complete  
 CSIABD226E Application '*name*' failed - System abend *xxx-yyyy*  
 CSIABD227E Application '*name*' failed - User abend *xxx-yyyy*  
 CSIABD228E Subtask of '*name*' failed - System abend *xxx-yyyy*  
 CSIABD229E Subtask of '*name*' failed - User abend *xxx-yyyy*  
 CSIABD230E Command '*command*' failed - System abend *xxx-yyyy*  
 CSIABD231E Command '*command*' failed - User abend *xxx-yyyy*  
 CSIABD232E Abend *xxx-yyyy* occurred during abend ESTAE processing  
 CSIABD233E Abend *xxx-yyyy* occurred during abend TASKEXIT processing  
 CSIABD234E Abend *xxx-yyyy* occurred during abend Resource Manager processing  
 CSIABD235E Abend *xxx-yyyy* occurred during abend internal processing  
 CSIABD237E Command ended without detaching subtasks

### ACC

CSIACC005S Virtual storage capacity exceeded  
 CSIACC006E Invalid parameter '*parameter*'  
 CSIACC012E No options allowed  
 CSIACC021E Invalid mode '*mode*'  
 CSIACC243S Parameter list delimiter missing  
 CSIACC414E Disk '*vdev*' not properly formatted for ACCESS  
 CSIACC415E Invalid device address '*vdev*'  
 CSIACC422E '*vdev*' already accessed as Read/Write '*mode*' disk  
 CSIACC423I *mode (vdev)* {R/O|R/W}  
 CSIACC424I '*vdev mode*' released  
 CSIACC425I '*vdev*' replaces '*mode (vdev)*'  
 CSIACC426I '*vdev*' also = '*mode*'  
 CSIACC427S '*mode (vdev)*' device error  
 CSIACC428S '*mode (vdev)*' not attached  
 CSIACC429E File '*fn ft fm*' not found. Disk '*mode (vdev)*' will not be accessed.  
 CSIACC430W OS disk - Fileid specified is ignored

### ARE

CSIARE006E Invalid parameter '*parameter*'  
 CSIARE017E Disk '{*mode|vdev|valid*}' not accessed  
 CSIARE021E Invalid mode '*mode*'  
 CSIARE243S Parameter list delimiter missing  
 CSIARE415E Invalid device address '*vdev*'  
 CSIARE416E No device specified

### CIO

CSICIO028S Device *vdev* not attached  
 CSICIO029S Unit check on device *vdev*. CSW = *csw*, SENSE = *sense*  
 CSICIO030S Unrecoverable I/O error on device *vdev*. CSW = *csw*  
 CSICIO030T Unrecoverable I/O error on device *vdev*. CSW = *csw*

# CSI

---

CSICIO346S Intervention required on device *vdev*

## CMH

CSICMH203I Ready (*nnnnn*);  
CSICMH204S Recovery task abended  
CSICMH205E Unknown CP/GCS command  
CSICMH238I Ready;

## CON

CSICON200S Console cannot be initialized - Re-IPL *sysname*  
CSICON201S Permanent console error - Re-IPL *sysname*  
CSICON202I GCS  
CSICON203I Ready (*nnnnn*);  
CSICON205E Unknown CP/GCS command  
CSICON238I Ready;

## DAS

CSIDAS016E Disk *vdev* not attached  
CSIDAS017E Disk '*{mode|vdev|valid}*' not accessed  
CSIDAS335S Internal error during VSAM processing: *name* function(s) not supported  
CSIDAS343S Internal error during VSAM processing: Invalid device class *devclass* for *devtype*

## DIE

CSIDIE140T *sysname* supervisor has terminated because of an unrecoverable error. Virtual machine has been reset.

## DLB

CSIDLB001E Invalid option '*option*'  
CSIDLB002E Invalid parameter '*parameter*' in the option '*option*' field  
CSIDLB003E '*option*' option specified twice  
CSIDLB004E '*option1*' and '*option2*' are conflicting options  
CSIDLB006E Invalid parameter '*parameter*'  
CSIDLB017E Disk '*{mode|vdev|valid}*' not accessed  
CSIDLB021E Invalid mode '*mode*'  
CSIDLB302E Parameter missing after DDNAME  
CSIDLB303I No user defined {FILEDEFs|DLBLs} in effect  
CSIDLB305I DDNAME '*ddname*' not found; CLEAR not executed  
CSIDLB310R Enter data set name:  
CSIDLB311E Invalid data set name  
CSIDLB312R Enter volume specifications:  
CSIDLB313E Invalid ddname '*ddname*'  
CSIDLB314I Maximum number of disk entries recorded  
CSIDLB315E Catalog DDNAME '*ddname*' not found  
CSIDLB316E *mode* disk is in CMS format; Invalid for VSAM data set.  
CSIDLB317I Job catalog DLBL cleared  
CSIDLB318I Master catalog DLBL cleared

CSIDL345I No *option* specified

**DMP**

CSIDMP344I VSAM IDUMP taken *date time*

**DOS**

CSIDOS005S Virtual storage capacity exceeded  
 CSIDOS336S Internal error during VSAM processing: Illegal use of SVC 11  
 CSIDOS337S Internal error during VSAM processing: Unsupported SVC *svc* (hex *xx*) called from *vstor*

**DUM**

CSIDUM009E Operand is missing or invalid  
 CSIDUM010E Command Complete  
 CSIDUM243S Parameter list delimiter missing  
 CSIDUM525E Userid is missing or invalid  
 CSIDUM526E Userid '*userid*' is not in CP directory  
 CSIDUM527E Invalid range  
 CSIDUM529E Partial dump taken  
 CSIDUM531E Dump failed: Spooling error  
 CSIDUM532E Dump failed: I/O error

**DUR**

CSIDUR528I Dump complete  
 CSIDUR529E Partial dump taken  
 CSIDUR530E Dump failed

**ERW**

CSIERW421S Disk '*mode (vdev)*' is full

**FLD**

CSIFLD001E Invalid option '*option*'  
 CSIFLD002E Invalid parameter '*parameter*' in the option '*option*' field  
 CSIFLD003E '*option*' option specified twice  
 CSIFLD004E '*option1*' and '*option2*' are conflicting options  
 CSIFLD005S Virtual storage capacity exceeded  
 CSIFLD006E Invalid parameter '*parameter*'  
 CSIFLD011E Invalid character in fileid '*fn ft*'  
 CSIFLD017I Disk '*mode*' not accessed  
 CSIFLD021E Invalid mode '*mode*'  
 CSIFLD023E No filetype specified  
 CSIFLD301E Invalid device '*devname*'  
 CSIFLD302E Parameter missing after DDNAME  
 CSIFLD303I No user defined {FILEDEFs|DLBLs} in effect  
 CSIFLD320E Error during FILEDEF CLEAR processing, DCB(s) not closed.

# CSI

---

## FNS

CSIFNS005T Virtual storage capacity exceeded  
CSIFNS030T Unrecoverable I/O error on device *vdev*. CSW = *csw*  
CSIFNS420T File system error detected. Virtual address '*vdev*'. Reason code '*nn*'.

## GLB

GSIGLB005S Virtual storage capacity exceeded  
CSIGLB013E No function specified  
CSIGLB014E Invalid function '*function*'  
CSIGLB024E File '*fileid*' not found  
CSIGLB220E Unable to open file '*fn*'  
CSIGLB221S More than *nnn* libraries specified.  
CSIGLB222E File *fileid* contains invalid record formats  
CSIGLB223S Error '*nn*' reading file '*fileid*' from disk

## GMF

CSIGMF338S Internal error during VSAM processing: Invalid form of SVC *svc* (hex *xx*)  
called from *vstor*  
CSIGMF339S Internal error during VSAM processing: Unsupported function *function* of SVC  
*svc* (hex *xx*) called from *vstor*

## GRP

CSIGRP007E Extraneous parameter '*parameter*'  
CSIGRP018E Disk *mode* is Read/Only  
CSIGRP019E No Read/Write *mode* disk accessed  
CSIGRP025E System '*sysname*' does not exist  
CSIGRP100E Missing the *sysname* operand  
CSIGRP104R Enter selection number 1, 2, or 3  
CSIGRP105E System name not specified  
CSIGRP106E Maximum number of Virtual Machines missing or invalid  
CSIGRP107E File has been changed. Use QQUIT to quit anyway.  
CSIGRP108I Saved System information is continued on the next page  
CSIGRP109E System '*sysname*' defined in DMKSNT with NAMESYS parameter  
VMGROUP=NO  
CSIGRP109I System '*sysname*' defined in DMKSNT with NAMESYS parameter  
VMGROUP=YES  
CSIGRP110I All saved segment names on this page are valid  
CSIGRP111I You are now editing your '*fileid*' file  
CSIGRP112E Undefined PFKEY/PAKEY  
CSIGRP113I The number of Authorized VM userids processed is *nnnnn*  
CSIGRP114E No authorized VM userids have been specified  
CSIGRP115I This is the {first|last} page for this screen  
CSIGRP116E The number of invalid userids on this page is *nn*  
CSIGRP117I All userids on this page have been verified as valid  
CSIGRP118R Select disk address in the range of 001 through FFF  
CSIGRP119R Select trace table size in the range of 4K through 16384K  
CSIGRP120I '*userid*' is a valid Authorized VM userid  
CSIGRP121I '*userid*' is a valid userid

CSIGRP122E 'userid' is not a valid userid  
 CSIGRP123I No userid has been specified to receive dumps  
 CSIGRP124E No userid has been specified as the recovery machine  
 CSIGRP125I The number of Saved Segment names processed is *nnnnn*  
 CSIGRP126E No saved segment names have been specified  
 CSIGRP127E The number of invalid saved segment names on this page is *nn*  
 CSIGRP133E Paging I/O error for segment '*segname*'  
 CSIGRP428S '*mode (vdev)*' not attached

**GVE**

CSIGVE017E Disk '{*mode|vdev|volid*}' not accessed

**IAL**

CSIIAL031S Insufficient free storage is available  
 CSIIAL504I Page '*vstor*' not found in dump  
 CSIIAL545I NUCON extension ptr is zero. Can't find state block.  
 CSIIAL546I Task block pointer is zero. Can't find state block.  
 CSIIAL547I State block pointer is zero.  
 CSIIAL548I Task ID table pointer is zero. Can't find state block.

**IDS**

CSIIDS501I Unable to locate *type* DUMPSCAN routine '*routine*'

**IEX**

CSIIEX500I Unable to locate *type* extraction routine '*routine*'  
 CSIIEX506I Unable to read dump information record

**IFT**

CSIIFT502I Task '*taskid*' not found  
 CSIIFT504I Page '*vstor*' not found in dump  
 CSIIFT505I Taskid '*xxxx*' invalid

**IIU**

CSIIIU031S Insufficient free storage is available  
 CSIIIU503I No IUCV path table  
 CSIIIU504I Page '*vstor*' not found in dump  
 CSIIIU542I NUCON extension ptr is zero. Can't find IUCV path table.  
 CSIIIU543I IUCV storage anchor block ptr is zero. Can't find IUCV path table.  
 CSIIIU544I IUCV path table ptr is zero

**INI**

CSIINI129T No virtual console attached. Re-IPL *sysname*.  
 CSIINI130T Virtual console not ready. Re-IPL *sysname*.  
 CSIINI131T ECMODE must be set ON to IPL *sysname*.  
 CSIINI134I *sysname* has *nnnnnnnn* bytes of available common free storage

# CSI

---

CSIINI138T      *nnnnnnnn* bytes needed for requested number of users exceeds available common free storage of *mmmmmmmm* bytes

CSIINI139T      *nnnnnnnn* bytes needed for requested trace table size exceeds available common free storage of *mmmmmmmm* bytes

CSIINI142T      Storage needed for Storage Management exceeds available common free storage. Define more common storage.

CSIINI143T      Storage needed for Storage Management exceeds available private free storage. Define more private storage.

## INS

CSIINS109T      System *sysname* defined in DMKSNT with NAMESYS parameter VMGROUP=NO.

CSIINS129T      No virtual console attached. Re-IPL *sysname*.

CSIINS130T      Virtual console not ready. Re-IPL *sysname*.

CSIINS131T      ECMODE must be set ON to IPL *sysname*.

CSIINS132S      Segment '*segname*' does not exist

CSIINS133S      Paging I/O error for segment '*segname*'

CSIINS135T      Group allocation exceeded for system '*sysname*'

CSIINS136T      Recovery machine '*userid*' is not IPLed. System '*sysname*' cannot be initialized.

CSIINS143T      Storage needed for Storage Management exceeds available private free storage. Define more private storage.

## IPR

CSIIPR008I      Invalid reply

CSIIPR549E      *productname* control block formatting routine *routine* not found.

CSIIPR550R      Do you wish to format *productname* control blocks? Reply YES or NO.

## ITA

CSIITA031S      Insufficient free storage is available

CSIITA504I      Page '*vstor*' not found in dump

CSIITA534I      Task storage anchor block ptr is zero

CSIITA539I      NUCON extension ptr is zero. Can't find task storage anchor block.

CSIITA540I      Taskid table ptr is zero. Can't find task storage anchor block.

CSIITA541I      Task block pointer is zero. Can't find task storage anchor block.

## ITL

CSIITL031S      Insufficient free storage is available

CSIITL504I      Page '*vstor*' not found in dump

CSIITL535I      NUCON extension ptr is zero. Can't find task load list.

CSIITL536I      Taskid table ptr is zero. Can't find task load list.

CSIITL537I      Task block ptr is zero. Can't find task load list.

CSIITL538I      Task load list ptr is zero.

## ITP

CSIITP400T      Program Exception *code* occurred at *vstor* in system routine *name*. Re-IPL *sysname*.



CSITP432T	Program exception <i>code</i> occurred at <i>vstor</i> while no task active, re-IPL <i>sysname</i>
<b>ITS</b>	
CSITS032S	Supervisor error {1 2}. Re-IPL <i>sysname</i>
<b>IUE</b>	
CSIIUE032S	Supervisor error 2. Re-IPL <i>sysname</i>
<b>IUI</b>	
CSIIUI401I	Directory error encountered during initialization of the IUCV environment
CSIIUI402I	An GETMAIN error occurred while trying to obtain storage for the <i>sysname</i> IUCV Path Table
CSIIUI403I	An IUCV CONNECT error occurred while trying to connect to CP Signal Services. IPRCODE = <i>xx</i> .
CSIIUI433S	Label GCSEXIT, the IUCV Pending Connect exit, was given control. This is an error.
CSIIUI434S	IUCVINI SET for GCS failed with return code <i>nnn</i> . Cannot continue IPL.
<b>IUM</b>	
CSIIUM032S	Supervisor error 2. Re-IPL <i>sysname</i>
<b>IUS</b>	
CSIIUS032S	Supervisor error 2. Re-IPL <i>sysname</i>
<b>IUX</b>	
CSIIUX032S	Supervisor error 2. Re-IPL <i>sysname</i>
<b>IVL</b>	
CSIIVL504I	Page ' <i>vstor</i> ' not found in dump
CSIIVL533I	Virtual Machine load list is empty
<b>IXT</b>	
CSIIXT431T	SEVER external interrupt has occurred on the Signal Services Path. Re-IPL <i>sysname</i> .
<b>LCK</b>	
CSILCK340S	Internal error during VSAM processing: Unsupported form of <i>name</i> macro
<b>LDC</b>	
CSILDC212E	Member cannot be loaded, command not defined, RC = <i>nn</i>

# CSI

---

## LDF

CSILDF341S Internal error during VSAM processing: Phase *name* not found

## LOS

CSILOS220E Unable to open file '*fn*'  
CSILOS223S Error '*nn*' reading file '*fileid*' from disk  
CSILOS224E Member '*membername*' not found in library

## MTA

CSIMTA032S Supervisor error 1. Re-IPL *sysname*  
CSIMTA141S Recovery machine '*userid*' for *sysname* has abnormally terminated

## MTB

CSIMTB032S Supervisor error 2. Re-IPL *sysname*

## OSR

CSIOSR006E Invalid parameter '*parameter*'  
CSIOSR022E No filename specified  
CSIOSR219E Parm field contains more than 100 characters  
CSIOSR236E Ending apostrophe is missing  
CSIOSR243S Parameter list delimiter missing

## PIO

CSIPIO005S Virtual storage capacity exceeded  
CSIPIO028S Device *vdev* not attached  
CSIPIO029S Unit check on device *vdev*. CSW = *csw*, SENSE = *sense*  
CSIPIO030T Unrecoverable I/O error on device *vdev*. CSW = *csw*  
CSIPIO346S Intervention required on device *vdev*

## PNC

CSIPNC407E PROP has terminated or abended. The command is not accepted.  
CSIPNC409E An error occurred while trying to SEND to PROP virtual machine. The  
command is not accepted. IUCVCOM return code = *nnnn*  
CSIPNC418I Insufficient free storage available. The command is not accepted.

## PNI

CSIPNI410I PROP has resumed activity.  
CSIPNI411I PROP has abended.  
CSIPNI412I PROP has stopped

## PNP

CSIPNP407E PROP has terminated or abended. The command is not accepted.  
CSIPNP408E PMX has not been started. The command is not accepted.

CSIPNP418I Insufficient free storage available. The command is not accepted.  
 CSIPNP419E PMX has abended. The command is not accepted.

**PNX**

CSIPNX404E Retry will be attempted in 15 seconds; PROP is not active in virtual machine  
*userid*  
 CSIPNX405E An IUCV error occurred while trying to CONNECT to PROP virtual machine.  
 IUCVCOM return code = *code*.  
 CSIPNX406E PMX has abended and will now take a dump and wait for NCCF termination.  
 Abend code = *xxx*  
 CSIPNX413I PMX has terminated.

**QRD**

CSIQRD239I No entry points are currently loaded in this virtual machine  
 CSIQRD240I No entry points were loaded by the LOADCMD command

**QRL**

CSIQRL032S Supervisor error 5. Re-IPL *sysname*  
 CSIQRL217E The common lock is free  
 CSIQRL218I The common lock is held by *userid*

**QRQ**

CSIQRQ514I All external trace events are disabled  
 CSIQRQ515I External trace is enabled for *event-type(s)*  
 CSIQRQ516I External trace is enabled for *event-type(s)* for GROUP  
 CSIQRQ522I Internal trace is enabled for *event-type(s)*  
 CSIQRQ523I Internal trace is enabled for *event-type(s)* for GROUP  
 CSIQRQ524I All internal trace events are disabled

**QRR**

CSIQRR005S Virtual storage capacity exceeded  
 CSIQRR214I No replies outstanding  
 CSIQRR215I The following replies are outstanding:  
 CSIQRR216I GROUP ID = *sysname*, Users: Current = *nnnnn*, Maximum = *mmmmm*

**QRS**

CSIQRS015E '*parameter*' is invalid for the '*function*' function  
 CSIQRS017E Disk '{*mode|vdev|volid*}' not accessed  
 CSIQRS019E No Read/Write *mode* disk accessed  
 CSIQRS020E No read/write disk with space available accessed

**QRU**

CSIQRU303I No user defined {FILEDEFs|DLBLs} in effect

# CSI

---

## QRX

CSIQRX005S Virtual storage capacity exceeded  
CSIQRX006E Invalid parameter '*parameter*'  
CSIQRX303I No user defined {FILEDEFs|DLBLs} in effect

## QRY

CSIQRY005S Virtual storage capacity exceeded  
CSIQRY006E Invalid parameter '*parameter*'  
CSIQRY013E No function specified

## RCN

CSIRC�496R Enter DEBUG input for EXEC *execname*

## REX

CSIREX449E Error 22 running *fn ft*, line *nn*: Invalid character string  
CSIREX450E Error 5 running *fn ft*, line *nn*: Machine storage exhausted  
CSIREX451E Error 3 running *fn ft*, line *nn*: Program is unreadable  
CSIREX452E Error 4 running *fn ft*, line *nn*: Program interrupted  
CSIREX453E Error 6 running *fn ft*, line *nn*: Unmatched */\** or quote  
CSIREX454E Error 7 running *fn ft*, line *nn*: WHEN or OTHERWISE expected  
CSIREX455E Error 8 running *fn ft*, line *nn*: Unexpected THEN or ELSE  
CSIREX456E Error 9 running *fn ft*, line *nn*: Unexpected WHEN or OTHERWISE  
CSIREX457E Error 10 running *fn ft*, line *nn*: Unexpected or unmatched END  
CSIREX458E Error 11 running *fn ft*, line *nn*: Control stack full  
CSIREX459E Error 12 running *fn ft*, line *nn*: Clause > 500 characters  
CSIREX460E Error 13 running *fn ft*, line *nn*: Invalid character in data  
CSIREX461E Error 14 running *fn ft*, line *nn*: Incomplete DO/SELECT/IF  
CSIREX462E Error 15 running *fn ft*, line *nn*: Invalid Hex constant  
CSIREX463E Error 16 running *fn ft*, line *nn*: Label not found  
CSIREX464E Error 21 running *fn ft*, line *nn*: Invalid data on end of clause  
CSIREX465E Error 17 running *fn ft*, line *nn*: Unexpected PROCEDURE  
CSIREX466E Error 26 running *fn ft*, line *nn*: Invalid whole number  
CSIREX467E Error 27 running *fn ft*, line *nn*: Invalid DO syntax  
CSIREX468E Error 30 running *fn ft*, line *nn*: Name or String > 250 characters  
CSIREX469E Error 31 running *fn ft*, line *nn*: Name starts with number or *."*  
CSIREX470E Error 34 running *fn ft*, line *nn*: Logical value not 0 or 1  
CSIREX471E Error 35 running *fn ft*, line *nn*: Invalid expression  
CSIREX472E Error 36 running *fn ft*, line *nn*: Unmatched *"* in expression  
CSIREX473E Error 37 running *fn ft*, line *nn*: Unexpected *,* or *"*  
CSIREX474E Error 39 running *fn ft*, line *nn*: Evaluation stack overflow  
CSIREX475E Error 40 running *fn ft*, line *nn*: Incorrect call to routine  
CSIREX476E Error 41 running *fn ft*, line *nn*: Bad arithmetic conversion  
CSIREX477E Error 42 running *fn ft*, line *nn*: Arithmetic overflow/underflow  
CSIREX478E Error 43 running *fn ft*, line *nn*: Routine not found  
CSIREX479E Error 44 running *fn ft*, line *nn*: Function did not return data  
CSIREX480E Error 45 running *fn ft*, line *nn*: No data specified on function RETURN  
CSIREX481E Error 49 running *fn ft*, line *nn*: Interpreter failure  
CSIREX482E Error 19 running *fn ft*, line *nn*: String or symbol expected

CSIREX483E Error 20 running *fn ft*, line *nn*: Symbol expected  
 CSIREX484E Error 24 running *fn ft*, line *nn*: Invalid TRACE request  
 CSIREX485E Error 25 running *fn ft*, line *nn*: Invalid sub-keyword found  
 CSIREX486E Error 28 running *fn ft*, line *nn*: Invalid LEAVE or ITERATE  
 CSIREX487E Error 29 running *fn ft*, line *nn*: Environment name too long  
 CSIREX488E Error 33 running *fn ft*, line *nn*: Invalid expression result  
 CSIREX489E Error 38 running *fn ft*, line *nn*: Invalid template or pattern  
 CSIREX490E Error 48 running *fn ft*, line *nn*: Failure in system service  
 CSIREX491E Error 18 running *fn ft*, line *nn*: THEN expected  
 CSIREX492E Error 32 running *fn ft*, line *nn*: Invalid use of stem  
 CSIREX493E Error 1 running *fn ft*, line *nn*: No filename specified  
 CSIREX494E Error 2 running *fn ft*: File not found  
 CSIREX497E Insufficient storage for EXEC interpreter

**ROS**

CSIROS005S Virtual storage capacity exceeded  
 CSIROS423I *mode (vdev) {R/O|R/W} {-OS|-DOS}*  
 CSIROS426I '*vdev*' also = '*mode*' {-OS|-DOS} disk

**RPY**

CSIRPY206E Reply not accepted, ID not specified  
 CSIRPY207E Reply not accepted, ID number not 00 to 99  
 CSIRPY208I Reply *xx* not outstanding  
 CSIRPY209E Reply *xx* not accepted, reply too long for requestor  
 CSIRPY210E Reply not accepted, invalid ECB address  
 CSIRPY211E Reply not accepted, invalid reply buffer address

**RXE**

CSIRXE495R Enter input for EXEC '*execname*'

**SCL**

CSISCL309E Close error '*nn*' on '*ddname*'  
 CSISCL349E Close error '*nn*'

**SCT**

CSISCT306S Input error '*nnn*' on '*ddname*'  
 CSISCT307S Output error '*nnn*' on '*ddname*'

**SER**

CSISER306S Input error '*nnn*' on '*ddname*'  
 CSISER307S Output error '*nnn*' on '*ddname*'

**SET**

CSISET006E Invalid parameter '*parameter*'  
 CSISET013E No function specified  
 CSISET321E Saved system name '*name*' is invalid. Only GCSVSAM or GCSBAM allowed.

# CSI

---

CSISSET322E New system name missing after *name*  
CSISSET323E Parameter missing after SYSNAME  
CSISSET351E System name not changed. VSAM already initialized.

## SOP

CSISOP308E Open error '*nn*' on '*ddname*'  
CSISOP308W Open error '*nn*' on '*ddname*'  
CSISOP348E Open error *nn*

## SUB

CSISUB340S Internal error during VSAM processing: Unsupported form of *name* macro

## SVQ

CSISVQ032S Supervisor error {3|4}. Re-IPL *sysname*

## VIB

CSIVIB350S Internal error during VTAM processing: Module IST019C1 not found

## VIP

CSIVIP017E Disk '{*mode|vdev|valid*}' not accessed  
CSIVIP018E Disk *mode* is Read/Only  
CSIVIP316E *mode* disk is in CMS format; Invalid for VSAM dataset.  
CSIVIP325E Number of VSAM exit routines has exceeded maximum of 128. Unable to continue.  
CSIVIP326E OPEN error on '*ddname*': Possible volume error. See VSE/VSAM documentation for OPEN error code *code*.  
CSIVIP327E OPEN error on '*ddname*': Possible user programming error. See VSE/VSAM documentation for OPEN error code *code*.  
CSIVIP329E OPEN error on '*ddname*': Possible catalog error. See VSE/VSAM documentation for OPEN error code *code*.  
CSIVIP330E OPEN error on '*ddname*': Possible system error. See VSE/VSAM documentation for OPEN error code *code*.  
CSIVIP331E CLOSE error on '*ddname*': Possible user programming error. See VSE/VSAM documentation for CLOSE error code *code*.  
CSIVIP332E CLOSE error on '*ddname*': Possible system error. See VSE/VSAM documentation for CLOSE error code *code*.  
CSIVIP333E Error in request macro processing: Possible user programming error. See VSE/VSAM error code *code*. Return code *code*.  
CSIVIP334E Error in request macro processing: Possible system error. See VSE/VSAM error code *code*. Return code *code*.  
CSIVIP341S Internal error during VSAM processing: Phase *name* not found

## VSI

CSIVSI025E System '*sysname*' does not exist  
CSIVSI300S Control program error indication '*nnn*'  
CSIVSI324S VM Size (*size*) cannot exceed *sysname* start address (*ustor*)

**WTR**

CSIWTR213I Reply *xx* cancelled

**XCP**

CSIXCP016E Disk *vdev* not attached  
CSIXCP018E Disk *mode* is Read/Only  
CSIXCP306S Input error '*nnn*' on '*ddname*'  
CSIXCP307S Output error '*nnn*' on '*ddname*'  
CSIXCP319S Unexpected error code *nn* on *vdev*  
CSIXCP342S Internal error during VSAM processing: Unexpected error code '*nn*' on *vdev*  
CSIXCP347R Enter response

**YTD**

CSIYTD507E Trace formatting routine '*routine*' not found  
CSIYTD508I The following record was partially lost:

**YTE**

CSIYTE001E Invalid option '*option*'  
CSIYTE009E Operand is missing or invalid  
CSIYTE509I ETRACE set ON for *event-type(s)*  
CSIYTE510I ETRACE set ON for *event-type(s)* for GROUP  
CSIYTE511I ETRACE set OFF for *event-type(s)*  
CSIYTE512I ETRACE set OFF for *event-type(s)* for GROUP  
CSIYTE513E ETRACE GROUP option is in effect for *event-type(s)*

**YTG**

CSIYTG001E Invalid option '*option*'  
CSIYTG009E Operand is missing or invalid  
CSIYTG517I ITRACE set ON for *event-type(s)*  
CSIYTG518I ITRACE set ON for *event-type(s)* for GROUP  
CSIYTG519I ITRACE set OFF for *event-type(s)*  
CSIYTG520I ITRACE set OFF for *event-type(s)* for GROUP  
CSIYTG521E ITRACE GROUP option is in effect for *event-type(s)*

# ATS

## TSAF Message Summary by Module Code

### CAB

ATSCAB017I Abend code *ccc* at *aaaaaa*  
ATSCAB018I Program old PSW is *psw*  
ATSCAB019I Abend modifier is *aaaaaaaaaa*  
ATSCAB021I Failure at offset *nnnn* in module *mmmmmm* dated *yy.ddd*  
ATSCAB022I Called from offset *nnnn* in module *mmmmmm* dated *yy.ddd*  
ATSCAB023I VMDUMP ATSCAB*n* *mm/dd/yy hh:mm:ss* taken

### CAC

ATSCAC006I TSAF link statistics and session accounting records will be generate  
ATSCAC007I No TSAF link statistics or session accounting records will be generated  
ATSCAC888T Unable to obtain storage for *structure*  
ATSCAC999T TSAF system error.

### COP

ATSCOP004E Parameter *parameter* is not valid  
ATSCOP005E A required parameter is missing  
ATSCOP009E *cmd* is not a valid TSAF command  
ATSCOP010I External trace started  
ATSCOP011I External trace ended

### CST

ATSCST999T TSAF system error.

### CTL

ATSCTL001I Initialization is complete. The service level is *ssss*.  
ATSCTL002T Parameter *arg* is a duplicate or is not valid  
ATSCTL003I Termination is in progress  
ATSCTL013I Trace area size is *nnnK*  
ATSCTL888T Unable to obtain storage for *structure*  
ATSCTL999T TSAF system error.

### IG1

ATSIG1999T TSAF system error.

### IG2

ATSIG2999T TSAF system error.

### IH1

ATSIH1302T Cannot connect to \*CRM, it is already in use



**IIN**

ATSIIN300T Error during HNDIUCV SET, return code = *nnnn*  
 ATSIIN303T Cannot connect to \*CRM, not authorized  
 ATSIIN304T Error during CMSIUCV CONNECT to \*CRM, return code = *nnnn*  
 ATSIIN888T Unable to obtain storage for *structure*  
 ATSIIN890T Unable to release storage for *structure*

**IPT**

ATSIPT999T TSAF system error.

**ISE**

ATSISE999T TSAF system error.

**LEN**

ATSLLEN999T TSAF system error.

**LFR**

ATSLFR705I Link *vdev* went down

**LIN**

ATSLIN704E Record number *nnnnnnnn* in ATSLINKS FILE is not valid  
 ATSLIN719W ATSLINKS FILE not found  
 ATSLIN888T Unable to obtain storage for *structure*  
 ATSLIN999T TSAF system error.

**LLM**

ATSLLM700E Link-Definition table overflow, unable to add the new link *vdev*  
 ATSLLM701E Driver rejected the new link *vdev*  
 ATSLLM702E Link unit address *vdev* is not valid  
 ATSLLM703E Link *vdev* is not a supported link type  
 ATSLLM713I Link *vdev* deleted  
 ATSLLM715E Failed to add the definition of link *vdev* to ATSLINKS FILE A1. Return code from FSWRITE was *nnnn*.  
 ATSLLM716E Driver rejected the request to delete link *vdev*  
 ATSLLM720E Failed to delete the definition of link *vdev* from ATSLINKS FILE A1. Return code from FSREAD was *nnnn*  
 ATSLLM721E Failed to delete the definition of link *vdev* from ATSLINKS FILE A1. Return code from FSWRITE was *nnnn*.  
 ATSLLM722I No links are defined  
 ATSLLM723E Link *vdev* not found  
 ATSLLM724I Link *vdev* added  
 ATSLLM888T Unable to obtain storage for *structure*  
 ATSLLM999T TSAF system error.

# ATS

---

## LMN

ATSLMN705I Link *vdev* went down  
ATSLMN707I Link *vdev* came up

## L1A

ATSL1A710E Unable to allocate control block for link *vdev*  
ATSL1A711E Unable to allocate I/O buffer for link *vdev*  
ATSL1A712E Link unit address *vdev* is a duplicate  
ATSL1A799I Unit *vdev* is not operational  
ATSL1A999T TSAF system error.

## L1D

ATSL1D999T TSAF system error.

## L1E

ATSL1E999T TSAF system error.

## L1T

ATSL1T706W Received an interrupt on unit *vdev*, which is not in the link table  
ATSL1T718E Severe I/O error on unit *vdev*, CSW is *csw*  
ATSL1T794I Sense bits are 'xx'X  
ATSL1T797I Unit-check indicated on unit *vdev*  
ATSL1T799I Unit *vdev* is not operational

## L1W

ATSL1W794I Sense bits are 'xx'X  
ATSL1W795I Retry limit exceeded on unit *vdev*  
ATSL1W796I Bad I/O completion on unit *vdev*, CSW is *csw*  
ATSL1W797I Unit-check indicated on unit *vdev*  
ATSL1W798W Unexpected CSW (*csw*) for unit *vdev*  
ATSL1W799I Unit *vdev* is not operational

## L1Y

ATSL1Y708I An attempt to reset link *vdev* has failed  
ATSL1Y795I Retry limit exceeded on unit *vdev*  
ATSL1Y798W Unexpected CSW (*csw*) for unit *vdev*

## L1Z

ATSL1Z717E Unable to retrieve sense bits from unit *vdev*, CSW is *csw*  
ATSL1Z795I Retry limit exceeded on unit *vdev*  
ATSL1Z799I Unit *vdev* is not operational

**L3A**

ATSL3A710E Unable to allocate control block for link *vdev*  
 ATSL3A712E Link unit address *vdev* is a duplicate  
 ATSL3A999T TSAF system error.

**L3D**

ATSL3D999T TSAF system error.

**L3E**

ATSL3E999T TSAF system error.

**L3S**

ATSL3S795I Retry limit exceeded on unit *vdev*  
 ATSL3S799I Unit *vdev* is not operational

**L3T**

ATSL3T706W Received an interrupt on unit *vdev*, which is not in the link table  
 ATSL3T718E Severe I/O error on unit *vdev*, CSW is *csw*  
 ATSL3T794I Sense bits are 'xx'X  
 ATSL3T797I Unit-check indicated on unit *vdev*  
 ATSL3T798W Unexpected CSW (*csw*) for unit *vdev*  
 ATSL3T799I Unit *vdev* is not operational

**L3W**

ATSL3W794I Sense bits are 'xx'X  
 ATSL3W795I Retry limit exceeded on unit *vdev*  
 ATSL3W797I Unit-check indicated on unit *vdev*  
 ATSL3W798W Unexpected CSW (*csw*) for unit *vdev*  
 ATSL3W799I Unit *vdev* is not operational

**L3Z**

ATSL3Z717E Unable to retrieve sense bits from unit *vdev*, CSW is *csw*  
 ATSL3Z795I Retry limit exceeded on unit *vdev*  
 ATSL3Z799I Unit *vdev* is not operational

**MBA**

ATSMBA530E Authentication check failed on message from node *nodeid*

**MBG**

ATSMBG531E Timeliness check failed on message from node *nodeid*  
 ATSMBG999T TSAF system error.

# ATS

---

## MBN

ATSMBN540I Node *nodeid* deleted from collection  
ATSMBN999T TSAF system error.

## MBY

ATSMBY99T TSAF system error.

## MDO

ATSMDO515I Join in progress for node *nodeid*  
ATSMDO516I Node *nodeid* cannot join, maximum collection size has been reached

## MJK

ATSMJK513I Attempting JOIN with node *nodeid* as the agent  
ATSMJK999T TSAF system error.

## MJN

ATSMJN511W Completion time expired while attempting a JOIN  
ATSMJN999T TSAF system error.

## MLG

ATSMLG999T TSAF system error.

## MLP

ATSMPL999T TSAF system error.

## MNC

ATSMNC999T TSAF system error.

## MOG

ATSMOG999T TSAF system error.

## MRD

ATSMRD999T TSAF system error.

## MRI

ATSMRI514W JOIN aborted because of I-message from node *nodeid*  
ATSMRI603E Duplicate node *nodeid* detected on link *vdev*  
ATSMRI999T TSAF system error.

**MRR**

ATSMRR999T      TSAF system error.

**MRX**

ATSMRX520I      Synchronization is now NORMAL  
ATSMRX999T      TSAF system error.

**MRZ**

ATSMRZ518I      RESET: collection now has size 1

**MTD**

ATSMTD999T      TSAF system error.

**MYC**

ATSMYC520I      Synchronization is now NORMAL  
ATSMYC521I      Collection is roughly synchronized

**MYG**

ATSMYG530E      Authentication check failed on message from node *nodeid*  
ATSMYG531E      Timeliness check failed on message from node *nodeid*  
ATSMYG999T      TSAF system error.

**MYN**

ATSMYN999T      TSAF system error.

**NHR**

ATSNHR602E      Incompatible release or service level detected on link *vdev*  
ATSNHR603E      Duplicate node *nodeid* detected on link *vdev*

**NRC**

ATSNRC600S      Message with invalid frame type received: *frame-type*  
ATSNRC601E      Frame discarded. Hop-Count limit reached.

**SCD**

ATSSCD999T      TSAF system error.

**SDB**

ATSSDB999T      TSAF system error.

# ATS

---

<b>SIR</b>		
	ATSSIR999T	TSAF system error.
<b>SML</b>		
	ATSSML999T	TSAF system error.
<b>SND</b>		
	ATSSND999T	TSAF system error.
<b>SPG</b>		
	ATSSPG999T	TSAF system error.
<b>SRE</b>		
	ATSSRE999T	TSAF system error.
<b>STN</b>		
	ATSSTN999T	TSAF system error.
<b>SVR</b>		
	ATSSVR999T	TSAF system error.
<b>UHI</b>		
	ATSUHI888T	Unable to obtain storage for <i>structure</i>
	ATSUHI999T	TSAF system error.
<b>UIQ</b>		
	ATSUIQ888T	Unable to obtain storage for <i>structure</i>
	ATSUIQ999T	TSAF system error.
<b>UOL</b>		
	ATSUOL888T	Unable to obtain storage for <i>structure</i>
<b>UPQ</b>		
	ATSUPQ888T	Unable to obtain storage for <i>structure</i>
	ATSUPQ999T	TSAF system error.
<b>URQ</b>		
	ATSURQ888T	Unable to obtain storage for <i>structure</i>
	ATSURQ999T	TSAF system error.

**USM**

ATSUSM888T Unable to obtain storage for *structure*  
ATSUSM890T Unable to obtain storage for *structure*  
ATSUSM999T TSAF system error.

**UTB**

ATSUTB999T TSAF system error.

**VIN**

ATSVIN888T Unable to obtain storage for *structure*  
ATSVIN999T TSAF System error.

**VTI**

ATSVTI999T TSAF system error.

**ZAD**

ATSZAD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZAD095I THE LINK WAS NOT FOUND IN THE LINK-TYPE TABLE  
ATSZAD096I THE DATA STRUCTURE IS EMPTY

**ZBD**

ATSZBD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZBD095I THE LINK WAS NOT FOUND IN THE LINK-TYPE TABLE  
ATSZBD096I THE DATA STRUCTURE IS EMPTY

**ZCT**

ATSZCT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZCT096I THE DATA STRUCTURE IS EMPTY

**ZEX**

ATSZEX090E UNABLE TO UPDATE THE DUMP WITH THE ABEND PSW AND  
REGISTER DATA

**ZLD**

ATSZLD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZLD096I THE DATA STRUCTURE IS EMPTY

**ZNT**

ATSZNT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZNT096I THE DATA STRUCTURE IS EMPTY

# ATS

---

## ZPT

ATSZPT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZPT096I THE DATA STRUCTURE IS EMPTY

## ZRD

ATSZRD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZRD096I THE DATA STRUCTURE IS EMPTY

## ZRT

ATSZRT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZRT096I THE DATA STRUCTURE IS EMPTY

## ZST

ATSZST094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
ATSZST096I THE DATA STRUCTURE IS EMPTY

## ZTD

ATSZTD078E OPERAND MISSING OR INVALID  
ATSZTD084I PAGE xxxxxxxx NOT FOUND IN DUMP  
ATSZTD089E UNABLE TO LOCATE GLOBAL CONTROL BLOCK (ATSCGM)

## ZTF

ATSZTF085E INVALID TRACE ENTRY FOUND IN CPTRAP FILE  
ATSZTF091E DATA FIELD OVERLAPS TRAILER RECORD

## ZTO

ATSZTO076E FORMATTED DATA ENTRY EXCEEDS MAXIMUM SIZE

## ZTR

ATSZTR075E NON-NUMERIC COUNT CHARACTER - RETRY  
ATSZTR077E CONFLICTING OPERAND - operand  
ATSZTR078E OPERAND MISSING OR INVALID

## ZTS

ATSZTS079I TRACE TABLE POINTERS INVALID:  
START = start END = end CURRENT = current  
ATSZTS080I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE: fromloc  
START = start END = end CURRENT = current  
ATSZTS081E "FROM" LOCATION NOT A VALID TRACE ENTRY: fromloc  
ATSZTS082E INVALID TRACE ENTRY FOUND AT addr  
ATSZTS083E REQUIRED RESOURCES NOT AVAILABLE  
ATSZTS084I PAGE xxxxxxxx NOT FOUND IN DUMP  
ATSZTS086E NO TRACE ENTRIES FOUND - addr



---

ATZTS087E	ATTEMPT TO GO BEYOND STORAGE BOUNDARY
ATZTS088E	UNABLE TO LOCATE TRACE TABLE POINTERS
ATZTS092I	TRACE ENTRY SEARCH STOPPED AT addr1 TO SEARCH TO LOWER DUMP ADDRESS, TRY ADDRESS addr2 TO SEARCH TO HIGHER DUMP ADDRESSES, TRY {ADDRESS addr3   "SCROLL"}
ATZTS093I	POSSIBLE TRACE ENTRY AT addr USE THE "FROM" OPERAND TO DISPLAY THE ENTRY



## Chapter 4. Message Summary by Number

This chapter contains all the CP, CMS, IPCS, GCS, and TSAF message identifiers, listed vertically in numerical order. All the message identifiers with the same number appear together.

Use this section when you want to find out which modules issue a given message.



DMKCFD021E	DMKCDM026E	DMKTRR027E	DMKCPS040E
DMKCFU021E	DMKCDS026E		DMKCPT040E
DMKCPS021E	DMKCFC026E	DMKCQH028E	DMKCPV040E
DMKCPT021E	DMKCFD026E	DMKCSB028E	DMKCQG040E
DMKCPU021E	DMKCFG026E	DMKCSO028E	DMKCQP040E
DMKCPV021E	DMKCFH026E	DMKCSP028E	DMKCQQ040E
DMKCQQ021E	DMKCFO026E	DMKCSQ028E	DMKCSB040E
DMKCQT021E	DMKCFS026E	DMKCSU028E	DMKCSF040E
DMKCSB021E	DMKCFT026E	DMKCSV028E	DMKCSO040E
DMKCSF021E	DMKCFU026E	DMKSPT028E	DMKCSQ040E
DMKCSO021E	DMKCFV026E		DMKCSR040E
DMKDEI021E	DMKCFW026E	DMKCSQ029E	DMKCST040E
DMKMCC021E	DMKCFY026E	DMKCSU029E	DMKDEF040E
DMKMCD021E	DMKCPB026E		DMKDIA040E
DMKNES021E	DMKCPT026E	DMKCSF030E	DMKDIB040E
DMKNLD021E	DMKCPV026E	DMKCSP030E	DMKMCC040E
DMKNLE021E	DMKCQG026E	DMKCSQ030E	DMKMCD040E
DMKSPT021E	DMKCQH026E	DMKCSU030E	DMKNEA040E
DMKVDD021E	DMKCQQ026E		DMKNES040E
DMKVDE021E	DMKCQR026E	DMKCSB031E	DMKNET040E
	DMKCQY026E		DMKNLD040E
DMKCFD022E	DMKCSB026E	DMKCSP032E	DMKNLE040E
DMKCPB022E	DMKCSR026E	DMKCSQ032E	DMKSPT040E
DMKCQG022E	DMKCST026E	DMKCSU032E	DMKVCH040E
DMKCQQ022E	DMKCSU026E		DMKVDD040E
DMKCSB022E	DMKCSV026E	DMKCDB033E	DMKVDE040E
DMKCSQ022E	DMKDEF026E	DMKCDM033E	
DMKCSR022E	DMKDEG026E	DMKCDS033E	DMKCQH042E
DMKCST022E	DMKDEI026E	DMKCPY033E	DMKCST042E
DMKDEF022E	DMKJRL026E	DMKNES033E	DMKCSU042E
DMKDIA022E	DMKMCC026E	DMKVMD033E	DMKCSV042E
DMKDIB022E	DMKMCD026E		DMKTRR042E
DMKLN022E	DMKMCI026E	DMKVDD034E	
DMKVDD022E	DMKNEA026E	DMKVDE034E	DMKCSB043E
DMKVDE022E	DMKNES026E		
DMKVMI022E	DMKNET026E	DMKCSU035E	DMKCFG044E
	DMKNLD026E	DMKCSV035E	DMKCFH044E
DMKCQP023E	DMKPEI026E		DMKCFY044E
DMKVDE023E	DMKPEN026E	DMKCSB036E	DMKCSF044E
	DMKPGM026E		DMKNLD044E
DMKCQH024E	DMKQVM026E	DMKSPS037E	DMKSNC044E
DMKCSO024E	DMKSPM026E		
DMKCSP024E	DMKSPT026E	DMKVMD038E	DMKCFO045E
DMKCSQ024E	DMKSRM026E		DMKCFY045E
DMKCSU024E	DMKTRA026E	DMKVDD039E	DMKCPV045E
DMKCSV024E	DMKTRP026E	DMKVDE039E	DMKCPY045E
DMKDEF024E	DMKTRR026E		DMKCQG045E
DMKSPT024E		DMKCFD040E	DMKCQQ045E
		DMKCFG040E	DMKCQR045E
DMKDEF025E	DMKCST027E	DMKCFU040E	DMKCQY045E
DMKDEG025E	DMKCSU027E	DMKCPB040E	DMKDIA045E
	DMKCSV027E		DMKDIB045E

# DMK

DMKMSG045E	DMKLOH052E	DMKSSU074I	DMKDIA098E
DMKPGM045E			DMKNES098E
DMKSND045E	DMKCFT053E	DMKDEI075E	
DMKTHI045E	DMKCFY053E	DMKSSS075E	DMKCPT099E
DMKTRP045E	DMKCSP053E		
DMKUSO045E	DMKCSQ053E	DMKSSS076E	DMKLN101W
DMKVCH045E	DMKCSV053E	DMKVDE076E	
DMKVDD045E	DMKLN1053E		DMKLN102W
DMKVDE045E	DMKLOG053E	DMKSSS078I	
	DMKVMD053E	DMKSSV078I	DMKLN103W
DMKCFU046E			
DMKCKM046E	DMKLOG054E	DMKSSS079E	DMKLN104E
DMKCKN046E			
DMKCPV046E	DMKDIA055E	DMKCF080E	DMKLN105E
DMKCSB046E			
DMKCSF046E	DMKDIA056E	DMKCF081E	DMKLN107E
DMKCSO046E			
DMKDEI046E	DMKMSG057W	DMKCF082E	DMKLN108E
DMKMCC046E			
DMKNEA046E	DMKDIB058E	DMKCF083E	DMKLN109E
DMKNES046E			
DMKNET046E	DMKALG059E	DMKCPT084E	DMKLN110E
DMKNLD046E	DMKLOG059E		
DMKNLE046E	DMKLOJ059E	DMKCPT085E	DMKLN111E
DMKSPT046E			
DMKVDD046E	DMKCDM060E	DMKCF086E	DMKLN112E
DMKVDE046E			
DMKDIA047E	DMKCDM061E	DMKCPB087I	DMKLN113E
DMKDIB047E	DMKPET061E		
DMKPEI047E		DMKCPB089I	DMKLN114E
DMKPEL047E	DMKCFV062E		
DMKPEN047E		DMKLOJ090E	DMKALG115E
DMKPEQ047E	DMKCFV063E		DMKLN115E
		DMKDEF091E	
	DMKVAT064E	DMKLOJ091E	DMKLN116E
		DMKNEA091E	
DMKVCH048E			DMKLN117E
	DMKCFV065E		
DMKCPO049E		DMKDEF092E	
DMKCPT049E	DMKLOG067E	DMKLOJ092E	DMKLN118E
DMKNES049E			
DMKNET049E	DMKSND068E	DMKLOJ093E	DMKLN119E
DMKLOG050E	DMKSST070E	DMKDEG094E	DMKNEA120E
			DMKVDE120E
DMKLOG051E	DMKSSS071E	DMKDEF095E	
		DMKLOJ095E	DMKNEA121E
DMKCFT052E	DMKSSS072E	DMKLOM095E	DMKVDD121E
DMKCFY052E	DMKSSV072E	DMKNEA095E	
DMKCSP052E			DMKNEA122E
DMKLN1052E	DMKSSV073E	DMKDEF097E	DMKVDE122E
DMKLOG052E			

DMKCPT123E	DMKNLE140E	DMKCSB158I	DMKCSB174E
DMKVDD123E	DMKSPT140E		DMKPER174E
DMKVDE123E	DMKVDD140E	DMKCPY159E	DMKVME174E
			DMKWRN174E
DMKCPO124E	DMKCSF141E	DMKCDB160E	DMKSEP174W
DMKCPT124E		DMKCDM160E	
DMKVDD124E	DMKCPO142E	DMKCDS160E	DMKCFG175E
DMKVDE124E	DMKCPT142E	DMKCFD160E	DMKCF0175E
	DMKCSB142E	DMKCPY160E	DMKCFS175E
DMKVDE125E	DMKVDD142E	DMKNES160E	DMKNES175E
	DMKVDE142E	DMKVMD160E	
DMKVDE126E			DMKCPY176E
	DMKCFU143E	DMKCDS161E	
DMKVDE127E	DMKCPO143E		DMKCFG177E
	DMKCPT143E	DMKCDS162W	
DMKVDE128E	DMKDEI143E		DMKSNC178E
	DMKMCC143E	DMKCDS163E	
DMKVCH129E	DMKNLD143E		DMKCFG179E
	DMKNLE143E	DMKCDS164E	DMKCFH179E
DMKVCH130E	DMKSPT143E	DMKCFD164E	DMKCFS179E
	DMKVDD143E	DMKCKM164E	DMKCKM179E
DMKLOG131E	DMKVDE143E		DMKNLD179E
DMKVDE131E		DMKCPY165I	DMKSNC179E
	DMKCPS144W		
DMKVCH132E		DMKCDS166E	DMKPEN180E
	DMKJRL145I		DMKPEQ180E
DMKVDE133E		DMKCDS168E	DMKPET180E
	DMKVME146I		DMKTRA180W
DMKVDE134E		DMKCPT169I	
	DMKVCH147E		DMKATS181E
DMKVDD135E		DMKCFG170E	
	DMKCSB148E	DMKCFH170E	DMKPER182I
DMKCPT136E		DMKCFS170E	
DMKDEF136E	DMKACR149E	DMKNLD170E	DMKCFY183E
DMKLN137E	DMKQCO150A	DMKCFG171E	DMKCF0184E
		DMKCFH171E	DMKCFY184E
DMKVCH138E	DMKVDE151I	DMKCFS171E	
		DMKNLD171E	DMKCPJ185E
DMKCFU140E	DMKTTY152E	DMKSNC171E	
DMKCPO140E			DMKCF0186E
DMKCPT140E	DMKDEF153E	DMKCFG172E	
DMKCPV140E	DMKLN153E	DMKCFH172E	DMKCFY187E
DMKCSB140E	DMKVCH153E		
DMKCSF140E	DMKVDE153E	DMKCFG173E	DMKCF0188E
DMKCSO140E		DMKCFH173E	DMKCFY188E
DMKMCC140E	DMKCPT154E		DMKLOH188E
DMKNEA140E		DMKCF174E	DMKVCH188E
DMKNES140E	DMKNET157E	DMKCFG174E	
DMKNET140E		DMKCKS174E	DMKCFY189E
DMKNLD140E		DMKCPY174E	DMKLOH189E

# DMK

DMKCFY190E	DMKMCD212E	DMKCPT237I	DMKNMT256E
DMKCPU191E	DMKMCC213E	DMKCPT238I	DMKNMT257E
DMKCPO192E	DMKMCD214E	DMKRSP239I	DMKDEF258I
DMKCPT192E	DMKMCC215E	DMKTCS240E	DMKDEF259E
DMKCPU192E			
DMKCPU193I	DMKMCC216E	DMKTCS241E	DMKTCT270E
		DMKTCT241E	
DMKCPO194I	DMKMCC217E		DMKRSE272I
		DMKRSE242I	
DMKCPU195A	DMKMCD218E		DMKVDD273E
		DMKCSO243E	
DMKLOM196E	DMKMON219I	DMKCSP243E	DMKDEI274E
		DMKCSU243E	
DMKUSO197E	DMKMNI220I		DMKDEI275E
	DMKMON220I	DMKCSO244E	
DMKCPO198W			DMKDEI276E
	DMKMCC221E	DMKCSO245E	
DMKCFU199E		DMKCSP245E	DMKDEI277E
DMKCPV199E	DMKMCD222E	DMKCSR245E	
DMKDIA199E		DMKCSU245E	DMKDEI278E
DMKLNLM199E	DMKMCD223E		
DMKMCC199E		DMKCSO246E	DMKDEI279E
DMKNES199E	DMKMCD224E	DMKCSP246E	
DMKNET199E		DMKCSU246E	DMKDEI280E
DMKNLD199E	DMKMNJ225E		
DMKNLE199E		DMKNMT247I	DMKLNLM281E
DMKSPT199E	DMKMCD226E		
DMKVDE199E		DMKNMT248E	DMKVDD285E
	DMKMCD227E		
DMKBLD200E		DMKNMT249E	DMKVDD286E
	DMKMCD228E		
DMKBLD201E		DMKCFO250E	DMKRSE287I
	DMKOPE229I	DMKCFS250E	
DMKBLD202E		DMKLOH250E	DMKCFM288E
DMKCPY202E	DMKVMI230E		
		DMKCFS251E	DMKLNLM298E
DMKCFG203E	DMKVMI231E	DMKLOH251E	
			DMKCFH300E
DMKCPY204E	DMKVMI232E	DMKRSE252I	
			DMKTRR301E
DMKDIA206E	DMKVMI233E	DMKCSP253E	
DMKLOG206E		DMKCSU253E	DMKTRR302E
DMKVDE206E	DMKVMI234E		
		DMKNMT254E	DMKTRR303E
DMKNEA208E	DMKCPT235I		
		DMKCFO255W	DMKTRP304E
DMKMCC211E	DMKCPT236I	DMKCPP255W	



DMKTRP305I	DMKCQY361E	DMKCFH435E	DMKVDS467W
DMKTRR305I	DMKLOG361E	DMKCKN435E	
	DMKUSO361E	DMKSNC435E	DMKRNH468I
DMKTRP306E			
	DMKLOH365E	DMKCFH436E	DMKNLE469E
DMKTRT307I			
	DMKCKS400I	DMKCFG437E	DMKNLD470E
DMKCKP308I	DMKPGT400I		DMKNLE470E
DMKTRT308I	DMKWRN400I	DMKSSS438E	
			DMKNLD471E
DMKTRP309E	DMKCKT401I	DMKCKT439I	DMKNLE471E
	DMKCKV401I		
DMKPEL311E	DMKPGT401I	DMKCSF441E	DMKUDR475I
DMKPEN311E			
	DMKPTR410W	DMKDSP450W	DMKUDR476I
DMKPEI312E			
	DMKPRG411W	DMKDSP452W	DMKBSC500I
DMKPER313E			DMKCNS500I
DMKPET313E	DMKPAH415E	DMKPRG453W	DMKDAD500I
			DMKDAS500I
DMKPER314W	DMKCFS420E	DMKCNS454I	DMKGRF500I
DMKPET314W		DMKRG4454I	DMKRSE500I
	DMKCST424E	DMKRNH454I	DMKTAP500I
DMKCFU316E	DMKCSU424E		DMKTPE500I
		DMKCNS455I	
DMKTRT317E	DMKACO425E	DMKRG4455I	DMKBSC501A
			DMKDAD501A
DMKVDE329E	DMKRST426E	DMKVMA456W	DMKDAS501A
	DMKSPS426E		DMKRSE501A
DMKCPJ330E		DMKGRF457E	DMKTPE501A
DMKCPT330E	DMKVSP427I		DMKCNS501I
DMKCPW330I	DMKVST427I	DMKRG4458I	DMKDAU501I
			DMKGRF501I
DMKDEF331E	DMKRSP428E	DMKNLD460E	DMKRSE501I
DMKLN331E	DMKRST428E	DMKNLE460E	
DMKLOJ331E	DMKSPS428E		DMKBSC502I
DMKLOM331E		DMKNLD461R	DMKCNS502I
DMKNEA331E	DMKVSP429I	DMKNLE461R	DMKDAD502I
DMKVCH331E	DMKVST429I		DMKDAS502I
DMKVDE331E		DMKRNH462I	DMKDAU502I
	DMKRSP430A		DMKGRF502I
DMKSAV350W		DMKRNH463I	DMKRSE502I
	DMKRST431A		DMKTAP502I
DMKSAV351W		DMKNLD464I	DMKTPE502I
	DMKRST432A	DMKNLE464I	
DMKSAV352W		DMKRNH464I	
	DMKRST433A		DMKBSC503I
DMKSAV353W		DMKRNH465I	DMKCNS503I
	DMKRST434A		DMKDAD503I
DMKCQG361E		DMKQ466I	DMKDAS503I
DMKCQQ361E			DMKDAU503I
			DMKGRF503I

# DMK

DMKRSE503I	DMKDAS516I	DMKRSE529I	DMKIOH559W
DMKTAP503I	DMKDAU516I		
DMKTPE503I	DMKTAP516I	DMKGRF530I	DMKIOH560W
	DMKTAQ516I		
DMKBSC504I		DMKGRF531I	DMKIOH561W
DMKCNS504I	DMKBSC517I		
DMKDAD504I	DMKDAD517I	DMKGRF532I	DMKVER575I
DMKDAS504I	DMKDAS517I		
DMKDAU504I	DMKDAU517I	DMKDAU533I	DMKTPE580I
DMKGRF504I	DMKTAP517I		
DMKRSE504I	DMKTAQ517I	DMKDAU534I	DMKTPE581I
DMKTAP504I	DMKTPE517I		
DMKTAQ504I		DMKDAU535I	DMKTPE582I
DMKTPE504I	DMKDAD518I		
	DMKDAS518I	DMKCKH536I	DMKTPE583I
DMKBSC505I	DMKDAU518I	DMKCKN536I	
DMKCNS505I	DMKTAP518I	DMKCPJ536I	DMKTPE584I
DMKDAD505I	DMKTAQ518I	DMKDAD536I	
DMKDAS505I		DMKDAS536I	DMKTPE585I
DMKDAU505I	DMKTAP519I	DMKDAU536I	
DMKTAP505I	DMKTAQ519I	DMKDDR536I	DMKTPE586I
DMKTPE505I		DMKDIR536I	
	DMKBSC520I	DMKDMP536I	DMKTPE587I
DMKDAD506I	DMKDAD520I	DMKFMT536I	
DMKDAS506I	DMKDAS520I	DMKSAV536I	DMKTPE588I
	DMKDAU520I	DMKSSP536I	
DMKDAS507I	DMKRSE520I		DMKTPE589I
	DMKTAP520I	DMKDAD538I	
DMKDAD508I	DMKTAQ520I		DMKTPE590I
DMKDAS508I	DMKTPE520I	DMKTAQ539I	
DMKRSE508I			DMKTPE591I
	DMKRSE521I	DMKRSE540I	
DMKDAS509I	DMKTAP521I		DMKTPE592I
		DMKCFQ546I	
DMKTAQ510I	DMKTAP522I	DMKCFR546I	DMKTPE593I
DMKTAP511I	DMKTAP523I	DMKCFU547E	DMKTPE594I
DMKTAP512I	DMKRSE524I	DMKIOF550E	DMKTPE595I
		DMKIOH550E	
DMKDAD513I	DMKRSE525I		DMKTPE596I
DMKDAS513I		DMKIOF551E	
DMKDAU513I	DMKTAP526I	DMKIOG551E	DMKTPE597I
DMKTAP513I	DMKTPE526I	DMKIOH551E	
DMKTAQ513I			DMKTPE598I
DMKTPE513I	DMKBSC527I	DMKIOG552I	
	DMKCNS527I		DMKCCH601I
DMKDAS514I		DMKIOG553I	DMKCPT601E
	DMKBSC528I		
DMKBSC516I	DMKCNS528I	DMKIOG558I	DMKCCH602I
DMKDAD516I		DMKIOH558I	DMKCPT602E

DMKACR603W	DMKDDR700E	DMKDDR725R	DMKDIR754E
DMKCCH603W			DMKOV754E
	DMKDDR701E	DMKDDR726E	
DMKCCH605I			DMKDIR755E
	DMKDDR702E	DMKDDR727E	DMKOV755E
DMKMCH609W			
	DMKDDR703E	DMKDDR728E	DMKDDR756E
DMKMCH610W			DMKDIR756E
DMKMCT610W	DMKDDR704E	DMKDDR729I	DMKFMT756E
DMKMCH611W	DMKDDR705E	DMKFMT730E	DMKDIR757E
	DMKRG705I		
DMKMCH612W		DMKDDR731I	DMKDIR758E
	DMKNES706E		
DMKMCH613I		DMKFMT732E	DMKDIR760E
	DMKDDR707E		DMKOV760E
DMKMCH614I		DMKFMT733E	
	DMKDDR708E		DMKDIR761E
DMKMCH615I		DMKFMT734E	DMKOV761E
	DMKDDR709E		
DMKMCH616I		DMKFMT735E	DMKDIR762E
DMKMCT616I	DMKDDR710A		DMKOV762E
		DMKFMT736E	
DMKMCH617I	DMKDDR711R		DMKDIR763E
		DMKFMT737E	DMKOV763E
DMKMCI618I	DMKDDR712E		
		DMKFMT738A	DMKDIR764E
DMKMCH619I	DMKDDR713E		DMKOV764E
DMKMCT619I		DMKFMT739E	DMKTR764E
	DMKDDR714E		
DMKMCT620I		DMKFMT740E	DMKDIR765E
	DMKDDR715E		
DMKMCT621I		DMKFMT741E	DMKDIR766E
	DMKDDR716R		
DMKACR622W		DMKFMT742E	DMKDIR767W
DMKMCH622W	DMKDDR717R		
		DMKDIA743A	DMKDIR768E
DMKCPP623I	DMKDDR718E		
DMKMCT623I		DMKCQT747A	DMKLOJ769W
	DMKDDR719E		
DMKMCH624I		DMKDIR750E	DMKUDR770E
	DMKDDR720E	DMKDIR750W	
DMKMCT625I			DMKDIR771E
	DMKDDR721E	DMKDIR751E	
DMKMCH627I		DMKOV751E	DMKLOG780E
	DMKDDR722E		
DMKMCH628I		DMKDIR752E	DMKDIR782E
	DMKDDR723E		DMKDIR782I
DMKMCH629I		DMKDIR753E	
	DMKDDR724E	DMKOV753E	DMKQVM800E

# DMK

---

DMKQVM801E	DMKCKH910W	DMKCPJ951I
DMKQVM802E	DMKCKH911W	DMKCPJ952I
DMKQVM803E	DMKCKT912W	DMKCFU953I
DMKSPM804E	DMKCKV912W	DMKIDU953I
	DMKWWRM912W	DMKCPJ954E
DMKSPM805E	DMKCPJ913I	DMKDAD956A
DMKQVM806E	DMKOPE914I	DMKDAS956A
		DMKDAU956A
DMKQVM807E	DMKCKS915E	DMKDSB956A
	DMKCKV915E	
DMKSPM808I	DMKWRN915E	DMKCPJ957I
DMKQVM809E	DMKCKT916E	DMKAPI958I
	DMKCKV916E	
DMKCPU812E	DMKCKV917E	DMKCPI959W
DMKRND850I	DMKDMP918I	DMKCKP960I
DMKRND851I	DMKCKS919E	DMKCKP961W
	DMKWRN919E	DMKCPJ961W
DMKRND852I		DMKCPJ962I
DMKRND853I	DMKCPJ920I	DMKCPI963I
	DMKWWRM920I	
DMKRND861E	DMKWWRM921W	DMKCPI964I
DMKRND863I	DMKCKF922W	DMKCPI966I
DMKRND870I	DMKCDB923I	DMKOPE967I
DMKCKP900W	DMKCDM923I	DMKCPJ968W
DMKCKP901W	DMKCD923I	DMKCLK970W
	DMKCPY923I	
DMKCKH902W	DMKLDO923I	DMKCPJ971I
DMKCKP902W	DMKOPE923I	
	DMKCPY924I	DMKSAV972E
DMKCKT903W	DMKLDO924I	DMKCPJ973I
DMKWWRM903W	DMKOPE924I	DMKCPJ974I
DMKWWRM904W	DMKCFU925I	
	DMKDRD925I	
DMKDMP908I	DMKOPE928W	
DMKDMP909W	DMKOPE950A	

## CMS Message Summary by Number

DMSAMS001E	DMSLBM002E	DMSXMB002E	DMSLST003E
DMSARN001E	DMSLBT002E	DMSXUP002E	DMSMGC003E
DMSARX001E	DMSLDS002E	DMSZAP002E	DMSMGX003E
DMSASM001E	DMSLIO002E	DMSLGT002I	DMSMOD003E
DMSDLB001E	DMSLKD002E	DMSLOS002I	DMSMVE003E
DMSDLK001E	DMSLST002E	DMSGLB002W	DMSNAM003E
DMSERV001E	DMSMGC002E	DMSGND002W	DMSNCP003E
DMSEXC001E	DMSMOD002E	DMSLBM002W	DMSPOC003E
DMSFCO001E	DMSMVE002E	DMSLBT002W	DMSPOL003E
DMSICP001E	DMSNAM002E	DMSWRM002W	DMSPOP003E
DMSIMA001E	DMSNCP002E	DMSZAP002W	DMSPRV003E
DMSLBM001E	DMSPCR002E		DMSQRY003E
DMSLBT001E	DMSPLO002E	DMSACC003E	DMSRRV003E
DMSLIO001E	DMSPOQ002E	DMSAMS003E	DMSSRV003E
DMSLKD001E	DMSPRE002E	DMSARN003E	DMSSYN003E
DMSMDP001E	DMSPRT002E	DMSARX003E	DMSTMA003E
DMSMOD001E	DMSPUN002E	DMSASM003E	DMSTPD003E
DMSNCP001E	DMSRNM002E	DMSASN003E	DMSTPJ003E
DMSNXL001E	DMSRUN002E	DMSCMP003E	DMSTYP003E
DMSOSR001E	DMSSSLN002E	DMSCPY003E	DMSUPD003E
DMSPLO001E	DMSSPR002E	DMSDDL003E	DMSUTL003E
DMSPRE001E	DMSSRT002E	DMSDLB003E	DMSVMF003E
DMSRUN001E	DMSSTT002E	DMSDLK003E	DMSWDF003E
DMSTMA001E	DMSSYN002E	DMSDSL003E	DMSWLK003E
DMSUPD001E	DMSTPJ002E	DMSDSV003E	DMSWSG003E
DMSWNL001E	DMSTYP002E	DMSEDI003E	DMSWSP003E
DMSWTX001E	DMSUPD002E	DMSERS003E	DMSWTK003E
DMSWXP001E	DMSVMF002E	DMSEXD003E	DMSWXP003E
DMSWZT001E	DMSWFL002E	DMSEXL003E	DMSWZT003E
DMSZAP001E	DMSWLG002E	DMSEXM003E	DMSXIN003E
	DMSWLK002E	DMSEXQ003E	DMSZAP003E
	DMSWLM002E	DMSFET003E	
DMSAMS002E	DMSWNL002E	DMSFLD003E	DMSFET004E
DMSARN002E	DMSWSL002E	DMSFLO003E	DMSLDF004E
DMSARX002E	DMSWMG002E	DMSFOR003E	DMSPRV004E
DMSASM002E	DMSWML002E	DMSGRN003E	DMSRRV004E
DMSCMP002E	DMSWRM002E	DMSHLC003E	DMSRRV004E
DMSCPY002E	DMSWSF002E	DMSHLP003E	DMSARN004W
DMSDSK002E	DMSWTK002E	DMSICP003E	DMSLKD004W
DMSDSL002E	DMSWTX002E	DMSIDE003E	
DMSERS002E	DMSWUP002E	DMSIMA003E	DMSCMP005E
DMSERV002E	DMSWVL002E	DMSINS003E	DMSDLB005E
DMSFCO002E	DMSWXP002E	DMSLBD003E	DMSFOR005E
DMSGRN002E	DMSWZP002E	DMSLBM003E	DMSLIO005E
DMSHLI002E	DMSWZT002E	DMSLBT003E	DMSLKD005E
DMSHLP002E	DMSXCT002E	DMSLDS003E	DMSMOD005E
DMSICP002E	DMSXGT002E	DMSLIO003E	DMSSLG005E
DMSIFC002E	DMSXIN002E	DMSLLU003E	DMSTYP005E
DMSIMA002E			

# DMS

DMSWLK005E	DMSRDC008E	DMSVMF014E	DMSDSK024E
DMSWXP005E	DMSWVG008E	DMSWSG014E	DMSEDI024E
DMSWZT005E	DMSWRM008E	DMSZAP014E	DMSRDC024E
	DMSWTK008E		DMSRNM024E
DMSAMS006E	DMSWZP008E	DMSDFT015E	DMSSTA024E
DMSARN006E	DMSARN008W	DMSINT015E	DMSUPD024E
DMSARX006E	DMSLKD008W	DMSSGN015E	DMSUTL024E
DMSASM006E		DMSVGN015E	DMSWRC024E
DMSCON006E	DMSCMP009E		DMSWSG024E
DMSDDL006E	DMSRT009E	DMSFCH016E	DMSWTX024E
DMSDLK006E	DMSTYP009E	DMSARN016W	DMSXIN024E
DMSERV006E	DMSXMC009E	DMSLKD016W	DMSDSV024W
DMSFCO006E	DMSXMS009E		
DMSGEN006E	DMSXSE009E	DMSACC017E	DMSNCP025E
DMSICP006E		DMSARE017E	DMSDSV025W
DMSLKD006E	DMSCMP010E	DMSFOR017E	
DMSLLU006E	DMSTPJ010E	DMSSFD017E	DMSPUN026E
DMSMGC006E	DMSVMF010E	DMSTPJ017E	DMSSET026E
DMSPLO006E	DMSWLK010E	DMSVMF017E	DMSSPR026E
DMSPRV006E	DMSUPD010W	DMSWVG017E	DMSDSV026W
DMSQRS006E		DMSWRM017E	DMSWSG026E
DMSRRV006E	DMSCMP011E	DMSWZP017E	DMSWTX026E
DMSRRV006E			
DMSVGN006E	DMSARN012W	DMSMOD018E	DMSASN027E
DMSWLG006E	DMSLKD012W		DMSDSV027E
DMSWLM006E		DMSCMP019E	DMSERV027E
DMSWNM006E	DMSIMA013E	DMSRNM019E	DMSFCO027E
DMSWNT006E	DMSLBT013E	DMSRRT019E	DMSFLD027E
DMSWRC006E	DMSLOS013E		DMSPLO027E
DMSWSF006E	DMSNCP013E	DMSDMP020W	DMSTLM027E
DMSWSM006E	DMSPRT013E		DMSTMA027E
DMSWTX006E	DMSPUN013E	DMSGND021E	DMSTPD027E
DMSWZT006E	DMSTYP013E	DMSLIO021E	DMSTPJ027E
	DMSDSL013W	DMSMOD021E	DMSVMF027E
DMSAMS007E	DMSLBM013W	DMSNCP021E	DMSDSV027W
DMSARN007E		DMSDSV021W	
DMSARX007E	DMSDEF014E		DMSARE028E
DMSASM007E	DMSDSK014E	DMSGND022E	DMSASN028E
DMSDLK007E	DMSDSL014E	DMSDSV022W	DMSFOR028E
DMSGRN007E	DMSGLB014E		DMSDSV028W
DMSICP007E	DMSIMA014E	DMSDLB023E	
DMSIFC007E	DMSIMM014E	DMSFLD023E	DMSASN029E
DMSLKD007E	DMSLBM014E	DMSIFC023E	DMSCMP029E
DMSSYN007E	DMSOVR014E	DMSTPJ023E	DMSCP029E
DMSUPD007E	DMSPOR014E	DMSVMF023E	DMSEDI029E
DMSXMB007E	DMSQRY014E	DMSDSV023W	DMSFET029E
DMSXUP007E	DMSSET014E	DMSWNL023E	DMSFLD029E
DMSZAP007E	DMSSFD014E		DMSFLO029E
	DMSSPR014E	DMSDDL024E	DMSLBD029E
DMSPRT008E	DMSTPJ014E	DMSCPY024E	DMSLIO029E
DMSPUN008E	DMSUTL014E	DMSDDL024E	DMSMGC029E

DMSMGX029E	DMSMVE037E	DMSTPJ043E	DMSVMF048E
DMSNAM029E	DMSPLO037E	DMSVMF043E	DMSWLG048E
DMSVRT029E	DMSRDC037E	DMSXCP043E	DMSWSF048E
DMSVUN029E	DMSRNM037E		DMSWVT048E
DMSTPJ029E	DMSRSV037E	DMSEDI044E	DMSWXP048E
DMSTYP029E	DMSRRT037E	DMSVRT044E	DMSXCT048E
DMSVMF029E	DMSTPJ037E	DMSVUN044E	DMSXGT048E
DMSWXP029E	DMSUPD037E		DMSXIN048E
DMSWNL029E	DMSUTL037E	DMSNCP045E	DMSXPT048E
DMSWSP029W	DMSVMF037E		DMSXSE048E
DMSXIN029E	DMSWRC037E	DMSDSL046E	DMSXSU048E
	DMSWVW037E	DMSIMA046E	
DMSCPY030E	DMSWVT037E	DMSLBM046E	DMSMGC049E
DMSRNM030E	DMSWXP037E		DMSTYP049E
	DMSWZT037E	DMSDSK047E	
DMSSET031E	DMSXCP037E	DMSDSL047E	DMSASN050E
	DMSXCT037E	DMSDSV047E	DMSDLB050E
DMSMOD032E	DMSXMB037E	DMSGLB047E	DMSFLD050E
DMSSYN032E	DMSXPT037E	DMSGLO047E	DMSMGX050E
DMSUTL032E	DMSXSE037E	DMSIMA047E	DMSNXD050E
DMSWLG032E		DMSIMM047E	DMSSET050E
DMSWNL032E	DMSARX038E	DMSLBM047E	DMSSFD050E
DMSWSL032E	DMSASM038E	DMSLBT047E	DMSWSL050E
DMSWSG032E	DMSICP038E	DMSOVR047E	DMSWSG050E
		DMSPOC047E	DMSWTK050E
DMSVRT033E	DMSVRT039E	DMSVRT047E	DMSWUT050E
DMSVUN033E	DMSVUN039E	DMSSSET047E	
DMSSVT033E	DMSTYP039E	DMSSFD047E	DMSRNM051E
DMSTYP033E	DMSUTL039E	DMSTPJ047E	
DMSXMB033E	DMSXMB039E	DMSUTL047E	DMSARX052E
		DMSVMF047E	DMSASM052E
DMSSRT034E	DMSMOD040E	DMSWSG047E	DMSOSR052E
		DMSZAP047E	
DMSASN035E	DMSMVE041E		DMSSRT053E
DMSFLD035E		DMSACC048E	DMSXMS053E
DMSFLO035E	DMSCPY042E	DMSARE048E	
	DMSEXD042E	DMSCPY048E	DMSCMP054E
DMSSOP036E	DMSEXG042E	DMSDLB048E	DMSCPY054E
	DMSEXG042W	DMSEDI048E	DMSDSK054E
DMSBOP037E	DMSEXL042E	DMSERS048E	DMSEDI054E
DMSCPY037E	DMSEXQ042E	DMSFOR048E	DMSERS054E
DMSDSK037E	DMSRDC042E	DMSGRN048E	DMSEXG054E
DMSDSL037E	DMSRSV042E	DMSHLP048E	DMSEXG054W
DMSERS037E	DMSTPJ042E	DMSLDS048E	DMSEXL054E
DMSERV037E	DMSUTL042E	DMSLST048E	DMSEXQ054E
DMSFCO037E	DMSVMF042E	DMSRNM048E	DMSGRN054E
DMSFOR037E	DMSEXG042W	DMSRUN048E	DMSHLP054E
DMSLBM037E		DMSSSET048E	DMSMGC054E
DMSLBT037E	DMSBOP043E	DMSSST048E	DMSRDC054E
DMSLST037E	DMSCLS043E	DMSTPJ048E	DMSRNM054E
DMSMOD037E	DMSTLM043E	DMSUPD048E	DMSRSV054E

# DMS

DMSRT054E	DMSTYP062E	DMSCPY068E	DMSASM070E
DMSSTT054E	DMSWNL062E		DMSASN070E
DMSTYP054E	DMSWSF062E	DMSARE069E	DMSDDL070E
DMSUTL054E	DMSWTX062E	DMSASN069E	DMSDLB070E
DMSWFL054E	DMSXSU062E	DMSBOP069E	DMSDLK070E
DMSWSF054E		DMSCMP069E	DMSDSK070E
DMSWUP054E	DMSCPY063E	DMSCPY069E	DMSDSL070E
DMSXIN054E	DMSRT063E	DMSDLB069E	DMSDSV070E
	DMSXMS063E	DMSDSK069E	DMSERS070E
DMSLIO055E		DMSDSL069E	DMSERV070E
	DMSCPY064E	DMSEDI069E	DMSEXD070E
DMSGLB056E		DMSEDX069E	DMSEXG070E
DMSIDE056E	DMSAMS065E	DMSERS069E	DMSEXG070W
DMSLBM056E	DMSASN065E	DMSFOR069E	DMSEXL070E
DMSLBT056E	DMSCPY065E	DMSGET069E	DMSEXM070E
DMSLIO056E	DMSDLB065E	DMSGVE069E	DMSEXQ070E
DMSNCP056E	DMSDSV065E	DMSLBM069E	DMSFCO070E
DMSSYN056E	DMSFLD065E	DMSLBT069E	DMSFET070E
DMSWTX056E	DMSLBD065E	DMSLDS069E	DMSFLD070E
DMSZAP056E	DMSMGC065E	DMSLST069E	DMSFOR070E
	DMSMGX065E	DMSMOD069E	DMSGND070E
DMSTMA057E	DMSQRY065E	DMSMVE069E	DMSICP070E
DMSTPJ057E	DMSUPD065E	DMSPCR069E	DMSIDE070E
DMSVMF057E	DMSUTL065E	DMSPR069E	DMSIFC070E
	DMSWSG065E	DMSPUN069E	DMSIMM070E
DMSBOP058E	DMSWXP065E	DMSPUT069E	DMSLBD070E
DMSCLS058E	DMSWZT065E	DMSRDC069E	DMSLBM070E
DMSTLM058E	DMSXIN065E	DMSRNM069E	DMSLKD070E
DMSTPD058E		DMSRSV069E	DMSLLU070E
DMSTPF058E	DMSACC066E	DMSRT069E	DMSLST070E
DMSTPJ058E	DMSAMS066E	DMSSTT069E	DMSMDP070E
DMSVMF058E	DMSASN066E	DMSTMA069E	DMSMOD070E
	DMSCPY066E	DMSTPJ069E	DMSMVE070E
DMSACC059E	DMSDLB066E	DMSTYP069E	DMSNXD070E
	DMSDSV066E	DMSUPD069E	DMSNXL070E
DMSACC060E	DMSFLD066E	DMSVGN069E	DMSNXM070E
DMSACP060E	DMSFLO066E	DMSWLG069E	DMSOPT070E
	DMSLBD066E	DMSWRC069E	DMSOSR070E
DMSSET061E	DMSLST066E	DMSWSF069E	DMSPLO070E
	DMSMGC066E	DMSWSG069E	DMSPOL070E
DMSCMP062E	DMSMGX066E	DMSWVL069E	DMSPOR070E
DMSCPY062E	DMSQRY066E	DMSWVT069E	DMSPRV070E
DMSDSK062E	DMSSYN066E	DMSWXP069E	DMSQRX070E
DMSEXG062E	DMSUPD066E	DMSWZT069E	DMSRDR070E
DMSWRC062E	DMSUTL066E	DMSXPT069E	DMSRRV070E
DMSEXG062W	DMSWXP066E	DMSXSU069E	DMSRSV070E
DMSEXL062E	DMSWZT066E	DMSFLD069I	DMSRUN070E
DMSRDC062E	DMSXIN066E		DMSSET070E
DMSRNM062E		DMSAMS070E	DMSSFD070E
DMSRT062E	DMSCPY067E	DMSARE070E	DMSRT070E
DMSSTT062E		DMSARX070E	DMSRV070E



DMSSSK070E	DMSINI082E	DMSDSL098E	DMSIFC104S
DMSSTT070E		DMSFET098E	DMSLBM104S
DMSTMA070E	DMSINI083E	DMSPRV098E	DMSLBT104S
DMSTPJ070E		DMSRRV098E	DMSLIO104S
DMSUPD070E	DMSMOD084E	DMSRRV098E	DMSMGC104S
DMSVMF070E			DMSMOD104S
DMSVPD070E	DMSEXE085E	DMSASN099E	DMSNAM104S
DMSWSL070E		DMSDLK099E	DMSOVR104S
DMSWSG070E	DMSDLB086E	DMSDSV099E	DMSPOQ104S
DMSWTK070E	DMSMVE086E	DMSERV099E	DMSPRE104S
DMSWUT070E	DMSBOP086W	DMSFCO099E	DMSPRT104S
DMSWXP070E		DMSFET099E	DMSPUN104S
DMSWZT070E	DMSASN087E	DMSICP099E	DMSSSLN104S
DMSXIN070E		DMSLIO099E	DMSSTR104S
DMSZAP070E	DMSBOP088E	DMSLLU099E	DMSSYN104S
	DMSCLS088E	DMSOPL099E	DMSTPJ104S
DMSERS071E	DMSPPD088E	DMSOPT099E	DMSTYP104S
		DMSPL0099E	DMSUPD104S
DMSEXT072E	DMSBOP089E	DMSPRV099E	DMSVMF104S
	DMSCLS089E	DMSQRX099E	DMSWLG104S
DMSLOS073E	DMSMVG089E	DMSRRV099E	DMSWLM104S
DMSMGC073E	DMSOPL089E	DMSSET099E	DMSWVL104S
DMSUTL073E	DMSRRV089E	DMSRRV099E	DMSXCP104S
	DMSRRV089E	DMSNCP099W	DMSXCT104S
DMSARX074E	DMSVLT089E		DMSXGT104S
DMSASM074E		DMSBTB100E	DMSXIN104S
	DMSASN090E	DMSINS100W	DMSXMB104S
DMSARX075E		DMSINS100W	DMSXRE104S
DMSASM075E	DMSDOS091E	DMSWSP100W	DMSXUP104S
DMSICP075E			DMSZAP104S
DMSMVE075E	DMSSTX092E	DMSBTB101E	DMSEXG104W
		DMSCPY101S	
DMSEDI076E	DMSMCM093E		DMSBTP105E
		DMSCPY102S	DMSDLK105S
DMSDSK077E	DMSMCM094E		DMSDSK105S
		DMSCPY103S	DMSDSL105S
DMSDDL078E	DMSDOS095E		DMSDSV105S
DMSDSK078E	DMSDSV095E	DMSQRS104E	DMSEDI105S
DMSGRN078E	DMSGEN095E	DMSCMP104S	DMSEXG105S
DMSDSK078W	DMSWSG095E	DMSDLK104S	DMSLBM105S
	DMSWSL095E	DMSDSK104S	DMSLBT105S
DMSINI079E	DMSWTK095E	DMSDSL104S	DMSLIO105S
DMSINQ079E	DMSWUT095E	DMSEDI104S	DMSLLU105S
		DMSEXG104S	DMSLST105S
DMSINI080E	DMSTPJ096E	DMSEXL104S	DMSMGC105S
DMSMGX080E	DMSVMF096E	DMSFCH104S	DMSMOD105S
	DMSLIC096S	DMSGLB104S	DMSPOA105S
DMSINI081E		DMSGLO104S	DMSPOR105S
DMSWSF081E	DMSPRV097E	DMSHLI104S	DMSPRE105S
	DMSRRV097E	DMSHLP104S	DMSPRV105S
	DMSRRV097E	DMSIDE104S	DMSRDC105S

# DMS

DMSRRV105S	DMSGLO109S	DMSGEN110E	DMSDSK118S
DMSSLN105S	DMSHDS109S	DMSTLM110S	
DMSRRT105S	DMSHLI109S	DMSTMA110S	DMSSUB119S
DMSSRV105S	DMSHLS109S	DMSTPD110S	DMSLCK119S
DMSTMA105S	DMSHLI109S	DMSTPJ110S	DMSSVT119S
DMSTPD105S	DMSIMA109S	DMSVMF110S	
DMSTPJ105S	DMSIMM109S	DMSVPD110S	DMSSBS120S
DMSUPD105S	DMSLBD109S		DMSSCT120S
DMSVMF105S	DMSLBM109S	DMSGEN111E	DMSSVT120S
DMSVPD105S	DMSLCK109S	DMSTLM111S	
DMSWLG105S	DMSLIO109S	DMSTPJ111S	DMSDOS121S
DMSWLM105S	DMSMGC109S	DMSVMF111S	DMSGMF121S
DMSWVL105S	DMSMGX109S		DMSSVT121S
DMSWVT105S	DMSMOD109S	DMSACC112S	
DMSXCP105S	DMSNCP109S		DMSWNL122E
DMSXCT105S	DMSOVR109S	DMSACC113S	DMSITS122S
DMSXMB105S	DMSPIO109S	DMSACP113S	
DMSXPT105S	DMSPRE109S	DMSASN113S	DMSPRT123S
DMSXRE105S	DMSQRF109S	DMSBOP113S	DMSPTUN123S
	DMSQRG109S	DMSCIO113S	
DMSBTP106E	DMSQRH109S	DMSCLS113S	DMSDSK124S
DMSLBT106S	DMSQRS109S	DMSDBG113S	DMSRDC124S
	DMSQRT109S	DMSFCH113S	
DMSBTP107E	DMSQRU109S	DMSFOR113S	DMSFOR125S
DMSBWR107S	DMSQRV109S	DMSPPIO113S	
DMSERD107S	DMSQRX109S	DMSPRV113S	DMSFOR126S
	DMSQRY109S	DMSRRV113S	DMSSFD126S
DMSBTP108E	DMSROS109S	DMSRSV113S	
DMSGLB108S	DMSSEF109S	DMSSPR113S	DMSMVE127S
	DMSSET109S	DMSSRV113S	
DMSBTP109E	DMSSFD109S	DMSTLM113S	DMSMVE128S
DMSACC109S	DMSSLG109S	DMSTPJ113S	
DMSACP109S	DMSSLN109S	DMSVMF113S	DMSMVE129S
DMSAMS109S	DMSSMN109S	DMSVPD113S	
DMSARN109S	DMSTLM109S	DMSXCP113S	DMSMVE130S
DMSBWR109S	DMSTMA109S		
DMSCMP109S	DMSTPD109S	DMSMOD114E	DMSINI131S
DMSDAS109S	DMSTPJ109S	DMSFOR114S	
DMSDLB109S	DMSTVS109S		DMSEDI132S
DMSDMP109S	DMSVIB109S	DMSFCH115E	DMSWPK132S
DMSDSK109S	DMSVIP109S	DMSTPJ115S	DMSXIN132S
DMSEDX109S	DMSVPD109S	DMSVMF115S	
DMSEXD109S	DMSWVL109S		DMSMVE130S
DMSEXG109S	DMSWVT109S	DMSLIO116S	DMSINI131S
DMSEXL109S	DMSXBG109S	DMSMOD116S	DMSEDI132S
DMSEXM109S	DMSZAP109S	DMSSSLN116S	DMSWPK132S
DMSEXQ109S	DMSERS109T		DMSXIN132S
DMSFCH109S	DMSFNS109T	DMSEDI117S	DMSMVE128S
DMSFLD109S	DMSQRW109T	DMSXCT117S	DMSMVE129S
DMSFLO109S	DMSRSV109T	DMSXPO117S	DMSMVE130S
DMSGLB109S		DMSXSC117S	DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S
			DMSEDI132S
			DMSWPK132S
			DMSXIN132S
			DMSMVE128S
			DMSMVE129S
			DMSMVE130S
			DMSINI131S

DMSITS136T	DMSITS154T	DMSCPY172E	DMSZAP191W
DMSTMA137S DMSXSU137S DMSITS137T	DMSABN155T  DMSCPY156E DMSNAM156E DMSWPK156E	DMSCPY173E  DMSUPD174W DMSXUP174W	DMSZAP192W  DMSZAP193W
DMSTMA138S DMSITS138T	DMSWVL156E DMSXGT156E	DMSEXE175E	DMSSRV194S DMSZAP194W
DMSTMA139S DMSITS139T	DMSCPY157E DMSLBM157S DMSXMB157S	DMSUPD176W  DMSUPD177I	DMSZAP195W  DMSSPR196I
DMSCLS140S DMSDAS140S DMSLDF140S	DMSOPL158E	DMSUPD178I DMSXUP178I	DMSSPR197S  DMSSPR198E
DMSITS140T	DMSFRE159T	DMSUPD179E DMSWTX179E	DMSSPR199S
DMSGEN141S DMSITP141T	DMSDOS160S DMSFRE160T	DMSXUP179E DMSCMP179I	DMSZAP200W
DMSSET142S DMSITP142T	DMSCVH161S DMSLDF161S DMSXCP161S	DMSUPD180W DMSXUP180W	DMSLIO201W  DMSLIO202W
DMSEDI143S DMSITP143T	DMSFRE161T	DMSUPD181E	DMSLIO203W
DMSEDI144S DMSITP144T	DMSFRE162T	DMSUPD182W	DMSSPR204E
DMSCIO145S DMSPIO145S DMSSPR145S	DMSFRE163T  DMSFRE164T	DMSPRE183E DMSUPD183E DMSWTX183E DMSXUP183E	DMSWRL205E DMSDSK205W DMSRDC205W
DMSDMP146I	DMSFRE165T  DMSFRE166T	DMSUPD184W DMSXUP184W	DMSLIO206W
DMSMGC147E	DMSLBM167S DMSXMB167S DMSFRE167T	DMSUPD185W DMSXUP185W	DMSUPD207W DMSXUP207W
DMSABN148T DMSPOE148T	DMSLIO168S	DMSUPD186W DMSXUP186W	DMSZAP208E
DMSABN149T	DMSLIO169S	DMSUPD187E	DMSCMP209W
DMSABN150W	DMSBWR170S	DMSUTL188W	DMSDLK210E DMSWLG210E
DMSEDI151E	DMSCIT171T DMSCRD171T DMSCWR171T	DMSUTL189E	DMSZAP210E DMSUPD210W DMSXUP210W
DMSABN152T		DMSZAP190W	DMSCMP211E
DMSABN153W			

# DMS

DMSRT212E	DMSMVE232E	DMSSTT253E	DMSSLG276E
			DMSWLG276E
DMSDSL213W	DMSLDS233I	DMSHEL254E	DMSWLM276E
DMSLBM213W		DMSHLL254E	
DMSLBT213W	DMSPRE234E		DMSSLG277E
		DMSEXE255T	
DMSFOR214W	DMSPRE235E	DMSREX255T	DMSSLG278E
	DMSWLG235E		
DMSERR215T	DMSWXP235E	DMSERV256S	DMSSLG279E
		DMSLBR256S	DMSSLG279I
DMSFOR216E	DMSPRE236E		DMSWLG279E
		DMSDSK257T	
DMSDLB220R	DMSPRE237E	DMSRDC257T	DMSPAR280E
DMSFLD220R			DMSQRS280E
DMSLBD220R	DMSPRE238E	DMSSET258E	DMSSET280E
DMSLDS220R			DMSSLG280E
	DMSHEL241I	DMSINI259E	
DMSDLB221E			DMSSLG281E
DMSFLD221E	DMSHEL242I	DMSRSV260E	
DMSLBD221E	DMSHLL242I	DMSINI260T	DMSWLM282E
DMSLDS221E	DMSHLZ242I		
		DMSIMM261E	DMSEXG283E
DMSLDS222E	DMSHEL243I		DMSSFD283E
	DMSHLL243I	DMSIMM262E	DMSWLG283E
DMSLDS223E			
DMSRSV223E	DMSHEL244W	DMSIMM263E	DMSWLG284E
	DMSHLL244W		
DMSFLD224E		DMSLMX264E	DMSWLG285E
	DMSDLK245S		DMSWLG285I
DMSMVE225I	DMSDSV245S	DMSTVS265I	
	DMSZAP245S		DMSSFD286E
DMSLDS226E		DMSTVS266I	DMSWLG286E
DMSMVE226I	DMSZAP246W		DMSEXG286W
		DMSTVS267I	
DMSSTT227I	DMSZAP247W		DMSWLG287E
DMSLDS227W		DMSTVS268I	
	DMSZAP248W		DMSEXG288E
DMSAMS228E		DMSTVS269I	DMSEXG288I
DMSSTT228I	DMSZAP249I		DMSSFD288I
		DMSTVS270I	DMSWLG288E
DMSSTT229E	DMSHLP250S		
DMSXSU229E	DMSHLS250S	DMSTVS271I	DMSWLG289E
DMSLDS229I			
	DMSHLB251E	DMSTVS272E	DMSWLG290E
DMSVIP230E	DMSHLP251E		
DMSACC230W		DMSTVS273E	DMSWLG291E
DMSACP230W	DMSWLG252E		
	DMSWLM252E	DMSTVS274E	DMSWLG292W
DMSLDS231E	DMSWSL252E		
	DMSWSG252E	DMSTVS275E	DMSINQ293R

DMSWLG294E	DMSDLB320I	DMSSPR352E	DMSVGN370R
DMSINQ294E			
	DMSDLB321I	DMSMOR353E	DMSVGN371R
DMSINQ295R			
	DMSDLB322I	DMSMOR354E	DMSWXP372E
DMSINQ296R			
	DMSDLB323I	DMSHLL355I	DMSWXP373E
DMSEXG297W			
	DMSDLB324I	DMSHLL356I	DMSWXP374W
DMSEXG298R	DMSFLD324I		
	DMSLBD324I	DMSINI360E	DMSWXP375I
DMSUPD299E		DMSSGN360E	
	DMSDMP325W	DMSVGN360E	DMSWXP376I
DMSUPD300E		DMSWTK360E	
	DMSSTX326E		DMSVGN382R
DMSDLB301E		DMSUPD361E	
	DMSINS327I	DMSVGN361E	DMSVPD383R
DMSBOP302E	DMSWSP327I	DMXCP361E	
DMSDLB302E	DMSINS327W		DMSPCCL384E
	DMSWSP327W		
DMSLLU303E		DMSSSK362E	
	DMSWNL328E	DMSVGN362I	DMSPCCL385E
DMSDLB304E			
DMSUPD304I	DMSWIR329W	DMSSSK363E	DMSALA386E
		DMSVGN363I	DMSCLR386E
DMSDLB305E	DMSDLB330R	DMSSGN363R	DMSCUR386E
		DMSVGN363R	DMSDEF386E
DMSDLB306E	DMSDLB331R		DMSDEL386E
		DMSSSK364E	DMSDRP386E
DMSDLB307E	DMSSSLG332E	DMSSGN364I	DMSGET386E
	DMSSSLG332I	DMSVGN364I	DMSHID386E
DMSBOP308E		DMSVGN364R	DMSMAX386E
DMSDLB308E	DMSLDS333E		DMSMIN386E
	DMSSET333E	DMSSSK365E	DMSPCCL386E
DMSWSP309W		DMSSGN365I	DMSPP0386E
	DMSSSLG334E	DMSVGN365I	DMSPCST386E
DMSINQ310R		DMSVGN365R	DMSPCUT386E
			DMSRES386E
DMSINS311W	DMSIMA346E	DMSVGN366I	DMSROU386E
DMSWSP311W	DMSSSLG346E	DMSSGN366R	DMSCL386E
		DMSVGN366R	DMSHO386E
DMSWLG312W	DMSIMA347E		DMSIZ386E
		DMSVGN367I	DMSWAT386E
DMSINS313W	DMSIMA348E	DMSAMS367R	DMSWRD386E
DMSINS314W	DMSIMA349E	DMSVGN368I	DMSPCCL387E
DMSWSP314W	DMSSLN350E	DMSVPD368I	
		DMSVGN368R	DMSALA388E
DMSINS315W	DMSSLN351E		DMSCLR388E
DMSWSP315W		DMSVGN369E	DMSCUR388E
			DMSDEL388E
			DMSDRP388E

# DMS

DMSGET388E	DMSWAT391E	DMSPRV411S	DMSSTP430E
DMSHID388E	DMSWRD391E	DMSRRV411S	DMSSOP430E
DMSMAX388E		DMSSRV411S	DMSTLM430E
DMSMIN388E	DMS PCL393E	DMXCP411S	
DMS PCL388E			DMSTLM431E
DMS PPO388E	DMS CUR394E	DMSGEN412S	DMSTPJ431E
DMS PST388E	DMS DEF394E		
DMS PUT388E	DMS PCL394E	DMS BOP413S	DMSTLM432E
DMS RES388E	DMS ROU394E	DMS LDF413S	
DMS ROU388E			DMSTLM433R
DMSSCL388E	DMS PCL395E	DMSEXG414E	
DMSSHO388E		DMSEXL414E	DMSTLM434E
DMSSIZ388E	DMS PCT396E		
DMSWAT388E	DMS PCW396E	DMSEXD415E	DMSTLM435R
DMSWRD388E		DMSEXG415W	
	DMS BOP400S	DMSEXL415E	DMSTLM436I
DMS CUR389E	DMS SET400S	DMSEXM415E	
DMS DEF389E	DMS SSK400S	DMSEXQ415E	DMSTLM437I
DMS DRP389E	DMS VIB400S		
DMS GET389E		DMSEXD416W	DMSLBD438E
DMS HID389E	DMS AMS401S	DMSEXM416W	
DMS PCL389E	DMS BOP401S		DMSLBD439E
DMS PPO389E	DMS LDF401S	DMSEXG417W	DMSTLM439E
DMS PST389E	DMS SET401S	DMSEXL417E	
DMS PUT389E	DMSSFD401S		DMSWLM440W
DMSSCL389E	DMS VIB401S	DMSEXD418W	
DMSSHO389E			DMSLBD441R
DMSSIZ389E	DMSERV402W	DMSWUP419E	
			DMSLBD442E
DMS PCL390E	DMS BOP403S	DMSFLD420E	
	DMSCLS403S	DMSTMA420E	DMSTLM443R
DMSALA391E		DMSTPD420E	
DMSCLR391E	DMS BOP404S		DMSSET444E
DMSCUR391E	DMSCLS404S	DMSTLM421E	
DMSDEF391E			DMSDSK445W
DMSDEL391E	DMSMGX405E	DMSTLM422E	
DMSDRP391E	DMSWMS405W		DMSTLM446R
DMSGET391E		DMSTLM423I	
DMSHID391E	DMS PMD407E		DMSFLO447E
DMSMAX391E		DMSTLM424E	
DMSMIN391E	DMSMGX408E		DMSWNL448E
DMS PCL391E		DMSTLM425R	
DMS PPO391E	DMSWSL409I		DMSREX449E
DMS PST391E		DMSTLM426R	
DMS PUT391E	DMS BOP410S		DMSREX450E
DMSREF391E	DMS SET410S	DMSTLM427I	
DMSRES391E	DMSSSK410S		DMSREX451E
DMSROU391E	DMS VIB410S	DMSTLM428I	
DMSSCL391E			DMSREX452E
DMSSHO391E	DMSDSV411S	DMSCLS429I	
DMSSIZ391E	DMSFCH411S	DMSSTP429I	

DMSREX453E	DMSREX478E	DMSXCG504E	DMSWZP520E
DMSREX454E	DMSREX479E	DMSXCG505E	DMSXCG520E
DMSREX455E	DMSREX480E	DMSXCG506I	DMSXCT520E
DMSREX456E	DMSREX481E	DMSXCT507E	DMSXDC520E
DMSREX457E	DMSREX482E	DMSXIN508E	DMSXGT520E
DMSREX458E	DMSREX483E	DMSXCT509E	DMSXQR520E
DMSREX459E	DMSREX484E	DMSXSU509E	DMSXSE520E
DMSREX460E	DMSREX485E	DMSXMD510I	DMSXSF520E
DMSREX461E	DMSREX486E	DMSXSC510I	DMSXSS520E
DMSREX462E	DMSREX487E	DMSXSU510I	
DMSREX463E	DMSREX488E	DMSXCG511E	DMSXCG522I
DMSREX464E	DMSREX489E	DMSINT512E	DMSXCT523I
DMSREX465E	DMSREX490E	DMSXCM512E	DMSSEF524W
DMSREX466E	DMSREX491E	DMSXDC512E	DMSQRF525E
DMSREX467E	DMSREX492E	DMSINT513E	DMSSEF525E
DMSREX468E	DMSXMS493E	DMSPOR513E	DMSXQR525E
DMSREX469E	DMSWIO494W	DMSXCM513E	DMSXSE525E
DMSREX470E	DMSDSK496S	DMSLMX514E	DMSXSS525E
DMSREX471E	DMSXDC497E	DMSXCM514E	DMSJOI526E
DMSREX472E	DMSXCG498E	DMSXSE514E	DMSSEF526E
DMSREX473E	DMSWTL499E	DMSXSE515E	DMSWEX526E
DMSREX474E	DMSXIN500E	DMSXSE516E	DMSXCT526E
DMSREX475E	DMSXCG501I	DMSXCG517I	DMSXSE526E
DMSREX476E	DMSXCG502I	DMSXCG518E	DMSXCT527E
DMSREX477E	DMSXCG503E	DMSXSE519E	DMSXSE528E
	DMSXMD503E	DMSXCG519E	DMSHEL529E
	DMSXPO503E	DMSALT520E	DMSPSI529E
		DMSCAN520E	DMSSCH529E
		DMSPSI520E	DMSSJC529E
		DMSSCH520E	DMSSRL529E
		DMSSJC520E	DMSXCT529E
		DMSSOR520E	DMSXMD529E
		DMSSRL520E	DMSXML529E
		DMSSTA520E	DMSXPO529E
		DMSWMG520E	DMSXSS529E
		DMSWRM520E	
			DMSXQR530I

# DMS

DMSWVL531E	DMSXSF545E	DMSHEL561E	DMSMGC580E
DMSWVT531E		DMSJOI561E	DMSPAR580E
DMSXCT531E	DMSXDC546E	DMSPSI561E	DMSPKT580E
DMSXMB531E		DMSSCH561E	DMSXDC580E
	DMSXDC547E	DMSSJC561E	DMSXFD580E
DMSXCT532E		DMSSPL561E	
	DMSXDC548E	DMSWEX561E	DMSSOR581E
DMSXSF533E	DMSXSE548E	DMSXSS561E	DMSXCG581E
			DMSXMC581E
DMSXCT534E	DMSXDC549E	DMSXGT562E	DMSXPO581E
DMSXCT535E	DMSXDC550E	DMSXGT563W	DMSXSU582S
	DMSDSK550W		
DMSXCT536E		DMSJOI564W	DMSXCT583I
	DMSSCH551I	DMSXGT564W	DMSXSU583I
DMSXCT537E			
	DMSXQR552E	DMSXGT565W	DMSXCT584I
DMSXQR538E			DMSXSU584I
	DMSXED553I	DMSXCT566E	
DMSXCT539E			DMSJOI585E
	DMSXCT554E	DMSXCT567E	DMSSPL585E
DMSXCT540E	DMSXDC554E		DMSXSU585E
	DMSXED554E	DMSXSE568E	
DMSXCT541E	DMSXFD554E		DMSHEL586E
	DMSXGT554E	DMSSCH569E	DMSSCH586E
DMSXDC542E	DMSXIN554E		DMSSPL586E
	DMSXPO554E	DMSXIN570W	DMSXQR586E
DMS SRL543E	DMSXPX554E	DMSXUP570W	DMSXSU586E
DMSWEX543E	DMSXRE554E		
DMSXCG543E	DMSXSC554E	DMSXIN571I	DMSXMD587I
DMSXCT543E	DMSXSE554E	DMSXPT571I	DMSXSU587I
DMSXDC543E	DMSXSF554E		
DMSXMD543E	DMSXMA554S	DMSXIO572E	DMSXSU588E
DMSXSE543E	DMSXMS554S		
	DMSXPT554S	DMSXMD573I	DMSNXL589E
DMSXDC544E	DMSXWS554E		DMSXDS589E
		DMSSCH574E	
DMSALT545E	DMSXSE555E		DMSXDS590E
DMSDDL545E		DMSJOI575E	
DMSHEL545E	DMSXFC557S	DMSSPL575E	DMSXDS591E
DMSPOR545E	DMSXPO557S	DMSXMC575E	
DMSSCH545E		DMSXSE575E	DMSXFD592W
DMSSOR545E	DMSXSE558E		DMSXML592W
DMSWVG545E		DMSXMC576E	
DMSWRM545E	DMSXFD559W		DMSXCG593E
DMSWZP545E	DMSXMB559W	DMSXSU577E	
DMSXCT545E	DMSXSE559W		DMSXCT594E
DMSXDC545E	DMSXSU559W	DMSXCT578W	DMSXMB594E
DMSXMC545E			
DMSXQR545E	DMSXFD560E	DMSWSF579E	DMSXMS596E
DMSXSE545E	DMSXSE560E	DMSXPT579E	



DMSXUP597E	DMSPOQ620E	DMSEIO631E	DMSINQ640R
DMSXUP598S	DMSEIO621E	DMSGLO631E	DMSWDF641E
DMSXUP599S	DMSNAM621E	DMSMGX631E	DMSWPK643E
DMSXSE600E	DMSQRY621E	DMSMPMD631E	DMSWRC643E
DMSCPY601R	DMSDEF622E	DMSWRD631E	DMSWSG643E
DMSCPY602R	DMSEIO622E	DMSXTR631E	
DMSFOR603R	DMSGLO622E	DMSEIO632E	DMSWPK644E
DMSRVS603R	DMSNAM622E	DMSWRM632E	DMSWRC644E
DMSRVS603R	DMSNXL622E	DMSNAM633E	
DMSRVS603R	DMSNXM622E	DMSNAM633W	DMSWNM645W
DMSRVS603R	DMSPAR622E	DMSNAM634E	DMSPSH646E
DMSRVS603R	DMSXCT622E	DMSNAM635I	DMSPSW646E
DMSRVS603R	DMSREF622E		DMSPPX646E
DMSRVS603R	DMSSEF622E	DMSDDL636E	DMSWNT647E
DMSRVS603R	DMSWRD622E	DMSDDL636W	DMSWSF647E
DMSRVS603R	DMSWRT622E		DMSWTL647E
DMSRVS603R	DMSXED622E	DMSDDL637E	
DMSRVS603R	DMSXFC622E	DMSNAM637E	DMSWNT648E
DMSRVS603R	DMSXIN622E	DMSWNT637E	DMSWSF648E
DMSRVS603R	DMSXMB622E	DMSWSF637E	DMSWTL648E
DMSRVS603R	DMSXMC622E	DMSWSG637E	
DMSRVS603R	DMSXPO622E	DMSWUP637E	DMSGLO649E
DMSRVS603R	DMSXSC622E		DMSHEL649E
DMSRVS603R	DMSXTR622E	DMSDDL638E	DMSHLP649E
DMSRVS603R	DMSNAM622W		DMSWMG649E
DMSRVS603R	DMSFCH623S	DMSCON639E	DMSWRM649E
DMSRVS603R	DMSFET623S	DMSDDL639E	DMSWUP649E
DMSRVS603R	DMSLIO623S	DMSDFT639E	DMSWZP649E
DMSRVS603R	DMSNXL624I	DMSDSK639E	
DMSRVS603R	DMSNXD624W	DMSHLL639E	DMSWDC651E
DMSRVS603R		DMSHLR639E	DMSWEX651E
DMSRVS603R		DMSMOR639E	DMSWFL651E
DMSRVS603R	DMSLIO625S	DMSNXL639E	DMSWML651E
DMSRVS603R		DMSPC639E	DMSWNT651E
DMSRVS603R	DMSPOR626E	DMSPCR639E	DMSWRL651E
DMSRVS603R	DMSPOS626E	DMSPC639E	
DMSRVS603R		DMSPCR639E	DMSWDC653E
DMSRVS603R	DMSPOR627E	DMSPCW639E	DMSWDC653E
DMSRVS603R		DMSPCW639E	DMSWDF653E
DMSRVS603R	DMSGLO628E	DMSQRS639E	DMSWML653E
DMSRVS603R		DMSQRT639E	DMSWNM653E
DMSRVS603R	DMSWIO629W	DMSQRU639E	DMSWPK653E
DMSRVS603R		DMSQRT639E	DMSWRM653E
DMSRVS603R	DMSRDR630S	DMSQRV639E	DMSWXP653E
DMSRVS603R	DMSWPK630S	DMSQRW639E	DMSWZP653E
DMSRVS603R	DMSWRC630S	DMSQRX639E	DMSWZT653E
DMSRVS603R	DSMWRC630S	DMSRDC639E	DMSWZT653E
DMSRVS603R			DMSWML653E
DMSRVS603R			DMSWML653E

# DMS

DMSWEX654E	DMSDSK671E	DMSWPK687E	DMSFOR705I
DMSWPK655E	DMSRDC671E	DMSWRC687E	DMSRSV705I
DMSWRC655E	DMSSTA671E		
	DMSTPJ671E	DMSDDL688E	DMSMVE706I
DMSWNM656E	DMSVMF671E	DMSLBM688E	
	DMSWRC671E	DMSLST688E	DMSTPD707I
	DMSWSF671E	DMSNAM688E	
DMSDFT657E	DMSWUP671E		DMSMVE708I
DMSHEL657E		DMSLBM689E	
DMSWNM657E	DMSWPK672E	DMSLST689E	DMSPOC709E
DMSWSF657E	DMSWRC672E		DMSPOR709E
DMSXSC657E	DMSWSF672E	DMSPOC690E	
		DMSPOR690E	DMSFET710I
DMSWNM658W	DMSWSF673E		
		DMSPOE691I	DMSSYN711I
DMSPSH659E	DMSWPK674E		
DMSPSI659E	DMSWRC674E	DMSPOE692I	DMSSYN712I
DMSPSW659E	DMSWSF674E		
DMSPXX659E		DMSPOQ693E	DMSPOP713E
DMSXPX659E	DMSWSF675E		
		DMSPOQ694E	DMSPOP714E
DMSWNM660E	DMSDEF676E		
DMSWNM660W	DMSWNT676E	DMSXSF695E	DMSGEN715I
	DMSWSF676E		
DMSPSH661E	DMSWTI676E	DMSWIR696W	DMSDFT716E
DMSPSI661E		DMSXSC696W	
DMSPSW661E	DMSWNT677E	DMSXSD696W	DMSDFT717E
DMSPXX661E	DMSWSF677E		
DMSXPX661E		DMSXCT697E	DMSDFT718E
	DMSWSF678E		
DMSWNM662E		DMSXFC698W	DMSDFT719E
	DMSWSF679E	DMSXPT698W	
DMSWNM663W			DMSDFT720E
	DMSWFL680E	DMSFLD699E	
DMSWNM664E	DMSWSF680E		DMSCPY721I
		DMSXFD700E	
DMSWNT665E	DMSWRC681E		DMSAMS722I
		DMSRDC701I	
DMSWNT666E	DMSWRC682E	DMSTPF701I	DMSACP723I
		DMSVMF701I	DMSROS723I
DMSWNT667E	DMSWPK683E		
DMSWSF667E	DMSWPK683W	DMSRDC702E	DMSACC724I
		DMSRDC702I	
DMSWML668E	DMSWPK684W	DMSRDC702W	DMSACP725I
DMSWNT668E			DMSROS725I
	DMSJOI685E	DMSSTA703I	
DMSWNT669E		DMSTPD703I	DMSACP726I
	DMSPSH686E		
DMSWNT670E	DMSPXX686E	DMSFLD704I	DMSPAR727E
		DMSLBD704I	

DMSDBG728I	DMSPOR763E	DMSWVV788R	DMSMGM815E
DMSINI729R	DMSINQ764R	DMSWVV789W	DMSWRM823E
DMSINI730R	DMSMGC766I	DMSWVV790R	DMSWRM824E
DMSINS731W DMSWSP731W	DMSMGC767I	DMSWVV791I	DMSIFC825E
DMSFOR732I	DMSMGC768W	DMSWVV792R	DMSIFC826E
DMSFOR733I DMSRSV733I	DMSMGC769W	DMSWVV793I	DMSIFC828I
DMSFLD735E	DMSMGC770E DMSSLG770E	DMSWVV794E	DMSIFC829W
DMSWSL737R	DMSWLM770E	DMSWVV795E	DMSREA830E
DMSRDC738I	DMSMGC771E	DMSWVV796E	DMSIFC831E
DMSLIO740I	DMSMGC772E	DMSWVV797I	DMSIFC832S
DMSLIO749W	DMSMGC773E	DMSWVV798R	DMSWLK842E
DMSZAP750I	DMSMGC774E	DMSWVV799E	DMSWLK843I
DMSIMA751I DMSZAP751I	DMSMGC775W	DMSWVV800E	DMSWLK844E
DMSIUC754W	DMSMGC776I	DMSWVV801I	DMSWLK845W
DMSPOP755E	DMSFCH777S	DMSWVV802I	DMSWLK846I
DMSPOR756E	DMSVIP778E	DMSCCK803E	DMSWSM847R
DMSPOR757E	DMSVIP779E	DMSCCK804S	DMSWSM848E
DMSPOL758I DMSPOR758I	DMSVIP780E	DMSCCK805S	DMSWSM849R
DMSPOE759I	DMSVIP781E	DMSCCK806S	DMSWSM850W
DMSPOL760E DMSPOP760E DMSPOQ760E DMSPOR760E	DMSVIP782E	DMSCCK807S	DMSWSM851W
DMSPOE761I	DMSVIP783E	DMSWVV808R	DMSWSM852E
DMSPOC762E DMSPOR762E	DMSVIP784E	DMSWVV809E	DMSWSM853R
	DMSVIP785E	DMSDFT812E	DMSWSM854W
	DMSVIP786E	DMSMGM813E	DMSWSM855W
	DMSDOS787E	DMSMGM814E	DMSWMG856E DMSWRM856E DMSWZP856E

# DMS

DMSWVG857E	DMSWVG872E	DMSWTX897E	DMSDEL919E
DMSWRM857E			
	DMSWVG873E	DMSWVG898E	DMSDEF920E
DMSWVG858E			
DMSWRM858E	DMSWVG874E	DMSCPY901T	DMSALA921E
DMSWZP858E	DMSWRM874E	DMSUTL901T	DMSCLR921E
	DMSWZP874E		DMSCUR921E
DMSWVG859E		DMSINI902T	DMSDEL921E
DMSWRM859E	DMSWZP875E		DMSDRP921E
DMSWZP859E		DMSCPY903T	DMSGET921E
	DMSWZP876E		DMSHID921E
DMSWVG860E		DMSCPY904T	DMSMAX921E
DMSWRM860E	DMSWZP877W		DMSMIN921E
DMSWZP860E		DMSDIO905S	DMSPP0921E
	DMSWZP878E		DMSPT921E
DMSWVG861I		DMSHLP907T	DMSPUT921E
DMSWRM861I	DMSWRM879W	DMSHLS907T	DMSQRF921E
DMSWZP861I	DMSWZP879W	DMSLBM907T	DMSQRG921E
		DMSLIO907T	DMSQRH921E
DMSWVG862I	DMSWZP880E	DMSUTL907T	DMSRES921E
DMSWRM862I			DMSROU921E
DMSWZP862I	DMSWZP881E	DMSRSV908E	DMSCL921E
		DMSFNS908T	DMSSEF921E
DMSWVG863E	DMSWVG882E		DMSSHO921E
DMSWRM863E	DMSWRM882E	DMSRSV909E	DMSsiz921E
DMSWZP863E	DMSWRM882W	DMSFNS909T	DMSWAT921E
			DMSWMM921E
DMSWVG864E	DMSWVG883W	DMSITE910T	DMSWRD921E
DMSWVG864I	DMSWRM883W		DMSWRT921E
DMSWVG864W		DMSIUC911E	
DMSWRM864W	DMSWSM884I		DMSDEF922E
DMSWZP864W		DMSDFT912I	DMSPT922E
	DMSWZP885I		DMSsiz922E
DMSWVG865I		DMSDEF913E	DMSWBX922E
DMSWRM865I	DMSWVG886E		
DMSWZP865I	DMSWZP886E	DMSDEF915E	DMSCUR923E
		DMSXPO915E	DMSWMM923E
DMSWVG866W	DMSWZP887E	DMSXSC915E	DMSWRT923E
DMSWRM866W	DMSWRM888E	DMSXWS915E	DMSWVL923E
DMSWVG867E	DMSWVG892E	DMSQRH916E	DMSWVL924E
DMSWRM867E	DMSWRM892E		DMSWVT924E
		DMSPT917E	
DMSWVG868E	DMSWVG893W	DMSREF917E	DMSREF925E
	DMSWRM893W	DMSWRD917E	DMSWRD925E
DMSWVG869E		DMSXPO917E	
	DMSWTX895I	DMSXSC917E	DMSDEF926E
DMSWVG870E		DMSQRH917E	DMSQRF926E
	DMSWTX896E		DMSQRH926E
DMSWVG871E		DMSQRG918E	DMSREF926E
			DMSROU926E

DMSSEF926E	DMSGAM953E	DMSWUT978R	DMSDSK1124E
DMSWRD926E			DMSRDC1124E
	DMSGAM954E	DMSWUT979I	DMSWRC1124E
DMSSEF927E			
DMSXWS927E	DMSGAM955E	DMSWUT980I	DMSWEN1125E
DMSCLR928E	DMSGAM956E	DMSWTK981R	
DMSCUR928E			
DMSROU928E	DMSWSG957E	DMSWTK982R	
DMSSEF928E			
DMSWAT928E	DMSWSG958I	DMSWTK983E	
DMSWRD928E			
DMSWRT928E	DMSWSG959E	DMSWSG984E	
DMSWVL928E			
DMSXIN928E	DMSWSG960E	DMSWSG985E	
DMSCLR929E	DMSWSG961E	DMSWUT986I	
DMSDRP929E	DMSWTK961E		
DMSPPPO929E		DMSBOP995E	
DMSSEL929E	DMSWSG962E	DMSCLS995E	
DMSWMM929E			
	DMSWSL963E	DMSBOP996E	
DMSWBX930E			
	DMSWSL964R	DMSRUN999E	
DMSWBX931E			
DMSWEN931E	DMSWTK965I	DMSSFD1074S	
DMSWVT933W	DMSWTK966I	DMSSFD1075E	
DMSWVT934E	DMSWTK967R	DMSSFD1076E	
DMSWIN935I	DMSWSL968I	DMSSFD1077S	
DMSWIO935I	DMSWTK968I		
DMSWIR935I		DMSACP1078E	
	DMSWTK970I		
DMSWVL936W		DMSDSK1079R	
	DMSWUT971E	DMSRDC1079R	
DMSPPCC946E			
	DMSWUT972I	DMSDSK1080R	
DMSPPCA947E		DMSRDC1080R	
	DMSWUT973R		
DMSPPCR948E		DMSDSK1081R	
	DMSWUT974I	DMSRDC1081R	
DMSPPCR949E			
	DMSWUT975I	DMSQRG1082E	
DMSCON950I			
	DMSWUT976I	DMSDSK1123E	
DMSGAM951E		DMSRDC1123E	
	DMSWUT977I	DMSWRC1123E	
DMSGAM952E			

# DMM

## IPCS Message Summary by Number

DMMCOM100S	DMMCHN611I	DMMLOC716I	DMMTRD743I
DMMCVD100S			
DMMCVS100S	DMMDSC701R	DMMDSC717E	DMMTRD744E
DMMDSC100S		DMMLOC717E	
DMMINI100S	DMMDIN702I	DMMLOC717I	DMMMAPP801I
DMMMAPP100S			
DMMPRO100S	DMMDIN703I	DMMDCM718I	DMMMAPP802I
DMMPR100S	DMMFEX703I	DMMM0D718I	
DMMSEA100S			DMMCVD803I
DMMSTA100S	DMMDSC705W	DMMDSC719I	DMMCVS803I
DMMSUM100S			
DMMVAL100S	DMMM0D706I	DMMDSC720I	DMMPRM804E
DMMVMF100S			
	DMMM0D707I	DMMAMP721I	DMMCPA805I
DMMCOM109S			
	DMMCHN708I	DMMAMP722I	DMMMAPP806R
DMMCVD200S	DMMCOR708I		DMMVAL806R
DMMCVS200S	DMMDC708I	DMMDCM723I	
DMMINI200S	DMMDCD708I	DMMDSC723I	DMMMAPP807I
DMMPRO200S	DMMDCO708I		DMMVAL807I
DMMSTA200S	DMMDIN708I	DMMREG724I	
DMMSUM200S	DMMFEX708I		DMMMAPP808I
DMMVAL200S	DMMIOB708I	DMMDSC725R	
DMMVMF200S	DMMLOC708I		DMMMAPP810I
DMMWRT200S	DMMM0D708I	DMMIOB726I	
	DMMREG708I		DMMCVD811I
DMMINI300S	DMMSCR708I	DMMDCD728I	
DMMPRO300S	DMMTRC708I		DMMCVD812E
	DMMTRD708I	DMMDID729I	DMMCVS812E
DMMINI400S	DMMVMB708I		
		DMMTRC730E	DMMMAPP813E
DMMCOM500S	DMMSCR709I		
		DMMDCP731E	DMMMAPP814E
DMMSUM501S	DMMTRC710I	DMMTRC731E	DMMVAL814E
DMMSUM502S	DMMVMB711I	DMMDSC732E	DMMMAPP815E
DMMVMF560E	DMMIOB712I	DMMDSC733E	DMMMAPP816E
DMMVMF600S	DMMIOB713I	DMMTRD740I	DMMMAPP817E
	DMMVMB713I		
DMMSTA601S		DMMTRC741E	DMMMAPP818E
	DMMHEX714I	DMMTRC741I	
DMMCOR609I		DMMTRD741I	DMMMAPP819R
	DMMLOC715I		
DMMCHN610I		DMMTRC742I	DMMCVD820I
			DMMVAL820I

---

DMMVAL821I	DMMCVS867E
DMMVAL822E	DMMTRC868E
DMMVAL824I	DMMTIU868I
DMMVMF830R	DMMTIU869I
DMMEDM840I	DMMTIU870I
DMMEDX840I	DMMTRC871E
DMMEDM841I	
DMMEDM842I	
DMMEDM843I	
DMMVMF853S	
DMMDSC855I	
DMPRT855I	
DMMVMF855I	
DMMDCM856E	
DMMDSC856E	
DMMMAP856E	
DMPRT856E	
DMMVMF856E	
DMMVMF860E	
DMPRT861E	
DMMCVS862E	
DMMMAP862E	
DMPRT862E	
DMMDCM863E	
DMMDCP863E	
DMMDSC863E	
DMMEDM863E	
DMMMAP863E	
DMPRT863E	
DMMSCR863E	
DMMCOM864E	
DMMVMF865E	
DMMCVS866E	

**GCS Message Summary by Number**

CSIDL001E	CSIACC012E	CSICIO029S	CSIGRP113I
CSIFLD001E		CSIPIO029S	
CSIYTE001E	CSIGLB013E		CSIGRP114E
CSIYTG001E	CSIQRY013E	CSICIO030S	
	CSIS013E	CSIPIO030S	CSIGRP115I
CSIDL002E		CSICIO030T	
CSIFLD002E	CSIGLB014E	CSIFNS030T	CSIGRP116E
		CSIPIO030T	
CSIDL003E	CSIQRS015E		CSIGRP117I
CSIFLD003E		CSIAL031S	
	CSIDAS016E	CSIIU031S	CSIGRP118R
CSIDL004E	CSIXCP016E	CSIIA031S	
CSIFLD004E		CSITL031S	CSIGRP119R
	CSIARE017E		
CSIACC005S	CSIDAS017E	CSITS032S	CSIGRP120I
CSIDL005S	CSIDL017E	CSIIUE032S	
CSIFLD005S	CSIGVE017E	CSIIUM032S	CSIGRP121I
CSIGLB005S	CSIQRS017E	CSIIUS032S	
CSIPIO005S	CSIVIP017E	CSIIUX032S	CSIGRP122E
CSIQRR005S	CSIFLD017I	CSIMTA032S	
CSIQRX005S		CSIMTB032S	CSIGRP123I
CSIQRY005S	CSIGRP018E	CSIQRL032S	
CSIROS005S	CSIVIP018E	CSISVQ032S	CSIGRP124E
CSIFNS005T	CSIXCP018E		
		CSIGRP100E	CSIGRP125I
CSIACC006E	CSIGRP019E		
CSIARE006E	CSIQRS019E	CSIGRP104R	CSIGRP126E
CSIDL006E			
CSIFLD006E	CSIQRS020E	CSIGRP105E	CSIGRP127E
CSIOSR006E			
CSIQRX006E	CSIACC021E	CSIGRP106E	CSIIINI129T
CSIQRY006E	CSIARE021E		CSIIINS129T
CSIS006E	CSIDL021E	CSIGRP107E	
	CSIFLD021E		CSIIINI130T
CSIGRP007E		CSIGRP108I	CSIIINS130T
	CSIOSR022E		
CSIIIPR008I		CSIGRP109E	CSIIINI131T
	CSIFLD023E	CSIGRP109I	CSIIINS131T
CSIDUM009E		CSIIINS109T	
CSIYTE009E	CSIGLB024E		CSIIINS132S
CSIYTG009E		CSIGRP110I	
	CSIGRP025E		CSIGRP133E
CSIDUM010I	CSIVSI025E	CSIGRP111I	CSIIINS133S
CSIFLD011E	CSICIO028S	CSIGRP112E	CSIIINI134I
	CSIPIO028S		



CSIINS135T	CSIQRL217E	CSIOSR243S	CSIFLD320E
CSIINS136T	CSIQRL218I	CSIVSI300W	CSISSET321E
CSIINI138T	CSIOSR219E	CSIFLD301E	CSISSET322E
CSIINI139T	CSIGLB220E CSILOS220E	CSIDL302E CSIFLD302E	CSISSET323E
CSIDIE140T			CSIVSI324S
CSIMTA141S	CSIGLB221S	CSIDL303I CSIFLD303I	CSIVIP325E
CSIINI142T	CSIGLB222E	CSIQRU303I CSIQRX303I	CSIVIP326E
CSIINI143T CSIINS143T	CSIGLB223S CSILOS223S	CSIDL305I	CSIVIP327E
CSICON200S	CSILOS224E	CSISCT306S CSISER306S	CSIVIP329E
CSICON201S	CSIABD225I	CSIXCP306S	CSIVIP330E
CSICON202I	CSIABD226E	CSISCT307S CSISER307S	CSIVIP331E
CSICMH204S	CSIABD227E	CSIXCP307S	CSIVIP332E
CSICMH205E CSICON205E	CSIABD228E CSIABD229E	CSISOP308E CSISOP308W	CSIVIP333E CSIVIP334E
CSIRPY206E	CSIABD230E	CSISCL309E	CSIDAS335S
CSIRPY207E	CSIABD231E	CSIDL310R	CSIDOS336S
CSIRPY208I	CSIABD232E	CSIDL311E	CSIDOS337S
CSIRPY209E	CSIABD233E	CSIDL312R	CSIGMF338S
CSIRPY210E	CSIABD234E	CSIDL313E	CSIGMF339S
CSIRPY211E	CSIABD235E	CSIDL314I	CSILCK340S CSISUB340S
CSILDC212E	CSIOSR236E	CSIDL315E	
CSIWTR213I	CSIABD237E	CSIDL316E CSIVIP316E	CSILDF341S CSIVIP341S
CSIQRR214I	CSIQRD239I	CSIDL317I	CSIXCP342S
CSIQRR215I	CSIQRD240I	CSIDL318I	CSIDAS343S
CSIQRR216I	CSIACC243S CSIARE243S CSIDUM243S	CSIXCP319S	CSIDMP344I

# CSI

---

CSIDLB345I	CSIPNC418I CSIPNP418I	CSIREX455E	CSIREX480E
CSICIO346S CSIPIO346S	CSIPNP419E	CSIREX456E	CSIREX481E
CSIXCP347R	CSIFNS420T	CSIREX457E	CSIREX482E
CSISOP348E	CSIERW421S	CSIREX458E	CSIREX483E
CSISCL349E	CSIAACC422E	CSIREX459E	CSIREX484E
CSIVIB350S	CSIAACC423I CSIROS423I	CSIREX460E	CSIREX485E
CSISSET351E	CSIAACC424I	CSIREX461E	CSIREX486E
CSIITP400T	CSIAACC425I	CSIREX462E	CSIREX487E
CSIIUI401I	CSIAACC426I CSIROS426I	CSIREX463E	CSIREX488E
CSIIUI402I	CSIAACC427S	CSIREX464E	CSIREX489E
CSIIUI403I	CSIAACC428S CSIGRP428S	CSIREX465E	CSIREX490E
CSIPNX404E	CSIAACC429E	CSIREX466E	CSIREX491E
CSIPNX405E	CSIAACC430W	CSIREX467E	CSIREX492E
CSIPNX406E	CSIIXT431T	CSIREX468E	CSIREX493E
CSIPNC407E CSIPNP407E	CSIIITP432T	CSIREX469E	CSIREX494E
CSIPNP408E	CSIIUI433S	CSIREX470E	CSIRXE495R
CSIPNC409E	CSIIUI434S	CSIREX471E	CSIRC�496R
CSIPNI410I	CSIREX449E	CSIREX472E	CSIREX497E
CSIPNI411I	CSIREX450E	CSIREX473E	CSIIEX500I
CSIPNI412I	CSIREX451E	CSIREX474E	CSIIIDS501I
CSIPNX413I	CSIREX452E	CSIREX475E	CSIIIFT502I
CSIAACC414E	CSIREX453E	CSIREX476E	CSIIIU503I
CSIAACC415E CSIARE415E	CSIREX454E	CSIREX477E	CSIIAL504I CSIIIFT504I CSIIIU504I CSIIITA504I CSIIITL504I CSIIIVL504I
CSIARE416E		CSIREX478E	
		CSIREX479E	

---

CSIIFT505I	CSIDUR530E
CSIIEX506I	CSIDUM531E
CSIYTD507E	CSIDUM532E
CSIYTD508I	CSIIVL533I
CSIYTE509I	CSIIA534I
CSIYTE510I	CSII TL535I
CSIYTE511I	CSII TL536I
CSIYTE512I	CSII TL537I
CSIYTE513E	CSII TL538I
CSIQRQ514I	CSIIA539I
CSIQRQ515I	CSIIA540I
CSIQRQ516I	CSIIA541I
CSIYTG517I	CSIIU542I
CSIYTG518I	CSIIU543I
CSIYTG519I	CSIIU544I
CSIYTG520I	CSIIAL545I
CSIYTG521E	CSIIAL546I
CSIQRQ522I	CSIIAL547I
CSIQRQ523I	CSIIAL548I
CSIQRQ524I	CSII PR549E
CSIDUM525E	CSII PR550R
CSIDUM526E	
CSIDUM527E	
CSIDUR528I	
CSIDUM529E	
CSIDUR529E	

# ATS

## TSAF Message Summary by Number

ATSCTL001I	ATSZTS081E	ATSZRT096I	ATSLLM701E
ATSCTL002T	ATSZTS082E	ATSZST096I	ATSLLM702E
ATSCTL003I	ATSZTS083E	ATSIIN300T	ATSLLM703E
ATSCOP004E	ATSZTD084I	ATSIH1302T	ATSLIN704E
ATSCOP005E	ATSZTS084I	ATSIIN303T	ATSLFR705I
ATSCAC006I	ATSZTF085E	ATSIIN304T	ATSLMN705I
ATSCAC007I	ATSZTS086E	ATSMJN511W	ATSL1T706W
ATSCOP009E	ATSZTS087E	ATSMJK513I	ATSL3T706W
ATSCOP010I	ATSZTS088E	ATSMRI514W	ATSLMN707I
ATSCOP011I	ATSZTD089E	ATSMDO515I	ATSL1Y708I
ATSCTL013I	ATSZEX090E	ATSMDO516I	ATSL1A710E
ATSCAB017I	ATSZTF091E	ATSMRZ518I	ATSL3A710E
ATSCAB018I	ATSZTS092I	ATSMRX520I	ATSL1A711E
ATSCAB019I	ATSZTS093I	ATSMYC520I	ATSL1A712E
ATSCAB021I	ATSZAD094I	ATSMYC521I	ATSL3A712E
ATSCAB022I	ATSZBD094I	ATSMBA530E	ATSLLM713I
ATSCAB023I	ATSZCT094I	ATSMYG530E	ATSLLM715E
ATSZTR075E	ATSZLD094I	ATSMBG531E	ATSLLM716E
ATSZTO076E	ATSZNT094I	ATSMYG531E	ATSL1Z717E
ATSZTR077E	ATSZPT094I	ATSMBN540I	ATSL3Z717E
ATSZTR078E	ATSZRD094I	ATSNRC600S	ATSL1T718E
ATSZTS079I	ATSZRT094I	ATSNRC601E	ATSL3T718E
ATSZTS080I	ATSZST094I	ATSNHR602E	ATSLIN719W
	ATSZAD095I	ATSNHR603E	ATSLLM720E
	ATSZBD095I	ATSNHR603E	ATSLLM721E
	ATSZCT096I	ATSNHR603E	ATSLLM722E
	ATSZLD096I	ATSLLM700E	
	ATSZNT096I		
	ATSZPT096I		
	ATSZRD096I		

ATSLLM723E	ATSIIN890T	ATSVTI999T
ATSLLM724I	ATSSUSM890T	
ATSL1T794I	ATSCAC999T	
ATSL1W794I	ATSCST999T	
ATSL3T794I	ATSCTL999T	
ATSL3W794I	ATSIG1999T	
	ATSIG2999T	
	ATSIPT999T	
ATSL1W795I	ATSISE999T	
ATSL1Y795I	ATSLLEN999T	
ATSL1Z795I	ATSLIN999T	
ATSL3S795I	ATSLLM999T	
ATSL3W795I	ATSL1A999T	
ATSL3Z795I	ATSL1D999T	
	ATSL1E999T	
ATSL1W796I	ATSL3A999T	
	ATSL3D999T	
ATSL1T797I	ATSL3E999T	
ATSL1W797I	ATSMBG999T	
ATSL3T797I	ATSMBN999T	
ATSL3W797I	ATSMBY999T	
	ATSMJK999T	
ATSL1W798W	ATSMJN999T	
ATSL1Y798W	ATSMMLG999T	
ATSL3T798W	ATSMMLP999T	
ATSL3W798W	ATSMNC999T	
	ATSMOG999T	
ATSL1A799I	ATSMRD999T	
ATSL1T799I	ATSMRI999T	
ATSL1W799I	ATSMRR999T	
ATSL1Z799I	ATSMRX999T	
ATSL3S799I	ATSMTD999T	
ATSL3T799I	ATSMYG999T	
ATSL3W799I	ATSMYN999T	
ATSL3Z799I	ATSSCD999T	
	ATSSDB999T	
ATSCAC888T	ATSSIR999T	
ATSCTL888T	ATSSML999T	
ATSIIN888T	ATSSND999T	
ATSLIN888T	ATSSPG999T	
ATSLLM888T	ATSSRE999T	
ATSUHI888T	ATSSSTN999T	
ATSUIQ888T	ATSSVR999T	
ATSUOL888T	ATSUHI999T	
ATSUPQ888T	ATSUIQ999T	
ATSURQ888T	ATSUPQ999T	
ATSSUSM888T	ATSURQ999T	
ATSVIN888T	ATSSUSM999T	
	ATSSUTB999T	
	ATSSVIN999T	



## Chapter 5. Message Summary by Text

This chapter contains all CP, CMS, IPCS, GCS, and TSAF messages, organized in alphabetical order by message text. Within each alphabetic letter, messages are listed in the following order:

1. Messages beginning with quotes or other special characters.
2. Messages beginning with variable data. (Note that information will be inserted in the variable when you see the message, however.)
3. Mixed-case messages (CP, CMS and GCS sections).
4. Upper case messages.

If you do not issue CP command SET EMSG ON, messages displayed on your screen will be text only, without a message identifier. By using this cross-reference, you can look up the text of the message and find its identifier. Once you know the identifier, you can find the message description in the *VM/SP System Messages and Codes* book.

## CP Message Summary by Text

DMKCFU140E *devtype rdev* attached to *userid*  
DMKCSB148E *devtype rdev* buffer load *name* failed

DMKSSP536I *rdev* reports disabled interface; fault code = *code*; notify CE

| DMKCPV045E *userid* not logged on  
| DMKVDD045E *userid* not logged on  
| DMKPEI047E *userid* {*vdev|segname*} does not exist  
| DMKLMN298E *userid vdev* not linked; request denied

DMKRG4458I A condition was detected that should not occur, line *xxx* will be disabled.  
DMKPEI047E A saved traceset does not exist  
DMKDEF258I All 3800 data checks will be reflected  
DMKLOG054E Already logged on {{*line|GRAF|LUNAME|LDEV|device*} *rdev*|line disconnected}  
DMKCP1959W Attached processor not online

DMKCFY189E AFFINITY not set; system in uniprocessor mode  
DMKLOH189E AFFINITY not set; system in uniprocessor mode  
DMKFMT742E ALLOCATION FUNCTION NOT ALLOWED--FORMAT OF VOLUME IS A  
PREREQUISITE

DMKMCT625I ALTERNATE PROCESSOR RECOVERY SUCCESSFUL; PROCESSOR *nn* OFFLINE  
| DMKAPI958I ATTACHED PROCESSOR NOW OPERATIONAL  
| DMKLOG059E AUTOLOG failed for *userid* - accounting errors  
| DMKLOG059E AUTOLOG failed for *userid* - incorrect password  
| DMKLOG059E AUTOLOG failed for *userid* - IPL failed  
| DMKLOG059E AUTOLOG failed for *userid* - IPL failed. Error in CP director  
| DMKLOG059E AUTOLOG failed for *userid* - IPL missing  
| DMKLOG059E AUTOLOG failed for *userid* - I/O error on terminal  
| DMKALG059E AUTOLOG FAILED FOR *userid* - {IPL MISSING|IPL FAILED|ACCOUNTING  
| ERROR|INCORRECT PASSWORD}  
| DMKLOJ059E AUTOLOG failed for *userid* - accounting error  
DMKALG115E AUTOLOG invalid; excessive incorrect passwords

DMKCSB043E Buffer *name* does not exist  
DMKCSB031E Buffer missing or invalid [*modifier*]

DMKCSP024E BLKS missing or invalid  
DMKCSU024E BLKS missing or invalid  
DMKCSV024E BLKS missing or invalid  
DMKCSX024E BLKS missing or invalid

DMKDIA206E Cannot connect to host virtual machine  
DMKLOG206E Cannot connect to host virtual machine



DMKVDE206E Cannot connect to host virtual machine  
 DMKCDS166E Changed shared page not written to auxiliary storage

DMKVCH130E Channel *x* [processor *xx*] not attached to *userid*  
 DMKVCH147E Channel *x* [processor *xx*] not attached; alternate paths defined  
 DMKVCH132E Channel *x* already defined by *userid*  
 DMKVCH129E Channel *x* [processor *nn*] devices in use  
 DMKVCH048E Channel *x* [processor *nn*] does not exist  
 DMKVCH138E Channel *x* [processor *xx*] not attached; insufficient free storage  
 DMKCPT601E Channel control check device *xxx*  
 DMKVDD034E Channel missing or invalid  
 DMKVDE034E Channel missing or invalid

DMKCKS919E Checkpoint area invalid; checkpointing terminated  
 DMKCKV917E Checkpoint area invalid; clear storage and cold start  
 DMKWRN919E Checkpoint area invalid; checkpointing terminated

DMKCQH028E Class missing or invalid  
 DMKCSB028E Class missing or invalid  
 DMKCSO028E Class missing or invalid  
 DMKCSP028E Class missing or invalid  
 DMKCSQ028E Class missing or invalid  
 DMKCSU028E Class missing or invalid  
 DMKCSV028E Class missing or invalid  
 DMKSPT028E Class missing or invalid

DMKLOG067E Command format not valid  
 DMKCF015E Command not valid before LOGON: *command*  
 DMKCFU199E Command rejected; device *rdev* pending offline  
 DMKCPV199E Command rejected; device *rdev* pending offline  
 DMKDIA199E Command rejected; device *rdev* pending offline  
 DMKLN199E Command rejected; device *rdev* pending offline  
 DMKMCC199E Command rejected; device *rdev* pending offline  
 DMKNES199E Command rejected; device *rdev* pending offline  
 DMKNET199E Command rejected; device *rdev* pending offline  
 DMKNLD199E Command rejected; device *rdev* pending offline  
 DMKNLE199E Command rejected; device *rdev* pending offline  
 DMKSPT199E Command rejected; device *rdev* pending offline  
 DMKVDE199E Command rejected; device *rdev* pending offline  
 DMKQVM802E Command rejected, devices not dedicated  
 DMKQVM800E Command rejected, other virtual machines logged on  
 DMKQVM803E Command rejected, spool devices not drained  
 DMKQVM806E Command rejected, virtual address not equal to real address  
 DMKCFU316E Command rejected; LOGMSG/DUMP being updated  
 DMKQVM809E Command rejected, TRACE/ADSTOP/CCW translation in effect  
 DMKQVM807E Command rejected, VM/SP attached processor mode

DMKCFG013E Conflicting option - *option*  
 DMKCFT013E Conflicting option - *option*  
 DMKCFU013E Conflicting option - *option*  
 DMKCQH013E Conflicting option - *option*  
 DMKCSB013E Conflicting option - *option*  
 DMKCSF013E Conflicting option - *option*

# DMK

---

DMKCSO013E Conflicting option - *option*  
DMKCSP013E Conflicting option - *option*  
DMKCSQ013E Conflicting option - *option*  
DMKCSU013E Conflicting option - *option*  
DMKCSV013E Conflicting option - *option*  
DMKTRA013E Conflicting option - *option*  
DMKVMD013E Conflicting option - *option*  
DMKPEL013E Conflicting option - {*option|option1* and *option2*}  
DMKTRP013E Conflicting option - {*option|option1* and *option2*}  
DMKVDD013E Conflicting option - {*option|option1* and *option2*} offline  
DMKPEL013W Conflicting option- {NORUN conflicts with PRINTER |PRINTER conflicts with  
NONUN|STEP conflicts with PRINTER |PRINTER conflicts with STEP} -  
{BOTH|RUN} option forced

DMKCSF030E Copies missing or invalid  
DMKCSP030E Copies missing or invalid  
DMKCSQ030E Copies missing or invalid  
DMKCSU030E Copies missing or invalid

DMKCCH605I CHANNEL CHECK RECORDING FAILURE  
DMKCCH601I CHANNEL CONTROL CHECK DEVICE rdev; [USER userid]  
DMKACR603W CHANNEL ERROR  
DMKCCH603W CHANNEL ERROR  
DMKMCT623I CHANNEL SET CONNECTED TO ATTACHED PROCESSOR nn  
DMKCPP623I CHANNEL SET CONNECTED TO PROCESSOR xx

DMKCSO245E CHARS missing or invalid  
DMKCSP245E CHARS missing or invalid  
DMKCSR245E CHARS missing or invalid  
DMKCSU245E CHARS missing or invalid

DMKDDR731I COMPACT OPTION IGNORED FOR COPY OPERATIONS  
DMKDEF013E CONFLICTING OPTION - {*option|option1* and *option2*}  
DMKCNS502I CONS rdev devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw  
USERID = userid  
DMKCNS500I CONS rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS504I CONS rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKCNS503I CONS rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKCNS501I CONS rdev devname INT REQ [CMD = cm SNS = sense CSW = csw USERID = userid  
DMKCNS527I CONS rdev devname LOST DATA CMD = cm SNS = sense CSW = csw USERID = userid  
DMKCNS505I CONS rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKCNS528I CONS rdev devname TIMEOUT CMD = cm SNS = sense CSW = csw USERID = userid  
DMKPAH415E CONTINUOUS PAGING ERRORS FROM DASD rdev  
DMKDDR702E CONTROL STATEMENT SEQUENCE ERROR

DMKCPJ185E CP assist level *nnnn* not supported; CP assist disabled  
DMKCFO186E CP assist not available  
DMKSSS079E CP command via central server is not possible  
DMKDSP450W CP entered; disabled wait PSW *psw*  
DMKDSP452W CP entered; external interrupt loop

DMKVMA456W CP entered; *sysname* shared page *hexloc* altered  
DMKCPJ951I CP valid *valid* not mounted

DMKPTR410W CP ENTERED; PAGING ERROR  
DMKPRG453W CP ENTERED; PROGRAM INTERRUPT LOOP  
DMKPRG411W CP ENTERED; TRANSLATION EXCEPTION WHILE IN NON-EC MODE  
DMKQC002E CP: QUERY CPTRAP  
DMKCPJ913I CP-owned valid *valid* invalid for 3330V  
DMKCPJ962I CP-owned DASD *rdev* valid *valid* invalid allocation record

DMKTRT307I CPTRAP {CP|virtual} *code* interface data ignored  
DMKCKP308I CPTRAP data lost  
DMKTRT308I CPTRAP data lost  
DMKTRP306E CPTRAP is already active  
DMKTRP304E CPTRAP is stopping, no input allowed  
DMKTRP305I CPTRAP selectivity reset  
DMKTRT317E CPTRAP terminated due to I/O error

DMKCQT747A CSW = (*csw*)[, sense = (*sense*)], please re-enter this command  
DMKDIB058E CTC *vdev* busy on *userid*

DMKNLD470E CTLR *rdev* {load|dump} failed; paging I/O error  
DMKNLE470E CTLR *rdev* {load|dump} failed; paging I/O error  
DMKNLD460E CTLR *rdev* {load|dump} failed; program check  
DMKNLE460E CTLR *rdev* {load|dump} failed; program check  
DMKNLE469E CTLR *rdev* {load|dump} failed; temp space not available  
DMKNLD471E CTLR *rdev* {load|dump} failed; unrecoverable I/O error  
DMKNLE471E CTLR *rdev* {load|dump} failed; unrecoverable I/O error  
DMKRNH468I CTLR *rdev* communications scanner failure  
DMKVDS467W CTLR *rdev* emulator lines in use by system  
DMKRNH462I CTLR *rdev* unit check; IPL required  
DMKRNH463I CTLR *rdev* unit check; restart in progress  
DMKNLD464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
DMKNLE464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
DMKRNH464I CTLR *rdev* CC = 3; press 3705 'LOAD' button  
DMKQ466I CTLR *rdev* IN BUFFER SLOWDOWN MODE  
DMKNLD461R CTLR *rdev* IPL NOT REQUIRED; ENTER YES TO CONTINUE  
DMKNLE461R CTLR *rdev* IPL NOT REQUIRED; ENTER 'YES' TO CONTINUE

DMKCSP024E CYLS missing or invalid  
DMKCSU024E CYLS missing or invalid  
DMKCSV024E CYLS missing or invalid  
DMKCSX024E CYLS missing or invalid  
DMKCQH024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSO024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKCSQ024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid  
DMKSPT024E {CYLS|BLKS|FORM NUMBER|DEST} missing or invalid

DMKMID310E Date *date* invalid; not changed

# DMK

DMKBSC501A devtype rdev devname INT REQ [CMD = cm SNS = sense CSW = csw USERID = userid  
{BBCCHH = bbcchh| BLOCK = nnnnnn}]  
DMKDAD501A devtype rdev devname INT REQ [CMD = cm SNS = sense CSW = csw USERID = userid  
{BBCCHH = bbcchh| BLOCK = nnnnnn}]  
DMKDAS501A devtype rdev devname INT REQ [CMD = cm SNS = sense CSW = csw USERID = userid  
{BBCCHH = bbcchh| BLOCK = nnnnnn}]  
DMKRSE501A devtype rdev devname INT REQ [CMD = cm SNS = sense CSW = csw USERID = userid  
{BBCCHH = bbcchh| BLOCK = nnnnnn}]  
DMKTPE501A devtype rdev devname INT REQ [CMD = cm SNS = sense CSW = csw USERID = userid  
{BBCCHH = bbcchh| BLOCK = nnnnnn}]  
DMKDAU505I devtype rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid [{BBCCHH = bbcchh| BLOCK = nnnnnn}]  
DMKVDD142E devtype rdev not drained  
DMKVDD135E devtype vdev not detached;

DMKCPS144W devtype vdev RESET BY userid

DMKVDD140E devtype rdev attached to userid  
DMKVDD143E devtype rdev in use by system  
DMKVDD121E devtype rdev not attached to userid

DMKCPJ330E Device not mounted; mismatched device types at address rdev

DMKDEF153E Device {vdev|range|channel x} exceeds maximum number of virtual devices  
DMKLNLM153E Device {vdev|range|channel x} exceeds maximum number of virtual devices  
DMKVCH153E Device {vdev|range|channel x} exceeds maximum number of virtual devices  
DMKVDE153E Device {vdev|range|channel x} exceeds maximum number of virtual devices

DMKCFU040E Device rdev does not exist  
DMKCPS040E Device rdev does not exist  
DMKCPT040E Device rdev does not exist  
DMKCPV040E Device rdev does not exist  
DMKCQP040E Device rdev does not exist  
DMKCQQ040E Device rdev does not exist  
DMKCSB040E Device rdev does not exist  
DMKCSF040E Device rdev does not exist  
DMKCSO040E Device rdev does not exist  
DMKMCC040E Device rdev does not exist  
DMKMCD040E Device rdev does not exist  
DMKNEA040E Device rdev does not exist  
DMKNES040E Device rdev does not exist  
DMKNET040E Device rdev does not exist  
DMKNLD040E Device rdev does not exist  
DMKNLE040E Device rdev does not exist  
DMKSPT040E Device rdev does not exist  
DMKVCH040E Device rdev does not exist  
DMKVDD040E Device rdev does not exist  
DMKVDE040E Device rdev does not exist

DMKDEI278E Device rdev not a DASD  
DMKCPT136E Device rdev not varied; channel x dedicated  
DMKCPT238I Device rdev varied offline; unassign failed

DMKCPT235I Device *rdev* varied online; unable to establish a path group id for channel path(s) *rdev*  
DMKCPT237I Device *rdev* VARY failed; device cannot be assigned  
DMKCPT236I Device *rdev* VARY failed; unable to establish a path group id for device  
DMKCPT154E Device *rdev* VARY failed, VARY in process  
DMKCQT747A Device *rdev* VARY in progress, please re-enter this command

DMKVDD046E {Device *rid*|*devtype*

DMKDIA098E Device *rid* mode switch not possible  
DMKNES098E Device *rid* mode switch not possible

DMKCFD040E Device *vdev* does not exist  
DMKCFG040E Device *vdev* does not exist  
DMKCPB040E Device *vdev* does not exist  
DMKCQG040E Device *vdev* does not exist  
DMKCSQ040E Device *vdev* does not exist  
DMKCSR040E Device *vdev* does not exist  
DMKCST040E Device *vdev* does not exist  
DMKDEF040E Device *vdev* does not exist  
DMKDIA040E Device *vdev* does not exist  
DMKDIB040E Device *vdev* does not exist

DMKCPB089I Device *vdev* is in the process of being detached  
DMKCPB087I Device *vdev* is in the process of being reset  
DMKLOJ092E Device *vdev* not defined; *devtype vdev* already defined  
DMKDEF092E Device *vdev* not defined; *devtype vdev* already defined  
DMKDEF136E Device *vdev* not defined; channel *x* dedicated  
DMKLOJ090E Device *vdev* not defined; device {*rdev*|*volid*} not available  
DMKDEF097E Device *vdev* not defined; device *vdev* has active I/O  
DMKLOJ093E Device *vdev* not defined; error in CP directory

DMKDEF095E Device *vdev* not defined; insufficient free storage  
DMKLOJ095E Device *vdev* not defined; insufficient free storage  
DMKLOM095E Device *vdev* not defined; insufficient free storage  
DMKNEA095E Device *vdev* not defined; insufficient free storage

DMKDEI075E Device *volid* is not available  
DMKSSS075E Device *volid* is not available

DMKSSS438E Device is not available for ATTACH  
DMKSSS072E Device not available - *rdev* not proper type  
DMKSSV072E Device not available - *rdev* not proper type  
DMKSSS071E Device not available - MSS cannot be accessed  
DMKSS070E Device not available - MSS devices allocated  
DMKSSV073E Device not available - MSS error

DMKCSU035E Device type missing or invalid  
DMKCSV035E Device type missing or invalid  
DMKCQT747A Device unit check - no sense data is found, please re-enter this command  
DMKOPE967I Disconnect *userid* - system restarted (*mmmnnn*) and system console not VM operator console

DMKCSP032E Distribution code missing or invalid

# DMK

---

DMKCSQ032E Distribution code missing or invalid  
DMKCSU032E Distribution code missing or invalid

DMKCDM061E Dump failed; virtual printer error  
DMKCDM060E Dump failed; virtual printer unavailable

DMKVDE128E DASD *rdev* error reading allocation record  
DMKVDE126E DASD *rdev* error reading valid

DMKCPO124E DASD *rdev* in use by *nnn* users  
DMKCPT124E DASD *rdev* in use by *nnn* users  
DMKVDD124E DASD *rdev* in use by *nnn* users  
DMKVDE124E DASD *rdev* in use by *nnn* users

DMKDEI279E DASD *rdev* not a VUA  
DMKVDE151I DASD *rdev* not attached; busy persists, IOBSTAT = *xx*, IOBCSW + 4 = *xxxx*  
DMKVDE133E DASD *rdev* not ready

DMKVDE125E DASD *rdev* valid *valid* already attached to system  
DMKVDE127E DASD *rdev* valid *valid* does not match  
DMKCPJ954E DASD *rdev* valid *valid* not mounted; duplicate of DASD *rdev*

DMKCPT123E DASD *rdev* CP-owned  
DMKVDD123E DASD *rdev* CP-owned  
DMKVDE123E DASD *rdev* CP-owned

DMKLN101W DASD *vdev* forced R/O; R/O by {*nnn* users|*userid*}  
DMKLN102W DASD *vdev* forced R/O; R/W by {*nnn* users|*userid*}  
DMKLN103W DASD *vdev* forced R/O; R/W by {*nnn* users|*userid*}

DMKDEF091E DASD *vdev* not defined; temp space not available  
DMKLOJ091E DASD *vdev* not defined; temp space not available  
DMKNEA091E DASD *vdev* not defined; temp space not available  
DMKLN137E DASD *vdev* not linked; channel *x* dedicated

DMKDAS514I DASD *rdev* devname ADDMRK CK CMD = cm SNS = sense CSW = csw  
USERID = *userid* BBCCHH = *bbcchh*

DMKDAC516I DASD *rdev* devname BAD SENSE CMD = cm SNS = sense CSW = csw USERID = *userid*  
[BBCCHH = *bbcchh*|BLOCK = *nnnnnn*]

DMKDAS516I DASD *rdev* devname BAD SENSE CMD = cm SNS = sense CSW = csw USERID = *userid*  
[BBCCHH = *bbcchh*|BLOCK = *nnnnnn*]

DMKDAU534I DASD *rdev* devname BKSIZ EX CMD = cm SNS = sense CSW = csw USERID = *userid*  
BLOCK = *nnnnnn*

DMKDAC502I DASD *rdev* devname BUSOUT CK CMD = cm SNS = sense CSW = csw  
USERID = *userid* [BBCCHH = *bbcchh*|BLOCK = *nnnnnn*]

DMKDAS502I DASD *rdev* devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw  
USERID = *userid* [BBCCHH = *bbcchh*|BLOCK = *nnnnnn*]

DMKDAC520I DASD *rdev* devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw  
USEID = *userid* [BBCCHH = *bbcchh*|BLOCK = *nnnnnn*]

DMKDAU533I DASD rdev devname CHECK DATA CMD = cm SNS = sense CSW = csw  
USERID = userid BLOCK = nnnnnn

DMKDAD500I DASD rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS500I DASD rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAD504I DASD rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid  
[BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS504I DASD rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid  
[BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAD503I DASD rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw USERID = userid  
[BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS503I DASD rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw USERID = userid  
[BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAD513I DASD rdev devname FILE PROT CMD = cm SNS = sense CSW = csw USERID = userid  
[BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS513I DASD rdev devname FILE PROT CMD = cm SNS = sense CSW = csw USERID = userid  
[BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAD505I DASD rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS505I DASD rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAD508I DASD rdev devname PERM ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS508I DASD rdev devname PERM ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAD538I DASD rdev devname PROG ERROR CMD = cmd SNS = sense CSW = csw  
USERID = userid

DMKDAD518I DASD rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS518I DASD rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid [BBCCHH = bbcchh|BLOCK = nnnnnn]

DMKDAS507I DASD rdev devname SEEK CK CMD = cm SNS = sense CSW = csw USERID = userid  
BBCCHH = bbcchh

DMKDAD506I DASD rdev devname TRKCOND CK CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS506I DASD rdev devname TRKCOND CK CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAS509I DASD rdev devname TRKOVERUN CMD = cm SNS = sense CSW = csw  
USERID = userid BBCCHH = bbcchh

DMKDAU535I DASD rdev devname WR INHIBT CMD = cm SNS = sense CSW = csw USERID = userid  
BLOCK = nnnnnn

DMKSAV351W DASD rdev SYSRES NOT READY

# DMK

---

DMKSAV350W DASD rdev SYSRES VOLID NOT valid

DMKDAD956A DASD rdev VOLID valid NOT MOUNTED; NOW OFFLINE  
DMKDAS956A DASD rdev VOLID valid NOT MOUNTED; NOW OFFLINE  
DMKDAU956A DASD rdev VOLID valid NOT MOUNTED; NOW OFFLINE  
DMKDSB956A DASD rdev VOLID valid NOT MOUNTED; NOW OFFLINE

DMKDDR725R DASD INPUT DEVICE WAS (IS) LARGER THAN OUTPUT DEVICE. DO YOU WISH TO CONTINUE? RESPOND YES OR NO:

DMKDDR717R DATA DUMPED FROM valid1 TO BE RESTORED TO valid2. DO YOU WISH TO CONTINUE? RESPOND YES, NO OR REREAD:

DMKDDR728E DECODE ERROR ENCOUNTERED: nn

DMKMCH628I DEGRADATION; CP WILL TRY RECOVERY IN 1 MINUTE

DMKCSP024E DEST missing or invalid

DMKCSU024E DEST missing or invalid

DMKCSV024E DEST missing or invalid

DMKCSX024E DEST missing or invalid

DMKOV762E DESTINATION STATEMENT MISSING

DMKVDD273E DETACH rejected; virtual machine tracing I/O

DMKDIR754E DEV rdev NOT OPERATIONAL

DMKOV754E DEV rdev NOT OPERATIONAL

DMKDDR710A DEVICE rdev INTERVENTION REQUIRED

DMKFMT741E DEVICE rdev IS devtype1 NOT devtype2 AS SPECIFIED. RESPECIFY OR NOTIFY SYSTEM SUPPORT

DMKDDR704E DEVICE rdev NOT OPERATIONAL

DMKFMT730E DEVICE rdev NOT OPERATIONAL OR NOT READY

DMKFMT738A DEVICE rdev. INTERVENTION REQUIRED

DMKACR149E DEVICE PATH rdev PRESENTED CC=3 ON I/O REQUEST

DMKDIA743A DIAL function not available

DMKDIR762E DIRECTORY STATEMENT MISSING

DMKRND861E DUMP FILE fn NOT FOUND

DMKDIR766E DUPLICATE CLASS DEFINITION

DMKDIR758E DUPLICATE UNIT DEFINITION

DMKMON219I End of monitor tape, monitor stopped by system

DMKCKT916E Error allocating spool file buffers

DMKCKV916E Error allocating spool file buffers

DMKDEI277E Error demounting volume *valid*

DMKCQT747A Error encountered, no IOERBLOK can be found, please re-enter this command

DMKCFT052E Error in CP directory

DMKCFY052E Error in CP directory

DMKCSP052E Error in CP directory

DMKLN052E Error in CP directory

DMKLOG052E Error in CP directory

DMKLOH052E Error in CP directory



DMKMNI220I Error on monitor tape, monitor stopped by system  
DMKMON220I Error on monitor tape, monitor stopped by system

DMKIOG553I Error recording area cleared; user *userid*

DMKIOF551E Error recording area full; run CPEREP  
DMKIOG551E Error recording area full; run CPEREP  
DMKIOH551E Error recording area full; run CPEREP  
DMKIOF550E Error recording area 90 percent full; run CPEREP  
DMKIOH550E Error recording area 90 percent full; run CPEREP

DMKIOH560W Errors on SRF *rdev*: frames not on error cylinders

DMKCFV062E ECMODE not set on  
DMKDIR782E ERROR ATTEMPTING TO GET FREE STORAGE  
DMKDIR782I ERROR ATTEMPTING TO RETURN FREE STORAGE  
DMKDIR764E ERROR IN routine  
DMKOV764E ERROR IN routine  
DMKDDR720E ERROR IN CMS routine  
DMKTRR764E ERROR IN ROUTINE routine  
DMKNMT249E ERROR LOADING IMAGE *imagelib*  
DMKNMT254E ERROR SAVING *imagelib*; RC = *nn*

DMKCDB923I Failing storage frame at location *rstor*  
DMKCDM923I Failing storage frame at location *rstor*  
DMKCDS923I Failing storage frame at location *rstor*  
DMKCPY923I Failing storage frame at location *rstor*  
DMKLD0923I Failing storage frame at location *rstor*  
DMKOPE923I Failing storage frame at location *rstor*

DMKUDR475I Fatal I/O error trying to read {*directory|overrides*} from *valid*  
DMKCSQ029E Filename and/or filetype missing or invalid  
DMKCSU029E Filename and/or filetype missing or invalid  
DMKIOG552I Formatting error recording area  
DMKQVM801E Free storage page is not available

DMKSAV352W FATAL DASD I/O ERROR  
DMKFMT735E FATAL DASD IO ERROR  
DMKRND852I FATAL I/O ERROR WRITING DUMP

DMKCSO246E FCB missing or invalid  
DMKCSP246E FCB missing or invalid  
DMKCSU246E FCB missing or invalid

DMKFMT739E FLAGGED PRIMARY TRACK HAS NO ALTERNATE ASSIGNED; IO ERROR  
FOLLOWS

DMKDDR727E FLAGGED TRK track HAS NO PROPER ALTERNATE; SKIPPING THIS TRK  
DMKCSO243E FLASH missing or invalid  
DMKCSP243E FLASH missing or invalid  
DMKCSU243E FLASH missing or invalid

# DMK

---

DMKDIR768E FOR userid - MOVE vdev TO A (NON)SHARED VCU  
DMKCSP024E FORM NUMBER missing or invalid  
DMKCSU024E FORM NUMBER missing or invalid  
DMKCSV024E FORM NUMBER missing or invalid  
DMKCSX024E FORM NUMBER missing or invalid

DMKDDR729I FULL TRACK READ FEATURE NOT AVAILABLE

DMKGRF502I GRAF rdev devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw  
USERID = userid  
DMKGRF500I GRAF rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw  
USERID = userid  
DMKGRF531I GRAF rdev devname CNTRL CK CMD = cm SNS = sense USERID = userid  
DMKGRF504I GRAF rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKGRF503I GRAF rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKGRF532I GRAF rdev devname OP CHECK CMD = cm SNS = sense USERID = userid  
DMKGRF530I GRAF rdev devname UNIT SPEC CMD = cm SNS = sense USERID = userid

DMKCDB160E Hexloc *hexloc* exceeds storage  
DMKCDM160E Hexloc *hexloc* exceeds storage  
DMKCDS160E Hexloc *hexloc* exceeds storage  
DMKCFD160E Hexloc *hexloc* exceeds storage  
DMKCPY160E Hexloc *hexloc* exceeds storage  
DMKNES160E Hexloc *hexloc* exceeds storage  
DMKVMD160E Hexloc *hexloc* exceeds storage

DMKCDS164E Hexloc *hexloc* non-addressable storage  
DMKCFD164E Hexloc *hexloc* non-addressable storage  
DMKCKM164E Hexloc *hexloc* non-addressable storage

DMKCDB033E Hexloc missing or invalid  
DMKCDM033E Hexloc missing or invalid  
DMKCDS033E Hexloc missing or invalid  
DMKCPY033E Hexloc missing or invalid  
DMKNES033E Hexloc missing or invalid  
DMKVMD033E Hexloc missing or invalid

DMKCFV065E Highest allowable high-water mark value is *xxxxxK*

DMKDDR705E I/O error *rdev*, CSW = *csw*, sense = *sense*, input = {*bbcchh|nnnnnn*},  
output = {*bbcchh|nnnnnn*}, CCW = *ccw*  
DMKCFS086E I/O error on DASD  
DMKACO425E I/O error on spool device during accounting  
DMKRG705I I/O error RESID = *rid*, status = *sense*, line = *rdev*  
DMKTRR302E I/O error on 00C - *message*

DMKCSO244E Image library missing or invalid  
DMKLOJ769W Incomplete machine - tell your system administrator  
DMKCSB036E Index missing or invalid  
DMKCPI966I Initialization complete

DMKVDE131E Insufficient free storage available for ATTACH request  
DMKLOG131E Insufficient free storage available for LOGON request  
DMKDIA017E Insufficient screen space - clear screen and re-dial

DMKCPT602E Interface control check device *xxx*  
DMKDID546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, userid *userid*  
DMKCFQ546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, userid *userid*  
DMKCFR546I Interruption {cleared|pending}; {device|control unit} *rdev*, CSW *csw*, userid *userid*

DMKCFH006E Invalid device type - *devtype*  
DMKCFS006E Invalid device type - *devtype*  
DMKCFT006E Invalid device type - *devtype*  
DMKCFU006E Invalid device type - *devtype*  
DMKCKN006E Invalid device type - *devtype*  
DMKCPB006E Invalid device type - *devtype*  
DMKCPV006E Invalid device type - *devtype*  
DMKCQQ006E Invalid device type - *devtype*  
DMKCQT006E Invalid device type - *devtype*  
DMKCSB006E Invalid device type - *devtype*  
DMKCSF006E Invalid device type - *devtype*  
DMKCSO006E Invalid device type - *devtype*  
DMKCSQ006E Invalid device type - *devtype*  
DMKCSR006E Invalid device type - *devtype*  
DMKCST006E Invalid device type - *devtype*  
DMKCSU006E Invalid device type - *devtype*  
DMKCSV006E Invalid device type - *devtype*  
DMKDIB006E Invalid device type - *devtype*  
DMKMCC006E Invalid device type - *devtype*  
DMKNEA006E Invalid device type - *devtype*  
DMKNES006E Invalid device type - *devtype*  
DMKNET006E Invalid device type - *devtype*  
DMKNLD006E Invalid device type - *devtype*  
DMKNLE006E Invalid device type - *devtype*  
DMKSPT006E Invalid device type - *devtype*  
DMKVDD006E Invalid device type - *devtype*  
DMKVDE006E Invalid device type - *devtype*

DMKDIA011E Invalid device type - *userid vdev*  
DMKDIB011E Invalid device type - *userid vdev*

DMKCDS005E Invalid hexdata - *data*  
DMKCPB005E Invalid hexdata - *data*  
DMKTRP005E Invalid hexdata - *data*  
DMKTRR005E Invalid hexdata - *data*

DMKCDB004E Invalid hexloc - *operand*  
DMKCDM004E Invalid hexloc - *operand*  
DMKCDS004E Invalid hexloc - *operand*

# DMK

---

DMKCFD004E Invalid hexloc - *operand*  
DMKCFJ004E Invalid hexloc - *operand*  
DMKCPY004E Invalid hexloc - *operand*  
DMKNES004E Invalid hexloc - *operand*

DMKMNJ225E Invalid monitor *userid* specified, MONITOR not enabled

DMKCFG002E Invalid operand - *operand*  
DMKCFJ002E Invalid operand - *operand*  
DMKCFM002E Invalid operand - *operand*  
DMKCFW002E Invalid operand - *operand*  
DMKCQC002E Invalid operand - *operand*  
DMKCQT002E Invalid operand - *operand*  
DMKMCC002E Invalid operand - *operand*  
DMKMCD002E Invalid operand - *operand*  
DMKMIA002E Invalid operand - *operand*  
DMKMNJ002E Invalid operand - *operand*  
DMKNEA002E Invalid operand - *operand*  
DMKNES002E Invalid operand - *operand*  
DMKNET002E Invalid operand - *operand*  
DMKNLD002E Invalid operand - *operand*  
DMKPEI002E Invalid operand - *operand*  
DMKPEN002E Invalid operand - *operand*  
DMKSPT002E Invalid operand - *operand*  
DMKTRA002E Invalid operand - *operand*  
DMKTRP002E Invalid operand - *operand*  
DMKTRR002E Invalid operand - *operand*  
DMKVDD002E Invalid operand - *operand*

DMKCDB003E Invalid option - *option*  
DMKCDM003E Invalid option - *option*  
DMKCFC003E Invalid option - *option*  
DMKCFG003E Invalid option - *option*  
DMKCFO003E Invalid option - *option*  
DMKCFS003E Invalid option - *option*  
DMKCFU003E Invalid option - *option*  
DMKCFV003E Invalid option - *option*  
DMKCFY003E Invalid option - *option*  
DMKCPS003E Invalid option - *option*  
DMKCPT003E Invalid option - *option*  
DMKCPV003E Invalid option - *option*  
DMKCPY003E Invalid option - *option*  
DMKQCP003E Invalid option - *option*  
DMKQCS003E Invalid option - *option*  
DMKCSB003E Invalid option - *option*  
DMKCSF003E Invalid option - *option*  
DMKCSO003E Invalid option - *option*  
DMKCSQ003E Invalid option - *option*  
DMKCSR003E Invalid option - *option*  
DMKCSU003E Invalid option - *option*  
DMKCSV003E Invalid option - *option*

DMKDEF003E Invalid option - *option*  
DMKJRL003E Invalid option - *option*  
DMKLOG003E Invalid option - *option*  
DMKMCC003E Invalid option - *option*  
DMKMCD003E Invalid option - *option*  
DMKMCI003E Invalid option - *option*  
DMKMSG003E Invalid option - *option*  
DMKNET003E Invalid option - *option*  
DMKNLE003E Invalid option - *option*  
DMKPEI003E Invalid option - *option*  
DMKPEN003E Invalid option - *option*  
DMKPEQ003E Invalid option - *option*  
DMKPET003E Invalid option - *option*  
DMKSPT003E Invalid option - *option*  
DMKSRM003E Invalid option - *option*  
DMKTHI003E Invalid option - *option*  
DMKTRA003E Invalid option - *option*  
DMKUSO003E Invalid option - *option*  
DMKVDD003E Invalid option - *option*  
DMKVDE003E Invalid option - *option*

DMKCPY204E Invalid page(s) specified, Virtual = Real area

DMKCDB009E Invalid range - *range*  
DMKCDM009E Invalid range - *range*  
DMKCPY009E Invalid range - *range*  
DMKDEI009E Invalid range - *range*  
DMKNES009E Invalid range - *range*  
DMKVMD009E Invalid range - *range*

DMKCDB010E Invalid register - *register*  
DMKCDM010E Invalid register - *register*  
DMKCDS010E Invalid register - *register*  
DMKPEI010E Invalid register - *register*

DMKCSU008E Invalid spoolid - *spoolid*  
DMKCSV008E Invalid spoolid - *spoolid*  
DMKSPT008E Invalid spoolid - *spoolid*  
DMKTRR008E Invalid spoolid - *spoolid*

DMKCPV007E Invalid userid - *userid*  
DMKCSP007E Invalid userid - *userid*  
DMKCSQ007E Invalid userid - *userid*  
DMKCSV007E Invalid userid - *userid*

DMKCDS162W Invalid ECR *x - xxxxxxxx*  
DMKCDS012E Invalid PSW - *psw*  
DMKCPB012E Invalid PSW - *psw*

DMKDDR724E INPUT TAPE CONTAINS A CP NUCLEUS DUMP  
DMKDDR700E INPUT UNIT IS NOT A CPVOL  
DMKNMT256E INSUFFICIENT VIRTUAL STORAGE  
DMKCCH602I INTERFACE CONTROL CHECK DEVICE rdev; [USER userid]

# DMK

---

DMKCFH436E INTERRUPT PENDING. TO PROCEED TYPE YES, TO END TYPE NO.

DMKDIR765E INVALID CLASS DEFINITION  
DMKDDR719E INVALID FILENAME OR FILE NOT FOUND  
DMKDIR763E INVALID FILENAME OR FILE NOT FOUND  
DMKOV763E INVALID FILENAME OR FILE NOT FOUND  
DMKDDR708E INVALID INPUT OR OUTPUT DEFINITION

DMKFMT737E INVALID OPERAND  
DMKDDR701E INVALID OPERAND - operand  
DMKDIR751E INVALID OPERAND - operand  
DMKOV751E INVALID OPERAND - operand  
DMKVDD002E INVALID OPERAND - operand  
DMKVDD003E INVALID OPTION - option  
DMKRND863I INVALID PARAMETER - parameter

DMKFMT736E IO ERROR rdev {CCHHR = cchhr|BLOCK = nnnnnn} SENSE = sense  
DMKDIR755E I/O ERROR rdev CSW = csw SENSE = sense  
DMKOV755E I/O ERROR rdev CSW = csw SENSE = sense  
DMKVER575I I/O ERROR ADD = rstor, USERID = userid

DMKVMI233E IPL OVERLAY ERROR  
DMKVMI234E IPL SENSE ERROR  
DMKVMI230E IPL SIO ERROR  
DMKVMI231E IPL TIO ERROR  
DMKVMI232E IPL UNIT ERROR; CSW = csw SNS = sense

DMKMCD224E Limit must be between 10 and 50000

DMKNES706E Line *rdev* not enabled  
DMKCNS455I Line *rdev* not operational; {CC = 3|command reject}  
DMKRG455I Line *rdev* not operational; {CC = 3|command reject}  
DMKDIA056E Line *vdev* busy on *userid*  
DMKDIA055E Line(s) not available on *userid*

DMKCPO198W LAST PATH TO DEVICE *rdev* ON PROCESSOR *xx*

DMKBSC516I LINE *rdev* devname BAD SENSE CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC502I LINE *rdev* devname BUSOUT CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKBSC520I LINE *rdev* devname CHANNEL ERROR CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKDAS520I LINE *rdev* devname CHANNEL ERROR CMD = cm SENSE = sense CSW = csw  
USERID = userid  
DMKBSC500I LINE *rdev* devname CMD REJECT CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKBSC504I LINE *rdev* devname DATA CK CMD = cm SENSE = sense CSW = csw USERID = userid

DMKBSC503I LINE rdev devname EQUIP CK CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKBSC527I LINE rdev devname LOST DATA CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKBSC517I LINE rdev devname NOT/KNOWN CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKDDAD517I LINE rdev devname NOT/KNOWN CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKDAS517I LINE rdev devname NOT/KNOWN CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKBSC505I LINE rdev devname OVERRUN CK CMD = cm SENSE = sense CSW = csw  
USERID = userid

DMKBSC528I LINE rdev devname TIMEOUT CMD = cm SENSE = sense CSW = csw USERID = userid  
DMKRNH465I LINE TRACE TERMINATED DUE TO ERROR

DMKLN115E LINK invalid; excessive incorrect passwords  
DMKDDR715E LOCATION bbcch IS A FLAGGED TRACK

DMKCQG361E LOGOFF/FORCE pending for user *userid*

DMKCQ361E LOGOFF/FORCE pending for user *userid*

DMKCQY361E LOGOFF/FORCE pending for user *userid*

DMKLOG361E LOGOFF/FORCE pending for user *userid*

DMKUSO361E LOGOFF/FORCE pending for user *userid*

DMKCFM288E LOGON from the initial screen was unsuccessful  
DMKLOG050E LOGON unsuccessful--incorrect password

DMKPEL311E Maximum number of trace elements exceeded  
DMKPEN311E Maximum number of trace elements exceeded  
DMKLOG780E Maximum password attempts exceeded, try again later  
DMKLOG051E Maximum virtual devices exceeded in directory

DMKCPW330I Mismatched device types at address *rstor*

DMKSSU074I Missing interrupt - device *vdev*  
DMKCFU547E Missing interrupt monitoring not available

DMKMCC215E Monitor active; DASTAP cannot be enabled dynamically  
DMKMCD212E Monitor is not active  
DMKMCD218E Monitor not stopped, outstanding I/O  
DMKPEI312E More than {8 ranges|1 PASS|1 STEP} specified on a command line  
DMKCF8082E More than one VMSAVE area allocated, must specify area name  
DMKIOH561W More than 50 MCH or CCH frames were read from SRF *rdev*

DMKDDR707E MACHINE CHECK  
DMKFMT732E MACHINE CHECK  
DMKMCH615I MACHINE CHECK RECORDING FAILURE cpuid

# DMK

---

DMKDIR757E MACHINE CHECK RUN SEREP AND SAVE OUTPUT FOR CE  
DMKMCH612W MACHINE CHECK TIMING FACILITIES DAMAGE

DMKMCT621I MACHINE CHECK; AFFINITY SET OFF  
DMKMCT620I MACHINE CHECK; ATTACHED PROCESSOR NOT BEING USED  
DMKMCH617I MACHINE CHECK; BUFFER OR DLAT DAMAGE cpuid  
DMKMCH614I MACHINE CHECK; DAMAGED PAGE NOW DELETED cpuid  
DMKMCH624I MACHINE CHECK; EXTERNAL DAMAGE  
DMKACR622W MACHINE CHECK; MULTIPLE CHANNEL ERRORS  
DMKMCH622W MACHINE CHECK; MULTIPLE CHANNEL ERRORS  
DMKMCH619I MACHINE CHECK; OPERATION TERMINATED cpuid  
DMKMCT619I MACHINE CHECK; OPERATION TERMINATED cpuid  
DMKMCH609W MACHINE CHECK; PROCESSOR CONTROLLER DAMAGE cpuid  
DMKMCH627I MACHINE CHECK; STORAGE DEGRADATION FOR userid  
DMKMCH610W MACHINE CHECK; SUPERVISOR DAMAGE cpuid  
DMKMCT610W MACHINE CHECK; SUPERVISOR DAMAGE cpuid  
DMKMCH611W MACHINE CHECK; SYSTEM INTEGRITY LOST cpuid  
DMKMCH616I MACHINE CHECK; USER userid TERMINATED cpuid  
DMKMCT616I MACHINE CHECK; USER userid TERMINATED cpuid

DMKCSP253E MODIFY missing or invalid  
DMKCSU253E MODIFY missing or invalid  
DMKMCC221E MONITOR to spool is already active  
DMKMCC213E MONITOR CPTRACE is already active  
DMKMCD214E MONITOR CPTRACE is not active  
DMKMCC211E MONITOR TAPE is already active  
DMKMCC217E MONITOR TAPE not started, no class enabled  
DMKDDR726E MOVING DATA INTO THE ALTERNATE TRACK CYLINDER(S) IS PROHIBITED

DMKSSS078I MSS mount proceeding for volume *valid*  
DMKSSV078I MSS mount proceeding for volume *valid*  
DMKLN281E MSS volume *valid* not linked; demount in progress, retry  
DMKCPU812E MSSF RESPONSE CODE TO VARY CP {ON|OFF} IS nnnn

| DMKCPI973I No directory file on IPL volume *valid*  
DMKCFS080E No preallocated VMSPACE area  
DMKCPJ920I No warm start data; checkpoint start for retry  
DMKWRM920I No warm start data; checkpoint start for retry  
| DMKCPI974I No valid override file; using system defaults  
DMKCFY190E No AFFINITY specified in directory  
DMKCFS420E No SVCACCL specified in directory  
DMKCSF441E Not accepted; previous backspace still being processed

DMKRND853I NO DUMP FILES EXIST  
DMKDDR723E NO VALID CP NUCLEUS ON THE INPUT UNIT  
DMKDDR716R NO VOL1 LABEL FOUND [FOR *valid*]. DO YOU WISH TO CONTINUE? RESPOND  
YES, NO OR REREAD:  
DMKDIR760E NOT ENOUGH SPACE ALLOCATED FOR DIRECTORY  
DMKOV760E NOT ENOUGH SPACE ALLOCATED FOR OVERRIDES



DMKSAV972E NUCLEUS AREA IS TOO SMALL; IT IS NOT UPDATED.  
THIS NUCLEUS REQUIRES nnnnnn{CYLS|PAGES}  
DMKDDR712E NUMBER OF EXTENTS EXCEEDS 20

DMKTRP309E Operand ignored; select table full

DMKCDB026E Operand missing or invalid  
DMKCDM026E Operand missing or invalid  
DMKCDS026E Operand missing or invalid  
DMKCFC026E Operand missing or invalid  
DMKCFD026E Operand missing or invalid  
DMKCFG026E Operand missing or invalid  
DMKCFH026E Operand missing or invalid  
DMKCF026E Operand missing or invalid  
DMKCFV026E Operand missing or invalid  
DMKCFW026E Operand missing or invalid  
DMKCFY026E Operand missing or invalid  
DMKCPB026E Operand missing or invalid  
DMKCPT026E Operand missing or invalid  
DMKCPV026E Operand missing or invalid  
DMKCQG026E Operand missing or invalid  
DMKCQH026E Operand missing or invalid  
DMKCQQ026E Operand missing or invalid  
DMKCQR026E Operand missing or invalid  
DMKCQY026E Operand missing or invalid  
DMKCSB026E Operand missing or invalid  
DMKCSR026E Operand missing or invalid  
DMKCST026E Operand missing or invalid  
DMKCSU026E Operand missing or invalid  
DMKCSV026E Operand missing or invalid  
DMKDEF026E Operand missing or invalid  
DMKDEG026E Operand missing or invalid  
DMKDEI026E Operand missing or invalid  
DMKJRL026E Operand missing or invalid  
DMKMCC026E Operand missing or invalid  
DMKMCD026E Operand missing or invalid  
DMKMCI026E Operand missing or invalid  
DMKNEA026E Operand missing or invalid  
DMKNES026E Operand missing or invalid  
DMKNET026E Operand missing or invalid  
DMKNLD026E Operand missing or invalid  
DMKPEI026E Operand missing or invalid  
DMKPEN026E Operand missing or invalid  
DMKPGM026E Operand missing or invalid  
DMKQVM026E Operand missing or invalid  
DMKSPM026E Operand missing or invalid  
DMKSPT026E Operand missing or invalid  
DMKSRM026E Operand missing or invalid

# DMK

---

DMKTRA026E Operand missing or invalid  
DMKTRP026E Operand missing or invalid  
DMKTRR026E Operand missing or invalid

DMKOPE950A Operator not logged on; explicit LOGON required  
DMKUDR770E Override invalid for *command*

DMKDDR703E OPERAND MISSING  
DMKDIR753E OPERAND MISSING  
DMKOV753E OPERAND MISSING

DMKDDR718E OUTPUT UNIT IS FILE PROTECTED  
DMKDDR722E OUTPUT UNIT NOT PROPERLY FORMATTED FOR THE CP NUCLEUS  
DMKDDR713E OVERLAPPING OR INVALID EXTENTS

DMKCPY165I Page *hexloc* not locked; shared page

DMKCSB174E Paging error - {I/O|address exception}: {command terminated, IPL failed}  
DMKPER174E Paging error - {I/O|address exception}: {command terminated, IPL failed}  
DMKVME174E Paging error - I/O: {command complete|no dump created}  
DMKCKS174E Paging error - I/O: checkpoint area invalidated  
DMKWRN174E Paging error - I/O: checkpoint area invalidated  
DMKSEP174W Paging error - I/O: default printer logo will be used  
DMKCF174E Paging error - I/O: IPL failed  
DMKCFG174E Paging error - I/O: IPL failed  
DMKCPY174E Paging error - I/O: page not locked

DMKCFH435E Paging error writing saved system  
DMKCKN435E Paging error writing saved system  
DMKSNC435E Paging error writing saved system

DMKCFG177E Parameter exceeds *xx* characters  
DMKVMD038E Parameter for *option* option missing or invalid

DMKOPE928W Permanent I/O error in warm start data area  
DMKCKS915E Permanent I/O error on checkpoint area  
DMKCKV915E Permanent I/O error on checkpoint area  
DMKWRN915E Permanent I/O error on checkpoint area

DMKRSE242I Printer *rdev* (3800), intervention required, status code *code*  
DMKRSE272I Printer *rdev*, 3800 IML occurred  
DMKRSP239I Printer *rdev* drained; possible FCB-forms mismatch  
DMKRSE252I Printer *rdev*, file *nnnn* requeued and held  
DMKRSE287I Printer *rdev*; page buffer destroyed, backup page count = *nnnn*  
DMKTCS241E Printer *rdev*, invalid load module *mmmm* specified, file *nnnn* {held|purged}  
DMKTCT241E Printer *rdev*, invalid load module *mmmm* specified, file *nnnn* {held|purged}  
DMKTCT270E Printer *rdev*, too many WCGMs needed for 'CHARS', file *nnnn* {held|purged}  
DMKTCS240E Printer *rdev*, FCB-forms mismatch; fileid *nnnn* {held|purged}  
DMKNEA208E Printer *rid* not enabled

DMKCPU191E Processor *xx* does not exist  
DMKCPI964I Processor *xx* IPLed; processor *yy* initialized  
DMKVDD039E Processor address missing or invalid  
DMKVDE039E Processor address missing or invalid

DMKFMT740E PACK MOUNTED IS 3340-35, NOT 3340-70. MOUNT ANOTHER OR RESPECIFY

DMKDIR767W PASSWORD CHANGED TO NOLOG FOR *userid*

DMKPER313E PER failure - code *n*  
DMKPET313E PER failure - code *n*  
DMKPER314W PER failure - code *n*, *userid* = *userid*  
DMKPET314W PER failure - code *n*, *userid* = *userid*  
DMKPER182I PER trace is active  
DMKPEN180E PER trace not in effect  
DMKPEQ180E PER trace not in effect  
DMKPET180E PER trace not in effect

DMKTTY152E PFCOPY NOT AVAILABLE  
DMKTTY152E PFTAB NOT AVAILABLE

DMKRSE540I PRINTER *rdev* *devname* MAINT REQ CMD = *cm* SNS = sense CSW = *csw*  
USERID = *userid*

DMKCPO194I PROCESSOR *xx* OFFLINE  
DMKCPU193I PROCESSOR *xx* ONLINE  
DMKDDR756E PROGRAM CHECK PSW = *psw*  
DMKDIR756E PROGRAM CHECK PSW = *psw*  
DMKFMT756E PROGRAM CHECK PSW = *psw*

DMKRST434A Reader *rdev* fatal I/O error; file purged  
DMKRST431A Reader *rdev* id card missing or invalid  
DMKRST432A Reader *rdev* id card; *userid* not in CP directory  
DMKRST433A Reader *rdev* id card; invalid data - *data*  
DMKRST426E Reader *rdev* system spool space full; file purged  
DMKCST424E Reader file spool error; file unchanged  
DMKCSU424E Reader file spool error; file unchanged

DMKCFD021E Real device address missing or invalid  
DMKCFU021E Real device address missing or invalid  
DMKCPS021E Real device address missing or invalid  
DMKCPT021E Real device address missing or invalid  
DMKCPU021E Real device address missing or invalid  
DMKCPV021E Real device address missing or invalid  
DMKCQQ021E Real device address missing or invalid  
DMKCQT021E Real device address missing or invalid  
DMKCSB021E Real device address missing or invalid  
DMKCSF021E Real device address missing or invalid  
DMKCSO021E Real device address missing or invalid  
DMKDEI021E Real device address missing or invalid  
DMKMCC021E Real device address missing or invalid  
DMKMCD021E Real device address missing or invalid  
DMKNES021E Real device address missing or invalid

# DMK

---

DMKNLD021E Real device address missing or invalid  
DMKNLE021E Real device address missing or invalid  
DMKSPT021E Real device address missing or invalid  
DMKVDD021E Real device address missing or invalid  
DMKVDE021E Real device address missing or invalid *raddr*

DMKTRR301E Requested file is not a CPTRAP file  
DMKLOH365E Requested language *langid1* is unavailable. Language *langid2* set.

DMKDDR714E RECORD {bbcch|nnnnnn} NOT FOUND ON INPUT TAPE  
DMKDDR721E RECORD {cchhr|nnnnnn} NOT FOUND  
DMKNMT257E RESIDUAL BYTE COUNT = nnnnnnnn (HEX)  
DMKDIR771E RESTRICTED PASSWORD AND NOLOG INVALID FOR *userid*  
DMKDIR750E RESTRICTED PASSWORD FILE, ERROR DURING READ  
DMKDIR750E RESTRICTED PASSWORD FILE HAS BAD RECORD FORMAT  
DMKDIR750E RESTRICTED PASSWORD FILE HAS BAD RECORD LENGTH  
DMKDIR750W RESTRICTED PASSWORD FILE NOT FOUND

DMKCFH300E Save request beyond virtual machine size  
DMKCPI963I Second processor not online  
DMKUSO197E Secondary user is not available  
DMKLOM196E Secondary user not in CP directory

DMKCFV063E Shadow table bypass; not set  
DMKVAT064E Shadow table bypass; reset  
DMKCDS161E Shared page *hexloc* altered by *userid*  
DMKATS181E Shared system *sysname* replaced with non-shared copy  
DMKSPM805E Single processor mode OFF rejected  
DMKSPM804E Single processor mode ON rejected

DMKCFO188E Specified processor unavailable  
DMKCFY188E Specified processor unavailable  
DMKLOH188E Specified processor unavailable  
DMKVCH188E Specified processor unavailable  
DMKCKT439I Spool fileid limit exceeded

DMKCQH042E Spoolid *nnnn* does not exist  
DMKCST042E Spoolid *nnnn* does not exist  
DMKCSU042E Spoolid *nnnn* does not exist  
DMKCSV042E Spoolid *nnnn* does not exist

DMKCST027E Spoolid missing or invalid  
DMKCSU027E Spoolid missing or invalid  
DMKCSV027E Spoolid missing or invalid  
DMKTRR027E Spoolid missing or invalid

DMKMCD223E Start time must precede stop time  
DMKCDS168E Status *operand* requires ECMODE  
DMKDEG094E Storage exceeds allowed maximum  
DMKDEF025E Storage missing or invalid

DMKDEG025E Storage missing or invalid  
DMKCDS163E Store exceeds maximum register

DMKCKS400I System {temp space|checkpoint area} full  
DMKPGT400I System {temp space|checkpoint area} full  
DMKWRN400I System {temp space|checkpoint area} full

DMKCKT401I System {temp space|checkpoint area} 90 percent full  
DMKCKV401I System {temp space|checkpoint area} 90 percent full  
DMKPGT401I System {temp space|checkpoint area} 90 percent full

DMKCFG044E System *sysname* does not exist  
DMKCFH044E System *sysname* does not exist  
DMKCFS044E System *sysname* does not exist  
DMKNLD044E System *sysname* does not exist  
DMKSNC044E System *sysname* does not exist

DMKSNC178E System *sysname* exceeds available DASD space  
DMKCFG170E System *sysname* exceeds storage  
DMKCFH170E System *sysname* exceeds storage  
DMKCFS170E System *sysname* exceeds storage  
DMKNLD170E System *sysname* exceeds storage

DMKCFG173E System *sysname* requires DASD *vdev*  
DMKCFH173E System *sysname* requires DASD *vdev*

DMKCFG179E System *sysname* valid *valid* not CP-owned  
DMKCFH179E System *sysname* valid *valid* not CP-owned  
DMKCFS179E System *sysname* valid *valid* not CP-owned  
DMKCKM179E System *sysname* valid *valid* not CP-owned  
DMKNLD179E System *sysname* valid *valid* not CP-owned  
DMKSNC179E System *sysname* valid *valid* not CP-owned

DMKCFG171E System *sysname* valid *valid* not mounted  
DMKCFH171E System *sysname* valid *valid* not mounted  
DMKCFS171E System *sysname* valid *valid* not mounted  
DMKNLD171E System *sysname* valid *valid* not mounted  
DMKSNC171E System *sysname* valid *valid* not mounted

DMKCFG172E System *sysname* DASD *vdev* incompatible sysres  
DMKCFH172E System *sysname* DASD *vdev* incompatible SYSRES  
DMKCFU925I System auto dump reallocated to DASD *rdev*  
DMKDRD925I System auto dump reallocated to DASD *rdev*  
DMKUDR476I System {directory|overrides} loaded from volume *valid*  
DMKCPI971I System is {uniprocessor|attached processor|multiprocessor} generated  
DMKCFG437E System paging space not available, IPL terminated

DMKCKF922W System recovery failure; invalid spooling data  
DMKW RM904W System recovery failure; invalid warm start data  
DMKW RM903W System recovery failure; valid *valid* allocation error {cylinder *cylinder*|page = *page*}  
DMKCKT903W System recovery failure; valid *valid* allocation error {cylinder *cylinder*|page = *page*}  
DMKCKT912W System recovery failure; valid *valid* not mounted  
DMKCKV912W System recovery failure; valid *valid* not mounted

# DMK

---

DMKW RM912W System recovery failure; valid *valid* not mounted  
DMKW RM921W System recovery failure; unrecoverable I/O error  
DMKCKP961W System shutdown complete  
DMKCPJ961W System shutdown complete  
DMKCPJ968W System shutdown requested  
DMKCKP960I System warm start data saved

DMKSND068E SEND command failed - receiver {is not disconnected | has not authorized sender |  
has no virtual console | console input waiting | is executing a console function}  
DMKSPM808I SINGLE PROCESSOR MODE ACTIVE  
DMKDEF259E SIZE parameters missing or invalid

DMKMCH613I SOFT MACHINE CHECK RECORDING DISABLED *cpuid*  
DMKMCH629I SOFT MACHINE CHECK REPORTING NOW ENABLED  
DMKNMT248E SPECIFIED IMAGE *imagelib* NON-EXISTENT  
DMKCPY159E SPMODE on - cannot unlock Virtual=Real  
DMKTRR042E SPOOLID *nnn* DOES NOT EXIST OR IS HELD

DMKIOH559W SRF *rdev* not accessible: frames not on error cylinders  
DMKDIR752E STATEMENT SEQUENCE ERROR FOLLOWING PROFILE/USER *user*  
DMKDIR752E STATEMENT SEQUENCE ERROR FOLLOWING USER *user*  
DMKCPJ957I STORAGE SIZE = *xxxxxK*, NUCLEUS SIZE = *xxxK*, DYNAMIC PAGING SIZE =  
*xxxxxK*, TRACE TABLE SIZE = *xxxK*, FREE STORAGE SIZE = *xxxxK*,  
VIRTUAL=REAL SIZE = *xxxxxK*

DMKMCC216E SYSPROF class is dependent on schedule and DASTAP  
DMKSAV353W SYSRES DEVICE TYPE INVALID  
DMKDMP909W SYSTEM DUMP DEVICE NOT-READY  
DMKDMP918I SYSTEM DUMP FAILURE; STATUS NOT STORED FOR NON-ABENDING  
PROCESSOR  
DMKDMP908I SYSTEM FAILURE; CODE - code PROCESSOR *nn*

DMKCKP902W SYSTEM RECOVERY FAILURE; FATAL I/O ERROR NUCLEUS AREA  
DMKCKH902W SYSTEM RECOVERY FAILURE; FATAL I/O ERROR WARM AREA  
DMKCKH910W SYSTEM RECOVERY FAILURE; INVALID WARM START AREA  
DMKCKP901W SYSTEM RECOVERY FAILURE; MACHINE CHECK; RUN SEREP  
DMKCKP900W SYSTEM RECOVERY FAILURE; PROGRAM CHECK  
DMKCKH911W SYSTEM RECOVERY FAILURE; WARM START AREA FULL

DMKSPS014E Tape *rdev* dump tape capacity exceeded  
DMKSPS037E Tape *rdev* invalid for SPTAPE command  
DMKSPS428E Tape *rdev* spool error; file {held|purged}  
DMKSPS426E Tape *rdev* system spool space full; file purged

DMKGRF457E Terminal SCRNSAVE unsuccessful  
DMKSSS076E The *valid* parameter is invalid  
DMKVDE076E The *valid* parameter is invalid  
DMKPEI047E The current traceset does not exist  
DMKPEI047E The traceset *traceset* does not exist  
DMKCFY187E Timer assist not available

DMKCOPE914I Trace table is smaller than requested

DMKCST016E TAG invalid for specified file type

DMKDAU516I TAPE rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAP516I TAPE rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAQ516I TAPE rdev devname BAD SENSE CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE589I TAPE rdev devname BKW AT BOT CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE598I TAPE rdev devname BLK ID SEQ CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAQ539I TAPE rdev devname BOT FAIL CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE583I TAPE rdev devname BUFF ERROR CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAP502I TAPE rdev devname BUSOUT CK CMD = CM SNS = SENSE CSW = csw

USERID = userid

DMKTPE502I TAPE rdev devname BUSOUT CK CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAP520I TAPE rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAQ520I TAPE rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE520I TAPE rdev devname CHANNEL ERROR CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAP500I TAPE rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE500I TAPE rdev devname CMD REJECT CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAP511I TAPE rdev devname COMPAT CK CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAP523I TAPE rdev devname CONTROL CK CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAQ510I TAPE rdev devname CONVERT CK CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE594I TAPE rdev devname CU CK1 ERR CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE595I TAPE rdev devname CU ERP ERR CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE596I TAPE rdev devname CU INCOMPA CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAP504I TAPE rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAQ504I TAPE rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE504I TAPE rdev devname DATA CK CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE581I TAPE rdev devname DISPLAY CK CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE592I TAPE rdev devname DRIV ASGND CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE593I TAPE rdev devname DRIV OFFLN CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTPE526I TAPE rdev devname DSE FAILED CMD = cm SNS = sense CSW = csw

USERID = userid

DMKTAP526I TAPE rdev devname DSE FAILED CMD = cm SNS = sense CSW = csw USERID = userid

DMKTAP503I TAPE rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw USERID = userid

# DMK

---

DMKTPE503I TAPE rdev devname EQUIP CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTAP522I TAPE rdev devname ERASE CK CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw USERID = userid  
DMKDAU513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTAP513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTAQ513I TAPE rdev devname FILE PROT CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE587I TAPE rdev devname LENGTH CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTAP512I TAPE rdev devname LOAD POINT CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP521I TAPE rdev devname NO DEVICE CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTPE580I TAPE rdev devname NO ERR SNS CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE591I TAPE rdev devname NO RECORD CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTPE584I TAPE rdev devname NOT CAPABL CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKDAU517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE517I TAPE rdev devname NOT/KNOWN CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP505I TAPE rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE505I TAPE rdev devname OVERRUN CK CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAP519I TAPE rdev devname PE BURST CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTAQ519I TAPE rdev devname PE BURST CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTPE588I TAPE rdev devname PHYS EOT CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE597I TAPE rdev devname RD OPP CK CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTAP518I TAPE rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKDAU518I TAPE rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTAQ518I TAPE rdev devname RECV ERROR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE585I TAPE rdev devname TAPE VOID CMD = cm SNS = sense CSW = csw USERID = userid  
DMKTPE586I TAPE rdev devname TENSION CMD = cm SNS = sense CSW = csw USERID = userid

DMKTPE590I TAPE rdev devname UNLOAD ERR CMD = cm SNS = sense CSW = csw  
USERID = userid

DMKTPE582I TAPE rdev devname WRITEID CK CMD = cm SNS = sense CSW = csw  
USERID = userid



DMKRND851I TEN DUMP FILES ALREADY EXIST  
DMKMCD222E TIME parameter specifies invalid time  
DMKCLK970W TOD CLOCK SYNC CHECK RECEIVED  
DMKTRA180W TRACE not in effect  
DMKTRR305I TRAPRED selectivity reset  
DMKFMT734E TYPE OR {CYL|PAG} INVALID

DMKCFU953I Unable to allocate system auto dump  
DMKIDU953I Unable to allocate system auto dump  
DMKRND870I UNABLE TO CREATE CONTROL FILE FOR IFLDUMP  
DMKCFC001E Unknown CP command: *command*  
DMKCFG001E Unknown CP command: *command*  
DMKIOG558I Unrecoverable I/O error; error recording disabled  
DMKIOH558I Unrecoverable I/O error; error recording disabled  
DMKQCO150A User *userid* has issued a {CP|VM} read  
DMKOP229I User of monitor does not exist

DMKLN117E Userid *userid* not linked; valid *valid* conflict  
DMKVDD285E *userid* LOGGING ON, TRY AGAIN LATER  
DMKVDD286E *userid* LOGGING OFF, TRY AGAIN LATER

DMKCF0020E Userid missing or invalid  
DMKCPV020E Userid missing or invalid  
DMKCPY020E Userid missing or invalid  
DMKCQH020E Userid missing or invalid  
DMKCQR020E Userid missing or invalid  
DMKCQY020E Userid missing or invalid  
DMKCS020E Userid missing or invalid  
DMKCSQ020E Userid missing or invalid  
DMKCSV020E Userid missing or invalid  
DMKDIA020E Userid missing or invalid  
DMKDIB020E Userid missing or invalid  
DMKLN020E Userid missing or invalid  
DMKLOG020E Userid missing or invalid  
DMKMSG020E Userid missing or invalid  
DMKNEA020E Userid missing or invalid  
DMKQVM020E Userid missing or invalid  
DMKSND020E Userid missing or invalid  
DMKTRP020E Userid missing or invalid  
DMKUSO020E Userid missing or invalid  
DMKVDD020E Userid missing or invalid  
DMKVDE020E Userid missing or invalid  
DMKVMD020E Userid missing or invalid

DMKCSB158I UCS image name mismatch; image name loaded is *image*  
DMKRND850I UNABLE TO READ DUMP FROM READER  
DMKJRL145I USERID. *userid* AT rdev WITH INVALID {LINK|LOGON} PASSWORD NO. *nnn* HAS VIOLATED THE LIMIT OF *limit*

# DMK

---

| DMKVDD022E *vaddr* MISSING OR INVALID  
| DMKCPT085E Vary failed, fatal I/O error, device *rdev*  
| DMKCPT099E VARY FAILED, ENVIRONMENTAL DATA DEV *rdev*

DMKCFD022E Virtual device address missing or invalid  
DMKCPB022E Virtual device address missing or invalid  
DMKCQG022E Virtual device address missing or invalid  
DMKCQQ022E Virtual device address missing or invalid  
DMKCSB022E Virtual device address missing or invalid  
DMKCSQ022E Virtual device address missing or invalid  
DMKCSR022E Virtual device address missing or invalid  
DMKCST022E Virtual device address missing or invalid  
DMKDEF022E Virtual device address missing or invalid  
DMKDIA022E Virtual device address missing or invalid  
DMKDIB022E Virtual device address missing or invalid  
DMKLNMO22E Virtual device address missing or invalid  
DMKVDD022E Virtual device address missing or invalid  
DMKVDE022E Virtual device address missing or invalid  
DMKVMIO22E Virtual device address missing or invalid

DMKPET061E Virtual printer error

DMKCPY176E Virtual = Real area in use by *userid*  
DMKBLD201E Virtual = Real area not available; damaged pages  
DMKBLD200E Virtual = Real area not available; in use by {*userid*|*system*}  
DMKBLD202E Virtual = Real area not available; insufficient storage  
DMKCPY202E Virtual = Real area not available; insufficient storage  
DMKCFG203E Virtual = Real area requires IPL by device address

DMKCQP023E Volid missing or invalid  
DMKVDE023E Volid missing or invalid

| DMKCPT084E VARY failed, device *rdev* busy or reserved  
| DMKCPT330E VARY failed; mismatched device types at address *rdev*

DMKDDR709E WRONG INPUT TAPE MOUNTED

DMKTRR303E 00C reader file not locatable

DMKCFS251E 370E feature is not active  
DMKLOH251E 370E feature is not active  
DMKCFO255W 370E feature now disabled  
DMKCPP255W 370E feature now disabled  
DMKCFO250E 370E is not available [on processor *xx*]  
DMKCFS250E 370E is not available [on processor *xx*]  
DMKLOH250E 370E is not available [on processor *xx*]  
DMKCPU195A 370E FEATURE UNAVAILABLE ON PROCESSOR *xx*

DMKNMT247I 3800 NAMED IMAGE imagelib CREATED

DMKLDO924I xxxx additional failing storage frames exist

## CMS Message Summary by Text

DMSXUP184W ./S not first card in update file--ignored  
DMSUPD184W ./S not first card in update file--ignored

DMSBTP106E /JOB card format invalid  
DMSBTP108E /SET card format invalid

DMSQRY065E *option* option specified twice  
DMSQRY066E *option1* and *option2* are conflicting options  
DMSWVV797I "QUIT" may be entered in response to any query to end processing.  
DMSVGN367I 'module' TEXT WRITTEN ON A-DISK  
DMSVGN368I 'nn' MODULES HAVE BEEN RESTORED

DMSPOQ002E [Input|Overlay] {file[(s)]|data set|note} [*fn* [*ft* [*fm*]]" not found

DMSPMD631E *cmdname* must be invoked from an EXEC-2 or REXX EXEC  
DMSLMX264E *command* is not a valid command to be established as a nucleus extension by  
DMSLMX

DMSWEN1125E *command* is not allowed as an immediate command

DMSEXG288E *dcssname* DCSS not saved  
DMSEXG288I *dcssname* DCSS not saved  
DMSSFD288I *dcssname* DCSS not saved  
DMSWLG288E *dcssname* DCSS not saved  
DMSWSM850W *devtype* is not a valid DASD type

DMSITP141T *exception* exception occurred at *vstor* in routine *routine*  
DMSITP142T *exception* exception occurred at *vstor* in routine *routine* during SPIE exit routine  
DMSITP144T *exception* exception occurred at *vstor* in routine *routine* while UFDBUSY = xx; re-IPL  
CMS  
DMSITP143T *exception* exception occurred at *vstor* in system routine *routine*; re-IPL CMS

DMSWTK002E *fn ft [fm]* NOT FOUND  
DMSWUP419E *fn ft* has an error with quote/comment nesting. {A quote is|A comment is|*n* comments  
are} open at the end of the program.

DMSWUT972I *fn ft fm* spooled to printer  
DMSMOD114E *fn ft fm* not loaded; CMS/DOS environment [not] active  
DMSDDL638E *fn ft fm* too wide to append to *fn ft fm*  
DMSWZP881E *fn* TEXT was found on the ZAP disk but was not zapped during VMFZAP run. This  
file should not be on the ZAP disk.

DMSWZP877W *fn* TEXT was previously zapped but was not found on the ZAP disk.  
DMSEIO631E *function* can only be executed from an EXEC-2 or REXX EXEC  
DMSXTR631E *function* can only be executed from an EXEC-2 or REXX EXEC  
DMSGLO631E *function* can only be executed from an EXEC-2 or REXX exec [or as a CMS command]  
DMSPOR757E *function* function not allowed for default LGLOPR  
DMSDAS140S *function* function(s) not supported in CMS/DOS  
DMSLDF140S *function* function(s) not supported in CMS/DOS

DMSWSL963E *keyword value* not found in *fn ft fm*

DMSXCT578W *macroname* macro is not currently in storage  
 DMSDLB308E *mode* disk in [non-]CMS format; invalid for [non-]CMS dataset  
 DMSBOP308E *mode* disk in CMS format; invalid for non-CMS dataset  
 DMSACP723I *mode (vdev)* {R/O|R/W} [-OS|-DOS]  
 DMSROS723I *mode (vdev)* {R/O|R/W} [-OS|-DOS]  
 DMSACC113S *mode [(vdev)]* not attached  
 DMSACP113S *mode [(vdev)]* not attached  
 DMSASN113S *mode [(vdev)]* not attached  
 DMSCIO113S *mode [(vdev)]* not attached  
 DMSCLS113S *mode [(vdev)]* not attached  
 DMSDBG113S *mode [(vdev)]* not attached  
 DMSPIO113S *mode [(vdev)]* not attached  
 DMSVPD113S *mode [(vdev)]* not attached  
 DMSXCP113S *mode [(vdev)]* not attached

DMSNXD616W *name* does not exist  
 DMSXQR530I *nn* file(s) in storage  
 DMSXCG504E *nn* line(s) {truncated|spilled}  
 DMSXCG501I *nn* line(s) deleted  
 DMSXCG506I *nn* lines {moved|copied|merged}  
 DMSXCG593E *nn* lines merged, *nn* line(s) {truncated|spilled}  
 DMSVPD368I *nn* modules have been restored  
 DMSXCG522I *nn* occurrences  
 DMSXCG517I *nn* occurrence(s) changed on *nn* line(s)  
 DMSXCG518E *nn* occurrence(s) changed on *nn* line(s); *nn* line(s) {truncated|spilled}  
 DMSABN149T *nnn* (HEX *xxx*) doublewords of system storage have been destroyed; re-IPL CMS  
 DMSABN150W *nnn* (HEX *xxx*) doublewords of system storage were not recovered  
 DMSFOR732I *nnnn* {cylinders|FB-512 blocks} formatted on *mode(vdev)*  
 DMSWXP375I *nnnnn* (HEX *xxxx*) bytes at an offset of *hhhhhhh* into CSECT *csect* have been added  
 DMSLDS333E *nnnnnK* partition too large for this virtual machine  
 DMSSET333E *nnnnnK* partition too large for this virtual machine

DMSAMS065E *option* option specified twice  
 DMSASN065E *option* option specified twice  
 DMSCPY065E *option* option specified twice  
 DMSDLB065E *option* option specified twice  
 DMSDSV065E *option* option specified twice  
 DMSFLD065E *option* option specified twice  
 DMSLBD065E *option* option specified twice  
 DMSMGC065E *option* option specified twice  
 DMSMGX065E *option* option specified twice  
 DMSUPD065E *option* option specified twice  
 DMSUTL065E *option* option specified twice  
 DMSWXP065E *option* option specified twice  
 DMSWZT065E *option* option specified twice  
 DMSWSG065E *option* option specified twice  
 DMSXIN065E *option* option specified twice  
 DMSACC066E *option1* and *option2* are conflicting options  
 DMSAMS066E *option1* and *option2* are conflicting options  
 DMSASN066E *option1* and *option2* are conflicting options  
 DMSCPY066E *option1* and *option2* are conflicting options  
 DMSDLB066E *option1* and *option2* are conflicting options  
 DMSDSV066E *option1* and *option2* are conflicting options

# DMS

---

DMSFLD066E *option1* and *option2* are conflicting options  
DMSFLO066E *option* and *option* are conflicting options  
DMSLBD066E *option1* and *option2* are conflicting options  
DMSLST066E *option1* and *option2* are conflicting options  
DMSMGC066E *option1* and *option2* are conflicting options  
DMSMGX066E *option1* and *option2* are conflicting options  
DMSSYN066E *option1* and *option2* are conflicting options  
DMSUPD066E *option1* and *option2* are conflicting options  
DMSUTL066E *option1* and *option2* are conflicting options  
DMSWXP066E *option1* and *option2* are conflicting options  
DMSWZT066E *option1* and *option2* are conflicting options  
DMSXIN066E *option1* and *option2* are conflicting options

DMSDSV026W *phase* not in library

DMSWRM824E *prodid* VMFREQBY may be incomplete due to a missing SCF

DMSWZP878E *prodid* ZAPLIST does not contain any un superseded zap names. No zaps will be applied.

DMSMGM813E *repos* repository not found, message *text* cannot be retrieved

DMSITS140T *routine* routine called from *vstor* did DMSKEY with no reset

DMSHEL529E *subcommand* subcommand is only valid in editing mode

DMSXCT509E *subcommand* subcommand not valid from a prefix macro

DMSXSU509E *subcommand* subcommand not valid from a prefix macro

DMSACP726I *vdev mode* released

DMSACC059E *vdev* already accessed as read/write *mode* disk

DMSACP725I *vdev* also = *mode* [-OS|-DOS] disk

DMSROS725I *vdev* also = *mode* [-OS|-DOS] disk

DMSACC724I *vdev* replaces *mode* (*vdev*)

DMSWMG861I Accessing *disk type* disk *vdev* as *mode*.

DMSWRM861I Accessing *disk type* disk *vdev* as *mode*

DMSWZP861I Accessing *disk type* disk *vdev* as *mode*

DMSPOE692I Action routine *name* abended, PROP continuing

DMSWSF673E Addressees are in the note header cards; do not specify names with NOTE option

DMSWPK644E All reader files are in HOLD status or not class *class*

DMSWRC644E All reader files are in HOLD status or not class *class*

DMSINI610R Also IPL CYL/BLK 0? Enter 1 (YES) or 0 (NO)

DSMEXG298R An error has been detected while building the DCSS. Do you still want the DCSS saved? Enter 1 (YES) or 0 (NO)

DMSITE910T An error occurred while the external interrupt handler was trying to sever IUCV path *pathid*; re-IPL CMS

DMSWLK843I An invalid control record was found and ignored

DMSWUT980I An IPLable CP nucleus now exists on tape

DMSIUC911E An IUCV sever error occurred on path *pathid*, iprcode = *xx*; severing of other paths continues

DMSPAR280E Application *applid* not active

DMSQRS280E Application *applid* not active

DMSSET280E Application *applid* not active  
 DMSSSLG280E Application *applid* not active

DMSSLG279E Application *applid* not found in the language DCSS  
 DMSSLG279I Application *applid* not found in the language DCSS  
 DMSWLG279E Application DMS not found in the language DCSS  
 DMSSLG281E Application DMS cannot be deleted  
 DMSVPD383R Apply *fn*? (Enter NO or EOB)  
 DMSUPD178I Applying *fn ft fm*  
 DMSXUP178I Applying *fn ft fm*

DMSWVV792R Are the macros to be erased from disk? Reply (YES|NO). Press "ENTER" for default of "YES."

DMSWVV788R Are the macros to be read from tape or are they already on disk? Reply TAPE or DISK. If a default of TAPE is to be used, press "ENTER."

DMSWVV801I Arguments entered are ignored.

DMSTVS265I Attempting to change tape volume for DDNAME *ddname*

DMSINS314W Automatic re-IPL by CP; no information available  
 DMSWSP314W Automatic re-IPL by CP; no information available  
 DMSINS314W Automatic re-IPL by CP due to translation exception while in non-EC mode  
 DMSWSP314W Automatic re-IPL by CP due to translation exception while in non-EC mode  
 DMSINS314W Automatic re-IPL by CP due to a paging error  
 DMSWSP314W Automatic re-IPL by CP due to a paging error  
 DMSINS314W Automatic re-IPL by CP due to external interrupt loop; PSW *psw*  
 DMSWSP314W Automatic re-IPL by CP due to external interrupt loop; PSW *psw*  
 DMSINS314W Automatic re-IPL by CP *name*-shared page *hexloc* altered  
 DMSWSP314W Automatic re-IPL by CP *name*-shared page *hexloc* altered  
 DMSINS314W Automatic re-IPL by CP due to disabled wait; PSW *psw*  
 DMSWSP314W Automatic re-IPL by CP due to disabled wait; PSW *psw*  
 DMSINS314W Automatic re-IPL by CP due to program interrupt loop; PSW *psw*  
 DMSWSP314W Automatic re-IPL by CP due to program interrupt loop; PSW *psw*

DMSXMD510I Autosaved as *fn ft fm*

DMSXSC510I Autosaved as *fn ft fm*

DMSXSU510I Autosaved as *fn ft fm*

DMSEIO76E ACTUAL RECORD LENGTH EXCEEDS THAT SPECIFIED

DMSWNT651E ADD must be issued from NOTE

DMSWNT668E ADD option must be specified alone

DMSWML651E APPEND must be issued from MACLIST

DMSWFL651E APPEND must be issued from RDRLIST or FILELIST

DMSWRL651E APPEND must be issued from RDRLIST or FILELIST

DMSIFC829W ATTEMPTED ZERO WAS SUPPRESSED. REQUIRES PRIVILEGE CLASS F

DMSEIO621E Bad plist: *message*

DMSNAM621E Bad plist: *message*

DMSQRY621E Bad plist: *message*

DMSZAP195W Base value invalid; set NO GO switch

DMSBTB101E Batch not loaded

DMSMVE130S Blocksize on V format file *ddname* is less than 9

# DMS

---

DMSSRV194S Book *subl.book* contains bad records  
DMSSRV004E Book *subl.book* not found

DMSITS137T Call to routine from *vstor* destroyed system save area; re-IPL CMS  
DMSPOP755E Cannot access saved file directory for this disk  
DMSACP1078E Cannot access saved file directory for this disk  
DMSPOP755E Cannot complete PROP/PMX IUCV connection, CMSIUCV error, code = *code*  
DMSPOP714E Cannot connect to message system service, service already in use  
DMSPOP713E Cannot connect to message system service, CMSIUCV error, code = *code*  
DMSXSF695E Cannot define more than 64 CTLCHARs  
DMSFOR214W Cannot recompute without loss of data; no change  
DMSDLB307E Catalog DDNAME *ddname* not found

DMSFRE165T Chain header at *vstor*: *vstor*  
DMSSCH574E Change not valid {with CLOCATE|after cursor movement}  
DMSWMG862I Change *name* {has been *action*|is no longer SUPERSEDED by *name*}  
DMSWRM862I Change *name* {has been *action*|is no longer SUPERSEDED by *name*}  
DMSWZP862I Change *name* {has been *action*|is no longer SUPERSEDED by *name*}  
DMSWRM879W Change name *name* appears more than once in the *fn ft* [It will only be applied once].

DMSCLS089E Close error code *nn* on {*fn*|SYSaaa|TAP*n*}  
DMSVLT089E Close error code *nn* on {*fn*|SYSaaa|TAP*n*}  
DMSVIP784E Close error on *ddname*: possible system error. See VSE/VSAM documentation for close error code *code*.  
DMSVIP783E Close error on *ddname*: possible user programming error. See VSE/VSAM documentation for close error code *code*.

DMSCMP009E Column *col* exceeds record length  
DMSRT009E Column *col* exceeds record length  
DMSTYP009E Column *col* exceeds record length  
DMSXMS009E Column *col* exceeds record length  
DMSXSE009E Column [*col*] exceeds record length [(*nn*)]  
DMSXMC009E Column [*col*] exceeds record length [(*nn*)]

DMSCMP211E Column fields out of sequence  
DMSCPY067E Combined input files illegal with PACK or UNPACK options

DMSROU928E Command is not valid for virtual screen *vname*  
DMSWRD928E Command is not valid for virtual screen *vname*  
DMSWRT928E Command is not valid for virtual screen *vname*  
DMSWVL928E Command is not valid for virtual screen *vname*

DMSXIN928E Command is not valid for virtual screen CMS

DMSCLR928E Command is not valid for virtual screen *vname*  
DMSCUR928E Command is not valid for virtual screen *vname*  
DMSSEF928E Command is not valid for virtual screen *vname*  
DMSWAT928E Command is not valid for virtual screen *vname*



| DMSQRF926E Command is only valid in CMS FULLSCREEN mode  
 | DMSQRH926E Command is only valid in CMS FULLSCREEN mode  
 | DMSROU926E Command is only valid in CMS FULLSCREEN mode  
 | DMSSEF926E Command is only valid in CMS FULLSCREEN mode

| DMSDEF926E Command is only valid on a display terminal  
 | DMSQRF926E Command is only valid on a display terminal  
 | DMSREF926E Command is only valid on a display terminal  
 | DMSSEF926E Command is only valid on a display terminal

DMSCMP179I Comparing *fn ft fm* with *fn ft fm*

| DMSWRD926E Command is only valid on a display terminal

DMSCMP011E Conflicting file formats

| DMSINS315W Conflicting parameters specified; all parameters have been ignored

| DMSWSP315W Conflicting parameters specified; all parameters have been ignored

| DMSWSG985E Conflicting values for duplicate keyword *keyword*

| DMSWNL328E Control file not specified

DMSBOP410S Control program error indication *xxx*

DMSSET410S Control program error indication *xxx*

DMSSSK410S Control program error indication *xxx*

DMSVIB410S Control program error indication *xxx*

DMSWXP373E Control section *csect* does not exist

DMSTPJ115S Conversion feature not supported on device *vdev*

| DMSCON950I Conversion of *fn ft fm* from XEDIT complete

| DMSCON950I Conversion of file *fn ft fm* complete

| DMSCPY721I Copy *fn ft fm* {to|append|ovly} *fn ft fm* ({old|new} file)

| DMSWNL448E Country code *code* not in *list*

DMSXIN571I Creating new file:

DMSXPT571I Creating new file:

| DMSWBX930E Cursor is not in a valid location

DMSHEL561E Cursor is not on a valid data field

DMSJOI561E Cursor is not on a valid data field

DMSPSI561E Cursor is not on a valid data field

DMSSCH561E Cursor is not on a valid data field

DMSSJC561E Cursor is not on a valid data field

DMSSPL561E Cursor is not on a valid data field

DMSWEX561E Cursor is not on a valid data field

DMSXSS561E Cursor is not on a valid data field

DMSWNT651E CANCEL must be issued from NOTE

DMSIFC825E CLEAR IS VALID ONLY WHEN SPECIFIED BY ITSELF

| DMSQRX099E CMS/DOS environment [not] active

DMSICP099E CMS/DOS environment active

DMSASN099E CMS/DOS environment not active

DMSDLK099E CMS/DOS environment not active

DMSDSV099E CMS/DOS environment not active

DMSFET099E CMS/DOS environment not active

DMSLIO099E CMS/DOS environment not active

# DMS

---

DMSLLU099E CMS/DOS environment not active  
DMSOPT099E CMS/DOS environment not active  
DMSPRV099E CMS/DOS environment not active  
DMSRRV099E CMS/DOS environment not active  
DMSSET099E CMS/DOS environment not active  
DMSRV099E CMS/DOS environment not active  
DMSERV099E CMS/DOS ENVIRONMENT NOT ACTIVE.  
DMSFCO099E CMS/DOS ENVIRONMENT NOT ACTIVE.  
DMSPLO099E CMS/DOS ENVIRONMENT NOT ACTIVE.

DMSBOP403S CMSBAM shared segment not available; reload CMSDOS  
DMSCLS403S CMSBAM shared segment not available; reload CMSDOS  
DMSWSP309W CMSBATCH command ignored--it is valid only when the NOSPROF parameter was specified on the IPL command  
DMSGAM954E CMSGAM shared segment error: identifier invalid for SVC *svc*  
DMSGAM953E CMSGAM shared segment error: module address for SVC *svc* is zero  
DMSGAM955E CMSGAM shared segment paging I/O errors with *code*

DMSVMF115S CONVERSION FEATURE NOT SUPPORTED ON DEVICE 'vdev'  
DMSGEN110E CORRECT FORM IS: DOSGEN LOCATION (SEGNAME)  
DMSWLG285E CP repository not saved  
DMSWLG285I CP repository saved  
DMSBTP107E CP/CMS command *command* [*devtype*] not allowed  
DMSIFC828I CPEREP ZERO OR CLEAR HAS BEEN COMPLETED  
DMSBTP109E CPU limit exceeded  
DMSZAP194W CSECT not found in {member *membername*|module *module*}; set NO GO switch

DMSWVL924E Data was truncated  
DMSLDS002E Dataset not found  
DMSWVT924E Data was truncated  
DMSXDS590E Dataset too large  
DMSDSK550W Date/Time data not present for file *fn ft*  
DMSDBG728I Debug entered

DMSASM075E Device *devtype* illegal for input  
DMSICP075E Device *devtype* invalid for input  
DMSMVE075E Device *devtype* invalid for {input|output}

DMSWMG008E Device *vdev* invalid or nonexistent  
DMSWRM008E Device *vdev* invalid or nonexistent  
DMSWTK008E Device *vdev* invalid or nonexistent  
DMSWZP008E Device *vdev* invalid or nonexistent

DMSVRT008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
DMSVUN008E Device *vdev* {invalid or nonexistent|is an unsupported device type}  
DMSRDC008E Device *vdev* {invalid or nonexistent|is an unsupported device type}

DMSFOR114S Device *vdev* is an unsupported device type, or requested BLKSIZE is not supported for the device

DMSASN113S Device *vdev* not attached  
DMSCIO113S Device *vdev* not attached  
DMSCLS113S Device *vdev* not attached  
DMSDBG113S Device *vdev* not attached  
DMSFOR113S Device *vdev* not attached  
DMSPIO113S Device *vdev* not attached  
DMSVPD113S Device *vdev* not attached  
DMSXCP113S Device *vdev* not attached

DMSXMB037E Disk *fm* is accessed as read/only  
DMSACC112S Disk *mode(vdev)* device error  
DMSBWR170S Disk *mode(vdev)* has maximum number of files  
DMSBWR107S Disk *mode(vdev)* is full  
DMSERD107S Disk *mode(vdev)* is full

DMSWVL037E Disk *mode* is accessed as read/only  
DMSWVT037E Disk *mode* is read only

DMSTPJ037E Disk *mode* is accessed as read/only  
DMSXCT037E Disk *mode* is accessed as read/only  
DMSXPT037E Disk *mode* is accessed as read/only  
DMSWXP037E Disk *mode* is accessed as read/only  
DMSWZT037E Disk *mode* is accessed as read/only  
DMSXSE037E Disk *mode* is accessed as read/only  
DMSWRC037E Disk *mode* is accessed as read/only; A must be R/W for DISK LOAD]

DMSUPD361E Disk *mode* is not a CMS disk  
DMSXCP361E Disk *mode* is not a DOS disk  
DMSWSF679E Disk *mode* is not accessed; note cannot be sent

DMSARE069E Disk *mode* not accessed  
DMSASN069E Disk *mode* not accessed  
DMSBOP069E Disk *mode* not accessed  
DMSCMP069E Disk *mode* not accessed  
DMSCPY069E Disk *mode* not accessed  
DMSDLB069E Disk *mode* not accessed  
DMSDSL069E Disk *mode* not accessed  
DMSERS069E Disk *mode* not accessed  
DMSFLD069I Disk *mode* not accessed  
DMSFOR069E Disk *mode* not accessed  
DMSGVE069E Disk *mode* not accessed  
DMSGET069E Disk *mode* not accessed  
DMSLBM069E Disk *mode* not accessed  
DMSLBT069E Disk *mode* not accessed  
DMSLDS069E Disk *mode* not accessed  
DMSLST069E Disk *mode* not accessed  
DMSMOD069E Disk *mode* not accessed  
DMSPCR069E Disk *mode* not accessed  
DMSPUT069E Disk *mode* not accessed  
DMSPR069E Disk *mode* not accessed  
DMSPUT069E Disk *mode* not accessed  
DMSPR069E Disk *mode* not accessed  
DMSRDC069E Disk *mode* not accessed  
DMSRNM069E Disk *mode* not accessed

# DMS

---

DMSRSV069E Disk *mode* not accessed  
DMSRST069E Disk *mode* not accessed  
DMSSTT069E Disk *mode* not accessed  
DMSTMA069E Disk *mode* not accessed  
DMSTPJ069E Disk *mode* not accessed  
DMSTYP069E Disk *mode* not accessed  
DMSUPD069E Disk *mode* not accessed  
| DMSWLG069E Disk *mode* not accessed  
DMSWRC069E Disk *mode* not accessed  
DMSWSF069E Disk *mode* not accessed  
| DMSWVL069E Disk *mode* not accessed  
| DMSWVT069E Disk *mode* not accessed  
DMSWXP069E Disk *mode* not accessed  
DMSWZT069E Disk *mode* not accessed  
DMSXPT069E Disk *mode* not accessed  
DMSXSU069E Disk *mode* not accessed  
  
| DMSDSK069E Disk *mode* not accessed  
| DMSWSG069E Disk *mode*[(*vdev*)] not accessed  
  
DMSCPY037E Disk *mode*[(*vdev*)]is accessed as read/only  
| DMSDSK037E Disk *mode* is accessed as read/only  
DMSDSL037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSERS037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSFOR037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSLBM037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSLBT037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSLST037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSMOD037E Disk *mode*[(*vdev*)]is accessed as read/only  
| DMSDSK037E Disk *mode* is accessed as read/only  
DMSRNM037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSRSV037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSRST037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSUPD037E Disk *mode*[(*vdev*)]is accessed as read/only  
DMSBOP037E Disk *mode*[(*vdev*)]is accessed as read/only  
  
DMSWMG856E Disk address *vdev* is listed more than once on the {BASE, ZAP|DELTA} and/or  
MERGE entry records in the *prodid* VMFPARM file  
| DMSWRM856E Disk address *vdev* is listed more than once on the {BASE|ZAP|DELTA} and/or  
MERGE entry records in the *prodid* VMFPARM file  
| DMSWZP856E Disk address *vdev* is listed more than once on the {BASE, ZAP|DELTA} and/or  
MERGE entry records in the *prodid* VMFPARM file  
  
DMSINI259E Disk blocksize of IPL device is too small to save the nucleus  
DMSMVE708I Disk file *fn ddname* A1 assumed for DDNAME *ddname*  
  
DMSXCT531E Disk is full; set new filemode or clear some disk space  
DMSXMB531E Disk is full; set new filemode or clear some disk space  
| DMSWVL531E Disk is full; set new filemode or clear some disk space  
  
| DMSWVT531E Disk is full; set new filemode or clear some disk space  
DMSXCT532E Disk is full; AUTOSAVE failed

DMSSFD1074S Disk not linked as R/W  
DMSRSV260E Disk not properly formatted for RESERVE

DMSFOR705I Disk remains unchanged  
DMSRSV705I Disk remains unchanged

DMSASN113S Disk(*vdev*) not attached  
DMSCIO113S Disk(*vdev*) not attached  
DMSCLS113S Disk(*vdev*) not attached  
DMSDBG113S Disk(*vdev*) not attached  
DMSFCH113S Disk(*vdev*) not attached  
DMSPIO113S Disk(*vdev*) not attached  
DMSPRV113S Disk(*vdev*) not attached  
DMSRRV113S Disk(*vdev*) not attached  
DMSRSV113S Disk(*vdev*) not attached  
DMSSRV113S Disk(*vdev*) not attached  
DMSVPD113S Disk(*vdev*) not attached  
DMSXCP113S Disk(*vdev*) not attached

DMSINI729R Do you want to save the system? Enter 1 (YES) or 0 (NO).  
DMSWTK966I Do you wish to have the HELP files converted to uppercase?  
DMSEXD418W Drop pending for *execname exectype*  
DMSTPJ115S Dual density feature not supported on device *vdev*  
DMSWTX897E Due to previous errors, the result of this TXTLIB build is called VMFTXT TXTLIB;  
your *fn* TXTLIB has not been replaced  
DMSZAP249I Dummy log entry in file *fn* ZAPLOG *fm*  
DMSWLG290E Duplicate applications specified in control file *fn ft fm*  
DMSPRE237E Duplicate external symbol(s) encountered  
DMSLIO202W Duplicate identifier *identifier*  
DMSMGC773E Duplicate message id *id*  
DMSDLB322I DDNAME *ddname* not found; no CLEAR executed

DMSXCT537E Each logical screen must contain at least 5 lines and 20 columns  
DMSXED553I Editing file: *fn ft fm*  
DMSXSU582S Editorabend  
DMSDSK077E End card missing from input deck  
DMSMVE226I End of PDS move

DMSBOP058E End-of-file or end-of-tape  
DMSTLM058E End-of-file or end-of-tape  
DMSTPD058E End-of-file or end-of-tape  
DMSTPJ058E End-of-file or end-of-tape

DMSCLS058E End-of-file or end-of-tape [on TAP*n*]  
DMSTPF058E End-of-file or end-of-tape [on TAP*n*]  
DMSWSM849R Enter *valid* DASD type or type QUIT to end SNTMAP processing

DMSDLB220R Enter data set name:  
DMSFLD220R Enter data set name:  
DMSLBD220R Enter data set name:

# DMS

DMSLDS220R Enter data set name:

DMSWUT977I Enter disk address where the service programs are to be written

DMSFOR605R Enter disk label:

DMSDLB331R Enter extent specifications:

DMSWSM847R Enter name of SNT definition file or press ENTER key to quit

DMSSRT604R Enter sort fields:

DMSCPY601R Enter specification list:

DMSAMS367R Enter tape {input/output} DDNAMEs:

DMSWSL737R Enter the minidisk address for the *group element*

DMSWUT973R Enter the minidisk address where the IPL decks were loaded

DMSWSM853R Enter the name of your current CP directory file (the default is VMUSERS DIRECT):

DMSDSK1080R Enter the new name for *fn ft fm*

DMSRDC1080R Enter the new name for *fn ft fm*

DMSCPY602R Enter translation list:

DMSLBD441R Enter valid information

DMSDLB330R Enter volume specifications:

DMSTLM435R Enter IGNORE or CANCEL

DMSTLM443R Enter REJECT or NEWTAPE

DMSTLM433R Enter WRITE (*valid*) or REJECT

DMSTLM446R Enter WRITE (*valid*), REJECT, or NEWTAPE

DMSWNM664E Entry not found

DMSGND021E Entry point *name* not found

DMSLIO021E Entry point *name* not found

DMSMOD021E Entry point *name* not found

DMSERS071E Erase \* \* [*fm*|\*] not allowed

DMSFOR126S Error {reading|writing} label on disk *mode(vdev)*

DMSSEFD126S Error {reading|writing} label on disk *mode(vdev)*

DMSASM074E Error {setting|resetting} auxiliary directory

DMSPRE235E Error *n* in input text file *fn ft [fm]*

DMSWXP235E Error *n* in input text file *fn ft fm*

DMSWVL104S Error *nn* reading file *fn ft fm* from disk

DMSXRE104S Error *nn* reading file *fn ft fm* from disk

DMSWVL105S Error *nn* writing file *fn ft fm* on disk

DMSXRE105S Error *nn* writing file *fn ft fm* on disk

DMSWVT105S Error *nn* writing file *fn ft fm* on disk

DMSTMA138S Error *nn* erasing *fn ft* before loading tape

DMSLGG346E Error *nn* loading *fn ft fm* from disk

DMSTMA137S Error *nn* on STATE for *fn ft fm*

DMSXSU137S Error *nn* on STATE for *fn ft fm*

DMSVRT123S Error *nn* printing file *fn ft fm*

DMSVUN123S Error *nn* punching file *fn ft fm*

DMSCMP104S Error *nn* reading file *fn ft fm* from disk

DMSDLK104S Error *nn* reading file *fn ft fm* from disk

DMSDSK104S Error *nn* reading file *fn ft fm* from disk

DMSDSL104S Error *nn* reading file *fn ft fm* from disk

DMSEXG104S Error *nn* reading file *fn ft fm* from disk

DMSEXG104W Error *nn* reading file *fn ft fm* from disk

DMSEXL104S Error *nn* reading file *fn ft fm* from disk

DMSFCH104S Error *nn* reading file *fn ft fm* from disk



# DMS

DMSTMA105S Error *nn* writing file *fn ft fm* on disk  
DMSTPD105S Error *nn* writing file *fn ft fm* on disk  
DMSTPJ105S Error *nn* writing file *fn ft fm* on disk  
DMSUPD105S Error *nn* writing file *fn ft fm* on disk  
DMSVPD105S Error *nn* writing file *fn ft fm* on disk  
| DMSWLM105S Error *nn* writing file *fn ft fm* to disk  
DMSXCP105S Error *nn* writing file *fn ft fm* on disk  
DMSXCT105S Error *nn* writing file *fn ft fm* on disk  
DMSXMB105S Error *nn* writing file *fn ft fm* on disk  
DMSXPT105S Error *nn* writing file *fn ft fm* on disk  
| DMSWLG105S Error *nn* writing file *fn ft fm* to disk  
| DMSMGC105S Error *nn* writing file *fn ft fm* to disk  
DMSPOR105S Error *nn* writing file *fn ft fm* {on disk|to XEDIT}

DMSDLK245S Error *nnn* on printer  
DMSDSV245S Error *nnn* on printer  
DMSZAP245S Error *nnn* on printer  
DMSRDR630S Error accessing spool file  
DMSWPK630S Error accessing spool file  
DSMWRC630S Error accessing spool file

DMSCCK805S Error assigning output to printer  
DMSNXD617E Error code *nn* from DMSFRET while unloading *module* module  
| DMSWVV809E Error copying "VSEVSAM SCAN" file from {T|S-} disk to A-disk  
DMSWRC682E Error copying file *fn ft A* to {*fn ft fm*|*mode* disk.}; rc = *nn* from COPYFILE  
DMSSTA671E Error creating file *fn ft fm*; rc = *nn* from *command*  
DMSDOS787E Error decompressing *macroname* macro  
DMSCCK807S Error encountered issuing ASSGN for catalog  
DMSCCK804S Error establishing CMS/DOS environment

| DMSSFD653E Error executing *command*, rc = *nn*  
DMSWMG653S Error executing *command*, rc = *nn*  
DMSWZP653E Error executing *command*, rc = *nn*  
DMSWDC653E Error executing *command*; rc = *nn*  
DMSWZT653E Error executing *command*, rc = *nn*

| DMSWMG653E Error executing *command*, RC = *nn*  
| DMSWRM653E Error executing *command*, RC = *nn*  
DMSWXP653E Error executing *command* *command*, rc = *nn*  
DMSWPK653E Error executing EXECIO  
DMSWDF653E Error executing GLOBALV  
DMSWNM653E Error executing GLOBALV  
DMSEXE085E Error in *fn ft fm*, line *nnn* - *message*  
| DMSWRM888E Error in *name* SCF. No entry for element *fn ft*.

| DMSDFT639E Error in *routine* routine, return code was *nnnn*  
| DMSDSK639E Error in *routine* routine, return code was *nnnn*  
| DMSCON639E Error in *routine* routine, return code was *nnnn*  
DMSDDL639E Error in *routine* routine, return code was *nnnn*  
DMSHLL639E Error in *routine* routine, return code was *nn*  
| DMSHLR639E Error in *routine* routine, return code was *nnnn*  
| DMSMOR639E Error in *routine* routine, return code was *nnnn*



DMSGCC639E Error in *routine* routine, return code was *retcode*  
 DMSPCR639E Error in *routine* routine, return code was *retcode*  
 DMSPTC639E Error in *routine* routine, return code was *retcode*  
 DMSPCW639E Error in *routine* routine, return code was *nnnn*  
 DMSPPM639E Error in *routine* routine, return code was *nnnn*  
 DMSRDC639E Error in *routine* routine, return code was *retcode*

DMSITS122S Error in call to routine from *vstor*, error code *nnn* (HEX *xxxxxx*)

DMSWMG869E Error in file *fn ft fm*. *data* is invalid for *tag* tag.  
 DMSWMG873E Error in file *fn ft fm*. *parm* is an invalid parameter. Expecting parameter(s) PRODID, PREREQ, COREQ, SUP, APARTEXT, or CHANGES  
 DMSWMG872E Error in file *fn ft fm*. REPLACE tag missing after element *element name*.  
 DMSWMG871E Error in file *fn ft fm*. The *name* tag is missing.  
 DMSWMG870E Error in file *fn ft fm*. There are no elements.

DMSWSG960E Error in line *line* of *fn ft fm*  
 DMSWVV794E Error in maclib generation.  
 DMSVIP786E Error in request macro processing: possible system error. See VSE/VSAM error code *code*, return code *code*.  
 DMSVIP785E Error in request macro processing: possible user programming error. See VSE/VSAM error code *code*, return code *code*.

DMSNXL639E Error in DMSRLD routine; return code was *nnnn*  
 DMSPRE234E Error in LOAD LIST file *fn ft fm*[: no input]

DMSQRW639E Error in QUERY routine; return code was *nnn*  
 DMSQRS639E Error in QUERY routine; return code was *nnnn*  
 DMSQRT639E Error in QUERY routine; return code was *nnnn*  
 DMSQRU639E Error in QUERY routine; return code was *nnnn*  
 DMSQRV639E Error in QUERY routine; return code was *nnn*  
 DMSQRX639E Error in QUERY routine; return code was *nnn*

DMSWZP880E Error in ZAPTEXT while processing *fn* TEXT, RC=*nn*. Text files affected by *filename2* ZAP will not be saved on the ZAP disk.

DMSDSK671E Error loading file *fn ft fm*; rc=*nn* from RENAME  
 DMSRDC671E Error loading file *fn ft fm*; rc=*nn* from RENAME  
 DMSTPJ671E Error loading file *fn ft fm*; rc=*nn* from RENAME  
 DMSVMF671E Error loading file *fn ft fm*; rc=*nn* from RENAME

DMSLKD008W Error messages issued  
 DMSWLG291E Error occurred while loading the DCSS  
 DMSDSK118S Error punching file

DMSDSK124S Error reading card file  
 DMSRDC124S Error reading card file  
 DMSWVV799E Error reading from "VSEVSAM SCAN" file; all macros may not be erased.  
 DMSWVV796E Error reading from VSEVSAM SCAN file.  
 DMSWVV795E Error reading macros from tape.  
 DMSTMA110S Error reading TAP*n*(*vdev*)  
 DMSTPD110S Error reading TAP*n*(*vdev*)  
 DMSTPJ110S Error reading TAP*n*(*vdev*)

# DMS

DMSTLM110S Error reading TAPn(*vdev*)  
DMSVPD110S Error reading TAPn(*vdev*)

DMSWRC671E Error receiving file *fn ft fm*; *rc = nn* from *command*  
DMSWNM656E Error searching your NAMES file; *rc = nn* from NAMEFIND command  
DMSWSF671E Error sending file *fn ft fm*; *rc = nn* from *command*  
DMSWUP671E Error updating *fn ft fm*; *rc = nn* from XEDIT

DMSTLM111S Error writing TAPn(*vdev*)  
DMSTPJ111S Error writing TAPn(*vdev*)  
DMSXCT117S Error writing to display terminal  
DMSXPO117S Error writing to display terminal  
DMSXSC117S Error writing to display terminal

DMSWLG235E Error 1 on input text file *fn ft fm*  
DMSREX457E Error 10 running *fn ft*, line *nn*: Unexpected or unmatched END  
DMSREX458E Error 11 running *fn ft*, line *nn*: Control stack full  
DMSREX459E Error 12 running *fn ft*, line *nn*: Clause > 500 characters  
DMSREX460E Error 13 running *fn ft*, line *nn*: Invalid char in data  
DMSREX461E Error 14 running *fn ft*, line *nn*: Incomplete DO/SELECT/IF  
DMSREX462E Error 15 running *fn ft*, line *nn*: Invalid hex constant  
DMSREX463E Error 16 running *fn ft*, line *nn*: Label not found  
DMSREX465E Error 17 running *fn ft*, line *nn*: Unexpected procedure  
DMSREX491E Error 18 running *fn ft*, line *nn*: THEN expected  
DMSREX482E Error 19 running *fn ft*, line *nn*: String or symbol expected  
DMSREX483E Error 20 running *fn ft*, line *nn*: Symbol expected  
DMSREX464E Error 21 running *fn ft*, line *nn*: Invalid data on end of clause  
DMSREX449E Error 22 running *fn ft*, line *nn*: Invalid char string  
DMSREX484E Error 24 running *fn ft*, line *nn*: Invalid trace request  
DMSREX485E Error 25 running *fn ft*, line *nn*: Invalid sub-keyword found  
DMSREX466E Error 26 running *fn ft*, line *nn*: Invalid whole number  
DMSREX467E Error 27 running *fn ft*, line *nn*: Invalid do syntax  
DMSREX486E Error 28 running *fn ft*, line *nn*: Invalid LEAVE or ITERATE  
DMSREX487E Error 29 running *fn ft*, line *nn*: Environment name too long  
DMSREX451E Error 3 running *fn ft*, line *nn*: Program is unreadable  
DMSREX468E Error 30 running *fn ft*, line *nn*: Name or string > 250 characters  
DMSREX469E Error 31 running *fn ft*, line *nn*: Name starts with numeric or “.”  
DMSREX492E Error 32 running *fn ft*, line *nn*: Invalid use of stem  
DMSREX488E Error 33 running *fn ft*, line *nn*: Invalid expression result  
DMSREX470E Error 34 running *fn ft*, line *nn*: Logical value not 0 or 1  
DMSREX471E Error 35 running *fn ft*, line *nn*: Invalid expression  
DMSREX472E Error 36 running *fn ft*, line *nn*: Unmatched “(” in expression  
DMSREX473E Error 37 running *fn ft*, line *nn*: Unexpected “,” or “)”  
DMSREX489E Error 38 running *fn ft*, line *nn*: Invalid template or pattern  
DMSREX474E Error 39 running *fn ft*, line *nn*: Evaluation stack overflow  
DMSREX452E Error 4 running *fn ft*, line *nn*: Program interrupted  
DMSREX475E Error 40 running *fn ft*, line *nn*: Incorrect call to routine  
DMSREX476E Error 41 running *fn ft*, line *nn*: Bad arithmetic conversion  
DMSREX477E Error 42 running *fn ft*, line *nn*: Arithmetic overflow/underflow  
DMSREX478E Error 43 running *fn ft*, line *nn*: Routine not found  
DMSREX479E Error 44 running *fn ft*, line *nn*: Function did not return data  
DMSREX480E Error 45 running *fn ft*, line *nn*: No data specified on function RETURN

DMSREX490E Error 48 running *fn ft*, line *nn*: Failure in system service  
 DMSREX481E Error 49 running *fn ft*, line *nn*: Interpreter failure  
 DMSREX450E Error 5 running *fn ft*, line *nn*: Machine storage exhausted  
 DMSREX453E Error 6 running *fn ft*, line *nn*: Unmatched “/” or quote  
 DMSREX454E Error 7 running *fn ft*, line *nn*: WHEN or OTHERWISE expected  
 DMSREX455E Error 8 running *fn ft*, line *nn*: Unexpected THEN or ELSE  
 DMSREX456E Error 9 running *fn ft*, line *nn*: Unexpected WHEN or OTHERWISE

DMSWLM282E Error(s) occurred while creating *fn ft fm*. Check *fn ft fm* for details.

DMSWLK845W Errors were encountered during the link edit processing that will probably make the loadlib unusable

DMSEXG297W Execid '*execid*' was not loaded.

DMSEXG414E Execid *execname* *exectype* already in storage

DMSEXL414E Execid *execname* *exectype* already in storage

DMSLIO740I Execution begins ...

DMSWMG649E Extraneous parameter *parameter*

DMSWZP649E Extraneous parameter *parameter*

DMSGLO649E Extraneous parameter *parameter*

DMSHEL649E Extraneous parameter *parameter*

DMSHLP649E Extraneous parameter *parameter*

DMSWRM649E Extraneous parameter *parameter*

DMSVMF058E END-OF-FILE OR END-OF-TAPE

DMSVGN364R ENTER 'CMSVSAM', 'CMSAMS' OR BOTH FOR GENERATION OF NEW SYSTEM(S)

DMSVGN370R ENTER 'GO' IF SAVED SYSTEM IS TO BE CREATED, OTHERWISE ENTER 'QUIT'

DMSVGN363R ENTER LOCATION WHERE *sysname* WILL BE LOADED AND SAVED:

DMSSGN363R ENTER LOCATION WHERE CMSBAM WILL BE LOADED AND SAVED:

DMSSGN366R ENTER NAME OF SYSTEM TO BE SAVED:

DMSVGN366R ENTER NAME OF SYSTEM TO BE SAVED:

DMSVGN382R ENTER NUMBER OF TAPE FILES TO BE PROCESSED:

DMSNCP021E ENTRY POINT '*name*' NOT FOUND

DMSJOI564W EOF reached

DMSXGT564W EOF reached

DMSXGT565W EOF reached; records {truncated|spilled}

DMSXCT583I EOF:

DMSXSU583I EOF:

DMSVGN368R ERASE *sysname* DOSLIB?...ENTER 'YES' OR {NO:|ENTER A FILENAME TO RENAME THE EXISTING DOSLIB:}

DMSIFC826E EREP TXTLIBS NOT FOUND

DMSARX074E ERROR {SETTING|RESETTING} AUXILIARY DIRECTORY

DMSIFC104S ERROR *NN* READING FILE *fn ft fm* FROM DISK

DMSIMA346E ERROR '*nn*' LOADING '*fn ft*' FROM DISK

DMSIMA347E ERROR '*nn*' LOADING LIBRARY '*libname*'

DMSEDI104S ERROR '*nn*' READING FILE '*fn ft fm*' FROM DISK

DMSVMF104S ERROR '*nn*' READING FILE '*fn ft fm*' FROM DISK

DMSIMA348E ERROR '*nn*' SAVING LIBRARY '*libname*'

DMSEDI105S ERROR '*nn*' WRITING FILE '*fn ft fm*' ON DISK

# DMS

---

DMSEXG105S ERROR 'nn' WRITING FILE 'fn ft fm' ON DISK  
DMSVMF105S ERROR 'nn' WRITING FILE 'fn ft fm' ON DISK

DMSEXT072E ERROR IN EXEC FILE 'fn' LINE 'nnn' - message  
DMSARN008W ERROR MESSAGES ISSUED  
DMSVMF110S ERROR READING TAPn(vdev)  
DMSVMF111S ERROR WRITING TAPn(vdev)  
DMSEDI117S ERROR WRITING TO DISPLAY TERMINAL

DMSLIO169S ESDID table overflow  
DMSERV256S ESERV execution error, code nn  
DMSLBR256S ESERV execution error, code nn  
DMSWEX651E EXECUTE must be issued from RDRLIST, FILELIST or MACLIST  
DMSWXP376I EXPAND processing complete

DMSWTX896E File {fn ft fm | fn TEXT or fn TXT} not found  
DMSERS002E File [fn [ft [fm]]] not found  
DMSPRE002E File [fn [ft [fm]]] not found  
DMSPR002E File [fn [ft [fm]]] not found  
DMSPPUN002E File [fn [ft [fm]]] not found  
DMSRN002E File [fn [ft [fm]]] not found  
DMSRNM002E File [fn [ft [fm]]] not found  
DMSSPR002E File [fn [ft [fm]]] not found  
DMSSRT002E File [fn [ft [fm]]] not found  
DMSSTT002E File [fn [ft [fm]]] not found  
DMSSTY002E File [fn [ft [fm]]] not found  
DMSSTYP002E File [fn [ft [fm]]] not found  
DMSUPD002E File [fn [ft [fm]]] not found  
DMSZAP002E File [fn [ft [fm]]] not found

DMSCMP002E File fn [ft [fm]] not found  
DMSDSK002E File fn [ft [fm]] not found  
DMSGRN002E File fn [ft [fm]] not found  
DMSLBT002E File fn [ft [fm]] not found  
DMSLKD002E File fn [ft [fm]] not found  
DMSWGM002E File fn [ft [fm]] not found

DMSSTA703I File fn ft [fm] {copied|created}

DMSWRM882E File fn ft [fm] [from name] not found on any DELTA disks from the VMFPARM file  
DMSWZP875E File fn ft [fm] not found on any disks from the VMFPARM file.

DMSWGM882W File fn ft [fm] [from name] not found on any DELTA disks from the VMFPARM file  
DMSWRM882W File fn ft [fm] [from name] not found on any DELTA disks from the VMFPARM file

DMSTPD703I File fn ft [fm] copied

DMSGLB056E File fn ft [fm] contains invalid record formats  
DMSIDE056E File fn ft [fm] contains invalid record formats  
DMSLBM056E File fn ft [fm] contains invalid record formats

DMSLIO056E File fn ft [fm] contains invalid record formats

DMSSYN056E File *fn ft [fm]* contains invalid record formats  
DMSWTX056E File *fn ft [fm]* contains invalid record formats  
DMSZAP056E File *fn ft [fm]* contains invalid record formats  
DMSLBT056E File *fn ft [fm]* contains invalid [name|alias|entry|ESD] record formats

DMSGLB002W File *fn ft [fm]* not found  
DMSGND002W File *fn ft [fm]* not found  
DMSLBM002W File *fn ft [fm]* not found  
DMSLBT002W File *fn ft [fm]* not found  
DMSWLK002E File *fn ft [fm]* not found  
DMSWRM002W File *fn ft [fm]* not found  
DMSWRM882W File *fn ft [fm]* not found  
DMSWXP002E File *fn ft [fm]* not found  
DMSWZP002E File *fn ft [fm]* not found  
DMSWZT002E File *fn ft [fm]* not found  
DMSZAP002W File *fn ft [fm]* not found

DMSLKD007E File *fn ft fm* [is] not fixed, 80-character records  
DMSSYN007E File *fn ft fm* [is] not fixed, 80-character records  
DMSXUP007E File *fn ft fm* [is] not fixed, 80-character records

DMSCPY030E File *fn ft fm* already active  
DMSRNM030E File *fn ft fm* already active

DMSDSK024E File *fn ft fm* already exists  
DMSRNM024E File *fn ft fm* already exists  
DMSUPD024E File *fn ft fm* already exists  
DMSUTL024E File *fn ft fm* already exists  
DMSWTX024E File *fn ft fm* already exists  
DMSXIN024E File *fn ft fm* already exists

DMSSTA024E File *fn* XEDIT A already exists  
DMSWSG024E File *fn [ft fm]* already exists [;specify REPLACE option]  
DMSCPY024E File *fn ft fm* already exists; specify REPLACE option  
DMSDDL024E File *fn ft fm* already exists; specify REPLACE option  
DMSRDC024E File *fn ft fm* already exists; specify REPLACE option  
DMSWRC024E File *fn ft fm* already exists; specify REPLACE option  
DMSXCT594E File *fn ft fm* already exists; use FFILE/SSAVE  
DMSXMB594E File *fn ft fm* already exists; use FFILE/SSAVE

DMSXSE555E File *fn ft fm* already in storage  
DMSSTT253E File *fn ft fm* cannot be handled with supplied parameter list

DMSVRT033E File *fn ft fm* is not a library  
DMSPTN033E File *fn ft fm* is not a library  
DMSSVT033E File *fn ft fm* is not a library  
DMSTYP033E File *fn ft fm* is not a library  
DMSXMB033E File *fn ft fm* is not a library

DMSSRT034E File *fn ft fm* is not fixed length

DMSDLK007E File *fn ft fm* is not fixed, 80-character records  
DMSGRN007E File *fn ft fm* is not fixed, 80-character records

# DMS

---

DMSUPD007E File *fn ft fm* is not fixed, 80-character records  
DMSXMB007E File *fn ft fm* is not fixed, 80-character records  
DMSZAP007E File *fn ft fm* is not fixed, 80-character records

| DMSMGC002E File *fn ft fm* not found  
| DMSPCR002E File *fn ft fm* not found  
| DMSWFL002E File *fn ft fm* not found  
| DMSWLG002E File *fn ft fm* not found  
| DMSWLM002E File *fn ft fm* not found  
| DMSWSF002E File *fn ft fm* not found  
| DMSWTX002E File *fn ft fm* not found  
| DMSWUP002E File *fn ft fm* not found  
| DMSWVL002E File *fn ft fm* not found  
| DMSXCT002E File *fn ft fm* not found  
| DMSXGT002E File *fn ft fm* not found  
| DMSXIN002E File *fn ft fm* not found  
| DMSXMB002E File *fn ft fm* not found  
| DMSXUP002E File *fn ft fm* not found

DMSXIN132S File *fn ft fm* too large

DMSTPJ096E File *fn ft* data block count incorrect  
DMSZAP208E File *fn ft* is not variable record format  
DMSZAP210E File *fn ft* is on a read/only disk  
| DMSWNL002E File *fn ft* not found

DMSASM007E File *fn* ASSEMBLE is not fixed, 80-character records  
DMSASM002E File *fn* ASSEMBLE not found  
DMSDSL002E File *fn* DOSLIB not found  
DMSICP007E File *fn* IOCP is not fixed, 80-character records  
DMSICP002E File *fn* IOCP not found  
DMSAMS722I File *fn* LISTING *fm* will hold AMSERV output  
DMSWML002E File *fn* MACLIB \* not found  
DMSLBM002E File *fn* MACLIB not found  
DMSSLN002E File *fn* MODULE not found  
DMSLGT002I File *fn* TXTLIB not found

DMSWZP885I File *prodid* VMFZPLOG not found on the ZAP disk. No text files will be removed from the ZAP disk.

DMSWNT665E File *userid* NOTE \* not found; to begin a new note, enter NOTE *name*

DMSXSU577E File has been changed; use QQUIT to quit anyway  
DMSWPK132S File is too large

DMSLST689E File must be F-format 108 or V-format  
DMSLBM689E File must be F-format 130 or V-format

| DMSHLI002E File not found  
| DMSHLP002E File not found

DMSFNS908T File system error detected at virtual address *vdev*; reason code *nn*

DMSRSV908E File system error detected at virtual address *vdev*; reason code *nn*

DMSAMS007E File FNAME1 AMSERV *fm* not fixed, 80-character records

DMSAMS002E File FNAME1 AMSERV not found

DMSWLG210E File SYSTEM LANGUAGE is on a read/only disk

DMSLOS002I File(s) *fn* LOADLIB not found

DMSLST002E File(s) [*fn* [*fn* [*fm*]]] not found

DMSCPY002E File(s) [*fn* [*ft* [*fm*]]] not found

DMSMVE002E File(s) [*fn* [*ft* [*fm*]]] not found

DMSTPJ002E File(s) [*fn* [*ft* [*fm*]]] not found

DMSMOD002E File(s) [*fn* [*ft* [*fm*]]] not found

DMSLIO002E File(s) *fn* TXTLIB not found

DMSACC060E File(s) *fn* [*ft* [*fm*]] not found; disk *mode(vdev)* will not be accessed

DMSACP060E File(s) *fn* [*ft* [*fm*]] not found; disk *mode(vdev)* will not be accessed

DMSFLD224E Fileid already in use

DMSASM038E Fileid conflict for DDNAME ASM3705

DMSICP038E Fileid conflict for DDNAME SYSIN

DMSWVG886E Filename *name* from the *fn ft [fm]* is longer than 8 characters

DMSWZP886E Filename *name* from the *fn ft [fm]* file is longer than 8 characters

DMSNAM002E Files [*fn* [*ft* [*fm*]]] not found

DMSCMP209W Files do not compare

DMSXSE600E First selection level (*nn*) cannot be greater than second selection level (*nn*)

DMSFOR603R Format will erase all files on disk *mode(vdev)*. Do you wish to continue? Enter 1 (YES) or 0 (NO)

DMSWTK970I Formatting *user's vdev* minidisk

DMSFOR733I Formatting disk *mode*

DMSRSV733I Formatting disk *mode*

DMSHLL356I For more detail on this subject, enter MOREHELP.

DMSHLL355I For related information on this subject, enter MOREHELP (RELATED).

DMSFRE167T Free storage management error (internal code error *n*)

DMSVGN364I FETCHING sysname ...

DMSSGN364I FETCHING CMSBAM ...

DMSIFC002E FILE *fn ft [fm]* NOT FOUND

DMSIFC007E FILE *fn ft fm* IS NOT FIXED, 80-CHARACTER RECORDS

DMSRUN002E FILE ' *fn ft fm* ' NOT FOUND.

DMSEDI024E FILE ' *fn ft fm* ' ALREADY EXISTS

DMSNCP056E FILE ' *fn ft fm* ' CONTAINS INVALID RECORD FORMATS

DMSARN007E FILE ' *fn ft fm* ' NOT FIXED, 80 CHAR. RECORDS

DMSIMA002E FILE ' *fn ft fm* ' NOT FOUND

DMSNCP002E FILE ' *fn ft fm* ' NOT FOUND

DMSEDI132S FILE ' *fn ft fm* ' TOO LARGE

DMSVMF096E FILE ' *fn ft* ' DATA BLOCK COUNT INCORRECT

DMSPLO002E FILE ' *fn ft* ' NOT FOUND.

DMSARX007E FILE ' *fn* ASM3705 ' IS NOT FIXED, 80 CHAR. RECORDS

# DMS

---

DMSARN002E FILE 'fn ASM3705' NOT FOUND  
DMSARX002E FILE 'fn ASM3705' NOT FOUND  
DMSFCO002E FILE 'fn COBOL ' NOT FOUND.  
DMSERV002E FILE 'fn ESERV ' NOT FOUND.

DMSVMF002E FILE(S) 'fn ft fm' NOT FOUND  
DMSWSL002E FILE(S) [fn [ft [fm]]] NOT FOUND  
DMSARX038E FILEID CONFLICT FOR DDNAME 'ASM3705'  
DMSWIO494W FULLREAD set off.  
DMSWIN935I FULLSCREEN CMS suspended  
DMSWIO935I FULLSCREEN CMS suspended  
DMSWIR935I FULLSCREEN CMS suspended

DMSDSK257T Internal system error at address *address* (offset *offset*)  
DMSRDC257T Internal system error at address *address* (offset *offset*)

DMSWRC062E Invalid character *char* in fileid *fn ft [fm]*  
DMSALA388E Invalid keyword: *keyword*  
DMSQRX070E Invalid parameter *parameter*  
DMSDEF389E Invalid operand: *operand*  
DMSDRP389E Invalid operand: *operand*  
DMSGET389E Invalid operand: *operand*  
DMSHID389E Invalid operand: *operand*  
DMSPP0389E Invalid operand: *operand*  
DMSPT389E Invalid operand: *operand*  
DMSPUT389E Invalid operand: *operand*  
DMSCL389E Invalid operand: *operand*  
DMSHO389E Invalid operand: *operand*  
DMSIZ389E Invalid operand: *operand*  
DMSCUR394E Invalid option: *option*  
DMSDEF394E Invalid option: *option*  
DMSROU394E Invalid option: *option*  
DMSWDF003E Invalid option: *option*  
DMSWLG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from FINDSYS  
DMSQRG918E No {virtual screens|windows} are defined  
DMSQRG1082E No window qualifies as the window on top  
DMSQRH917E No windows are {displayed|hidden}  
DMSSEF524W NONDISP character reset to ”.  
DMSWIO614E Screen modifications lost. See 'SET FULLREAD' to use PA keys safely.  
DMSWIO629W Screen modifications may be lost. Press ENTER key to process screen changes.

DMSDSK1124W Spool file *spoolid* has been left in your reader because one or more files were not received.  
DMSRDC1124W Spool file *spoolid* has been left in your reader because one or more files were not received.  
DMSWRC1124W Spool file *spoolid* has been left in your reader because one or more files were not received.

DMSWVT934E Text was not written to virtual screen. No field was defined.  
DMSEXG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from FINDSYS

DMSCPY156E FROM *nnn* not found--the file *fn ft fm* has only *nnn* records



DMSWPK156E FROM *nnn* not found--the file *fn ft fm* has only *nnn* records  
 DMSMCM094E FROM address on MVCOM macro invalid

DMSNCP099W GENERATION PARAMETERS INCOMPATIBLE WITH VM/370

DMSPOL760E GLOBALV subfunction error in PROP, code = *code*

DMSPOP760E GLOBALV subfunction error in PROP, code = *code*

DMSPOQ760E GLOBALV subfunction error in PROP, code = *code*

DMSPOR760E GLOBALV subfunction error in PROP, code = *code*

DMSHEL254E Help cannot find the requested information. If not misspelled, enter HELP for menu assistance or HELP HELP for the HELP command.

DMSHLL254E Help cannot find the requested information. If not misspelled, enter HELP for menu assistance or HELP HELP for the HELP command.

DMSHLB251E Help processing error; code *nnn*: *description*

DMSHLP251E Help processing error; code *nnn*: *description*

DMSFRE164T High-core nucleus storage pointers destroyed (internal error code *nn*)

DMSFRE163T High-core user chain has been destroyed (internal error code *nn*)

DMSPOC762E Host checking suspended--LGLOPR not on a checkable node

DMSPOR762E Host checking suspended--LGLOPR not on a checkable node

DMSINQ640R HELP disk address = *vdev*

DMSPOC690E HOSTCHK not specified in RTABLE

DMSPOR690E HOSTCHK not specified in RTABLE

DMSABN153W HX during abend processing was ignored

DMSWRM632E I/O error in EXECIO; RC=*nn* from *command* command

DMSEIO632E I/O error in EXECIO; rc = *nnn* from *command* command

DMSHLP907T I/O error on file *fn ft fm*

DMSLBM907T I/O error on file *fn ft fm*

DMSLIO907T I/O error on file *fn ft fm*

DMSUTL907T I/O error on file *fn ft fm*

DMSHLS907T I/O error on file.

DMSMVE128S I/O error on input after reading *nnn* records; input error code on DDNAME

DMSMVE129S I/O error on output writing record number *nnnn*; output error code on DDNAME

DMSREF925E I/O error on screen

DMSWRD925E I/O error on screen

DMSHLP250S I/O error or device error

DMSHLS250S I/O error or device error

DMSLDS222E I/O error reading *data set name* from {*fm*|OS|DOS} disk

DMSOPL099E I/O error reading *vdev*

DMSLDS231E I/O error reading VTOC from {*fm*|OS|DOS} disk

DMSCMP019E Identical fileids

# DMS

---

DMSRNM019E Identical fileids

DMSSRT019E Identical fileids

DMSWVV790R If the default library name of "VSEVSAM" is to be used, press "ENTER." Else, enter the name to be used for the library.

DMSSTX326E Illegal SVC *svc* (HEX *nn*) called from *vstor*

DMSIMM262E Immediate command *command* not found

DMSCPY903T Impossible PHASE code *xx*

DMSSWG957E Incompatible *option1* options for *options*

DMSEXG054E Incomplete execid specified

DMSEXG054W Incomplete execid specified

DMSEXQ054E Incomplete execid specified

DMSDLB305E Incomplete extent range

DMSEXG054E Incomplete fileid specified

DMSEXG054W Incomplete fileid specified

DMSCMP054E Incomplete fileid specified

DMSCPY054E Incomplete fileid specified

DMSDSK054E Incomplete fileid specified

DMSERS054E Incomplete fileid specified

DMSEXL054E Incomplete fileid specified

DMSGRN054E Incomplete fileid specified

DMSHLP054E Incomplete fileid specified

DMSMGC054E Incomplete fileid specified

DMSSTT054E Incomplete fileid specified

DMSWFL054E Incomplete fileid specified

DMSWRM893W Incomplete processing, not all [required] PTFs were *action*

DMSMVE041E Input and output files are the same

DMSSBS120S Input error code *nn* on *ddname*

DMSSCT120S Input error code *nn* on *ddname*

DMSSVT120S Input error code *nn* on *ddname*

DMSDSV411S Input error code *nn* on *SYSaaa*

DMSFCH411S Input error code *nn* on *SYSaaa*

DMSRRV411S Input error code *nn* on *SYSaaa*

DMSSRV411S Input error code *nn* on *SYSaaa*

DMSXCP411S Input error code *nn* on *SYSaaa*

DMSPRV411S Input error code *nn* on *SYSRES*

DMSCPY068E Input file *fn ft fm* not in packed format

DMSXUP210W Input file sequence error: *seqno1* to *seqno2*

DMSUPD210W Input file sequence error: *seqno1* to *seqno2*

DMSCPY002E Input file[(s)] [*fn [ft [fm]]*] not found

DMSXMD573I Input mode:

DMSDFT812E Input was ignored.

DMSINQ310R Installation segment name =

DMSINI612R Installation heading =  
 DMSWNL032E Invalid argument *argument*  
 DMSWNL032E Invalid filetype *ft*

DMSINS327W INSTSEG value omitted; no shared EXECs loaded.  
 DMSWSP327W INSTSEG value omitted; no shared EXECs loaded.

DMSFOR216E Insufficient blocks on disk to support CMS disk structure

DMSXPO554E Insufficient free storage  
 DMSXSC554E Insufficient free storage  
 DMSXWS554E Insufficient free storage  
 DMSDEF622E Insufficient free storage  
 DMSNXL622E Insufficient free storage  
 DMSPAR622E Insufficient free storage  
 DMSXPM622E Insufficient free storage  
 DMSREF622E Insufficient free storage  
 DMSSEF622E Insufficient free storage  
 DMSWRD622E Insufficient free storage  
 DMSWRT622E Insufficient free storage

DMSSFD109S Insufficient free storage available  
 DMSXRE554E Insufficient free storage available

DMSNXM622E Insufficient free storage (*nn* entries)  
 DMSXTR622E Insufficient free storage for {EXTRACT|EXECOMM}  
 DMSXIN622E Insufficient free storage for {MSGLINE|PAkey/PFkey|synonyms}  
 DMSXFC622E Insufficient free storage for line to spill  
 DMSXPO622E Insufficient free storage for processing screen changes  
 DMSXMB622E Insufficient free storage for reading map  
 DMSEIO622E Insufficient free storage for EXECIO  
 DMSXMC622E Insufficient free storage for I/O buffer  
 DMSXCT622E Insufficient free storage for MSGLINE  
 DMSXED622E Insufficient free storage for MSGLINE  
 DMSNAM622E Insufficient free storage for NAMEFIND  
 DMSNAM622W Insufficient free storage for NAMEFIND buffer, processing continues  
 DMSXSC622E Insufficient free storage for COPYKEY  
 DMSXSC622E Insufficient free storage for processing screen changes  
 DMSGLO622E Insufficient free storage; no table made

DMSFRE159T Insufficient storage available to satisfy DMSFREE request from *vstor*  
 DMSEXE255T Insufficient storage for Exec interpreter  
 DMSREX255T Insufficient storage for Exec interpreter  
 DMSGAM956E Insufficient storage for GAM/SP anchor block  
 DMSUPD300E Insufficient storage to begin update  
 DMSUPD299E Insufficient storage to complete update

DMSCIO145S Intervention required on {printer|punch}  
 DMSPIO145S Intervention required on {printer|punch}  
 DMSSPR145S Intervention required on printer

DMSEXG062E Invalid {character [char]\*} in fileid  
 DMSEXG062W Invalid {character [char]\*} in fileid [fn ft [fm]]

# DMS

---

DMSINT015E Invalid {CP/CMS|CMS|CP} {CMS|subset} command  
DMSPRE183E Invalid {CONTROL|AUX} file control card  
DMSUPD183E Invalid {CONTROL|AUX} file control card  
DMSXUP183E Invalid {CONTROL|AUX} file control card  
DMSSCH525E Invalid {PFkey|PFkey/PAkey} number  
DMSXSE575E Invalid {TABS|ZONE} column(s) defined  
DMSCPY064E Invalid [translate] specification at or near *list*

DMSCMP062E Invalid \* in fileid  
DMSDSK062E Invalid \* in fileid  
DMSEXG062E Invalid \* in fileid  
DMSEXG062W Invalid \* in fileid  
DMSRDC062E Invalid \* in *fileid*

DMSMGX080E Invalid *numtype* number  
DMSPCL389E Invalid *operandtype*: *operand*  
DMSPCL395E Invalid *valuetype value* for *option* option

DMSWEN931E Invalid {border|WM} command: {*character*|*command*}

DMSPCL390E Invalid *valuetype value* for *operand* operand  
DMSPOR626E Invalid action routine parameter *parameter*  
DMSPOS626E Invalid action routine parameter *parameter*

DMSDOS095E Invalid address *vstor*  
DMSDSV095E Invalid address *vstor*  
DMSWSG095E Invalid address *vstor*  
DMSWSL095E Invalid address *vstor*  
DMSWTK095E Invalid address *vstor*  
DMSWUT095E Invalid address *vstor*

DMSMGC770E Invalid application id *applid*  
DMSSLG770E Invalid application id *name*  
DMSWLM770E Invalid application id *name*

DMSEXG070E Invalid argument *argument*  
DMSEXG070W Invalid argument *argument*  
DMSNXD070E Invalid argument *argument*  
DMSSFD070E Invalid argument *argument*  
DMSJOI575E Invalid argument or JOIN column(s) defined

DMSASN087E Invalid assignment of SYS*aaa* to device *devtype*

DMSWBX931E Invalid {border|WM} command: {*character*|*command*}

DMSDSK078E Invalid card in input deck  
DMSGRN078E Invalid card in input file *fn*  
DMSDDL078E Invalid card in reader deck

DMSDEF676E Invalid character '\*' for window name  
DMSDEF676E Invalid character '=' for window name

DMSWNT676E Invalid character \* for Network ID  
 DMSWSF676E Invalid character \* for Network ID  
 DMSWTL676E Invalid character \* for Network ID

| DMSEXG062E Invalid character \* in fileid  
 | DMSEXG062W Invalid character \* in fileid  
 DMSEXL062E Invalid character \* in fileid

| DMSEXG415W Invalid character *char* in execid *execname exectype*  
 DMSEXL415E Invalid character *char* in execid *execname exectype*  
 DMSEXQ415E Invalid character *char* in execid *execname exectype*  
 DMSCPY062E Invalid character *char* in fileid *fn ft [fm]*  
 DMSSTT062E Invalid character *char* in fileid *fn ft [fm]*  
 | DMSWNL062E Invalid character *char* in fileid *fn ft*  
 | DMSWTX062E Invalid character *char* in fileid *fn ft*

| DMSXSU062E Invalid character in fileid *fn ft fm*  
 DMSUPD185W Invalid character in sequence field *seqno*  
 | DMSWSG962E Invalid character: *character*

DMSXCT527E Invalid column number  
 | DMSWTX183E Invalid control file control card  
 DMSZAP190W Invalid control record or NO GO switch set

DMSDSK445W Invalid data in sequence field, bypassing sequence check

| DMSWIR696W Invalid data received from the display  
 DMSXSC696W Invalid data received from the display  
 DMSXSD696W Invalid data received from the display

DMSDLB221E Invalid data set name  
 DMSFLD221E Invalid data set name  
 DMSLBD221E Invalid data set name  
 DMSLDS221E Invalid data set name

DMSASN027E Invalid device *devtype* [for SYSaaa]  
 DMSDSV027E Invalid device *devtype* [for SYSaaa]  
 DMSFLD027E Invalid device *devtype* [for SYSaaa]  
 DMSTLM027E Invalid device *devtype* [for SYSaaa]  
 DMSTMA027E Invalid device *devtype* [for SYSaaa]  
 DMSTPD027E Invalid device *devtype* [for SYSaaa]  
 DMSTPJ027E Invalid device *devtype* [for SYSaaa]

DMSWMG017E Invalid device address *vdev*  
 DMSWZP017E Invalid device address *vdev*  
 DMSACC017E Invalid device address *vdev*  
 DMSARE017E Invalid device address *vdev*  
 DMSFOR017E Invalid device address *vdev*  
 | DMSSFD017E Invalid device address *vdev*  
 DMSTPJ017E Invalid device address *vdev*  
 | DMSWRM017E Invalid device address *vdev*

| DMSINI079E Invalid device address; reenter

# DMS

---

- | DMSINQ079E Invalid device address; reenter
- | DMSASN090E Invalid device class *devclass* for *devtype*
- | DMSSFD1077S Invalid disk format, only EDF disk is allowed
- | DMSMGM815E Invalid double-byte character string *text* replaced by ‘\*\*’
- DMSWMG874E Invalid entry found at line *line* in *fn ft*
- DMSWZP874E Invalid entry found at line *line* in *fn ft*
- | DMSWRM874E Invalid entry found at line *line* in *fn ft*
  
- DMSLDS227W Invalid extent found for *data set name* on *fm* disk
  
- DMSWFL680E Invalid fileid specified with FILELIST option
- DMSWSF680E Invalid fileid specified with FILELIST option
  
- DMSHLP048E Invalid filemode
- | DMSWLG048E Invalid filemode *fm*
- DMSRNM048E Invalid filemode *mode*
  
- | DMSWLG252E Invalid filename *fn*
- | DMSWLM252E Invalid filename *fn*
- | DMSWSG252E Invalid filename *fn*
- | DMSWSL252E Invalid filename *fn*
  
- DMSMOD032E Invalid filetype *ft*
- DMSYN032E Invalid filetype *ft*
- DMSUTL032E Invalid filetype *ft*
- | DMSWLG032E Invalid filetype *ft*
- | DMSWSL032E Invalid filetype *ft*
- | DMSWSG032E Invalid filetype *ft*
  
- | DMSGMF121S {Unsupported [function *function* of]} Invalid form of} SVC *svc* (HEX *xx*) called from  
| *vstor*
- | DMSMGC772E Invalid format number
  
- | DMSDEF014E Invalid function *function*
- DMSDSK014E Invalid function *function*
- DMSDSL014E Invalid function *function*
- DMSGLB014E Invalid function *function*
- DMSIMM014E Invalid function *function*
- DMSLBM014E Invalid function *function*
- DMSOVR014E Invalid function *function*
- DMSPOR014E Invalid function *function*
- | DMSQRY014E Invalid function *function*
- DMSSET014E Invalid function *function*
- DMSTPJ014E Invalid function *function*
- DMSUTL014E Invalid function *function*
- DMSZAP014E Invalid function *function*
- | DMSSFD014E Invalid {function *function*|keyword *keyword*}

DMSXDC544E Invalid hex data: *xxxxxxxx*

DMSCLR388E Invalid keyword: *keyword*

DMSCUR388E Invalid keyword: *keyword*

DMSDEL388E Invalid keyword: *keyword*

DMSDRP388E Invalid keyword: *keyword*

DMSGET388E Invalid keyword: *keyword*

DMSHID388E Invalid keyword: *keyword*

DMSMAX388E Invalid keyword: *keyword*

DMSMIN388E Invalid keyword: *keyword*

DMSPCL388E Invalid keyword: *keyword*

DMSPP0388E Invalid keyword: *keyword*

DMSPT388E Invalid keyword: *keyword*

DMSRES388E Invalid keyword: *keyword*

DMSROU388E Invalid keyword: *keyword*

DMSSCL388E Invalid keyword: *keyword*

DMSSHO388E Invalid keyword: *keyword*

DMSSIZ388E Invalid keyword: *keyword*

DMSSPR014E Invalid keyword *keyword*

DMSWSG014E Invalid keyword *keyword*

DMSWRD388E Invalid keyword: *keyword*

DMSWAT388E Invalid keyword: *keyword*

DMSSLG276E Invalid language id *langid*

DMSWLG276E Invalid language id *langid*

DMSWLM276E Invalid language id *langid*

DMSWLG294E Invalid language level id *levelid*

DMSINQ294E Invalid language level id; reenter

DMSXCT521E Invalid line number

DMSXGT521E Invalid line number

DMSXSE521E Invalid line number

DMSXSF521E Invalid line number

DMSMGC049E Invalid line number *nn*

DMSTYP049E Invalid line number *nn*

DMSMGC771E Invalid message number

DMSWVT048E Invalid mode *mode*

DMSACC048E Invalid mode *mode*

DMSARE048E Invalid mode *mode*

DMSCPY048E Invalid mode *mode*

DMSDLB048E Invalid mode *mode*

DMSERS048E Invalid mode *mode*

DMSFOR048E Invalid mode *mode*

DMSGRN048E Invalid mode *mode*

DMSLDS048E Invalid mode *mode*

DMSLST048E Invalid mode *mode*

DMSSTT048E Invalid mode *mode*

DMSXIN048E Invalid mode *mode*

# DMS

---

DMS PCL385E Invalid modifier keyword *keyword*  
DMS XCT541E Invalid name  
DMS WSF678E Invalid note header format; note cannot be sent

DMS SRL543E Invalid number : *number*  
DMS WEX543E Invalid number: *number*  
DMS XCG543E Invalid number: *number*  
DMS XCT543E Invalid number: *number*  
DMS XDC543E Invalid number: *number*  
DMS XMD543E Invalid number: *number*  
DMS XSE543E Invalid number: *number*  
DMS MGC769W Invalid number of message characters value *value*

DMS ALT520E Invalid operand: *operand*  
DMS CAN520E Invalid operand: *operand*  
DMS PCL389E Invalid operand: *operand*  
DMS PSI520E Invalid operand: *operand*  
DMS SCH520E Invalid operand: *operand*  
DMS SJC520E Invalid operand: *operand*  
DMS SOR520E Invalid operand: *operand*  
DMS SRL520E Invalid operand: *operand*  
DMS STA520E Invalid operand: *operand*  
DMS WMG520E Invalid operand: *operand*  
DMS WRM520E Invalid operand: *operand*  
DMS WZP520E Invalid operand: *operand*  
DMS XCG520E Invalid operand: *operand*  
DMS XCT520E Invalid operand: *operand*  
DMS XDC520E Invalid operand: *operand*  
DMS XGT520E Invalid operand: *operand*  
DMS XQR520E Invalid operand: *operand*  
DMS XSE520E Invalid operand: *operand*  
DMS XSF520E Invalid operand: *operand*  
DMS XSS520E Invalid operand: *operand*

DMS DLB304E Invalid operand value *value*

DMS ACC003E Invalid option: *option*  
DMS AMS003E Invalid option: *option*  
DMS ASM003E Invalid option: *option*  
DMS ASN003E Invalid option: *option*  
DMS CMP003E Invalid option: *option*  
DMS CPY003E Invalid option: *option*  
DMS DDL003E Invalid option: *option*  
DMS DLB003E Invalid option: *option*  
DMS DLK003E Invalid option: *option*  
DMS DSL003E Invalid option: *option*  
DMS DSV003E Invalid option: *option*  
DMS ERS003E Invalid option: *option*  
DMS EXD003E Invalid option: *option*  
DMS EXL003E Invalid option: *option*  
DMS EXM003E Invalid option: *option*  
DMS EXQ003E Invalid option: *option*



DMSFET003E Invalid option: *option*  
DMSFLD003E Invalid option: *option*  
DMSFLO003E Invalid option: *option*  
DMSFOR003E Invalid option: *option*  
DMSGRN003E Invalid option: *option*  
DMSHLC003E Invalid option: *option*  
DMSHLP003E Invalid option: *option*  
DMSICP003E Invalid option: *option*  
DMSIDE003E Invalid option: *option*  
DMSINS003E Invalid option: *option*  
DMSLBD003E Invalid option: *option*  
DMSLBM003E Invalid option: *option*  
DMSLBT003E Invalid option: *option*  
DMSLDS003E Invalid option: *option*  
DMSLIO003E Invalid option: *option*  
DMSLLU003E Invalid option: *option*  
DMSLST003E Invalid option: *option*  
DMSMGC003E Invalid option: *option*  
DMSMGX003E Invalid option: *option*  
DMSMOD003E Invalid option: *option*  
DMSMVE003E Invalid option: *option*  
DMSNAM003E Invalid option: *option*  
DMSPC394E Invalid option: *option*  
DMSPOC003E Invalid option: *option*  
DMSPOL003E Invalid option: *option*  
DMSPOP003E Invalid option: *option*  
DMSQRY003E Invalid option: *option*  
DMSWSG003E Invalid option: *option*  
DMSWSP003E Invalid option: *option*  
DMSWTK003E Invalid option: *option*  
DMSWXP003E Invalid option: *option*  
DMSWZT003E Invalid option: *option*  
DMSXIN003E Invalid option: *option*  
DMSZAP003E Invalid option: *option*

DMSWNT677E Invalid option: *option* in option line  
DMSWSF677E Invalid option: *option* in option line

DMSMGX405E Invalid or missing message number  
DMSWMS405W Invalid or missing message number *msgno*

DMSWXP048E Invalid output filemode '*mode*'

DMSAMS070E Invalid parameter *parameter*  
DMSARE070E Invalid parameter *parameter*  
DMSASM070E Invalid parameter *parameter*  
DMSASN070E Invalid parameter *parameter*  
DMSDDL070E Invalid parameter *parameter*  
DMSDLB070E Invalid parameter *parameter*  
DMSDLK070E Invalid parameter *parameter*  
DMSDSK070E Invalid parameter *parameter*  
DMSDSL070E Invalid parameter *parameter*  
DMSDSV070E Invalid parameter *parameter*

# DMS

---

DMSERS070E Invalid parameter *parameter*  
DMSEXD070E Invalid parameter *parameter*  
DMSEXG070E Invalid parameter *parameter*  
DMSEXG070W Invalid parameter *parameter*  
DMSEXL070E Invalid parameter *parameter*  
DMSEXM070E Invalid parameter *parameter*  
DMSEXQ070E Invalid parameter *parameter*  
DMSFET070E Invalid parameter *parameter*  
DMSFLD070E Invalid parameter *parameter*  
DMSFOR070E Invalid parameter *parameter*  
DMSGND070E Invalid parameter *parameter*  
DMSICP070E Invalid parameter *parameter*  
DMSIDE070E Invalid parameter *parameter*  
DMSIMM070E Invalid parameter *parameter*  
DMSLBD070E Invalid parameter *parameter*  
DMSLBM070E Invalid parameter *parameter*  
DMSLKD070E Invalid parameter *parameter*  
DMSLLU070E Invalid parameter *parameter*  
DMSLST070E Invalid parameter *parameter*  
DMSMDP070E Invalid parameter *parameter*  
DMSMOD070E Invalid parameter *parameter*  
DMSMVE070E Invalid parameter *parameter*  
DMSNXL070E Invalid parameter *parameter*  
DMSNXM070E Invalid parameter *parameter*  
DMSOPT070E Invalid parameter *parameter*  
DMSOSR070E Invalid parameter *parameter*  
DMSPOL070E Invalid parameter *parameter*  
DMSPOR070E Invalid parameter *parameter*  
DMSSTT070E Invalid parameter *parameter*  
DMSWNL029E Invalid parameter *parameter*

DMSSFD070E Invalid {parameter *parameter*|argument *argument*}

DMSWTX026E Invalid parameter *parameter* for *function* function  
DMSWSP029W Invalid parameter *parameter* found during CMS initialization  
DMSFLO029E Invalid parameter *parameter* in the option *option* field  
DMSMGX029E Invalid parameter *parameter* in the option *option* field  
DMSMGC029E Invalid parameter *parameter* in the option *option* field  
DMSPUN029E Invalid parameter *parameter* [in the [option] *option* field]  
DMSPR029E Invalid parameter *parameter* [in the [option] *option* field]

DMSCCK803E Invalid parameter specification  
DMSXCT535E Invalid parameters for RENUM

DMSPSH659E Invalid prefix subcommand: *prefix*  
DMSPSW659E Invalid prefix subcommand: *prefix*  
DMSPPX659E Invalid prefix subcommand: *prefix*  
DMSXPX659E Invalid prefix subcommand: *prefix*  
DMSPSI659E Invalid prefix subcommand: *prefix*

DMSXSE528E Invalid range: target2 (line *nn*) precedes target1 (line *nn*)

DMSTMA057E Invalid record format  
DMSTPJ057E Invalid record format

DMSWSF081E Invalid reply; enter 1 (YES) or 0 (NO)  
DMSINI081E Invalid reply; enter 1 (YES) or 0 (NO)

| DMSINI360E Invalid response *response*  
| DMSWTK360E Invalid response *response*  
DMSWVV789W Invalid response

DMSSRT053E Invalid sort field pair defined  
DMSXMS053E Invalid sort field pair defined

| DMSWRM867E Invalid status *status* in *prodid* VMFMGLOG for entry *ptf*.  
DMSSSK362E Invalid storage protect key *key*

| DMSPKT580E Invalid string: Shift-out (SO) is not a valid delimiter  
| DMSMGC580E Invalid string: invalid double-byte character(s)  
DMSXDC580E Invalid string: invalid double-byte character(s)  
DMSXDC580E Invalid string: odd number of characters between SO and SI  
DMSXFD580E Invalid string: shift-out (SO) is not a valid delimiter  
DMSXDC580E Invalid string: unmatched shift-out (SO) and shift-in (SI)  
| DMSMGC580E Invalid string: unmatched shift-out (SO) and shift-in (SI)  
| DMSPKT580E Invalid string: Invalid double-byte character(s).  
| DMSPKT580E Invalid string: Odd number of characters between SO and SI.  
| DMSPKT580E Invalid string: Unmatched shift-out (SO) and shift-in (SI).

DMSINT512E Invalid subset command  
DMSXCM512E Invalid subset command  
DMSXDC512E Invalid subset command

| DMSMGC768W Invalid substitution character value *char*  
DMSWEX654E Invalid symbol *symbol*; {/0 must be specified alone|invalid character *char* following /  
symbol}  
DMSXDC548E Invalid synonym operand: *operand*  
DMSXSE548E Invalid synonym operand: *operand*

DMSASN035E Invalid tape mode  
DMSFLD035E Invalid tape mode

| DMSPMD407E Invalid unique ID *uniqueid*  
DMSUPD207W Invalid update file control card  
DMSXUP207W Invalid update file control card  
DMSMOD084E Invalid use of FROM and TO options  
DMSSPR026E Invalid value *value* for *keyword* keyword  
| DMSWSG026E Invalid value *value* for *keyword* keyword  
| DMSPCL390E Invalid value *value* for *operand* operand  
| DMSPCL395E Invalid value *value* for *option* option  
| DMSDEF913E Invalid virtual screen name: *vname*

DMSFLD704I Invalid CLEAR request  
DMSLBD704I Invalid CLEAR request

# DMS

---

DMSINI080E Invalid CYL/BLK number; reenter

DMSDLB086E Invalid DDNAME *ddname*

DMSMVE086E Invalid DDNAME *ddname*

DMSFRE160T Invalid DMSFREE call from *vstor*

DMSFRE161T Invalid DMSFRET call from *vstor*, error number *nn*

DMSEXE175E Invalid EXEC command

DMSWXP372E Invalid EXPAND control card

DMSSMN133S Invalid GETMAIN or FREEMAIN specification

DMSSTG133S Invalid GETMAIN or FREEMAIN specification

DMSGLO628E Invalid GLOBALV function *function*

| DMSQRF525E Invalid PF Key number

| DMSSEF525E Invalid PF Key number

DMSXQR525E Invalid PFkey/PAkey number

DMSXSE525E Invalid PFkey/PAkey number

DMSXSS525E Invalid PFkey/PAkey number

DMSMVE232E Invalid RECFM--spanned records not supported

DMSspr352E Invalid SETPRT data in file *fn ft*

DMSspl575E Invalid SPLIT columns defined

DMSGAM951E Invalid SVC *svc*; GAM/SP not installed

| DMSFLO447E Invalid SYSPARM information.

| DMSFLO035E Invalid tape mode

DMSZAP248W Invalid VER/REP displacement; set NO GO switch

DMSXMC575E Invalid VERIFY column(s) defined

| DMSINQ293R Is this a DBCS language? Enter 1 (YES) or 0 (NO)

DMSDMP325W IDUMP FOR 'jobname' TERMINATED DUE TO ERROR ON '00E'

DMSDMP146I IDUMP FOR identifier CALLED FROM mm/dd/yy hh:mm:ss

DMSEDI054E INCOMPLETE FILEID SPECIFIED

DMSDMP020W INVALID {PDUMP|IDUMP} ADDRESS 'vstor'; NO DUMP OPERATION PERFORMED

DMSGEN095E INVALID ADDRESS 'vstor'.

DMSERV070E INVALID ARGUMENT 'argument'.

| DMSFCO070E INVALID ARGUMENT 'argument'.

DMSPLO070E INVALID ARGUMENT 'argument'.

DMSNCP025E INVALID DATA IN 370X CONTROL PROGRAM

DMSVMF027E INVALID DEVICE 'devtype' FOR 'SYSaaa'

DMSERV027E INVALID DEVICE 'devtype' FOR 'SYSaaa'.

| DMSFCO027E INVALID DEVICE 'devtype' FOR 'SYSaaa'.

DMSPLO027E INVALID DEVICE 'devtype' FOR 'SYSaaa'.

DMSVMF017E INVALID DEVICE ADDRESS 'vdev'

DMSIMA014E INVALID FUNCTION 'function'  
 DMSVMF014E INVALID FUNCTION 'function'

DMSIMA349E INVALID LIBRARY LIBNAME  
 DMSRUN048E INVALID MODE 'fm '  
 DMSEDI048E INVALID MODE 'mode'  
 DMSVMF048E INVALID MODE 'mode'

DMSARN003E INVALID OPTION 'option'  
 DMSARX003E INVALID OPTION 'option'  
 DMSEDI003E INVALID OPTION 'option'  
 DMSIMA003E INVALID OPTION 'option'  
 DMSNCP003E INVALID OPTION 'option'  
 DMSVMF003E INVALID OPTION: 'option'

DMSIFC070E INVALID PARAMETER parameter  
 DMSRUN070E INVALID PARAMETER parameter  
 DMSARX070E INVALID PARAMETER parameter  
 DMSVMF070E INVALID PARAMETER parameter  
 DMSWSL070E INVALID PARAMETER parameter  
 DMSWSG070E INVALID PARAMETER parameter  
 DMSWTK070E INVALID PARAMETER parameter  
 DMSWUT070E INVALID PARAMETER parameter  
 DMSEDI029E INVALID PARAMETER 'parameter' IN THE 'LRECL' OPTION FIELD  
 DMSVMF029E INVALID PARAMETER 'parameter' IN THE OPTION 'option' FIELD

DMSVMF057E INVALID RECORD FORMAT  
 DMSVGN360E INVALID RESPONSE 'response '  
 DMSSGN360E INVALID RESPONSE 'response'

DMSPAR580E Invalid string: Unmatched shift-out (SO) and shift-in (SI).  
 DMSPAR580E Invalid string: Invalid double-byte character(s).  
 DMSPAR580E Invalid string: Odd number of characters between SO and SI.  
 DMSSGN015E INVALID SUBSET COMMAND  
 DMSVGN015E INVALID SUBSET COMMAND  
 DMSVGN369E INVALID--RELEASE 31 OR LATER REQUIRED  
 DMSREA830E

I/O ERROR READING A BLOCK OF RECORDS FROM THE ERROR RECORDING  
 CYLINDERS

DMSWUT979I IPL *vdev* has been created  
 DMSINI608R IPL device address = *vdev*  
 DMSINI082E IPL device error; reenter  
 DMSINI902T IPL device read I/O error  
 DMSINI131S IPL device write I/O error

DMSDOS160S Job *jobname* canceled due to program request  
 DMSDLB323I Job catalog DLBL cleared

# DMS

DMSJOI685E Joined line(s) exceed zone settings

DMSCPY157E Label *label* not found in file *fn ft fm*

DMSIUC754W Label CMSGEXIT, the IUCV Pending Connect exit, was given control. This is an error.

DMSSFD1075E Label on disk *label* and label on command *labeldo* not match

DMSINQ764R Language id =

DMSINQ295R Language level id =

DMSWLG312W Language not generated - no text decks specified in control file *fn ft fm*

DMSDSL213W Library *fn ft fm* not created

DMSDLK210E Library *fn ft* is on a read/only disk

DMSLBM213W Library *fn* MACLIB *fm* not created, or erased if empty

DMSLBT213W Library *fn* TXTLIB not created, or erased if empty

DMSPCA947E Line *line*: A syntax may not be defined after an arbitrary modifier statement.

DMSPCA947E Line *line*: An arbitrary modifier may not be the first or only :KW.n at its level.

DMSPCA947E Line *line*: *function* is not a system function.

DMSPCA947E Line *line*: *function* is not an active user function.

DMSPCA947E Line *line*: *routine* is not a valid routine name.

DMSPCA947E Line *line*: *value* is not a valid value for the function *function*.

DMSPCR948E Line *line*: *data* expected, not: *value*

DMSPCR948E Line *line*: *value* is out of order or not a CSDL statement name.

DMSPCR949E Line *line*: A closing quote was not found for a string.

DMSPCR949E Line *line*: The application id *applid* does not start with a capital letter.

DMSPCR949E Line *line*: The application id *applid* does not contain only letters and numbers.

DMSPCR949E Line *line*: The application id must be 3 characters long.

DMSPCR949E Line *line*: Invalid double-byte character(s)

DMSPCR949E Line *line*: Odd number of characters between SO and SI

DMSPCA947E Line *line*: Only :SYN statements may be used with a blank unique id.

DMSPCR949E Line *line*: The System/User indicator *indicator* does not start with S or U.

DMSPCR949E Line *line*: The character *character* may not be used in a name.

DMSPCA947E Line *line*: The command *command* conflicts with a translation on line *line*.

DMSPCA947E Line *line*: The command *command* conflicts with a synonym on line *line*.

DMSPCA947E Line *line*: The keyword *keyword* conflicts with one used on line *line*.

DMSPCR949E Line *line*: The minimum length must be a positive number, not *value*

DMSPCR949E Line *line*: The minimum length must be less than *value*, not *value*

DMSPCA947E Line *line*: The modifier *modifier* conflicts with one used on line *line*.

DMSPCR949E Line *line*: This modifier level cannot be more than *number*. You used *value*

DMSPCR949E Line *line*: The modifier level must be a positive number, not *value*

DMSPCA947E Line *line*: The synonym *synonym* conflicts with a translation used on line *line*.

DMSPCA947E Line *line*: The synonym *synonym* conflicts with one used on line *line*.

DMSPCA947E Line *line*: The synonym *synonym* conflicts with a command on line *line*.

DMSPCA947E Line *line*: The translation *translation* conflicts with one used on line *line*.

DMSPCA947E Line *line*: The translation *translation* conflicts with a synonym used on line *line*.

DMSPCA947E Line *line*: The translation *translation* conflicts with a command on line *line*.

DMSPCA947E Line *line*: The unique id *uniqueid* has already been used on line *line*.

DMSPCR949E Line *line*: The unique id *uniqueid* is longer than 16 characters.

DMSPCR949E Line *line*: There are no characters in a quoted string.

DMSPCR949E Line *line*: Unmatched shift-out (SO) and shift-in (SI)

DMSPCA947E Line *line*: TEXT function may not have values.

DMSPCA947E Line *line*: TEXT may not be mixed with other functions.

DMSXSF533E Line *nn* is not reserved

DMSMGC774E Line numbers for messages are not consecutive

DMSWNT669E List of addressees cannot begin with CC:

DMSWVT933W Logging stopped for virtual screen *vname*

DMSEXG283E The *name* DCSS could not be found; condition code *cc*, return code *rc* from FINDSYS

DMSLIO116S Loader table overflow

DMSMOD116S Loader table overflow

DMSLN116S Loader table overflow

DMSSET031E Loader tables cannot be modified

DMSWSL409I Loading *fn ft* to *user's vdev*

DMSCLS404S Logic module *fn* not found in CMSBAM segment

DMSBOP404S Logic module *fn* not found in CMSDOS segment

DMSXCT566E Logical screen (*sl1,sw1,sh1,sv1*) is outside the virtual screen

DMSXCT567E Logical screens (*sl1,sw1,sh1,sv1*) and (*sl2,sw2,sh2,sv2*) overlap each other

DMSXCT536E Logical screens exceed physical screen size

DMSXFD700E Logical AND operator & not valid for column targets

DMSFRE164T Low-core nucleus storage pointers destroyed (internal error code *nn*)

DMSFRE163T Low-core user chain has been destroyed (internal error code *nn*)

DMSPOR756E LGLOPR *userid nodeid* already assigned

DMSVGN362I LINK-EDITING sysname ...

DMSWLK846I LKED *target module* into *library*, RC = *nn*.

DMSXIN508E LOAD must be the first subcommand in the profile

DMSXSE519E LRECL must be lower than width (*nn*)

DMSXSE516E LRECL too large for V-format file

DMSWVV793I Maclib generation completed.

DMSWVV808R Macro library *libname* will be erased. Press "ENTER" to continue or type "QUIT" to exit.

DMSWVV802I Macros erased - VSEVSAM processing complete.

DMSDLB323I Master catalog DLBL cleared

DMSPT396E Maximum number of command table entries exceeded

DMSPCW396E Maximum number of command table entries exceeded

DMSDLB320I Maximum number of disk entries recorded

DMSDLB321I Maximum number of extents recorded

DMSRT212E Maximum number of records exceeded

DMSDEF915E Maximum number of windows already defined

DMSXPO915E Maximum number of windows already defined





DMSCLR386E Missing operand(s)  
DMSCUR386E Missing operand(s)  
DMSDEF386E Missing operand(s)  
DMSDEL386E Missing operand(s)  
DMSDRP386E Missing operand(s)  
DMSGET386E Missing operand(s)  
DMSHID386E Missing operand(s)  
DMSMAX386E Missing operand(s)  
DMSMIN386E Missing operand(s)  
DMSPPO386E Missing operand(s)  
DMSPST386E Missing operand(s)  
DMSPUT386E Missing operand(s)  
DMSRES386E Missing operand(s)  
DMSROU386E Missing operand(s)  
DMSSCL386E Missing operand(s)  
DMSSIZ386E Missing operand(s)  
DMSWRD386E Missing operand(s)  
DMSWAT386E Missing operand(s)  
DMSPCL387E Missing value for the *operand* operand  
DMSNXL589E Missing FILEDEF for DDNAME SYSIN  
DMSXDS589E Missing FILEDEF for DDNAME SYSIN  
DMSUPD180W Missing PTF file *fn ft fm*  
DMSXUP180W Missing PTF file *fn ft fm*

DMSNXL619E Module *module* not found  
DMSRRV004E Module *module* not found  
DMSLIO623S Module cannot be loaded at location *location*--this area is available for system use only  
DMSSLN350E Module is marked Not Executable  
DMSSLN351E Module is marked Only Loadable

DMSPOQ694E More than one *statement* statement in RTABLE  
DMSASM052E More than 100 characters of options specified  
DMSOSR052E More than 100 characters of options specified  
DMSGLB108S More than *nn* libraries specified.

DMSTVS269I Mount tape volume *valid* on virtual *nnn* {without|with} a write ring; request number *n*  
DMSWUT975I Moving *fn ft* to tape

DMSXMB157S MACLIB limit exceeded  
DMSLBM157S MACLIB limit exceeded[, last member added was *membername*]

DMSIMA751I MEMBER 'membername' FOUND IN LIBRARY 'libname'  
DMSIMA013E MEMBER 'membername' NOT FOUND IN LIBRARY 'libname'  
DMSNCP013E MEMBER 'membername' NOT FOUND IN LIBRARY 'libname'

DMSIFC831E MORE THAN 100 CHARACTERS OF OPTIONS SPECIFIED  
DMSARX052E MORE THAN 100 CHARS. OF OPTIONS SPECIFIED  
DMSMCM093E MVCOM macro attempt to alter positions other than 12-23 of COMREG

# DMS

---

DMSXCT540E Name already defined on line *nn*  
DMSXCT539E Named line not found

DMSXFC698W New record length may result in loss of double-byte characters  
DMSXPT698W New record length may result in loss of double-byte characters  
DMSWNM664E Next entry not found

DMSWLK005E No {LKEDCTRL|MODULE} specified  
DMSWLK842E No {control|library} file name found in *fn ft [fm]*  
DMSLBT001E No {file|CSECT} name specified  
DMSWSG958I No *keyword* initialized in *fn ft fm*  
DMSSSLG005E No application id specified  
DMSBTB100E No batch processor available  
DMSSRV098E No book name specified

DMSWPK643E No class *class* files in your reader  
DMSWRC643E No class *class* files in your reader  
DMSWSG643E No class *class* files in your reader

DMSCMP005E No column specified  
DMSDSV022W No core image directory  
DMSLDS226E No dataset name allowed with FREE option  
DMSARE028E No device specified  
DMSFOR028E No device specified  
DMSGND022E No directory name specified

DMSVRT039E No entries in library *fn ft fm*  
DMSPTN039E No entries in library *fn ft fm*  
DMSTYP039E No entries in library *fn ft fm*  
DMSUTL039E No entries in library *fn ft fm*  
DMSXMB039E No entries in library *fn ft fm*

DMSNAM635I No entries were found that matched your search criteria  
DMSLIO055E No entry point defined

DMSCON950I No errors found in file *fn ft fm*  
DMSCON950I No errors found in *fn ft fm* from XEDIT

DMSEXD042E No execid specified  
DMSEYG042E No execid specified  
DMSEYG042W No execid specified  
DMSEXL042E No execid specified  
DMSEXQ042E No execid specified

DMSRDC042E No fileid specified  
DMSCPY042E No fileid(s) specified  
DMSEYG042E No fileid(s) specified  
DMSEYG042W No fileid(s) specified  
DMSRSV042E No fileid(s) specified  
DMSUTL042E No fileid(s) specified  
DMSTPJ042E No fileid[(s)] specified

DMSLDS223E No filemode specified  
DMSRSV223E No filemode specified

DMSAMS001E No filename specified  
DMSASM001E No filename specified  
DMSDLB001E No filename specified  
DMSDLK001E No filename specified  
DMSEXC001E No filename specified  
DMSICP001E No filename specified  
DMSLBM001E No filename specified  
DMSLIO001E No filename specified  
DMSLKD001E No filename specified  
DMSMDP001E No filename specified  
DMSMOD001E No filename specified  
DMSNXL001E No filename specified  
DMSOSR001E No filename specified  
DMSPRE001E No filename specified  
DMSTMA001E No filename specified  
DMSUPD001E No filename specified  
DMSWNL001E No filename specified  
DMSWTX001E No filename specified  
DMSWXP001E No filename specified  
DMSWZT001E No filename specified  
DMSZAP001E No filename specified

DMSWRL205E No files in your reader  
DMSMOD040E No files loaded

DMSDLB023E No filetype specified  
DMSFLD023E No filetype specified  
DMSTPJ023E No filetype specified  
DMSWNL023E No filetype specified

DMSFLD699E No filetype specified or *vdev* is an invalid disk address  
DMSLDS233I No free space available on *fm* disk

DMSDSK047E No function specified  
DMSDSL047E No function specified  
DMSDSV047E No function specified  
DMSGLB047E No function specified  
DMSGLO047E No function specified  
DMSIMM047E No function specified  
DMSLBM047E No function specified  
DMSLBT047E No function specified  
DMSOVR047E No function specified  
DMSPOC047E No function specified  
DMSPOR047E No function specified  
DMS SFD047E No function specified  
DMSWSG047E No function specified  
DMSUTL047E No function specified  
DMSZAP047E No function specified

DMSIMM261E No immediate command name was specified

# DMS

---

DMSBTP105E No job card provided

DMSDSL046E No library name specified

DMSLBM046E No library name specified

DMSBOP996E No logic module pointer in DTF for *dtfname*

DMSDFT720E No longer linked to work station; error code was *nnn*

DMSLDS229I No members found

DMSRRV098E No module name specified

DMSXFC557S No more storage to insert lines

DMSXPO557S No more storage to insert lines

DMSXQR538E No name defined

DMSWSF675E No names specified

DMSWDF641E No options specified

DMSMOR353E No previous HELP command has been entered. Please enter HELP MOREHELP for information on the MOREHELP command.

DMSDSV027W No private core image library

DMSFCH016E No private core image library found

DMSDSV024W No procedure directory

DMSPRV098E No procedure name specified

DMSCON006E No read/write {disk|*diskmode*} disk accessed

DMSLLU006E No read/write [A] disk accessed

DMSPRV006E No read/write [A] disk accessed

DMSRRV006E No read/write [A] disk accessed

DMSRV006E No read/write [A] disk accessed

DMSWTX006E No read/write [A] disk accessed

DMSWZT006E No read/write [A] disk accessed

DMSASM006E No read/write disk accessed

DMSCON006E No read/write disk accessed

DMSDLK006E No read/write disk accessed

DMSICP006E No read/write disk accessed

DMSLKD006E No read/write disk accessed

DMSMGC006E No read/write disk accessed

DMSQRS006E No read/write disk accessed

DMSWLG006E No read/write disk accessed

DMSWLM006E No read/write disk accessed

DMSWNM006E No read/write disk accessed

DMSWNT006E No read/write disk accessed

DMSWRC006E No read/write disk accessed

DMSWSF006E No read/write disk accessed

DMSWSM006E No read/write [A] disk accessed [for *fn ft*]

DMSDDL006E No read/write disk accessed for *fn ft*

DMSAMS006E No read/write disk accessed for FNAME2 LISTING

DMSCPY173E No records were copied to output file *fn ft fm*

DMSDSV023W No relocatable directory  
DMSXMS063E No sort list given  
DMSDSV025W No source statement directory

DMSXCT554E No storage available  
DMSXDC554E No storage available  
DMSXED554E No storage available  
DMSXFD554E No storage available  
DMSXGT554E No storage available  
DMSXIN554E No storage available  
DMSXMA554S No storage available  
DMSXMS554S No storage available  
DMSXPT554S No storage available  
DMSXPX554E No storage available  
DMSXSE554E No storage available  
DMSXSF554E No storage available

DMSXDC542E No such subcommand: *subcommand*  
DMSXQR552E No synonym currently defined  
DMSSYN712I No synonyms (DMSINA not in nucleus)

| DMSSLG334E No system information or user additions were found for application *applid*

| DMSINS311W No system name specified; system not saved  
| DMSWSP311W No system name specified; system not saved  
DMSSYN711I No system synonyms in effect

| DMSWLM440W No text decks specified in control file  
DMSDSV021W No transient directory  
DMSSET061E No translation character specified

DMSUPD181E No update files were found  
| DMSSLG332E No user additions were loaded  
| DMSSLG332I No user additions were loaded  
DMSDLB324I No user defined {DLBL|MULT|EXTENT}s in effect  
DMSFLD324I No user defined FILEDEFs in effect  
DMSLBD324I No user defined LABELDEFs in effect

DMSNAM634E No value to search for was specified  
DMSERR215T No virtual console attached; re-IPL CMS  
| DMSPUT917E No windows are displayed  
| DMSREF917E No windows are displayed  
| DMSWRD917E No windows are {displayed|showing virtual screen: *vname*}  
| DMSXPO917E No windows are showing virtual screen *vname*  
| DMSXSC917E No windows are showing virtual screen *vname*

DMSFOR005E No BLKSIZE specified  
DMS SCH569E No CHANGE or CLOCATE subcommand specified  
DMSOPL158E No CMS/DOS procedure library support  
DMSAMS228E No DDNAME entered

| DMSWRM866W No PTFs have been *action*.  
DMSWMG866W No PTFs have been *action*.

# DMS

---

DMSPRV097E No SYSRES volume active  
DMSRRV097E No SYSRES volume active  
DMSSRV097E No SYSRES volume active  
DMSDLB302E No SYSXXX operand entered  
DMSBOP302E No SYSXXX operand specified  
DMSLLU303E No SYSXXX satisfies request

DMSXUP185W Non numeric character in sequence field *seqno*  
DMSPOR763E Not currently assigned as LGLOPR, cannot be released  
DMSXFD560E Not enough space for serialization between TRUNC and LRECL  
DMSXSE560E Not enough space for serialization between TRUNC and LRECL  
DMSXCG505E Not executed--the target line (*nn*) is within the lines to move  
DMSXCG498E Not executed--the two areas to merge overlap each other

DMSSPL586E Not found  
DMSXQR586E Not found  
DMSXSU586E Not found  
DMSSCH586E Not found [on screen]

DMSWNT667E Note header does not contain the {keyword FROM|keyword TO|OPTIONS line|DATE  
line}

DMSDFT912I Notification of *xxxx* failed with RC = *nnn*  
DMSTPD420E Nsl exit filename missing or invalid

DMSINI609R Nucleus (CYL or BLK) address = *nnnn*  
DMSINI083E Nucleus CYL/BLK specification unacceptable; error *x*  
DMSRDC701I Null file  
DMSTPF701I Null file

DMSLBT106S Number of member names exceeds maximum of 2000; file *fn* TEXT not added  
DMSMGC767I Number of message number characters to be displayed is *nn*  
DMSMGX408E Number of substitutions exceeds 20  
DMSCPY103S Number of SPECS exceeds maximum *nn*  
DMSVIP230E Number of VSAM exit routines has exceeded maximum of 128; unable to continue

DMSPOL758I NCCF user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOR758I NCCF user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOE761I NCCF LGLOPR session terminated  
DMSRUN999E NO ft PROCESSOR FOUND.  
DMSVMF042E NO FILEID SPECIFIED

DMSARN001E NO FILENAME SPECIFIED  
DMSARX001E NO FILENAME SPECIFIED  
DMSNCP001E NO FILENAME SPECIFIED  
DMSERV001E NO FILENAME SPECIFIED.  
DMSFCO001E NO FILENAME SPECIFIED.  
DMSPLO001E NO FILENAME SPECIFIED.  
DMSRUN001E NO FILENAME SPECIFIED.

DMSIFC023E NO FILETYPE SPECIFIED  
DMSVMF023E NO FILETYPE SPECIFIED

DMSIMA047E NO FUNCTION SPECIFIED  
DMSVMF047E NO FUNCTION SPECIFIED

DMSIMA046E NO LIBRARY NAME SPECIFIED  
DMSIMA001E NO MODULE NAME SPECIFIED

DMSVGN006E NO READ/WRITE DISK ACCESSED  
DMSERV006E NO READ/WRITE DISK ACCESSED  
DMSFCO006E NO READ/WRITE DISK ACCESSED  
DMSPLO006E NO READ/WRITE DISK ACCESSED  
DMSGEN006E NO READ/WRITE DISK ACCESSED  
DMSARN006E NO READ/WRITE DISK ACCESSED  
DMSARX006E NO READ/WRITE DISK ACCESSED

DMSWNT666E NOTE already exists; enter NOTE to continue or specify REPLACE option  
DMSWSF667E NOTE header does not contain the {keyword FROM|keyword TO|OPTIONS  
line|DATE line}

DMSFLD420E NSL exit filename missing or invalid  
DMSTMA420E NSL exit filename missing or invalid

DMSNAM618E NUCEXT failed  
DMSQRY618E NUCEXT failed  
DMSNXL618E NUCEXT failed  
DMSVMF701I NULL FILE

DMSACC230W O/S disk--fileid and/or options specified are ignored

DMSACP230W O/S disk--fileid and/or options specified are ignored

DMSZAP192W Odd number of digits; set NO GO switch

DMSWVV800E One of the files needed for maclib generation is missing.

DMSVGN365R One or more of the text files listed in the *fn* EXEC are missing. The VSAM PP PID tape should be on tape drive 181. Enter GO if tape drive is ready to LOADFILE or QUIT.

DMSWMG860E Only one {BASE|MERGE|ZAP|DELTA} entry record may appear in the *prodid* VMFPARM file

DMSWRM860E Only one {BASE|MERGE|ZAP|DELTA} entry record may appear in the *prodid* VMFPARM file

DMSWZP860E Only one {BASE|MERGE|ZAP|DELTA} entry record may appear in the *prodid* VMFPARM file

DMSEXL417E Only EXEC-2 and REXX EXECs are supported as storage resident EXECs

DMSEXG417W Only EXEC 2 and REXX EXECs are supported as storage resident EXECs.

DMSMVG089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}

DMSOPL089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}

DMSVLT089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}

DMSBOP089E Open error code *nn* on {*fn*|SYSaaa|TAP*n*}

DMSSOP036E Open error code *nn* on *ddname*

DMSRRV089E Open error code *nn* on SYSRLB

DMSSRV089E Open error code *nn* on SYSSLB

# DMS

---

DMSVIP781E Open error on *ddname*: possible catalog error. See VSE/VSAM documentation for open error code *code*.  
DMSVIP782E Open error on *ddname*: possible system error. See VSE/VSAM documentation for open error code *code*.  
DMSVIP779E Open error on *ddname*: possible user programming error. See VSE/VSAM documentation for open error code *code*.  
DMSVIP778E Open error on *ddname*: possible volume error. See VSE/VSAM documentation for open error code *code*.  
DMSVIP780E Open error on *ddname*: possible DLBL/EXTENT error. See VSE/VSAM documentation for open error code *code*.  
DMSXDS591E Open error on SYSIN

DMSSPL526E Option *option* valid in display mode only  
DMSXCT526E Option *option* valid in display mode only  
DMSXSE526E Option *option* valid in display mode only  
DMSMGC776I Options used: *list*

DMSJOI526E Option CURSOR valid in display mode only  
DMSWEX526E Option CURSOR valid in display mode only  
DMSUPD187E Option STK invalid without CTL

DMSUTL037E Output disk *mode* is accessed as read/only  
DMSMVE069E Output disk *mode* not accessed  
DMSRSV069E Output disk *mode* not accessed

DMSLST037E Output disk *mode*[(*vdev*)] is accessed as read/only  
DMSMVE037E Output disk *mode*[(*vdev*)] is accessed as read/only  
DMSXCP037E Output disk *mode*[(*vdev*)] is accessed as read/only

DMSSBS120S Output error code *nn* on *ddname*  
DMSSCT120S Output error code *nn* on *ddname*  
DMSSVT120S Output error code *nn* on *ddname*  
DMSXCP411S Output error code *nn* on SYSaaa

DMSCPY002E Overlay file(s) [*fn* [*ft* [*fm*]]] not found

DMSWSM851W Page number exceeds device limit of *limit* for *sysname*; SYSSTRT parameter = *parameter*

DMSSET050E Parameter missing after *function*  
DMSFFD050E Parameter missing after *function*  
DMSMGX050E Parameter missing after *option*  
DMSWSG050E Parameter missing after *value*  
DMSWSL050E Parameter missing after *value*  
DMSWTK050E Parameter missing after *value*  
DMSWUT050E Parameter missing after *value*  
DMSDLB050E Parameter missing after DDNAME  
DMSFLD050E Parameter missing after DDNAME  
DMSNXD050E Parameter missing after NUCXDROP  
DMSASN050E Parameter missing after SYSaaa



DMSZAP191W Patch overlaps; set NO GO switch

DMSCRD171T Permanent console error  
DMSCWR171T Permanent console error  
DMSCIT171T Permanent console error; re-IPL CMS  
DMSFOR125S Permanent unit check on disk *mode(vdev)*  
DMSFNS909T Permanent I/O error on *vdev*; *csw = csw*, *sense = sense*  
DMSRSV909E Permanent I/O error on *vdev*; *csw = csw*, *sense = sense*

DMSFET710I Phase *phase* entry point at location *hexloc*  
DMSFET004E Phase *phase* not found  
DMSLDF004E Phase *phase* not found  
DMSDSL013W Phase *phase* not found in library *libname*  
DMSFCH623S Phase cannot be loaded at location *hexloc*--this area is available for system use only  
DMSFET623S Phase cannot be loaded at location *hexloc*--this area is available for system use only  
DMSFCH115E Phase load point less than *vstor*

DMSZAP193W Preceding control record flushed

DMSPSH661E Prefix *name* is invalid for the line on which it was entered  
DMSPSI661E Prefix *name* is invalid for the line on which it was entered  
DMSPSW661E Prefix *name* is invalid for the line on which it was entered  
DMSPXX661E Prefix *name* is invalid for the line on which it was entered  
DMSXPX661E Prefix *name* is invalid for the line on which it was entered

DMSXSU588E Prefix subcommand waiting...  
DMSPRE238E Preloader processing error  
DMSWLK010E Premature EOF on file *fn ft*  
DMSCMP010E Premature EOF on file *fn ft [fm]*  
DMSTPJ010E Premature EOF on file *{fn ft [fm]}|number nn}*  
DMSUPD010W Premature EOF on file *fn ft fm*--sequence number *seqno* not found  
DMSHEL241I {Press PF10 for detail information; PF11 for related information.|Press PF10 for detail information.|Press PF11 to get related information.}  
DMSHEL241I {Press PF10 for detail information; PF11 for related information.|Press PF10 for detail information.|Press PF11 to get related information.}  
DMSHEL241I {Press PF10 for detail information; PF11 for related information.|Press PF10 for detail information.|Press PF11 to get related information.}

DMSWNM664E Previous entry not found  
DMSLBM167S Previous MACLIB function not finished  
DMSXMB167S Previous MACLIB function not finished

DMSFLD735E Primary and alternate drives are identical.  
DMSSPR196I Printer *vdev* setup complete  
DMSBTP109E Printer limit exceeded  
DMSSPR199S Printer 00E not a virtual 3800 Model 1 or Model 3  
DMSSPR113S Printer 00E not attached

DMSASN113S Printer (*vdev*) not attached  
DMSCIO113S Printer (*vdev*) not attached  
DMSCLS113S Printer (*vdev*) not attached  
DMSDBG113S Printer (*vdev*) not attached  
DMSPIO113S Printer (*vdev*) not attached

# DMS

---

DMSVPD113S Printer (*vdev*) not attached

DMSXCP113S Printer (*vdev*) not attached

DMSPRV004E Procedure *procedure* not found

DMSWZP865I Processing {PTF|ZAP} *name*

DMSWVG865I Processing {PTF|ZAP} *name*

DMSWRM865I Processing {PTF|ZAP} *name*

DMSSTT227I Processing volume no in data set *data set name*

DMSITP141T Program interrupt *Xxx* occurred at *vstor* in routine *routine*

DMSITP142T Program interrupt *Xxx* occurred at *vstor* in routine *routine* during SPIE exit routine

DMSITP144T Program interrupt *Xxx* occurred at *vstor* in routine *routine* while UFDBUSY = *xx*;  
re-IPL CMS

DMSITP143T Program interrupt *Xxx* occurred at *vstor* in system routine *routine*; re-IPL CMS

DMSLIO206W Pseudo register alignment error

DMSLIO168S Pseudo register table overflow

DMSWSF674E Punch is not ready

DMSASN113S Punch (*vdev*) not attached

DMSCIO113S Punch (*vdev*) not attached

DMSCLS113S Punch (*vdev*) not attached

DMSDBG113S Punch (*vdev*) not attached

DMSPIO113S Punch (*vdev*) not attached

DMSVPD113S Punch (*vdev*) not attached

DMSXCP113S Punch (*vdev*) not attached

DMSMVE225I PDS member *membername* moved

DMSPOE759I PMX terminated

DMSPPX646E PREFIXX must be invoked from the prefix area

DMSVMF010E PREMATURE EOF ON FILE NUMBER '*nn*'

DMSPSH646E PRFSHIFT must be invoked from the prefix area

DMSPSW646E PRFSHOW must be invoked from the prefix area

DMSPOC690E PROPCHK not specified in RTABLE

DMSPOR690E PROPCHK not specified in RTABLE

DMSPOC709E PROPCHK not specified in RTABLE for node *nodeid*

DMSPOR709E PROPCHK not specified in RTABLE for node *nodeid*

DMSWRM892E PTF *name* has not been *action*.

DMSWRM883W PTF *name* is not a part of product *prodid* and must be *action* in product *prodid*

DMSWVG864E PTF *name* will not be *action* because it already is *status*

DMSWVG864I PTF *name* will not be *action* because it already is *status*.

DMSWVG864W PTF *name* will not be *action* because it {already is | is not} *status*

DMSWRM864W PTF *name* will not be *action* because it {already is | is not} *status*

DMSWZP864W PTF *name* will not be *action* because it {already is | is not} *status*

DMSWRM823E PTF *name1* is listed as a dependent of PTF *name2*, but PTF *name1* is not merged

DMSWVG892E PTF *name* has not been *action*

DMSWVG868E PTF *name* is not a part of product *prodid*.

DMSWVG883W PTF *ptf* is not a part of product *prodid* and must be *action* in product *prodid*.

DMSDSK205W Reader empty or not ready

DMSRDC205W Reader empty or not ready

DMSDSK496S Invalid file *fn ft fm* found in input record

DMSWPK674E Reader is not ready

DMSWRC674E Reader is not ready

DMSASN113S Reader (*vdev*) not attached

DMSCIO113S Reader (*vdev*) not attached

DMSCLS113S Reader (*vdev*) not attached

DMSDBG113S Reader (*vdev*) not attached

DMSPIO113S Reader (*vdev*) not attached

DMSVPD113S Reader (*vdev*) not attached

DMSXCP113S Reader (*vdev*) not attached

DMSDSK1079R Receive *fn1 ft1 fm1*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* and replace the existing file of the same name?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* and replace *fn2 ft2 fm2*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace the existing file of the same name?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDSK1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace *fn2 ft2 fm2*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* and replace the existing file of the same name?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* and replace *fn2 ft2 fm2*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace the existing file of the same name?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSRDC1079R Receive *fn1 ft1 fm1* as *fn3 ft3 fm3* and replace *fn2 ft2 fm2*?

Reply 0 (NO), 1 (YES), 2 (QUIT), or 3 (RENAME)

DMSDDL636W Received null file; no file created

DMSWVL156E Record *nnn* not found-- the file *fn ft fm* has only *nnn* records

DMSNAM156E Record *nnn* not found-- the file *fn ft fm* has only *nnn* records

DMSXGT156E Record *nnn* not found--the file *fn ft fm* has only *nnn* records

DMSPR044E Record exceeds allowable maximum

DMSPU044E Record exceeds allowable maximum

DMSRDC738I Record length is *nnn* bytes

DMSWZP887E Record number *number* from the *fn ft [fm]* file is longer than 80 bytes.

DMSXGT563W Records {truncated|spilled}

DMSWSF579E Records truncated to *nn* when added to *fn ft fm*

# DMS

---

DMSXPT579E Records truncated to *nn* when added to *fn ft fm*

DMSDSK1081R Replace *fn ft fm*?

DMSRDC1081R Reply 0 (NO), 1 (YES), or 2 (QUIT)

DMSHEL244W Requested HELP section unavailable; *option* option assumed.

DMSHLL244W Requested HELP section unavailable; *option* option assumed.

DMSPOR627E Result is *nnnn* bytes too large for CP command buffer

DMSWSM884I Results of mapping are in two CMS files: DASD SNTMAP contains DASD related information, and MEMORY SNTMAP contains memory related information.

DMSXCM514E Return code *nn* from *command*

DMSXSE514E Return code *nn* from *command*

DMSLMX514E Return code *nnn* from NUCXLOAD

DMSWNL122E Return code *rc* from *routine*

DMSDFT717E Return code from command line entry was *nnn*

DMSNAM633W Returned values were truncated

DMSINI607R Rewrite the nucleus? Enter 1 (YES) or 0 (NO)

DMSRDC702I {READ control card missing. Following assumed:

:READ READCARD CMSUT1 A1|

:READ}

DMSXSE515E RECFM must be F, V, FP, or VP

DMSEDI044E RECORD LENGTH EXCEEDS ALLOWABLE MAXIMUM

DMSHEL243I RELATED information is not available.

DMSHLL243I RELATED information is not available.

DMSMOR354E RELATED information is not available for the last HELP command entered.

DMSEDI144S REQUESTED FILE IS IN ACTIVE STATUS

DMSRSV603R RESERVE will erase all files on disk *mode(vdev)*. Do you wish to continue? Enter 1 (YES) or 0 (NO)

DMSSSL529E RGTLEFT is only valid in display mode

DMSPOQ620E RTABLE error on line *nnn*: *message*

DMSDOS091E Save area address in partition PIB not equivalent to LTA save area address

DMSITS154T Save area for SVC call from *vstor* cannot be allocated

DMSSET142S Saved system name *sysname* invalid

DMSINI730R Saved systemname =

DMSWIR614E Screen modifications lost. See 'SET FULLREAD' to use PA keys safely.

DMSSEFD1076E Segment name in disk label *segname* and segment name on command *segname* do not match

DMSDSK078W Sequence error detected loading *fn ft*--expected *seqno1* found *seqno2*

DMSUPD174W Sequence error introduced in output file: *seqno1* to *seqno2*

DMSXUP174W Sequence error introduced in output file: *seqno1* to *seqno2*

DMSUPD182W Sequence increment is zero

DMSUPD186W Sequence number *seqno* not found

DMSXUP186W Sequence number not found  
DMSUPD176W Sequencing overflow following sequence number *seqno*  
DMSLKD012W Severe error messages issued

DMSINS100W Shared {S-STAT|Y-STAT} not available  
| DMSWSP100W Shared {S-STAT|Y-STAT} not available  
| DMSINQ296R Should the installation segment be used? Enter 1 (YES) or 0 (NO)

| DMSSTT062E SO and SI are invalid fileid characters

DMSIMM263E Specified immediate command is a nucleus extension and cannot be cleared  
| DMSCUR923E Specified location is outside the virtual screen  
| DMSWMM923E Specified location is outside the virtual screen  
| DMSWRT923E Specified location is outside the virtual screen  
| DMSWVL923E Specified location is outside the virtual screen

DMSXCG503E Spilled  
DMSXMD503E Spilled

DMSWPK655E Spoolid *nnnn* does not exist  
DMSWRC655E Spoolid *nnnn* does not exist

DMSBOP413S Storage not initialized for VSAM processing  
DMSLDF413S Storage not initialized for VSAM processing

DMSSCH551I String *string* found; PF*nn* set for selective change  
DMSHEL586E String not found  
DMSXCG511E String2 contains more arbitrary characters than string1

DMSSOR581E Subcommand is not valid in extended mode  
DMSXCG581E Subcommand is not valid in extended mode  
DMSXMC581E Subcommand is not valid in extended mode  
DMSXPO581E Subcommand is not valid in extended mode

DMSSCH529E Subcommand is only valid in {display|editing} mode  
DMSXCT529E Subcommand is only valid in display mode  
DMSXMD529E Subcommand is only valid in display mode  
DMSXML529E Subcommand is only valid in display mode  
DMSXPO529E Subcommand is only valid in display mode  
DMSXSS529E Subcommand is only valid in display mode  
DMSXSE568E Subcommand not valid with this screen definition

| DMSMGC766I Substitution character is *char*  
DMSPSH686E Synonym *name* not recognized by prefix macro PRFSHIFT  
DMSPPX686E Synonym *name* not recognized by prefix macro PREFIXX  
DMSXDC549E Synonym abbreviation too large  
DMSXDC547E Synonym definition incomplete  
| DMSPAR727E Syntax definition for uniqueid *uniqueid* not found

DMSBOP400S System *sysname* does not exist  
DMSSET400S System *sysname* does not exist  
DMSSSK400S System *sysname* does not exist

# DMS

---

DMSVIB400S System *sysname* does not exist

DMSPOE148T System abend *xxx* call from *vstor*

DMSABN148T System abend *xxx* called from *vstor*

DMSABN152T System abend *xxx* called from *vstor* while UFDBUSY = *xx*; re-IPL CMS

DMSINQ606R System disk address = *vdev*

DMSSSK365E System name not specified

DMSINS731W System will not be saved; reissue the IPL command with the SAVESYS parameter

DMSWSP731W System will not be saved; reissue the IPL command with the SAVESYS parameter

DMSLBD442E SCRATCH may only be used as the last valid for the file

DMSCLS140S SEOV/FEOV macro not supported

DMSLIO203W SET LOCATION COUNTER *name* undefined

DMSSPR198E SETPRT load check; sense = *sense*

DMSARN012W SEVERE ERROR MESSAGES ISSUED

DMSPSI529E SI is only valid in display mode

DMSIFC832S SOFTWARE INCOMPATIBILITY AT THE CPERP-EREP INTERFACE; CODE =  
*NNN*

DMSXMS493E SORT invalid in update mode

DMSCPY101S SPECS temp string storage exhausted at *storarea*

DMSSJC529E SPLTJOIN is only valid in {display|editing} mode

DMSDFT716E SRPI subcommand environment was not found.

DMSVGN366I STARTING TO READ PTF DECKS FROM READER...

DMSSTX092E STXIT save area address invalid

DMSITS136T SVC call from *vstor* illegally re-enters INTSVC; re-IPL CMS

DMSVGN363I *sysname* DOSLIB CREATED ON DISK 'mode'.

DMSVGN371R *sysname* IS LOADED, IF ZAPS ARE TO BE APPLIED GO 'CP' MODE, APPLY THE  
ZAPS AND THEN REPLY 'GO'.

DMSDLB301E SYSaaa not assigned for disk *fm*

DMSDLB306E SYSaaa not assigned for IGNORE

DMSINS313W SYSPROF EXEC not found; notify system administrator

DMSWSM852E SYSSTRT parameter for *sysname* is not compatible with *devtype* DASD type for *valid*;  
SYSSTRT parameter = *parameter*

DMSSGN365I SYSTEM *sysname* SAVED.

DMSVGN365I SYSTEM *sysname* SAVED.

DMSSET258E SYSTEM translation synonyms can not be set ON unless SYSTEM translations are  
also set ON, application id: *applid*

DMSSET258E SYSTEM translation synonyms can not be set OFF unless SYSTEM translations are  
also set OFF, application id: *applid*

DMSUTL188W SYSUT2 header is invalid because of blocksize incompatibility; user action required

DMSTMA139S Tape file exceeds 9 CMS MACLIBs

DMSTVS267I Tape mount for volume *valid* on virtual *nnn* was canceled by the user

DMSTPI613E Tape must be invoked as a nucleus extension

DMSTVS272E Tape on virtual *nnn* is not a standard label tape

DMSTVS273E Tape on virtual *nnn* is volume *valid*--wrong tape

DMSTVS274E Tape on virtual *nnn*, volume *valid*, requires a write ring  
 DMSTVS275E Tape on virtual *nnn*, volume *valid*, has a write ring--no write ring was requested

DMSASN113S Tapin(*vdev*) not attached  
 DMSCIO113S Tapin(*vdev*) not attached  
 DMSCLS113S Tapin(*vdev*) not attached  
 DMSDBG113S Tapin(*vdev*) not attached  
 DMSPIO113S Tapin(*vdev*) not attached  
 DMSTLM113S Tapin(*vdev*) not attached  
 DMSVPD113S Tapin(*vdev*) not attached  
 DMSXCP113S Tapin(*vdev*) not attached

DMSASN113S Tapout(*vdev*) not attached  
 DMSCIO113S Tapout(*vdev*) not attached  
 DMSCLS113S Tapout(*vdev*) not attached  
 DMSDBG113S Tapout(*vdev*) not attached  
 DMSPIO113S Tapout(*vdev*) not attached  
 DMSTLM113S Tapout(*vdev*) not attached  
 DMSVPD113S Tapout(*vdev*) not attached  
 DMSXCP113S Tapout(*vdev*) not attached

DMSSCH551I Target *name* found; PF*nn* set for selective change  
 DMSXDC546E Target not found

DMSTPD707I Ten files copied  
 DMSLKD016W Terminal error messages issued  
 DMSXIO572E Terminal error; data changed to uppercase  
 DMSMVE706I Terminal input; type null line for end of data  
 DMSWLG292W Text data will be loaded at '20000'x in user area; user data may be overwritten  
 DMSMGC775W Text too long - 240 characters is the maximum allowed

DMSWVG863E The {MERGE|ZAP} disk *vdev* must be linked read-write.  
 DMSWRM863E The {MERGE|ZAP} disk *vdev* must be linked read-write.  
 DMSWZP863E The {MERGE|ZAP} disk *vdev* must be linked read-write.

DMSWUT976I The *fn ft* program is on tape file number *number*

DMSWVG859E The *prodid* VMFPARM file has no disk addresses on the  
 {BASE|MERGE|ZAP|DELTA} entry record  
 DMSWRM859E The *prodid* VMFPARM file has no disk addresses on the  
 {BASE|MERGE|ZAP|DELTA} entry record  
 DMSWZP859E The *prodid* VMFPARM file has no disk addresses on the  
 {BASE|MERGE|ZAP|DELTA} entry record

DMSWLG289E The default language, *langid*, must be active  
 DMSWPK683E The entire file must be peeked at to be formatted  
 DMSWPK683W The file has an LRECL greater than 255 and cannot be reformatted

DMSWSL968I The following minidisks defined in the base CP directory will be formatted:

AUTOLOG1	191	CMSBATCH	195
CMSUSER	191	EREP	191
OPERATNS	191,193	MAINT	201,319
MAINT	293,294,494,496,596		

# DMS

DMSWTK968I The following minidisks defined in the base CP directory will be formatted:

```
AUTOLOG1 191      CMSBATCH 195
CMSUSER 191      EREP 191
OPERATNS 191,193  MAINT 201,319
MAINT 293,294,494,496,596
```

DMSLIO201W The following names are undefined: *namelist*

DMSWVV791I The library name will be *libname*. Press "ENTER" to continue, else enter "QUIT" or the name to be used for the library.

DMSXCT697E The logical screens must cover the full virtual screen width

DMSFFD283E The *name*DCSS could not be {found|loaded|saved} [condition code *cc*] return code *rc* from {FINDSYS|LOADSYS|SAVESYS}

DMSWNM660E The nickname field must be filled in

DMSWVG857E The number of disk addresses on the DELTA entry record cannot exceed nine

DMSWRM857E The number of disk addresses on the DELTA entry record cannot exceed nine

DMSSEF927E {The virtual screen must contain at least {1 line|5 lines and 20 columns}|The physical screen must contain at least 20 lines and 80 columns}

DMSWZP876E The total number of disk addresses on the BASE and MERGE entry records cannot exceed nine

DMSWNM645W The user tag name *name* is too long to display in the panel

DMSWNM658W The value for the *tag* tag is too long to display on the panel

DMSXWS927E {The virtual screen must contain at least {1 line|5 lines and 20 columns}|The physical screen must contain at least 20 lines and 80 columns}

DMSWML668E The APPEND option must be specified alone

DMSDEL919E The CMS {window|virtual screen} cannot be deleted

DMSWLG284E The DCSS is not completely inside the virtual machine.

DMSWLG286E The DCSS is too small for the data being stored

DMSFFD286E The DCSS is too small for the data being stored.

DMSEXG286W The DCSS is too small for the data being stored.

DMSLGG277E The DCSS is located partially or entirely inside the virtual machine

DMSINS327I The EXEC DCSS could not be loaded.

DMSWSP327I The EXEC DCSS could not be loaded.

DMSUTL189E The LIST function of the LOADLIB command does not support concatenated SYSUT1

DMSWVV798R The VSE/VSAM Optional Source Statement Library tape must be mounted as virtual 181. If it is not, enter QUIT here and have the tape mounted. Else, press "ENTER" to continue.

DMSWVG961E There are class *class* files in the *device*

DMSWTK961E There are class *class* files in the *device*

DMSEXD416W There are no '*execname exectype*' {SYSTEM|[or]USER|[or]SHARED} EXECs storage resident.

DMSEXM416W There are no '*execname exectype*' {SYSTEM|[or]USER|[or]SHARED} EXECs storage resident.

DMSLIO749W There are too many comments in text files to be included in the module

DMSLIO625S There are too many items that require relocation to save all of the RLD information

DMSWNM663W There is/are *nn* undisplayed tag(s)

DMSHEL242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.

DMSHLL242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.



DMSHLZ242I This HELP file *fn ft* has not been converted to the current release format or contains an invalid format word.

DMSWRC687E This is a system {HELD|DUMP} file--this file cannot be peeked at

DMSWPK687E This is a system {HELD|DUMP} file--this file cannot be {peeked at|received}

DMSWRC681E This is an unnamed file; specify filename and filetype

DMSXMS596E This module must be called within the editor

DMSTVS266I To cancel the tape volume switch, type CANCEL

DMSWSG984E Too many class *class* files in *device*

DMSCPY102S Too many fileids

DMSXCT534E Too many logical screens defined

DMSXDC550E Too many operands in synonym definition

DMSNAM633E Too many tags were encountered--maximum is 64 per line

DMSSPR204E Too many WCGMs needed for CHARS

DMSXMC576E Total offset width exceeds screen size (*nn*)

DMSXMC576E Total verify width exceeds screen size (*nn*)

DMSTPJ115S Translation feature not supported on device *vdev*

DMSXCG503E Truncated

DMSXMD503E Truncated

DMSXPO503E Truncated

DMSWUT978R Type: (190) or *cuu*

DMSWTK967R Type: (Yes) or No

DMSWTK982R Type: real address or SKIP

DMSXCT523I Typewriter mode

DMSBOP043E TAP*n(vdev)* is file protected

DMSCLS043E TAP*n(vdev)* is file protected

DMSTLM043E TAP*n(vdev)* is file protected

DMSTPJ043E TAP*n(vdev)* is file protected

DMSXCP043E TAP*n(vdev)* is file protected

DMSBOP113S TAP*n(vdev)* not attached

DMSASN113S TAP*n(vdev)* not attached

DMSCIO113S TAP*n(vdev)* not attached

DMSCLS113S TAP*n(vdev)* not attached

DMSDBG113S TAP*n(vdev)* not attached

DMSPIO113S TAP*n(vdev)* not attached

DMSTLM113S TAP*n(vdev)* not attached

DMSTPJ113S TAP*n(vdev)* not attached

DMSVPD113S TAP*n(vdev)* not attached

DMSXCP113S TAP*n(vdev)* not attached

DMSTLM425R TAP*n(vdev)* block count error for *fn*; enter IGNORE or CANCEL

DMSTLM434E TAP*n(vdev)* input label check error for file *fn*

DMSTLM436I TAP*n(vdev)* missing user standard label for *ddname*

DMSTLM424E TAP*n(vdev)* not positioned at EOF1 or EOVI label

DMSTLM423I TAP*n(vdev)* positioned parameter ignored; output file will be written immediately after new VOL1 label

DMSTLM422E TAP*n(vdev)* positioned wrong for *fn*

# DMS

---

DMSTLM426R TAPn(*vdev*) unexpired file; enter IGNORE or ERROR  
DMSTLM432E TAPn(*vdev*) valid *valid* does not match LABELDEF valid (*valid*) for *fn*

DMSCLS429I TAPn(*vdev*) EOT on output  
DMSSTP429I TAPn(*vdev*) EOT on output  
DMSTLM427I TAPn(*vdev*) EOVI label read  
DMSTLM428I TAPn(*vdev*) EOVI label written on *valid*  
DMSTLM421E TAPn(*vdev*) HDR1 label missing for *fn*  
DMSVMF043E TAPn(*vdev1*) IS FILE PROTECTED  
DMSSTP430E TAPn(*vdev*) LABELDEF information missing for file *fn*  
DMS SOP430E TAPn(*vdev*) LABELDEF information missing for file *fn*  
DMSTLM430E TAPn(*vdev*) LABELDEF information missing for file *fn*  
DMSVMF113S TAPn(*vdev1*) NOT ATTACHED  
DMSTLM437I TAPn(*vdev*) NSL routine returned an error code *code* for *fn*  
DMSTLM431E TAPn(*vdev*) VOL1 label missing  
DMSTPJ431E TAPn(*vdev*) VOL1 label missing

## DMSARN016W TERMINAL ERROR MESSAGES ISSUED

DMSXCT584I TOF:  
DMSXSU584I TOF:  
DMSCPY172E TOLABEL *label* {equals|is an initial substring of} FRLABEL *label*  
DMSVMF115S TRANSLATION FEATURE NOT SUPPORTED ON DEVICE '*vdev*'

DMSXUP598S Unable to build update file: internal list destroyed  
DMSXUP599S Unable to build update file: serialization destroyed  
DMSWZP858E Unable to find a *tag* entry record in the *fn ft* file.  
DMSWVG858E Unable to find a *tag* entry record in the *fn ft* file.  
DMSWRM858E Unable to find a *tag* entry record in the *fn ft* file.  
DMSWSM854W Unable to find CP directory file *fn ft fm*; no \$SAVSYS\$ boundary checking will be done.  
DMSWUT974I Unable to find IPL decks on the minidisk you indicated  
DMSDFT718E Unable to link to work station.  
DMSAMS136S Unable to load IDCMA\$

DMSXUP597E Unable to merge updates containing ./S cards  
DMSBOP995E Unable to obtain free storage for DMSCLS processing; redefine storage size  
DMSCLS995E Unable to obtain free storage for DMSCLS processing; redefine storage size  
DMSWUT971E Unable to locate *fn ft*  
DMSLOS073E Unable to open file *ddname*  
DMSMGC073E Unable to open file *ddname*  
DMSUTL073E Unable to open file *ddname*  
DMSWSM848E Unable to proceed without \$DASD\$ CONSTS file information.  
DMSWUT986I Unable to restore ACCESS to *mdisk*  
DMSLGL278E {Unable to set requested language: *langid*. [The requested language: *langid* is not available;] [*langid2* forced [[by CP], condition code *code*, return code *rc*]]  
DMSXIN500E Unable to unpack file *fn ft fm*

DMSHEL657E Undefined PFkey/PAkey  
DMSWNM657E Undefined PFkey/PAkey  
DMSWSF657E Undefined PFkey/PAkey

DMSXSC657E Undefined PFkey/PAkey  
DMSDFT657E Undefined PFkey/PAkey

DMSSPR197S Undiagnosed error from printer 00E  
DMSCPY901T Unexpected error at *vstor1*: *plist function fn ft fm* at *vstor2*, base *vstor3*, rc *nn*  
DMSUTL901T Unexpected error at *vstor1*: *plist function fn ft fm* at *vstor2*, base *vstor3*, rc = *nn*  
DMSCVH161S Unexpected error code *nn* on SYSaaa  
DMSLDF161S Unexpected error code *nn* on SYSaaa  
DMSXCP161S Unexpected error code *nn* on SYSaaa  
DMSFRE166T Unexpected error in free storage management routine (internal error code *nn*); re-IPL  
CMS

DMSALA391E Unexpected operand(s): *operand*  
DMSPCL391E Unexpected operand(s): *operand*  
DMSCLR391E Unexpected operand(s): *operand*  
DMSCUR391E Unexpected operand(s): *operand*  
DMSDEF391E Unexpected operand(s): *operand*  
DMSDEL391E Unexpected operand(s): *operand*  
DMSDRP391E Unexpected operand(s): *operand*  
DMSGET391E Unexpected operand(s): *operand*  
DMSHID391E Unexpected operand(s): *operand*  
DMSMAX391E Unexpected operand(s): *operand*  
DMSMIN391E Unexpected operand(s): *operand*  
DMSPPO391E Unexpected operand(s): *operand*  
DMSPST391E Unexpected operand(s): *operand*  
DMSPUT391E Unexpected operand(s): *operand*  
DMSREF391E Unexpected operand(s): *operand*  
DMSRES391E Unexpected operand(s): *operand*  
DMSROU391E Unexpected operand(s): *operand*  
DMSSHO391E Unexpected operand(s): *operand*  
DMSSIZ391E Unexpected operand(s): *operand*  
DMSWRD391E Unexpected operand(s): *operand*  
DMSWAT391E Unexpected operand(s): *operand*  
DMSSCL391E Unexpected operand: *operand*  
DMSCPY904T Unexpected UNPACK error at *vstor1*, base *vstor2*

DMSINT015E Unknown {CP/CMS|CMS|CP} {CMS|subset} command  
DMSDFT015E Unknown CP/CMS command  
DMSINT513E Unknown CP/CMS command  
DMSPOR513E Unknown CP/CMS command  
DMSXCM513E Unknown CP/CMS command  
DMSDSK1123E Unknown response *text* ignored.  
DMSRDC1123E Unknown response *text* ignored.  
DMSWRC1123E Unknown response *text* ignored.

DMSPRE236E Unresolved external reference(s) encountered  
DMSMVE127S Unsupported device for DDNAME  
DMSLCK119S Unsupported form of {*macroname*|*parameter*}  
DMSSUB119s Unsupported form of {*macroname*|*parameter*}  
DMSSVT119S Unsupported form of *macro* *macro*  
DMSLIC096S Unsupported function in a LIOCS routine for command  
DMSDDL636E Unsupported type of NETDATA file

DMSBOP088E Unsupported DTF type *dtftype*

# DMS

---

DMSCLS088E Unsupported DTF type *dtftype*  
DMSDPDP088E Unsupported DTF type *dtftype*  
DMSSTT229E Unsupported OS data set, error *nn*  
DMSXSU229E Unsupported OS dataset, error *nn*  
DMSDOS121S {Unsupported [function *function* of]} Invalid form of} SVC *svc* (HEX *xx*) called from  
*vstor*  
DMSSTT121S {Unsupported [function *function* of]} Invalid form of} SVC *svc* (HEX *xx*) called from  
*vstor*  
DMSGMF121S {Unsupported [function *function* of]} Invalid form of} SVC *svc* (HEX *xx*) called from  
*vstor*  
DMSITS134S Unsupported SVC 203 code *nn* called from *vstor*

DMSXIN570W Update *ft* specified in the UNTIL option field not found  
DMSXUP570W Update *ft* specified in the UNTIL option field not found  
DMSUPD304I Update processing will be done using disk  
DMSUPD178I Updating *fn ft fm*  
DMSXUP178I Updating *fn ft fm*

DMSABN155T User abend *nnnn* called from *vstor*  
DMSSTT228I User labels bypassed on data set *data set name*  
DMSWTL499E User not authorized to issue *command* command

DMSWNT648E Userid *name* not found; check the *userid* NAMES file  
DMSWSF648E Userid *name* not found; no files have been sent  
DMSWTL648E Userid *name* not found; no message has been sent  
DMSWNT647E Userid not specified for *nickname* in *userid* NAMES file  
DMSWSF647E Userid not specified for *nickname* in *userid* NAMES file  
DMSWTL647E Userid not specified for *nickname* in *userid* NAMES file

DMSEDI143S UNABLE TO LOAD MODULE  
DMSNCP045E UNSUPPORTED 370X CONTROL PROGRAM TYPE  
DMSSET258E USER translation synonyms can not be set ON unless USER translations are also set  
ON, application id: *applid*  
DMSSET258E USER translation synonyms can not be set OFF unless USER translations are also set  
OFF, application id: *applid*

DMSZAP200W Verify reject; set NO GO switch  
DMSINI611R Version identification =  
DMSWTK983E Violation of CMS naming convention found in *args*

DMSINI260T Virtual machine size too small to IPL non-shared copy of CMS  
DMSWSF672E Virtual punch invalid or not defined  
DMSWPK672E Virtual reader invalid or not defined  
DMSWRC672E Virtual reader invalid or not defined  
DMSDEF920E Virtual screen *name* already exists  
DMSWVL936W Virtual screen *vname* is empty  
DMSCLR921E Virtual screen *vname* is not defined  
DMSCUR921E Virtual screen *vname* is not defined  
DMSDEL921E Virtual screen *vname* is not defined

DMSPUT921E Virtual screen *vname* is not defined  
DMSROU921E Virtual screen *vname* is not defined  
DMSSEF921E Virtual screen *vname* is not defined  
DMSQRF921E Virtual screen *vname* is not defined  
DMSWAT921E Virtual screen *vname* is not defined  
DMSWMM921E Virtual screen *vname* is not defined  
DMSWRD921E Virtual screen *vname* is not defined  
DMSWRT921E Virtual screen *vname* is not defined

DMSGET921E Virtual screen *vname* is not defined  
DMSALA921E Virtual screen *vscreen* is not defined  
DMSQRG921E {Virtual screen *vname*| window *wname*} is not defined  
DMSACC109S Virtual storage capacity exceeded  
DMSACP109S Virtual storage capacity exceeded  
DMSAMS109S Virtual storage capacity exceeded  
DMSBWR109S Virtual storage capacity exceeded  
DMSCMP109S Virtual storage capacity exceeded  
DMSDAS109S Virtual storage capacity exceeded  
DMSDLB109S Virtual storage capacity exceeded  
DMSDSK109S Virtual storage capacity exceeded  
DMSERS109T Virtual storage capacity exceeded  
DMSEXD109S Virtual storage capacity exceeded  
DMSEXG109S Virtual storage capacity exceeded  
DMSEXL109S Virtual storage capacity exceeded  
DMSEXM109S Virtual storage capacity exceeded  
DMSEXQ109S Virtual storage capacity exceeded  
DMSFCH109S Virtual storage capacity exceeded  
DMSFLD109S Virtual storage capacity exceeded  
DMSFLO109S Virtual storage capacity exceeded  
DMSFNS109T Virtual storage capacity exceeded  
DMSGLB109S Virtual storage capacity exceeded  
DMSGLO109S Virtual storage capacity exceeded  
DMSHDS109S Virtual storage capacity exceeded  
DMSHLI109S Virtual storage capacity exceeded  
DMSHLP109S Virtual storage capacity exceeded  
DMSHLS109S Virtual storage capacity exceeded  
DMSIMM109S Virtual storage capacity exceeded  
DMSLBD109S Virtual storage capacity exceeded  
DMSLBM109S Virtual storage capacity exceeded  
DMSLCK109S Virtual storage capacity exceeded  
DMSLIO109S Virtual storage capacity exceeded  
DMSMGC109S Virtual storage capacity exceeded  
DMSMGX109S Virtual storage capacity exceeded  
DMSMOD109S Virtual storage capacity exceeded  
DMSOVR109S Virtual storage capacity exceeded  
DMSPIO109S Virtual storage capacity exceeded  
DMSPRE109S Virtual storage capacity exceeded  
DMSQRS109S Virtual storage capacity exceeded  
DMSQRF109S Virtual storage capacity exceeded  
DMSQRT109S Virtual storage capacity exceeded  
DMSQRG109S Virtual storage capacity exceeded  
DMSQRU109S Virtual storage capacity exceeded  
DMSQRV109S Virtual storage capacity exceeded

# DMS

---

| DMSQRW109T Virtual storage capacity exceeded  
| DMSQRX109S Virtual storage capacity exceeded  
| DMSQRY109S Virtual storage capacity exceeded  
| DMSQRH109S Virtual storage capacity exceeded  
DMSROS109S Virtual storage capacity exceeded  
DMSRSV109T Virtual storage capacity exceeded  
| DMSSEF109S Virtual storage capacity exceeded  
DMSSET109S Virtual storage capacity exceeded  
| DMSSLG109S Virtual storage capacity exceeded  
DMSSSLN109S Virtual storage capacity exceeded  
DMSSMN109S Virtual storage capacity exceeded  
DMSTLM109S Virtual storage capacity exceeded  
DMSTMA109S Virtual storage capacity exceeded  
DMSTPD109S Virtual storage capacity exceeded  
DMSTPJ109S Virtual storage capacity exceeded  
DMSTVS109S Virtual storage capacity exceeded  
DMSVIB109S Virtual storage capacity exceeded  
DMSVIP109S Virtual storage capacity exceeded  
DMSVPD109S Virtual storage capacity exceeded  
DMSXBG109S Virtual storage capacity exceeded  
DMSWVL109S Virtual storage capacity exceeded  
| DMSZAP109S Virtual storage capacity exceeded  
| DMSWVT109S Virtual storage capacity exceeded

DMSGAM952E Virtual storage size too large for CMSGAM shared segment to load at *vstor*  
DMSFRE162T Vital free storage pointers destroyed (internal error code *nn*); re-IPL CMS  
DMSLBD438E Valid *valid* is a duplicate entry  
DMSLBD439E Valid *valid* is an invalid entry  
DMSTLM439E Valid *valid* is an invalid entry  
DMSSET444E Volume *valid* is not a DOS SYSRES

| DMSSFD401S VM size cannot exceed segment start address (*hex address*)  
DMSAMS401S VM size (*size*) cannot exceed *sysname* start address  
DMSLDF401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSSET401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSVIB401S VM size (*size*) cannot exceed *sysname* start address (*vstor*)  
DMSBOP401S VM size (*size*) cannot exceed CMSDOS start address (*vstor*)  
DMSSSK364E VM storage not large enough to contain system loading at *vstor1* to *vstor2*  
DMSPOL758I VM user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*  
DMSPOR758I VM user *userid* [*nodeid*] is now LGLOPR for PROP on node *nodeid*

DMSPOE691I VMDUMP taken, PROP will IPL CMS  
DMSVMF613E VMFPLC2 must be invoked as a nucleus extension  
| DMSWMG898E VMFREMOV processing is incomplete  
DMSCKK806S VSE/VSAM phase IKQVCHK not found

DMSARN109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMSDMP109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMSIDX109S VIRTUAL STORAGE CAPACITY EXCEEDED  
DMSIMA109S VIRTUAL STORAGE CAPACITY EXCEEDED

## DMSNCP109S VIRTUAL STORAGE CAPACITY EXCEEDED

DMSTVS270I Wait time for tape volume switch has almost expired; to continue waiting, type  
EXTEND

DMSTVS271I Wait time for tape volume switch has expired; tape volume switch for volume *valid* on  
virtual *nnn* canceled

DMSLKD004W Warning messages issued

DMSUPD177I Warning messages issued (severity = nn); REP option ignored]

DMSXFD559W Warning: file is empty

DMSXMB559W Warning: file is empty

DMSXSE559W Warning: file is empty

DMSXSU559W Warning: file is empty

DMSWNM660W Warning: this entry duplicates an existing nickname

DMSWPK684W Warning: this file has no records

DMSWIR329W Warning: APL/TEXT option not in effect

DMSWTK981R What is the real address of your *volume* volume?

DMSQRH916E Window *wname* is not {displayed|hidden}

DMSQRH921E Window *wname* is not defined

DMSDEF922E Window does not fit entirely on the screen

DMSPPST922E Window does not fit entirely on the screen

DMSIZ922E Window does not fit entirely on the screen

DMSDEF920E Window *name* already exists

DMSWBX922E Window does not fit entirely on the screen

DMSCLR929E Window *wname* is not connected to a virtual screen

DMSDRP929E Window *wname* is not connected to a virtual screen

DMSPP0929E Window *wname* is not connected to a virtual screen

DMSCL929E Window *wname* is not connected to a virtual screen

DMSWMM929E Window *wname* is not connected to a virtual screen

DMSDEL921E Window *wname* is not defined

DMSDRP921E Window *wname* is not defined

DMSHID921E Window *wname* is not defined

DMSMAX921E Window *wname* is not defined

DMSMIN921E Window *wname* is not defined

DMSPP0921E Window *wname* is not defined

DMSPPST921E Window *wname* is not defined

DMSRES921E Window *wname* is not defined

DMSCL921E Window *wname* is not defined

DMSSEF921E Window *wname* is not defined

DMSSHO921E Window *wname* is not defined

DMSIZ921E Window *wname* is not defined

DMSWMM921E Window *wname* is not defined

DMSDFT719E Work station communications not active.

DMSXFD592W Wrapped ....

DMSXML592W Wrapped ....

DMSXSE558E Wrong file format for serialization

# DMS

---

DMSWSL964R Wrong tape mounted; mount product tape VOL *n*  
Press ENTER when the correct tape is mounted or type QUIT

DMSWRD631E WAITREAD can only be executed from and EXEC2 or REXX exec  
DMSARN004W WARNING MESSAGES ISSUED  
DMSDIO905S WRITE-INHIBIT switch set on drive; notify operator

DMSPPC946E XEDIT is not active. Specify a file name.  
DMSDDL688E XEDIT option only valid from XEDIT environment  
DMSLBM688E XEDIT option only valid from XEDIT environment  
DMSLST688E XEDIT option only valid from XEDIT environment  
DMSNAM688E XEDIT option only valid from XEDIT environment  
DMSXMD587I XEDIT:  
DMSXSU587I XEDIT:

DMSMGX631E XMITMSG must be invoked from a EXEC2 or REXX EXEC or as a CMS command

DMSINQ615R Y-disk address = *vdev*  
DMSWNM662E You are not on an entry; press PF 5, 7 or 8 to move to an entry  
DMSWTK965I You may wish to tailor the following files at this time:

DMKSNT ASSEMBLE  
DMKRIO ASSEMBLE  
DMKSYS ASSEMBLE  
DMKBOX ASSEMBLE  
DMKFCB ASSEMBLE  
DMSNGP ASSEMBLE  
VMUSERS DIRECT

DMSWLG287E You must have a CP privilege class E to build a DCSS

DMSWXP374W Zero-length CSECT *csect* encountered  
DMSZAP750I ZAP processing complete  
DMSWMG862I ZAP *name* has been *action* | is no longer SUPERSEDED by *name*}  
DMSWRM862I ZAP *name* has been *action* | is no longer SUPERSEDED by *name*}  
DMSWZP862I ZAP *name* has been *action* | is no longer SUPERSEDED by *name*}  
DMSWMG864W ZAP *name* will not be *action* because it {already is | is not} *status*  
DMSWRM864W ZAP *name* will not be *action* because it {already is | is not} *status*  
DMSWRM879W ZAP name *name* appears more than once in the *fn ft* [It will only be applied once]  
DMSWZP879W ZAP name *name* appears more than once in the *fn ft* [It will only be applied once]

DMSTPJ115S 7-track feature not supported on device *vdev*  
DMSTPJ115S 9-track feature not supported on device *vdev*  
DMSTPJ115S 18-track feature not supported on device *vdev*



---

DMSTPJ115S 800 BPI feature not supported on device *vdev*  
DMSTPJ115S 1600 BPI feature not supported on device *vdev*  
DMSTPJ115S 6250 BPI feature not supported on device *vdev*

DMSVMF115S 7-TRACK FEATURE NOT SUPPORTED ON DEVICE 'vdev'  
DMSVMF115S 9-TRACK FEATURE NOT SUPPORTED ON DEVICE 'vdev'  
DMSVMF115S 18-TRACK FEATURE NOT SUPPORTED ON DEVICE 'vdev'  
DMSVMF115S 800 BPI FEATURE NOT SUPPORTED ON DEVICE 'vdev'  
DMSVMF115S 1600 BPI FEATURE NOT SUPPORTED ON DEVICE 'vdev'  
DMSEDI151E 3278 MOD5 DISPLAY TERMINAL NOT SUPPORTED BY OLD CMS EDITOR  
DMSVMF115S 6250 BPI FEATURE NOT SUPPORTED ON DEVICE 'vdev'

# DMM

---

## IPCS Message Summary by Text

DMMMAP817E maptype MAP 'fn ft fm' OVERLAPS A PREVIOUS MAP  
DMMMAP801I maptype MAP fn ft fm IS NOT VALID maptype MAP 'fn ft fm' IS NOT VALID

DMMEDM840I ADDRESS 'rstor' NOT AVAILABLE  
DMMEDX840I ADDRESS 'rstor' NOT AVAILABLE  
DMMEDM842I ADDRESS 'rstor' RE-REFERENCED  
DMMDSC701R A VALID DUMP HAS NOT BEEN SPECIFIED.

PLEASE ENTER ONE OF THE FOLLOWING OPERANDS:

NNNNN < MODE > - TO VIEW PRBNNNNN FROM CMS DISK 'MODE'  
HELP - TO REQUEST HELP INFORMATION  
END, QUIT, HX - TO EXIT

DMMMAP816E CMS IPCS MAP 'fn ft fm' ALREADY EXISTS  
DMMVAL824I CMS IPCS MAP 'fn ft fm' APPENDED TO 'PRBnnnnn'  
DMMMAP808I CMS IPCS MAP 'fn ft fm' CREATED FROM 'fn ft fm'  
DMMVAL821I CMS IPCS MAP 'fn ft fm' NOT VALID FOR DUMP 'PRBnnnnn'  
DMMMAP814E CMS IPCS MAP NOT CREATED|APPENDED  
DMMVAL814E CMS IPCS MAP NOT APPENDED

DMMTRD744E COMMAND TERMINATED, CAN NOT PROCESS BEYOND STORAGE  
BOUNDARY

DMMTRC730E CONFLICTING OPERAND - operand

DMMMAP816E CP IPCS MAP 'fn ft fm' ALREADY EXISTS  
DMMVAL824I CP IPCS MAP 'fn ft fm' APPENDED TO 'PRBnnnnn'  
DMMMAP808I CP IPCS MAP 'fn ft fm' CREATED FROM 'fn ft fm'  
DMMVAL821I CP IPCS MAP 'fn ft fm' NOT VALID FOR DUMP 'PRBnnnnn'  
DMMMAP814E CP IPCS MAP NOT CREATED|APPENDED  
DMMVAL814E CP IPCS MAP NOT APPENDED

DMMDSC705W 'dumptype' DUMPSCAN FUNCTIONS NOT AVAILABLE

DMMIOB712I DEVICE {'rdev'|'vdev'} NOT FOUND  
DMMDSC725R DO YOU WISH TO REPLACE IT? RESPOND YES|NO  
DMMDCD728I DOS SIMULATION NOT IN EFFECT

DMMMOD706I 'entry' NOT FOUND IN LOAD MAP

DMMINI400S ERROR 'nnn' CLOSING 'fn ft fm'

DMMINI300S ERROR 'nnn' ON FSSTATE 'fn ft fm'  
DMMDSC719I ERROR 'nnn' IN FSSTATE FILE 'fn ft fm'  
DMMTIU869I ERROR 'nnn' OCCURRED WHILE READING SYMPTOM RECORD FOR FILE  
'PRBnnnnn'  
DMMPRO300S ERROR 'nnn' ON FSSTATE 'fn ft fm'

DMMCVD100S ERROR 'nnn' READING FILE 'fn'  
DMMCVS100S ERROR 'nnn' READING FILE 'fn'  
DMMPRO100S ERROR 'nnn' READING FILE 'fn'  
DMMSEA100S ERROR 'nnn' READING FILE 'fn'  
DMMSUM100S ERROR 'nnn' READING FILE 'fn'  
DMMCOM100S ERROR 'nnn' READING FILE 'fn'  
DMMDSC100S ERROR 'nnn' READING FILE 'fn'  
DMMINI100S ERROR 'nnn' READING FILE 'fn'  
DMMMAP100S ERROR 'nnn' READING FILE 'fn ft fm'  
DMPRT100S ERROR 'nnn' READING FILE 'fn'  
DMMVAL100S ERROR 'nnn' READING FILE 'fn'  
DMMVMF100S ERROR 'nnn' READING FILE 'fn'

DMMSTA100S ERROR 'nnn' READING FILE 'SYMPTOM SUMMARY \*'  
DMMVMF600S ERROR 'nnn' RENAMING FILE 'fn ft fm'

DMMCVD200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMCVS200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMINI200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMPRO200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMSTA200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMSUM200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMVAL200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMVMF200S ERROR 'nnn' WRITING FILE 'fn ft fm'  
DMMWRT200S ERROR 'nnn' WRITING FILE 'fn ft fm'

DMMCOM500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER  
DMMDSC500S ERROR 'nnn' WRITING TO VIRTUAL PRINTER  
DMMDSC733E ERROR DETECTED WHILE PROCESSING THE SUBCOMMAND - subcommand

DMMCVD812E 'fn ft fm' ALREADY CONVERTED  
DMMCVS812E 'fn ft fm' ALREADY CONVERTED  
DMMCVD803I 'fn ft fm' CONVERSION COMPLETE  
DMMCVS803I 'fn ft fm' CONVERSION COMPLETE  
DMMCVS867E 'fn ft fm' NOT A SYMPTOM SUMMARY FILE

DMMVMF860E FATAL I/O ERROR READING DUMP  
DMMCVS866E FILE 'fn ft fm' NOT FOUND  
DMPRT861E FILE 'fn' NOT FOUND  
DMMVMF560E FILE 'PRBXXXXX DUMP A1' ALREADY EXISTS - RENAME OR ERASE  
DMMMAP802I FOR matype, THE MAP NAMED 'fn ft fm' WAS ADDED TO THE IPCS MAP  
DMMMAP806R FOR type, ENTER 'fn ft fm' OF THE matype, MAP  
OR ENTER A NULL LINE, CMS, NONE, OR QUIT  
DMMVAL806R FOR type, ENTER 'fn ft fm' OF THE matype, MAP  
OR ENTER A NULL LINE, CMS, NONE, OR QUIT

# DMM

---

DMMMAP810I FORMAT OF maptype MAP 'fn ft fm' IS INVALID  
DMMTRC742I "FROM" LOCATION NOT ON A 16 BYTE BOUNDARY  
DMMTRC741E "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
START = start END = end CURRENT = current  
DMMTRC741I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
START = start END = end CURRENT = current  
DMMTRD741I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE:  
START = start END = end CURRENT = current

DMMMAP818E INPUT MAP LIMIT REACHED FOR {CP|CMS} IPCS MAP 'fn ft fm'  
DMMCVD820I INSUFFICIENT MAP PROCESSING DISK SPACE FOR 'fn ft fm'  
DMMVAL820I INSUFFICIENT MAP PROCESSING DISK SPACE FOR 'fn ft fm'  
DMMAMP722I INVALID ENTRY INTO &NAME TABLE  
DMMDSC717E INVALID FORM OF LOCATE COMMAND  
DMMLOC717E INVALID FORM OF LOCATE COMMAND

DMMDCM863E INVALID OPERAND - operand  
DMMDCP863E INVALID OPERAND - operand  
DMMDSC863E INVALID OPERAND - operand  
DMMSCR863E INVALID OPERAND - operand

DMMEDM863E INVALID OPERAND - operand  
DMMMAP863E INVALID OPERAND - operand  
DMMPR863E INVALID OPERAND - operand

DMMSUM501S INVALID PARM 'parameter' PASSED TO SUMMARY UPDATE PROGRAM  
DMMVAL822E IPCSMAP FUNCTION NOT SUPPORTED FOR 'dumptype'  
DMMREG724I IPL REGISTERS REQUESTED IN UNIPROCESSOR DUMP  
DMMIOB726I IPL RIOBLOCKS REQUESTED IN NON-MULTIPROCESSOR DUMP

DMMDSC720I LOAD MAP ALREADY PRESENT  
DMMCHN611I LOOP DETECTED IN CHAIN - COMMAND TERMINATED  
DMMVMB711I LOOP IN VMBLOK CHAIN  
DMMEDM841I LOW CORE 'rstor' REFERENCED

DMMMOD707I 'module' 'page' NOT VALID

DMMMAP813E MAP FUNCTION NOT SUPPORTED FOR 'dumptype'

DMMVMF853S NO DUMP FILES EXIST  
DMMDID729I NO DUMPID INFORMATION FOUND  
DMMCVS811I NO IPCS MAP APPENDED TO DUMP  
DMMVMF865E NO PARAMETERS ALLOWED  
DMMCVS862E NO PARAMETERS ENTERED

DMMMAP862E NO PARAMETERS ENTERED  
DMMPR862E NO PARAMETERS ENTERED  
DMMSCR709I NO VALID SCROLL ADDRESS

DMMDIN702I NON-HEX CHARACTER IN COUNT - RETRY  
DMMDIN703I NON-HEX CHARACTER IN ADDRESS - RETRY  
DMMFEX703I NON-HEX CHARACTER IN ADDRESS - RETRY  
DMMHEX714I NON-HEX CHARACTER IN INPUT - RETRY  
DMMLOC715I NON-HEX CHARACTER IN STRING  
DMMREG724I NON-IPL REGISTERS REQUESTED IN UNIPROCESSOR DUMP  
DMMIOB726I NON-IPL RIOBLOKS REQUESTED IN NON-MULTIPROCESSOR DUMP  
DMMTRC710I NON-NUMERIC COUNT CHARACTER--RETRY

DMMSTA601S OPERAND 'operand' NOT RECOGNIZED

DMMDCP731E OPERAND MISSING OR INVALID  
DMMTRC731E OPERAND MISSING OR INVALID

DMMCHN708I PAGE 'page' NOT FOUND IN DUMP  
DMMCOR708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCC708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCD708I PAGE 'page' NOT FOUND IN DUMP  
DMMDCO708I PAGE 'page' NOT FOUND IN DUMP  
DMMDIN708I PAGE 'page' NOT FOUND IN DUMP  
DMMFEX708I PAGE 'page' NOT FOUND IN DUMP  
DMMIOB708I PAGE 'page' NOT FOUND IN DUMP  
DMMLOC708I PAGE 'page' NOT FOUND IN DUMP  
DMMMOD708I PAGE 'page' NOT FOUND IN DUMP  
DMMREG708I PAGE 'page' NOT FOUND IN DUMP  
DMMSCR708I PAGE 'page' NOT FOUND IN DUMP  
DMMTRC708I PAGE 'page' NOT FOUND IN DUMP  
DMMTRD708I PAGE 'page' NOT FOUND IN DUMP  
DMMVMB708I PAGE 'page' NOT FOUND IN DUMP

DMMCHN610I POSSIBLE INVALID CHAIN - COMMAND TERMINATED  
DMMSUM502S PROBLEM 'PRBnnnnn' NOT FOUND IN SYMPTOM SUMMARY  
DMMMAP815E PROCESSING ERROR IN {CP|CMS} MAP ROUTINE 'name'  
DMMPRM804E PROCESSING ERROR IN DATA EXTRACTION

DMMCOR609I REQUESTED ADDRESS NOT IN REAL STORAGE.  
DMMTIU868I REQUIRED RESOURCES ARE NOT AVAILABLE, SYMPTOM RECORD FOR FILE  
'PRBnnnnn' CANNOT BE DISPLAYED  
DMMTRC868E REQUIRED RESOURCES NOT AVAILABLE  
DMMEDM843I REQUIRED RESOURCES NOT AVAILABLE - FORMATTING BYPASSED

# DMM

---

DMMCOM864E STORAGE INITIALIZATION INCOMPLETE  
DMMLOC716I STRING 'string' NOT FOUND  
DMMTIU870I SYMPTOM RECORD FOR FILE 'PRBnnnnn' CANNOT BE FOUND

DMMPR855I 'type' FORMAT ROUTINE NOT FOUND

DMMAMP721I THE &NAME TABLE IS FULL  
DMMDCM723I THE DUMP IS NOT ON THE A-DISK  
DMMDSC723I THE DUMP IS NOT ON THE A-DISK  
DMMDCM718I THIS DUMP HAS NO LOAD MAP  
DMMMOD718I THIS DUMP HAS NO LOAD MAP  
DMMTRD743I TRACE ENTRY IS TOO LARGE TO BE COMPLETELY DISPLAYED  
DMMTRD740I TRACE TABLE POINTERS INVALID:  
START = start END = end CURRENT = current

DMMMAP807I UNABLE TO LOCATE matype MAP 'fn ft fm'  
DMMVAL807I UNABLE TO LOCATE matype MAP 'fn ft fm'  
DMMDCM856E UNABLE TO LOCATE CMS DUMPSCAN ROUTINE DMMMAP  
DMMDSC856E UNABLE TO LOCATE type DUMPSCAN ROUTINE 'name'  
DMMPR856E UNABLE TO LOCATE 'type' FORMATTING ROUTINE 'name'

DMMDSC732E UNRECOGNIZED SUBCOMMAND - subcommand  
DMMIOB713I USER 'userid' VMBLOK NOT FOUND  
DMMVMB713I USER 'userid' VMBLOK NOT FOUND  
DMMVMF871E USER NOT AUTHORIZED TO PROCESS CP SYSTEM DUMPS; NO OTHER  
DUMPS EXIST

DMMCOM109S VIRTUAL STORAGE CAPACITY EXCEEDED

DMMCPA805I xxxxxx ABEND CODE NOT RECOGNIZED BY DATA EXTRACTION

## GCS Message Summary by Text

CSIACC427S 'mode (vdev)' device error  
 CSIGRP428S 'mode (vdev)' not attached  
 CSIACC428S 'mode (vdev)' not attached  
 CSIACC423I mode (vdev) {R/O|R/W}  
 CSIRO5423I mode (vdev) {R/O|R/W} {-OS|-DOS}  
 CSIVIP316E mode disk is in CMS format; Invalid for VSAM dataset.  
 CSIDL316E mode disk is in CMS format; Invalid for VSAM data set.

CSIIINI138T nnnnnnnn bytes needed for requested number of users exceeds available common free storage of mmmmmmmmm bytes  
 CSIIINI139T nnnnnnnn bytes needed for requested trace table size exceeds available common free storage of mmmmmmmmm bytes

CSIDL003E 'option' option specified twice  
 CSIFLD003E 'option' option specified twice  
 CSIDL004E 'option1' and 'option2' are conflicting options  
 CSIFLD004E 'option1' and 'option2' are conflicting options

CSIQRS015E 'parameter' is invalid for the 'function' function  
 CSIIPR549E productname control block formatting routine routine not found.

CSIIINI134I sysname has nnnnnnnn bytes of available common free storage  
 CSIDIE140T sysname supervisor has terminated because of an unrecoverable error. Virtual machine has been reset.

CSIGRP121I 'userid' is a valid userid  
 CSIGRP120I 'userid' is a valid Authorized VM userid  
 CSIGRP122E 'userid' is not a valid userid

CSIACC424I 'vdev mode' released  
 CSIACC422E 'vdev' already accessed as Read/Write 'mode' disk  
 CSIACC426I 'vdev' also = 'mode'  
 CSIRO5426I 'vdev' also = 'mode' {-OS|-DOS} disk  
 CSIACC425I 'vdev' replaces 'mode (vdev)'

CSIIUI402I A GETMAIN error occurred while trying to obtain storage for the sysname IUCV Path Table

CSIABD232E Abend xxx-yyyy occurred during abend ESTAE processing  
 CSIABD235E Abend xxx-yyyy occurred during abend internal processing  
 CSIABD234E Abend xxx-yyyy occurred during abend Resource Manager processing  
 CSIABD233E Abend xxx-yyyy occurred during abend TASKEXIT processing  
 CSIQRQ514I All external trace events are disabled  
 CSIQRQ524I All internal trace events are disabled  
 CSIGRP110I All saved segment names on this page are valid  
 CSIGRP117I All userids on this page have been verified as valid  
 CSIPNC409E An error occurred while trying to SEND to PROP virtual machine. The command is not accepted. IUCVCOM return code = nnn

# CSI

---

CSIPNX405E An IUCV error occurred while trying to CONNECT to PROP virtual machine. IUCVCOM return code = *code*.

CSIIUI403I An IUCV CONNECT error occurred while trying to connect to CP Signal Services. IPRCODE = *xx*.

CSIABD226E Application '*name*' failed - System abend *xxx-yyyy*

CSIABD227E Application '*name*' failed - User abend *xxx-yyyy*

CSIDLB315E Catalog DDNAME '*ddname*' not found

CSISCL349E Close error '*nn*'

CSISCL309E Close error '*nn*' on '*ddname*'

CSIABD230E Command '*command*' failed - System abend *xxx-yyyy*

CSIABD231E Command '*command*' failed - User abend *xxx-yyyy*

CSIDUM010E Command Complete

CSIABD237E Command ended without detaching subtasks

CSICON200S Console cannot be initialized - Re-IPL *sysname*

CSIVSI300S Control program error indication '*nnn*'

CSIVIP332E CLOSE error on '*ddname*': Possible system error. See VSE/VSAM documentation for CLOSE error code *code*.

CSIVIP331E CLOSE error on '*ddname*': Possible user programming error. See VSE/VSAM documentation for CLOSE error code *code*.

CSICIO028S Device *vdev* not attached

CSIPIO028S Device *vdev* not attached

CSIIUI401I Directory error encountered during initialization of the IUCV environment

CSIARE017E Disk '{*mode|vdev|valid*}' not accessed

CSIDAS017E Disk '{*mode|vdev|valid*}' not accessed

CSIDLB017E Disk '{*mode|vdev|valid*}' not accessed

CSIGVE017E Disk '{*mode|vdev|valid*}' not accessed

CSIQRS017E Disk '{*mode|vdev|valid*}' not accessed

CSIVIP017E Disk '{*mode|vdev|valid*}' not accessed

CSIFLD017I Disk '*mode*' not accessed

CSIVIP018E Disk *mode* is Read/Only

CSIGRP018E Disk *mode* is Read/Only

CSIXCP018E Disk *mode* is Read/Only

CSIERW421S Disk *mode* (*vdev*) is full

CSIDAS016E Disk *vdev* not attached

CSIXCP016E Disk *vdev* not attached

CSIACC414E Disk '*vdev*' not properly formatted for ACCESS

CSIIPR550R Do you wish to format *productname* control blocks? Reply YES or NO.

CSIDUR528I Dump complete

CSIDUR530E Dump failed

CSIDUM532E Dump failed: I/O error

CSIDUM531E Dump failed: Spooling error



CSIDL305I DDNAME '*ddname*' not found; CLEAR not executed

CSIOSR236E Ending apostrophe is missing

CSIDL310R Enter data set name:

CSIRXE495R Enter input for EXEC '*execname*':

CSIXCP347R Enter response

CSIGRP104R Enter selection number 1, 2, or 3

CSIDL312R Enter volume specifications:

CSIRCN496R Enter DEBUG input for EXEC '*fn*':

CSIGLB223S Error '*nn*' reading file '*fileid*' from disk

CSILOS223S Error '*nn*' reading file '*fileid*' from disk

CSIFLD320E Error during FILEDEF CLEAR processing, DCB(s) not closed.

CSIVIP334E Error in request macro processing: Possible system error. See VSE/VSAM error code *code*. Return code *code*.

CSIVIP333E Error in request macro processing: Possible user programming error. See VSE/VSAM error code *code*. Return code *code*.

CSIREX493E Error 1 running *fn ft*, line *nn*: No filename specified

CSIREX494E Error 2 running *fn ft*: File not found

CSIREX451E Error 3 running *fn ft*, line *nn*: Program is unreadable

CSIREX452E Error 4 running *fn ft*, line *nn*: Program interrupted

CSIREX450E Error 5 running *fn ft*, line *nn*: Machine storage exhausted

CSIREX453E Error 6 running *fn ft*, line *nn*: Unmatched *"/\** or quote

CSIREX454E Error 7 running *fn ft*, line *nn*: WHEN or OTHERWISE expected

CSIREX455E Error 8 running *fn ft*, line *nn*: Unexpected THEN or ELSE

CSIREX456E Error 9 running *fn ft*, line *nn*: Unexpected WHEN or OTHERWISE

CSIREX457E Error 10 running *fn ft*, line *nn*: Unexpected or unmatched END

CSIREX458E Error 11 running *fn ft*, line *nn*: Control stack full

CSIREX459E Error 12 running *fn ft*, line *nn*: Clause > 500 characters

CSIREX460E Error 13 running *fn ft*, line *nn*: Invalid character in data

CSIREX461E Error 14 running *fn ft*, line *nn*: Incomplete DO/SELECT/IF

CSIREX462E Error 15 running *fn ft*, line *nn*: Invalid Hex constant

CSIREX463E Error 16 running *fn ft*, line *nn*: Label not found

CSIREX465E Error 17 running *fn ft*, line *nn*: Unexpected PROCEDURE

CSIREX491E Error 18 running *fn ft*, line *nn*: THEN expected

CSIREX482E Error 19 running *fn ft*, line *nn*: String or symbol expected

CSIREX483E Error 20 running *fn ft*, line *nn*: Symbol expected

CSIREX464E Error 21 running *fn ft*, line *nn*: Invalid data on end of clause

CSIREX449E Error 22 running *fn ft*, line *nn*: Invalid character string

CSIREX484E Error 24 running *fn ft*, line *nn*: Invalid TRACE request

CSIREX485E Error 25 running *fn ft*, line *nn*: Invalid sub-keyword found

CSIREX466E Error 26 running *fn ft*, line *nn*: Invalid whole number

CSIREX467E Error 27 running *fn ft*, line *nn*: Invalid DO syntax

CSIREX486E Error 28 running *fn ft*, line *nn*: Invalid LEAVE or ITERATE

CSIREX487E Error 29 running *fn ft*, line *nn*: Environment name too long

CSIREX468E Error 30 running *fn ft*, line *nn*: Name or String > 250 characters

CSIREX469E Error 31 running *fn ft*, line *nn*: Name starts with number or *"*.

CSIREX492E Error 32 running *fn ft*, line *nn*: Invalid use of stem

CSIREX488E Error 33 running *fn ft*, line *nn*: Invalid expression result

CSIREX470E Error 34 running *fn ft*, line *nn*: Logical value not 0 or 1

CSIREX471E Error 35 running *fn ft*, line *nn*: Invalid expression

- CSIREX472E Error 36 running *fn ft*, line *nn*: Unmatched "(" in expression
- CSIREX473E Error 37 running *fn ft*, line *nn*: Unexpected "," or ")"
- CSIREX489E Error 38 running *fn ft*, line *nn*: Invalid template or pattern
- CSIREX474E Error 39 running *fn ft*, line *nn*: Evaluation stack overflow
- CSIREX475E Error 40 running *fn ft*, line *nn*: Incorrect call to routine
- CSIREX476E Error 41 running *fn ft*, line *nn*: Bad arithmetic conversion
- CSIREX477E Error 42 running *fn ft*, line *nn*: Arithmetic overflow/underflow
- CSIREX478E Error 43 running *fn ft*, line *nn*: Routine not found
- CSIREX479E Error 44 running *fn ft*, line *nn*: Function did not return data
- CSIREX480E Error 45 running *fn ft*, line *nn*: No data specified on function RETURN
- CSIREX490E Error 48 running *fn ft*, line *nn*: Failure in system service
- CSIREX481E Error 49 running *fn ft*, line *nn*: Interpreter failure
- 
- CSIQRQ515I External trace is enabled for *event-type(s)*
- CSIQRQ516I External trace is enabled for *event-type(s)* for GROUP
- CSIGRP007E Extraneous parameter '*parameter*'
- 
- CSIINI131T ECMODE must be set ON to IPL *sysname*.
- CSIINS131T ECMODE must be set ON to IPL *sysname*.
- CSIYTE511I ETRACE set OFF for *event-type(s)*
- CSIYTE512I ETRACE set OFF for *event-type(s)* for GROUP
- CSIYTE509I ETRACE set ON for *event-type(s)*
- CSIYTE510I ETRACE set ON for *event-type(s)* for GROUP
- CSIYTE513E ETRACE GROUP option is in effect for *event-type(s)*
- 
- CSIGLB222E File '*fn ft fm*' contains invalid record formats.
- CSIGLB024E File '*fn ft fm*' not found.
- CSIAACC429E File '*fn ft fm*' not found. Disk '*mode (vdev)*' will not be accessed.
- CSIGRP107E File has been changed. Use QQUIT to quit anyway.
- CSIFNS420T File system error detected. Virtual address '*vdev*'. Reason code *nn*.
- 
- CSIINS135T Group allocation exceeded for system '*sysname*'
- 
- CSICON202I GCS
- CSIQRR216I GROUP ID = *sysname*, Users: Current = *nnnnn*, Maximum = *mmmmmm*
- 
- CSIABD225I HX Complete
- 
- CSISCT306S Input error '*nnn*' on '*ddname*'
- CSISER306S Input error '*nnn*' on '*ddname*'
- CSIXCP306S Input error '*nnn*' on '*ddname*'
- 
- CSIAL031S Insufficient free storage is available
- CSIIU031S Insufficient free storage is available

CSIIA031S Insufficient free storage is available  
 CSITL031S Insufficient free storage is available  
 CSIPNC418I Insufficient free storage available. The command is not accepted.  
 CSIPNP418I Insufficient free storage available. The command is not accepted.  
 CSIREX497E Insufficient storage for EXEC interpreter

CSIDAS335S Internal error during VSAM processing: *name* function(s) not supported  
 CSIDOS336S Internal error during VSAM processing: Illegal use of SVC 11  
 CSIDAS343S Internal error during VSAM processing: Invalid device class *devclass* for *devtype*  
 CSIGMF338S Internal error during VSAM processing: Invalid form of SVC *svc* (hex *xx*) called from *vstor*  
 CSILDF341S Internal error during VSAM processing: Phase *name* not found  
 CSIVIP341S Internal error during VSAM processing: Phase *name* not found  
 CSIXCP342S Internal error during VSAM processing: Unexpected error code '*nn*' on *vdev*  
 CSILCK340S Internal error during VSAM processing: Unsupported form of *name* macro  
 CSISUB340S Internal error during VSAM processing: Unsupported form of *name* macro  
 CSIGMF339S Internal error during VSAM processing: Unsupported function *function* of SVC *svc* (hex *xx*) called from *vstor*  
 CSIDOS337S Internal error during VSAM processing: Unsupported SVC *svc* (hex *xx*) called from *vstor*  
 CSIVIB350S Internal error during VTAM processing: Module IST019C1 not found

CSIQRQ522I Internal trace is enabled for *event-type(s)*  
 CSIQRQ523I Internal trace is enabled for *event-type(s)* for GROUP

CSICIO346S Intervention required on device *vdev*  
 CSIPIO346S Intervention required on device *vdev*  
 CSIFLD011E Invalid character in fileid '*fn ft*'  
 CSIDLB311E Invalid data set name  
 CSIDLB313E Invalid ddname '*ddname*'  
 CSIFLD301E Invalid device '*devname*'  
 CSIACC415E Invalid device address '*vdev*'  
 CSIARE415E Invalid device address '*vdev*'  
 CSIGLB014E Invalid function '*function*'

CSIACC021E Invalid mode '*mode*'  
 CSIARE021E Invalid mode '*mode*'  
 CSIDLB021E Invalid mode '*mode*'  
 CSIFLD021E Invalid mode '*mode*'

CSIDLB001E Invalid option '*option*'  
 CSIFLD001E Invalid option '*option*'  
 CSIYTE001E Invalid option '*option*'  
 CSIYTG001E Invalid option '*option*'

CSIACC006E Invalid parameter '*parameter*'  
 CSIARE006E Invalid parameter '*parameter*'  
 CSIDLB006E Invalid parameter '*parameter*'  
 CSIFLD006E Invalid parameter '*parameter*'  
 CSIOSR006E Invalid parameter '*parameter*'  
 CSIQRX006E Invalid parameter '*parameter*'  
 CSIQRY006E Invalid parameter '*parameter*'  
 CSISET006E Invalid parameter '*parameter*'  
 CSIDLB002E Invalid parameter '*parameter*' in the option '*option*' field

# CSI

---

- CSIFLD002E Invalid parameter '*parameter*' in the option '*option*' field
- CSIDUM527E Invalid range
- CSIIPR008I Invalid reply
- CSIYTG519I ITRACE set OFF for *event-type(s)*
- CSIYTG520I ITRACE set OFF for *event-type(s)* for GROUP
- CSIYTG517I ITRACE set ON for *event-type(s)*
- CSIYTG518I ITRACE set ON for *event-type(s)* for GROUP
- CSIYTG521E ITRACE GROUP option is in effect for *event-type(s)*
- CSIIIU544I IUCV path table ptr is zero
- CSIIIU543I IUCV storage anchor block ptr is zero. Can't find IUCV path table.
- CSIIIU434S IUCVINI SET for GCS failed with return code *nnn*. Cannot continue IPL.
- CSIDLB317I Job catalog DLBL cleared
- CSIIUI433S Label GCSGEXIT, the IUCV Pending Connect exit, was given control. This is an error.
- CSIDLB318I Master catalog DLBL cleared
- CSIDLB314I Maximum number of disk entries recorded
- CSIGRP106E Maximum number of Virtual Machines missing or invalid
- CSILOS224E Member '*membername*' not found in library
- CSILDC212E Member cannot be loaded, command not defined, RC = *nn*
- CSIGRP100E Missing the sysname operand
- CSIGLB221S More than *nnn* libraries specified.
- CSISSET322E New system name missing after *name*
- CSIDLB345I No *option* specified
- CSIGRP114E No authorized VM userids have been specified
- CSIARE416E No device specified
- CSIQRD239I No entry points are currently loaded in this virtual machine
- CSIQRD240I No entry points were loaded by the LOADCMD command
- CSIOSR022E No filename specified
- CSIFLD023E No filetype specified
- CSIGLB013E No function specified
- CSIQRY013E No function specified
- CSISSET013E No function specified
- CSIAACC012E No options allowed
- CSIQRS020E No read/write disk with space available accessed
- CSIQRR214I No replies outstanding
- CSIGRP126E No saved segment names have been specified
- CSIDLB303I No user defined {FILEDEFs|DLBLs} in effect
- CSIFLD303I No user defined {FILEDEFs|DLBLs} in effect

CSIQRU303I No user defined {FILEDEFS|DLBLs} in effect  
 CSIQRX303I No user defined {FILEDEFS|DLBLs} in effect  
 CSIGRP124E No userid has been specified as the recovery machine  
 CSIGRP123I No userid has been specified to receive dumps  
 CSIINI129T No virtual console attached. Re-IPL *sysname*.  
 CSIINS129T No virtual console attached. Re-IPL *sysname*.  
 CSIIU503I No IUCV path table  
 CSIGRP019E No Read/Write *mode* disk accessed  
 CSIQRS019E No Read/Write *mode* disk accessed

CSIVIP325E Number of VSAM exit routines has exceeded maximum of 128. Unable to continue.

CSIIAL545I NUCON extension ptr is zero. Can't find state block.  
 CSIIITL535I NUCON extension ptr is zero. Can't find task load list.  
 CSIIITA539I NUCON extension ptr is zero. Can't find task storage anchor block.  
 CSIIU542I NUCON extension ptr is zero. Can't find IUCV path table.

CSISOP348E Open error *nn*  
 CSISOP308E Open error '*nn*' on '*ddname*'  
 CSISOP308W Open error '*nn*' on '*ddname*'  
 CSIDUM009E Operand is missing or invalid  
 CSIYTE009E Operand is missing or invalid  
 CSIYTG009E Operand is missing or invalid  
 CSISCT307S Output error '*nnn*' on '*ddname*'  
 CSISER307S Output error '*nnn*' on '*ddname*'  
 CSIXCP307S Output error '*nnn*' on '*ddname*'

CSIVIP329E OPEN error on '*ddname*': Possible catalog error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP330E OPEN error on '*ddname*': Possible system error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP327E OPEN error on '*ddname*': Possible user programming error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIVIP326E OPEN error on '*ddname*': Possible volume error. See VSE/VSAM documentation for OPEN error code *code*.  
 CSIACC430W OS disk - Fileid specified is ignored

CSIIAL504I Page '*vstor*' not found in dump  
 CSIIFT504I Page '*vstor*' not found in dump  
 CSIIU504I Page '*vstor*' not found in dump  
 CSIIITA504I Page '*vstor*' not found in dump  
 CSIIITL504I Page '*vstor*' not found in dump  
 CSIIIVL504I Page '*vstor*' not found in dump

CSIGRP133E Paging I/O error for segment '*segname*'  
 CSIINS133S Paging I/O error for segment '*segname*'  
 CSIACC243S Parameter list delimiter missing  
 CSIARE243S Parameter list delimiter missing  
 CSIDUM243S Parameter list delimiter missing

# CSI

---

CSIOSR243S Parameter list delimiter missing  
CSIDL302E Parameter missing after DDNAME  
CSIFLD302E Parameter missing after DDNAME  
CSISSET323E Parameter missing after SYSNAME  
CSIOSR219E Parm field contains more than 100 characters  
CSIDUM529E Partial dump taken  
CSIDUR529E Partial dump taken  
CSICON201S Permanent console error - Re-IPL *sysname*  
CSIITP432T Program exception *code* occurred at *vstor* while no task active, re-IPL *sysname*  
CSIITP400T Program Exception *code* occurred at *vstor* in system routine *name*. Re-IPL *sysname*.

CSIPNX406E PMX has abended and will now take a dump and wait for NCCF termination. Abend code  
= *xxx*  
CSIPNP419E PMX has abended. The command is not accepted.  
CSIPNP408E PMX has not been started. The command is not accepted.  
CSIPNX413I PMX has terminated.  
CSIPNI411I PROP has abended.  
CSIPNI410I PROP has resumed activity.  
CSIPNI412I PROP has stopped  
CSIPNC407E PROP has terminated or abended. The command is not accepted.  
CSIPNP407E PROP has terminated or abended. The command is not accepted.

CSICMH203I Ready (*nnnnn*);  
CSICON203I Ready (*nnnnn*);  
CSICMH238I Ready;  
CSICON238I Ready;

CSIMTA141S Recovery machine 'userid' for *sysname* has abnormally terminated  
CSIINS136T Recovery machine 'userid' is not IPLed. System '*sysname*' cannot be initialized.  
CSICMH204S Recovery task abended  
CSIWTR213I Reply *xx* cancelled  
CSIRPY209E Reply *xx* not accepted, reply too long for requestor  
CSIRPY208I Reply *xx* not outstanding  
CSIRPY211E Reply not accepted, invalid reply buffer address  
CSIRPY210E Reply not accepted, invalid ECB address  
CSIRPY206E Reply not accepted; ID not specified  
CSIRPY207E Reply not accepted; ID number not 00 to 99  
CSIPNX404E Retry will be attempted in 15 seconds; PROP is not active in virtual machine *userid*

CSIGRP108I Saved system information is continued on the next page  
CSISSET321E Saved system name '*name*' is invalid. Only GCSVSAM or GCSBAM allowed.  
CSIINS132S Segment '*segname*' does not exist  
CSIGRP118R Select disk address in the range of 001 through FFF  
CSIGRP119R Select trace table size in the range of 4K through 16384K  
CSIIAL547I State block pointer is zero.  
CSIINI142T Storage needed for Storage Management exceeds available common free storage. Define  
more common storage.

CSIINI143T Storage needed for Storage Management exceeds available private free storage. Define more private storage.

CSIINS143T Storage needed for Storage Management exceeds available private free storage. Define more private storage.

CSIABD228E Subtask of 'name' failed - System abend xxx-yyyy

CSIABD229E Subtask of 'name' failed - User abend xxx-yyyy

CSIITS032S Supervisor error {1|2}. Re-IPL *sysname*

CSIMTA032S Supervisor error 1. Re-IPL *sysname*

CSIIUE032S Supervisor error 2. Re-IPL *sysname*

CSIIUM032S Supervisor error 2. Re-IPL *sysname*

CSIIUS032S Supervisor error 2. Re-IPL *sysname*

CSIIUX032S Supervisor error 2. Re-IPL *sysname*

CSIMTB032S Supervisor error 2. Re-IPL *sysname*

CSISVQ032S Supervisor error 3. Re-IPL *sysname*

CSISVQ032S Supervisor error 4. Re-IPL *sysname*

CSIQRL032S Supervisor error 5. Re-IPL *sysname*

CSIINS109T System '*sysname*' defined in DMKSNT with NAMESYS parameter VMGROUP=NO

CSIGRP109E System '*sysname*' defined in DMKSNT with NAMESYS parameter VMGROUP=NO

CSIGRP109I System '*sysname*' defined in DMKSNT with NAMESYS parameter VMGROUP=YES

CSIGRP025E System '*sysname*' does not exist

CSIVSI025E System '*sysname*' does not exist

CSISSET351E System name not changed. VSAM already initialized.

CSIGRP105E System name not specified

CSIIXT431T SEVER external interrupt has occurred on the Signal Services Path. Re-IPL *sysname*.

CSIIFT502I Task '*taskid*' not found

CSIIAL546I Task block pointer is zero. Can't find state block.

CSITTL537I Task block ptr is zero. Can't find task load list.

CSITTA541I Task block ptr is zero. Can't find task storage anchor block.

CSITTL538I Task load list ptr is zero.

CSITTA534I Task storage anchor block ptr is zero

CSIIAL548I Task ID table pointer is zero. Can't find state block.

CSIIFT505I Taskid '*xxxx*' invalid

CSITTL536I Taskid table ptr is zero. Can't find task load list.

CSITTA540I Taskid table ptr is zero. Can't find task storage anchor block.

CSIQRL217E The common lock is free

CSIQRL218I The common lock is held by *userid*

CSIYTD508I The following record was partially lost:

CSIQRR215I The following replies are outstanding:

CSIGRP127E The number of invalid saved segment names on this page is *nn*

CSIGRP116E The number of invalid userids on this page is *nn*

CSIGRP113I The number of Authorized VM userids processed is *nnnnn*

CSIGRP125I The number of Saved Segment names processed is *nnnnn*

CSIGRP115I This is the {first|last} page for this screen

CSIYTD507E Trace formatting routine '*routine*' not found

CSIIEX500I Unable to locate *type* extraction routine '*routine*'

# CSI

---

CSIIDS501I Unable to locate *type* DUMPSCAN routine '*routine*'  
CSIGLB220E Unable to open file '*filename*'  
CSILOS220E Unable to open file '*filename*'  
CSIIEX506I Unable to read dump information record  
CSIGRP112E Undefined PFKEY/PAKEY  
CSIXCP319S Unexpected error code *nn* on *vdev*  
CSICIO029S Unit check on device *vdev*. CSW = *csw*, SENSE = *sense*  
CSIPIO029S Unit check on device *vdev*. CSW = *csw*, SENSE = *sense*  
CSICMH205E Unknown CP/GCS command  
CSICON205E Unknown CP/GCS command

CSICIO030S Unrecoverable I/O error on device *vdev*. CSW = *csw*  
CSIPIO030S Unrecoverable I/O error on device *vdev*. CSW = *csw*  
CSICIO030T Unrecoverable I/O error on device *vdev*. CSW = *csw*  
CSIFNS030T Unrecoverable I/O error on device *vdev*. CSW = *csw*  
CSIPIO030T Unrecoverable I/O error on device *vdev*. CSW = *csw*

CSIDUM526E Userid '*userid*' is not in CP directory  
CSIDUM525E Userid is missing or invalid

CSIINI130T Virtual console not ready. Re-IPL *sysname*.  
CSIINS130T Virtual console not ready. Re-IPL *sysname*.

CSIACC005S Virtual storage capacity exceeded  
CSIDL005S Virtual storage capacity exceeded  
CSIFLD005S Virtual storage capacity exceeded  
CSIFNS005T Virtual storage capacity exceeded  
| GSIGLB005S Virtual storage capacity exceeded  
| CSIPIO005S Virtual storage capacity exceeded  
CSIQRR005S Virtual storage capacity exceeded  
CSIQRX005S Virtual storage capacity exceeded  
CSIQRY005S Virtual storage capacity exceeded  
CSIROS005S Virtual storage capacity exceeded

CSIIVL533I Virtual Machine load list is empty  
CSIVSI324S VM Size (*size*) cannot exceed *sysname* start address (*vstor*)  
CSIDMP344I VSAM IDUMP taken *date time*

CSIGRP111I You are now editing your '*fileid*' file



## TSAF Message Summary by Text

| ATSCOP009E *cmd* is not a valid TSAF command  
| ATSZTS081E "FROM" LOCATION NOT A VALID TRACE ENTRY: *fromloc*  
| ATSZTS080I "FROM" LOCATION OUTSIDE OF TRACE TABLE RANGE: *fromloc*  
| START =*start* END =*end* CURRENT =*current*

| ATSCOP005E A required parameter is missing  
| ATSCAB017I Abend code *ccc* at *aaaaaa*  
| ATSCAB019I Abend modifier is *aaaaaaaaaa*  
| ATSL1Y708I An attempt to reset link *vdev* has failed  
| ATSMJK513I Attempting JOIN with node *nodeid* as the agent  
| ATSMBA530E Authentication check failed on message from node *nodeid*  
| ATSMYG530E Authentication check failed on message from node *nodeid*

| ATSLIN719W ATSLINKS FILE not found  
| ATSZTS087E ATTEMPT TO GO BEYOND STORAGE BOUNDARY

| ATSL1W796I Bad I/O completion on unit *vdev*, CSW is *csw*

| ATSCAB022I Called from offset *nnnn* in module *mmmmmm* dated *yy.ddd*  
| ATSIH1302T Cannot connect to \*CRM, it is already in use  
| ATSIIN303T Cannot connect to \*CRM, not authorized  
| ATSMYC521I Collection is roughly synchronized  
| ATSMJN511W Completion time expired while attempting a JOIN

| ATSZTR077E CONFLICTING OPERAND - operand

| ATSNHR603E Duplicate node *nodeid* detected on link *vdev*  
| ATSMRI603E Duplicate node *nodeid* detected on link *vdev*

| ATSLLM701E Driver rejected the new link *vdev*  
| ATSLLM716E Driver rejected the request to delete link *vdev*

| ATSZTF091E DATA FIELD OVERLAPS TRAILER RECORD

| ATSIIN304T Error during CMSIUCV CONNECT to \*CRM, return code = *nnnn*  
| ATSIIN300T Error during HNDIUCV SET, return code = *nnnn*  
| ATSCOP011I External trace ended

# ATS

---

- | ATSCOP010I External trace started
  
- | ATSLLM715E Failed to add the definition of link *vdev* to ATSLINKS FILE A1. Return code from  
| FSWRITE was *nnnn*.
- | ATSLLM720E Failed to delete the definition of link *vdev* from ATSLINKS FILE A1. Return code from  
| FSREAD was *nnnn*
- | ATSLLM721E Failed to delete the definition of link *vdev* from ATSLINKS FILE A1. Return code from  
| FSWRITE was *nnnn*.
- | ATSCAB021I Failure at offset *nnnn* in module *mmmmmm* dated *yy.ddd*
- | ATSNRC601E Frame discarded. Hop-Count limit reached.
  
- | ATSZTO076E FORMATTED DATA ENTRY EXCEEDS MAXIMUM SIZE
  
  
- | ATSNHR602E Incompatible release or service level detected on link *vdev*
  
  
- | ATSCTL001I Initialization is complete. The service level is *ssss*.
  
- | ATSZTS082E INVALID TRACE ENTRY FOUND AT *addr*
- | ATSZTF085E INVALID TRACE ENTRY FOUND IN CPTRAP FILE
  
  
- | ATSMDO515I Join in progress for node *nodeid*
  
- | ATSMRI514W JOIN aborted because of I-message from node *nodeid*
  
  
- | ATSLLM724I Link *vdev* added
- | ATSLMN707I Link *vdev* came up
- | ATSLLM713I Link *vdev* deleted
- | ATSLLM703E Link *vdev* is not a supported link type
- | ATSLLM723E Link *vdev* not found
- | ATSLFR705I Link *vdev* went down
- | ATSLMN705I Link *vdev* went down
- | ATSL1A712E Link unit address *vdev* is a duplicate
- | ATSL3A712E Link unit address *vdev* is a duplicate
- | ATSLLM702E Link unit address *vdev* is not valid
- | ATSLLM700E Link-Definition table overflow, unable to add the new link *vdev*
  
  
- | ATSNRC600S Message with invalid frame type received: *frame-type*

ATSLLM722I No links are defined  
ATSCAC007I No TSAF link statistics or session accounting records will be generated  
ATSMDO516I Node *nodeid* cannot join, maximum collection size has been reached  
ATSMBN540I Node *nodeid* deleted from collection

ATSZTS086E NO TRACE ENTRIES FOUND - addr  
ATSZTR075E NON-NUMERIC COUNT CHARACTER - RETRY

ATSZTD078E OPERAND MISSING OR INVALID  
ATSZTR078E OPERAND MISSING OR INVALID

ATSCCTL002T Parameter *arg* is a duplicate or is not valid  
ATSCOP004E Parameter *parameter* is not valid  
ATSCAB018I Program old PSW is *psw*

ATSZTD084I PAGE xxxxxxxx NOT FOUND IN DUMP  
ATSZTS084I PAGE xxxxxxxx NOT FOUND IN DUMP  
ATSZTS093I POSSIBLE TRACE ENTRY AT addr  
USE THE "FROM" OPERAND TO DISPLAY THE ENTRY

ATSL1T706W Received an interrupt on unit *vdev*, which is not in the link table  
ATSL3T706W Received an interrupt on unit *vdev*, which is not in the link table  
ATSLIN704E Record number *nnnnnnnn* in ATSLINKS FILE is not valid  
ATSL1W795I Retry limit exceeded on unit *vdev*  
ATSL1Y795I Retry limit exceeded on unit *vdev*  
ATSL1Z795I Retry limit exceeded on unit *vdev*  
ATSL3S795I Retry limit exceeded on unit *vdev*  
ATSL3W795I Retry limit exceeded on unit *vdev*  
ATSL3Z795I Retry limit exceeded on unit *vdev*

ATSZTS083E REQUIRED RESOURCES NOT AVAILABLE  
ATSMRZ518I RESET: collection now has size 1

ATSL1T794I Sense bits are 'xx'X  
ATSL1W794I Sense bits are 'xx'X  
ATSL3T794I Sense bits are 'xx'X  
ATSL3W794I Sense bits are 'xx'X  
ATSL1T718E Severe I/O error on unit *vdev*, CSW is *csw*  
ATSL3T718E Severe I/O error on unit *vdev*, CSW is *csw*  
ATSMRX520I Synchronization is now NORMAL  
ATSMYC520I Synchronization is now NORMAL

ATSCCTL003I Termination is in progress

# ATS

---

ATSMBG531E Timeliness check failed on message from node *nodeid*  
ATSMYG531E Timeliness check failed on message from node *nodeid*  
ATSCTL013I Trace area size is *nnnK*  
ATSCAC006I TSAF link statistics and session accounting records will be generated

ATSCAC999T TSAF system error.  
ATSCST999T TSAF system error.  
ATSCTL999T TSAF system error.  
ATSIG1999T TSAF system error.  
ATSIG2999T TSAF system error.  
ATSIPT999T TSAF system error.  
ATSISE999T TSAF system error.  
ATSLIN999T TSAF system error.  
ATSLLM999T TSAF system error.  
ATSL1A999T TSAF system error.  
ATSL1D999T TSAF system error.  
ATSL1E999T TSAF system error.  
ATSL3A999T TSAF system error.  
ATSL3D999T TSAF system error.  
ATSL3E999T TSAF system error.  
ATSMBG999T TSAF system error.  
ATSMBN999T TSAF system error.  
ATSMBY999T TSAF system error.  
ATSMJK999T TSAF system error.  
ATSMJN999T TSAF system error.  
ATSMLG999T TSAF system error.  
ATSMMLP999T TSAF system error.  
ATSMNC999T TSAF system error.  
ATSMOG999T TSAF system error.  
ATSMRD999T TSAF system error.  
ATSMRI999T TSAF system error.  
ATSMRR999T TSAF system error.  
ATSMRX999T TSAF system error.  
ATSMTD999T TSAF system error.  
ATSMYG999T TSAF system error.  
ATSMYN999T TSAF system error.  
ATSSCD999T TSAF system error.  
ATSSDB999T TSAF system error.  
ATSSIR999T TSAF system error.  
ATSSML999T TSAF system error.  
ATSSND999T TSAF system error.  
ATSSPG999T TSAF system error.  
ATSSRE999T TSAF system error.  
ATSSSTN999T TSAF system error.  
ATSSVR999T TSAF system error.  
ATSUHI999T TSAF system error.  
ATSUIQ999T TSAF system error.  
ATSUPQ999T TSAF system error.  
ATSURQ999T TSAF system error.  
ATSUSM999T TSAF system error.  
ATSUTB999T TSAF system error.

ATSVIN999T T SAF system error.  
 ATSVTI999T T SAF system error.

ATSZAD096I THE DATA STRUCTURE IS EMPTY  
 ATSZBD096I THE DATA STRUCTURE IS EMPTY  
 ATSZCT096I THE DATA STRUCTURE IS EMPTY  
 ATSZLD096I THE DATA STRUCTURE IS EMPTY  
 ATSZNT096I THE DATA STRUCTURE IS EMPTY  
 ATSZPT096I THE DATA STRUCTURE IS EMPTY  
 ATSZRD096I THE DATA STRUCTURE IS EMPTY  
 ATSZRT096I THE DATA STRUCTURE IS EMPTY  
 ATSZST096I THE DATA STRUCTURE IS EMPTY

ATSZAD095I THE LINK WAS NOT FOUND IN THE LINK-TYPE TABLE  
 ATSZBD095I THE LINK WAS NOT FOUND IN THE LINK-TYPE TABLE

ATSZAD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZBD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZCT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZLD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZNT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZPT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZRD094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZRT094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO  
 ATSZST094I THE POINTER TO THE SPECIFIED STRUCTURE IS ZERO

ATSZTS092I TRACE ENTRY SEARCH STOPPED AT *addr1*  
 TO SEARCH TO LOWER DUMP ADDRESS, TRY ADDRESS *addr2* TO SEARCH TO  
 HIGHER DUMP ADDRESSES, TRY {ADDRESS *addr3* | "SCROLL"}

ATSZTS079I TRACE TABLE POINTERS INVALID:  
 START = *start* END = *end* CURRENT = *current*

ATSL1A710E Unable to allocate control block for link *vdev*  
 ATSL3A710E Unable to allocate control block for link *vdev*  
 ATSL1A711E Unable to allocate I/O buffer for link *vdev*

ATSCAC888T Unable to obtain storage for *structure*  
 ATSCTL888T Unable to obtain storage for *structure*  
 ATSIIN888T Unable to obtain storage for *structure*  
 ATSLIN888T Unable to obtain storage for *structure*  
 ATSLLM888T Unable to obtain storage for *structure*  
 ATSUHI888T Unable to obtain storage for *structure*  
 ATSUHQ888T Unable to obtain storage for *structure*  
 ATSUOL888T Unable to obtain storage for *structure*  
 ATSUPQ888T Unable to obtain storage for *structure*  
 ATSURQ888T Unable to obtain storage for *structure*  
 ATSUM888T Unable to obtain storage for *structure*  
 ATSUM890T Unable to obtain storage for *structure*  
 ATSVIN888T Unable to obtain storage for *structure*

ATSIIN890T Unable to release storage for *structure*

# ATS

---

| ATSL1Z717E Unable to retrieve sense bits from unit *vdev*, CSW is *csw*  
| ATSL3Z717E Unable to retrieve sense bits from unit *vdev*, CSW is *csw*  
| ATSL1W798W Unexpected CSW (*csw*) for unit *vdev*  
| ATSL1Y798W Unexpected CSW (*csw*) for unit *vdev*  
| ATSL3T798W Unexpected CSW (*csw*) for unit *vdev*  
| ATSL3W798W Unexpected CSW (*csw*) for unit *vdev*

| ATSL1A799I Unit *vdev* is not operational  
| ATSL1T799I Unit *vdev* is not operational  
| ATSL1W799I Unit *vdev* is not operational  
| ATSL1Z799I Unit *vdev* is not operational  
| ATSL3S799I Unit *vdev* is not operational  
| ATSL3T799I Unit *vdev* is not operational  
| ATSL3W799I Unit *vdev* is not operational  
| ATSL3Z799I Unit *vdev* is not operational

| ATSL1T797I Unit-check indicated on unit *vdev*  
| ATSL1W797I Unit-check indicated on unit *vdev*  
| ATSL3T797I Unit-check indicated on unit *vdev*  
| ATSL3W797I Unit-check indicated on unit *vdev*

| ATSZTD089E UNABLE TO LOCATE GLOBAL CONTROL BLOCK (ATSCGM)  
| ATSZTS088E UNABLE TO LOCATE TRACE TABLE POINTERS  
| ATSZEX090E UNABLE TO UPDATE THE DUMP WITH THE ABEND PSW AND REGISTER  
| DATA

| ATSCAB023I VMDUMP ATSCAB*n mm/dd/yy hh:mm:ss* taken

## Summary of Changes

To obtain editions of this publication that pertain to earlier releases of VM/SP, you must order using the pseudo number assigned to the specific edition. For:

- VM/SP Release 4, order ST24-5264.

## Summary of Changes to SC24-5264-1 for VM/SP Release 5

### *Transparent Services Access Facility (TSAF)*

TSAF is a new component of VM/SP for Release 5. This facility lets users connect to and communicate with local or remote virtual machines within a group of systems. With TSAF, a user can connect to a program by specifying a name that the program has made known, instead of specifying a userid and node id.

All message cross references for TSAF are now contained in this publication. These messages have an ATS prefix, and they are documented in mixed case with variables in italics.

## Other Additions and Enhancements

### *Parsing Facility*

The CMS parsing facility is a new enhancement of VM/SP for Release 5. This facility parses and translates command name arguments. It is important to National Language Support (NLS) because it lets users enter commands in their own national language.

A user defines command syntax in a special language, the Command Syntax Definition Language (CSDL). The parsing facility parses a specified command by checking whether command arguments are specified according to the CSDL definition for that command.

Defining command syntax in a CSDL file and using the parsing facility has the following advantages:

- Syntax checking is unnecessary in programs
- Users can invoke programs in their own national language by modifying the CSDL file.

All messages that the parsing facility generates are now contained in this publication. These messages have a DMS prefix and are documented in mixed case with variables in italics.

### ***CMS Session Services***

The CMS Session Services is a new enhancement to VM/SP for Release 5. This enhancement provides window and virtual screens functions for the end user. When the command SET FULLSCREEN ON is issued, CMS is in full-screen mode and appears in a window. This lets a user enter commands from anywhere on the physical screen, scroll through data, and log data into files. Messages are routed to appropriate windows.

All messages that the window manager generates are now contained in this publication. These messages have a DMS prefix and are documented in mixed case with variables in italics.

### ***Enhanced Connectivity Facilities on VM/SP***

Enhanced Connectivity Facilities on VM/SP is a new component for VM/SP Release 5. It is also part of a set of programs that make up IBM System/370 to IBM Personal Computer Enhanced Connectivity Facilities.

This component provides a means for VM/SP to communicate with workstations (for example, IBM Personal Computers) and a programming interface called the Server-Requester Programming Interface.

All messages that IBM System/370 to IBM Personal Computer Enhanced Connectivity Facilities generates are now contained in this publication. These messages have a DMS prefix and are documented in mixed case with variables in italics.

### ***Installation Messages***

The messages that were in the back of the Release 4 *VM/SP Installation Guide*, SC24-5237 have been incorporated into this publication for this release.

### ***National Language Support (NLS)***

Most of the messages are now documented in mixed case. Variables in these messages are denoted by italics.

### ***Miscellaneous***

Minor usability, editorial, and technical changes have been made throughout this publication.



## Glossary of Terms and Abbreviations

Terms used in this publication are defined as follows:

**ACF/VTAM Version 3.** ACF/VTAM Version 3 for VM/SP, Program No. 5664-280, unless otherwise noted.

**FB-512.** The 3310 and the 3370 Direct Access Storage Devices.

**GAM/SP.** The IBM Graphic Access Method/System Product, Program No. 5668-978.

**270x.** IBM 2701, 2702, and 2703 Transmission Control Units or the Integrated Communications Adapter (ICA) on the System/370, Model 135.

**3088.** The 3088 Multisystem Communications Unit (MCU) Models 1 and 2.

**3270.** A series of display devices that are supported as VM/SP terminal display stations. A specific device type is used only when a distinction is required between device types.

The use of display terminals applies only to VM/SP system consoles used in display mode.

Information pertaining to the IBM 3284 or IBM 3286 printers includes any printers used for the display terminal copy function unless otherwise noted.

**3330.** The IBM 3330 Disk Storage, Models 1, 2, or 11; the IBM 3333 Disk Storage and Control, Models 1 or 11; and the IBM 3350 Direct Access Storage operating in 3330/3333 Model 1 or 3330/3333 Model 11 compatibility mode.

**3370.** The IBM 3370 Direct Access Storage Models A1, A2, B1, and B2.

**3375.** The IBM 3375 Direct Access Storage Device.

**3480.** The IBM 3480 Magnetic Tape Subsystem.

**370x.** IBM 3704 and IBM 3705 Communications Controllers.

**3705.** The 3705 I and the 3705 II unless otherwise noted.

**3800.** The IBM Printing Subsystems, Models 1, 3, and 8. A specific device type is used only when a distinction is required between device types. References to the 3800 Model 3 apply to both Models 3 and 8 unless otherwise explicitly stated. The IBM 3800 Model 8 is available only in selected world trade countries.



## Bibliography

### *Virtual Machine:*

- *Diagnosis Guide*, LY24-5241
- *System Facilities for Programming*, SC24-5288

### *Virtual Machine/System Product:*

- *Introduction*, SC19-6200
- *CMS Command Reference*, SC19-6209
- *CMS for System Programming*, SC24-5286
- *CMS Macros and Functions Reference*, SC24-5284
- *CP Command Reference*, SC19-6211
- *CP for System Programming*, SC24-5285
- *Data Areas and Control Block Logic Volume 1 (CP)*, LY24-5220
- *Data Areas and Control Block Logic Volume 2 (CMS)*, LY24-5221
- *Group Control System Command and Macro Reference*, SC24-5250
- *Installation Guide*, SC24-5237
- *System Messages and Codes*, SC19-6204
- *Operator's Guide*, SC19-6202
- *System Product Editor Command and Macro Reference*, SC24-5221
- *System Product Editor User's Guide*, SC24-5220
- *System Product Interpreter Reference*, SC24-5239
- *System Product Interpreter User's Guide*, SC24-5238
- *Transparent Services Access Facility Reference*, SC24-5287
- *Planning Guide and Reference*, SC19-6201

**Others:**

- *CMS GAM/SP User's Guide*, LC33-0126.
- *DOS/VS Sort/Merge Version 2 Programmer's Guide*, SC33-4404.
- *Guide to the DOS/VSE Assembler*, GC33-4024
- *IBM Programmer's Guide to the Server-Requester Programming Interface for VM/SP*, SC24-5291.
- *IBM Virtual Machine/System Product and Stand-Alone Versions: Input/Output Configuration Program User's Guide and Reference*, GC20-1843
- *OS/VS and DOS/VS Analysis Program-1 (AP-1) User's Guide*, GC26-3855
- *OS/VS, DOS/VSE, VM/370 EREP Messages*, GC38-1045
- *OS/VS Message Library: Mass Storage System (MSS) Message*, GC38-1000
- *OS/VS Utilities Messages*, GC38-1005
- *VSE/Advanced Functions Messages*, SC33-6098
- *VSE/VSAM Messages and Codes*, SC24-5146

Is there anything you especially like or dislike about this book? Feel free to comment on specific errors or omissions, accuracy, organization, or completeness of this book.

If you use this form to comment on the online HELP facility, please copy the top line of the HELP screen.

\_\_\_\_\_ Help Information line \_\_\_ of \_\_\_

IBM may use or distribute whatever information you supply in any way it believes appropriate without incurring any obligation to you, and all such information will be considered nonconfidential.

**Note:** Do not use this form to report system problems or to request copies of publications. Instead, contact your IBM representative or the IBM branch office serving you.

Would you like a reply?  YES  NO

Please print your name, company name, and address:

---

---

---

---

IBM Branch Office serving you: \_\_\_\_\_

Thank you for your cooperation. You can either mail this form directly to us or give this form to an IBM representative who will forward it to us.

**Reader's Comment Form**

CUT  
OR  
FOLD  
ALONG  
LINE

Fold and tape

Please Do Not Staple


Fold and tape



**BUSINESS REPLY MAIL**  
FIRST-CLASS MAIL PERMIT NO. 40 ARMONK, NY

POSTAGE WILL BE PAID BY ADDRESSEE:

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES



INTERNATIONAL BUSINESS MACHINES CORPORATION  
DEPARTMENT G60  
PO BOX 6  
ENDICOTT NY 13760-9987



Fold and tape

Please Do Not Staple

Fold and tape



C

C

C

C

C

**International Business  
Machines Corporation  
P.O. Box 6  
Endicott, New York 13760**

**File No. S370/4300-39  
Printed in U.S.A.**

**SC24-5264-1**

**IBM**  
®