


```

PPPPPPPP      AAAAAA      GGGGGGGG      EEEEEEEEEEE      FFFFFFFFFFF      AAAAAA      UU      UU      LL      TTTTTTTTTT
PPPPPPPP      AAAAAA      GGGGGGGG      EEEEEEEEEEE      FFFFFFFFFFF      AAAAAA      UU      UU      LL      TTTTTTTTTT
PP      PP      AA      AA      GG      EE      FF      AA      AA      UU      UU      LL      TT
PP      PP      AA      AA      GG      EE      FF      AA      AA      UU      UU      LL      TT
PP      PP      AA      AA      GG      EE      FF      AA      AA      UU      UU      LL      TT
PP      PP      AA      AA      GG      EE      FF      AA      AA      UU      UU      LL      TT
PPPPPPPP      AA      AA      GG      EEEEEEEEE      FFFFFFFF      AA      AA      UU      UU      LL      TT
PPPPPPPP      AA      AA      GG      EEEEEEEEE      FFFFFFFF      AA      AA      UU      UU      LL      TT
PP      AAAAAAAAAA      GG      GGGGGG      EE      FF      AAAAAAAAAA      UU      UU      LL      TT
PP      AAAAAAAAAA      GG      GGGGGG      EE      FF      AAAAAAAAAA      UU      UU      LL      TT
PP      AA      AA      GG      GG      EE      FF      AA      AA      UU      UU      LL      TT
PP      AA      AA      GG      GG      EE      FF      AA      AA      UU      UU      LL      TT
PP      AA      AA      GG      GG      EE      FF      AA      AA      UU      UU      LL      TT
PP      AA      AA      GGGGGG      EEEEEEEEEEE      FF      AA      AA      UUUUUUUUUU      LLLLLLLLLL      TT      ....
PP      AA      AA      GGGGGG      EEEEEEEEEEE      FF      AA      AA      UUUUUUUUUU      LLLLLLLLLL      TT      ....

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS

```

(1)	36	HISTORY	: DETAILED
(2)	60	DECLARATIONS	
(3)	165	PAGE FAULT HANDLER	
(4)	221	SYSTEM PAGE FAULT, ESTABLISH PAGE TYPE	
(5)	298	EXCEPTION ENTRY POINT - PAGE TYPE DISPATCHER	
(6)	402	PAGE FILE, SECTION TABLE INDEX, OR GLOBAL PAGE	
(7)	473	PAGE NOT RESIDENT, QUEUE A READ REQUEST	
(8)	828	FORM A CLUSTER OF PAGES TO READ	
(9)	990	DEMAND ZERO PAGE	
(10)	1106	FREE, MODIFIED, OR BAD PAGE LIST, RELEASE PENDING	
(11)	1254	SCANDADPT - SCAN A DEAD PAGE TABLE FOR TRANSITION PAGES	
(12)	1355	WSLEPFN - FETCH PFN FROM WORKING SET LIST ENTRY	
(13)	1406	FREWSLE - FREE A WORKING SET LIST ENTRY	
(15)	1720	DELWSLEX - DELETE WORKING SET LIST ENTRY BY INDEX	
(17)	1802	ININEWPFN - ALLOCATE AND INIT A NEW PFN	
(19)	1869	MAKEWSLE - MAKE A WORKING SET LIST ENTRY	
(21)	1967	LOCKPGTB - LOCK PAGE TABLE	
(22)	2020	INCPTREF - INCREMENT PAGE TABLE REFERENCE COUNT	
(24)	2098	DECPTREF - DECREMENT PAGE TABLE REFERENCE COUNT	
(26)	2178	DECPHDREF - DECREMENT PROCESS HEADER REFERENCE COUNT	
(27)	2244	INIBLDPKT - INIT FOR CALLING BUILDPKT	

```
0000 1 .TITLE PAGEFAULT - TRANSLATION NOT VALID EXCEPTION HANDLER
0000 2 .IDENT 'V04-000'
0000 3
0000 4 *****
0000 5 *
0000 6 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 7 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 8 * ALL RIGHTS RESERVED.
0000 9 *
0000 10 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 11 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 12 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 13 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 14 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 15 * TRANSFERRED.
0000 16 *
0000 17 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 18 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 19 * CORPORATION.
0000 20 *
0000 21 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 22 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 23 *
0000 24 *
0000 25 *****
0000 26
0000 27 :++
0000 28 : FACILITY: EXECUTIVE, TRANSLATION NOT VALID EXCEPTION HANDLER
0000 29
0000 30 : ABSTRACT:
0000 31
0000 32 : ENVIRONMENT:
0000 33
0000 34 :--
0000 35
0000 36 : .SBTTL HISTORY ; DETAILED
0000 37
0000 38 : AUTHOR: PETER H. LIPMAN , CREATION DATE: 14-SEP-76
0000 39
0000 40 : MODIFIED BY:
0000 41
0000 42 : V03-008 WMC0002 Wayne Cardoza 24-Jul-1984
0000 43 : Comparison on modified page list waitlimit should be CPL.
0000 44
0000 45 : V03-007 WMC0001 Wayne Cardoza 05-MAY-1983
0000 46 : Fix trigger for dead page table scan to account for
0000 47 : locked page tables in dynamic part of working set.
0000 48
0000 49 : V03-006 TCM0001 Trudy C. Matthews 31-Mar-1983
0000 50 : Change references to working set fields in PHD so that
0000 51 : they are used as unsigned words.
0000 52
0000 53 : V03-005 KDM54836 Kathleen D. Morse 16-Mar-1983
0000 54 : Add deadlock detection: do not allow process holding
0000 55 : a mutex to wait for swap file space.
0000 56
0000 57 : V03-004 KDM0002 Kathleen D. Morse 28-Jun-1982
```

PAGEFAULT
V04-000

- TRANSLATION NOT VALID EXCEPTION HANDLE 16-SEP-1984 00:43:02 VAX/VMS Macro V04-00
HISTORY ; DETAILED 5-SEP-1984 03:45:49 [SYS.SRC]PAGEFAULT.MAR;1

Page 2
(1)

PAGE
V04

0000 58 ;

Added \$PRTDEF.

```

0000 60          .SBTTL  DECLARATIONS
0000 61          :
0000 62          : INCLUDE FILES:
0000 63          :
0000 64          $CADEF          :CONDITIONAL ASSEMBLY DEFINITIONS
0000 65          $IPLDEF         :PROCESSOR PRIORITY LEVEL DEFINITIONS
0000 66          $IRPDEF         :I/O REQUEST PACKET DEFINITIONS
0000 67          $PCBDEF         :PROCESS CONTROL BLOCK DEFINITIONS
0000 68          $PHDDEF         :PROCESS HEADER DEFINITIONS
0000 69          $PRDEF          :PROCESSOR REGISTER DEFINITIONS
0000 70          $PFLDEF         :PAGE FILE CONTROL BLOCK DEFINITIONS
0000 71          $PFNDEF         :PFN DATA BASE DEFINITIONS
0000 72          $PRTDEF         :PROTECTION FIELD DEFINITIONS
0000 73          $PSLDEF         :PROCESSOR STATUS LONG WORD DEFINITIONS
0000 74          $PTEDEF         :PAGE TABLE ENTRY OFFSETS
0000 75          $RSNDEF         :RESOURCE NAME DEFINITIONS
0000 76          $SECDEF         :SECTION TABLE DEFINITIONS
0000 77          $SSDEF         :SYSTEM STATUS DEFINITIONS
0000 78          $VADEF          :VIRTUAL ADDRESS VIELDS
0000 79          $WQHDEF         :WAIT QUEUE HEADER DEFINITIONS
0000 80          $WSLDEF         :WORKING SET LIST DEFINITIONS
0000 81          :
0000 82          : EXTERNAL SYME S:
0000 83          :
0000 84          :
0000 85          :
0000 86          : MACROS:
0000 87          :
0000 88          :
0000 89          :
0000 90          : EQUATED SYMBOLS:
0000 91          :
0000 92          :
0000 93          $OFFSET <4*6>,POSITIVE,<-
0000 94          FLTCTL,-          :OFFSET TO FAULT CONTROL BITS
0000 95          FLTVA,-          :OFFSET TO FAULT VIRTUAL ADDRESS
0000 96          FLTPC,-          :OFFSET TO FAULT PC
0000 97          FLTPSL,-        :OFFSET TO FAULT PSL
0000 98          >
0018          FLTCTL:
001C          FLTVA:
0020          FLTPC:
0024          FLTPSL:
0000 99          :
0000 100         $VFIELD PGF,0,<-          :DEFINE PAGE FAULT CONTROL BITS
0000 101         LENVIO,-            :LENGTH VIOLATION
0000 102         PGTBFLT,-          :PAGE TABLE FAULT
0000 103         WRTACC,-          :REFERENCE WAS WRITE OR MODIFY
0000 104         >
0000 105         :
0000 106         : OFFSETS INTO I/O PACKET WHILE BEING USED AS SCRATCH STORAGE FOR CLUSTERING
0000 107         :
0000 108         $OFFSET 0,POSITIVE,<-
0000 109         PTEDAT,-          :MASTER PTE CONTENTS
0000 110         SVAPTE,-          :MASTER PTE ADDRESS
0000 111         SIZE_TYPE,-       :RESERVED FOR SIZE AND TYPE
0000 112         VA,-              :VIRTUAL ADDRESS

```

```

0000 113 AST,- ;AST INFO
0000 114 ASTPRM,- ; AND PARAMETER
0000 115 GPTX,- ;PROCESS PTE CONTENT FOR GLOBAL PAGE
0000 116 GPTX_PTE,- ;PROCESS PTE ADR FOR GLOBAL PAGE
0000 117 <CLUSTER,1>,- ;DESIRED CLUSTER SIZE
0000 118 <COUNT,1>,- ;CURRENT COUNT OF PAGES
0000 119 <STATE,1>,- ;SAVED PFN STATE BYTE
0000 120 <PRI,1>,- ;PRIORITY OF I/O TRANSFER
0000 121 BAK,- ;PFN BACKING STORE ADDRESS
0000 122 INC1,- ;+ OR - 1
0000 123 INC4,- ;. OR - 4
0000 124 INC512,- ;+ OR - 512
0000 125 VBN,- ;VIRTUAL BLOCK NUMBER
0000 126 WINDOW,- ;WINDOW CONTROL BLOCK ADR
0000 127 FP_SAV,- ;SAVED FP
0000 128 <PCB_SAV,8>,- ;SAVED PCB, PHD ADDRESS
0000 129 PHVREFCADR,- ;PROCESS HEADER REFERENCE COUNT ADDRESS
0000 130 <CLU_SCRATCH_SIZ,0>- ;SIZE OF THIS SCRATCH AREA
0000 131 >
0000 PTEDAT:
0004 SVAPTE:
0008 SIZE_TYPE:
000C VA:
0010 AST:
0014 ASTPRM:
0018 GPTX:
001C GPTX_PTE:
0020 CLUSTER:
0021 COUNT:
0022 STATE:
0023 PRI:
0024 BAK:
0028 INC1:
002C INC4:
0030 INC512:
0034 VBN:
0038 WINDOW:
003C FP_SAV:
0040 PCB_SAV:
0048 PHVREFCADR:
004C CLU_SCRATCH_SIZ:
0000 132
0000 133 ASSUME CLU_SCRATCH_SIZ LE IRPSC_LENGTH
0000 134 ASSUME SIZE_TYPE EQ IRPSW_SIZE
0000 135 ASSUME AST EQ IRPSL_AST
0000 136 ASSUME ASTPRM EQ IRPSL_ASTPRM
0000 137 ASSUME PRI EQ IRPSB_PRI
0000 138 ;
0000 139 ; OWN STORAGE:
0000 140 ;
00000000 141 ; .PSECT $$$210, LONG
0000 142 ;
0000 143 ; STATISTICS
0000 144 ;
00000004 0000 145 PMS$GL_FAULTS:: ;COUNT OF PAGE FAULTS
0000 146 .BLKL 1 ;OBSOLETE NAME
0004 147 PMS$GL_RDFLT::

```

00000008	0004	148	FMSSGL_PREADS::		
	0004	149	.BLKL	1	;PAGE READS
0000000C	0008	150	PMSSGL_PREADIO::		;I/O REQUESTS TO READ THE PAGES
	0008	151	.BLKL	1	
00000010	000C	152	PMSSGL_PWRITES::		;MODIFIED PAGES WRITTEN
	000C	153	.BLKL	1	
00000014	0010	154	PMSSGL_PWRITIO::		;I/O REQUESTS TO WRITE THE MODIFIED PAGES
	0010	155	.BLKL	1	
00000018	0014	156	PMSSGL_DZROFLTS::		;DEMAND ZERO PAGE FAULTS
	0014	157	.BLKL	1	
00000038	0018	158	PMSSAL_TRANSFLT::		;PAGE FAULTS OUT OF TRANSITION STATES
	0018	159	.BLKL	<1@PFNSS_LOC>	
0000003C	0038	160	PMSSGL_DPTSCN::		;DEAD PAGE TABLE SCANS
	0038	161	.BLKL	1	
00000040	003C	162	PMSSGL_GVALID::		;GLOBAL VALID FAULTS
	003C	163	.BLKL	1	


```

0040 165      .SBTTL PAGE FAULT HANDLER
0040 166
0040 167      :++
0040 168      : FUNCTIONAL DESCRIPTION:
0040 169      :
0040 170      : THIS MODULE CONTAINS THE PAGEFAULT HANDLER. IT IS ENTERED VIA A
0040 171      : TRANSLATION-NOT-VALID FAULT. AT THE TIME OF A FAULT, THE KERNEL
0040 172      : STACK CONTAINS THE FOLLOWING INFORMATION:
0040 173      :
0040 174      : -----+-----+
0040 175      : ! REASON MASK ! --> BIT 0 - ALWAYS 0 FOR
0040 176      : -----+-----+          TRANS-NOT-VALID FAULTS
0040 177      : ! INVALID VIRTUAL ADDRESS ! BIT 1 - 0 INDIC VIRT ADR NOT VALID
0040 178      : -----+-----+          1 INDIC ASSOC PTE NOT VALID
0040 179      : ! PC OF FAULTING INSTRUCTION ! BIT 2 - 0 INDIC READ ACCESS
0040 180      : -----+-----+          1 INDIC MODIFY/WRITE ACCESS
0040 181      : ! PSL OF FAULTING INSTRUCTION !
0040 182      : -----+-----+
0040 183
0040 184      : CALLING SEQUENCE:
0040 185      : NONE
0040 186
0040 187
0040 188      : INPUT PARAMETERS:
0040 189      : NONE
0040 190
0040 191      : IMPLICIT INPUTS:
0040 192      : NONE
0040 193
0040 194      : OUTPUT PARAMETERS:
0040 195      : NONE
0040 196
0040 197      : IMPLICIT OUTPUTS:
0040 198      : NONE
0040 199
0040 200      : COMPLETION CODES:
0040 201      : NONE
0040 202
0040 203      : SIDE EFFECTS:
0040 204      : NONE
0040 205
0040 206      :--
0040 207
0040 208
0040 209      : *****
0040 210      : ***** THIS ENTIRE MODULE MUST BE RESIDENT *****
0040 211      : *****
0040 212
00000000 213      .PSECT $MMG$COD, LONG
0000 214
0000 215      : *****
0000 216
0000 217      .LIST MEB
0000 218
FEFF 0000 219 IPLHI: BUG_CHECK PGF IPLHI, FATAL ; IPL TOO HIGH FOR PAGE FAULT
0004' 0002      .WORD ^XFEFF
      .IIF IDN <FATAL>, <FATAL> , .WORD BUG$_PGF IPLHI!4

```

```

0004 221      .SBTTL SYSTEM PAGE FAULT, ESTABLISH PAGE TYPE
0004 222
0004 223      .ENABL LSB
0004 224
0004 225 : BAD SYSTEM PAGE - PROCESS HEADER OR PAGE TABLE PAGE FOR ANOTHER PROCESS
0004 226
0004 227 : IF THE PROCESS HEADER HAS JUST BEEN INSWAPPED (PHDSV_NOACCVIO IS SET),
0004 228 : SIMPLY DISMISS THE FAULT. IN ALL OTHER CASES, REPORT AN ACCESS VIOLATION
0004 229 : EXCEPTION.
0004 230
0004 231 : IF THE PROCESS WAS OUTSWAPPED WHILE ACCESSING ITS OWN HEADER,
0004 232 : DISMISSING THE EXCEPTION WILL CAUSE THE REFERENCE TO OCCUR AGAIN,
0004 233 : BUT THIS TIME TO THE CORRECT BALANCE SLOT.
0004 234
0004 235 : IF THE PROCESS WAS MAKING AN ILLEGAL REFERENCE TO THE HEADER OF ANOTHER
0004 236 : PROCESS, DISMISSING THE EXCEPTION WILL CAUSE THE SAME ILLEGAL REFERENCE
0004 237 : TO OCCUR AGAIN, BUT NOW WITH PHDSV_ACCVIO CLEAR, CAUSING AN ACCESS
0004 238 : VIOLATION TO BE REPORTED.
0004 239
0004 240 BADSYPAG:
03 36 A5 03 E4 0004 241 BBSC #PHDSV_NOACCVIO,PHDSW_FLAGS(R5),10$ ;BRANCH IF HEADER JUST INSWAPPED
06B7 31 0009 242 BRW ACVIOLAT ;FAKE AN ACCESS VIOLATION
000C 243
000C 244 10$: BRW PGFCOMPLETE ;SIMPLY DISMISS THE PAGE FAULT
000F 245
000F 246
000F 247 : SEE IF PAGE IS A GLOBAL PAGE TABLE PAGE, OTHERWISE ERROR
000F 248
000F 249 GPGTBL:
00000000'EF 50 B1 000F 250 CMPW R0,SGN$GL_BALSETCT ;SYSTEM BALANCE SET SLOT?
EC 19 0016 251 BLSS BADSYPAG ;BRANCH IF NOT
0000'CF 52 D1 0018 252 CML R2,W*MMG$GL_MAXGPT ;LEGAL GPT ADDRESS
E5 1E 001D 253 BGEQU BADSYPAG
52 0A 90 001F 254 MOVB #WSL$C_GPGTBL,R2 ;PAGE IS GLOBAL PAGE TABLE
2E 11 0022 255 BRB 50$
0024 256
0024 257 : PAGE IS NOT SYSTEM PAGE TYPE, COULD BE GLOBAL PAGE TABLE, PROCESS PAGE TABLE
0024 258 : OR PROCESS HEADER PAGE
0024 259
0024 260 NOTSYSTEM:
50 50 F7 8F 78 0024 261 ASHL #-9,R0,R0 ;SCALE VA DIFFERENCE TO PAGE NUMBER
55 6C A4 D0 0029 262 MOVL PCB$P_PHD(R4),R5 ;ADDRESS OF PROCESS HEADER
50 0000'CF C6 002D 263 DIVL W*SWP$GL_BSLOTSZ,R0 ;PROCESS HEADER INDEX
42 A5 50 B1 0032 264 CMPW R0,PHDSW_PHVINDEX(R5) ;THIS PROCESS' HEADER?
D7 12 0036 265 BNEQ GPGTBL ;BRANCH IF NOT, MAYBE GLOBAL PAGE TABLE
52 08 90 0038 266 MOVB #WSL$C_PPGTBL,R2 ;ASSUME PROCESS PAGE TABLE
1E 11 003B 267 BRB 70$
003D 268
003D 269 : PAGE FAULT MONITORING ENABLED FOR THIS PROCESS
003D 270
003D 271 PGFMONITOR:
FFCO' 30 003D 272 BSBW PFMSMON ;CALL THE RECORDING ROUTINE
SE 11 0040 273 BRB PGFMONITOR1 ;RETURN IN LINE
0042 274
0042 275 : PAGE FAULT FOR SYSTEM SPACE VIRTUAL ADDRESS
0042 276 : R2 = FAULT VA, LOW BITS CLEARED
0042 277 : R4 = PROCESS PCB ADDRESS

```

```

0042 278 :
0042 279 SYSTEMSPACE:
53 52 15 09 EF 0042 280 EXTZV #VASV VPN,#VASS VPN,R2,R3 ;PAGE NUMBER IN SYSTEM SPACE
50 52 0000'CF C3 0047 281 SUBL3 W^SWP$GL BALBASE,R2,R0 ;ABOVE BASE OF BALANCE SET SLOTS?
18 004D 282 BGEQ NOTSYSTEM ;BRANCH IF NOT SYSTEM PAGE TYPE
54 52 02 90 004F 283 40$: MOVB #WSL$C SYSTEM,R2 ;SYSTEM PAGE
53 55 6C A4 D0 0052 284 50$: MOVAL W^MMG$AL SYSPCB,R4 ;ADDRESS OF SYSTEM PCB
53 0000'DF43 DE 0057 285 MOVL PCB$L PHD(R4),R5 ;ADDRESS OF SYSTEM PROCESS HEADER
57 11 005B 286 70$: MOVAL @W^MMG$GL SPTBASE[R3],R3 ;ADDRESS OF PAGE TABLE ENTRY
0061 287 BRB GETPAGELOC
0063 288
0063 289 :
0063 290 : THIS IS A PROCESS PAGE TABLE FAULT
0063 291 :
0063 292 PPGTBL:
52 53 000001FF 8F CB 0063 293 BICL3 #^X1FF,R3,R2 ;R2 = FAULT VA
D5 11 006B 294 BRB SYSTEMSPACE
006D 295
006D 296 .DSABL LSB

```

```

006D 298 .SBTTL EXECEPTION ENTRY POINT - PAGE TYPE DISPATCHER
006D 299
006D 300 .ALIGN LONG
0070 301 MMG$PAGEFAULT::
0070 302 PUSHL R5 ;SAVE R5
0072 303 PUSHL R4 ;SAVE R4
02 14 AE 05 10 ED 0074 304 CMPZV #PSL$V_IPL,#PSL$S_IPL,<12+8>(SP),#IPL$ASTDEL ;CHECK FAULT IPL
84 14 007A 305 BGTR IPLHI ;BRANCH IF IPL IS TOO HIGH
53 DD 007C 306 PUSHL R3 ;SAVE R3
007E 307 SETIPL #IPL$SYNCH ;LOCK THE DATA BASE
12 08 DA 007E 307 MTPR #IPL$SYNCH,S^#PR$ IPL
54 0000'CF 52 DD 0081 308 PUSHL R2 ;SAVE R2
51 DD 0083 309 MOVL W^SCH$GL_CURPCB,R4 ;R4 = ADDRESS OF PCB
50 DD 0088 310 PUSHL R1 ;SAVE R1
52 1C AE 000001FF 8F CB 008A 311 PUSHL R0 ;SAVE R0
9D 36 A5 00 8F CB 008C 312 BICL3 #^X1FF,FLTVA(SP),R2 ;R2 = VA OF FAULT (LOW BITS CLEAR)
55 6C A4 DO 0095 313 BLSS SYSTEMSPACE ;BRANCH IF SYSTEM SPACE ADDRESS
9D 36 A5 00 9D 0097 314 MOVL PCB$PHD(R4),R5 ;R5 = ADDRESS OF HEADER
53 52 15 09 EF 00A0 315 BBS #PHD$V_PFMFLG,PHD$W_FLAGS(R5),PGFMONITOR ;BRANCH IF PAGE FAULT MONIT
53 0B 52 1E E1 00A0 316 PGFMONITOR1:
53 0000 D543 DE 00A0 317 EXTZV #VASV_VPN,#VASS_VPN,R2,R3 ;VIRTUAL PAGE IN P0 OR P1 SPACE
09 11 00AF 318 BBC #VASV_P1,R2,POADDR ;BRANCH IF P0 SPACE
53 00C8 D543 DE 00A9 319 MOVAL @PHD$P1BR(R5)[R3],R3 ;GET SYS VIRT ADR OF PTE FOR P1 SPACE
09 31 00B1 320 BRB GETPAGELOC
53 00C8 D543 DE 00B1 321 VALID: BRW PGFCOMPLETE ;IF VALID, JUST EXIT
00B4 322 POADDR: MOVAL @PHD$L_POBR(R5)[R3],R3 ;GET SYS VIRT ADR OF PTE FOR P0 SPACE
00BA 323 ;
00BA 324 ; R2 = VA (LOW BITS = PAGTYP), R3 = SVAPTE
00BA 325 ;
00BA 326 GETPAGELOC:
50 53 15 09 EF 00BA 327 EXTZV #VASV_VPN,#VASS_VPN,R3,R0 ;INDEX TO SPT ENTRY
51 0000'DF40 DE 00BF 328 MOVAL @W^MMG$GL_SPTBASE[R0],R1 ;ADDRESS OF SPT FOR PAGE TABLE
61 D5 00C5 329 TSTL (R1) ;IS SPT VALID?
50 63 7880000 8F CB 00C7 330 BGEQ PPGTBL ;BRANCH IF NOT, FAULT IT
00D1 331 BICL3 #^C<PTESM_VALID - ;CHECK VALID BIT
00D1 332 ! PTESM_TYP1 ! PTESM_TYPO - ;GET PTE TYPE BITS
00D1 333 ! PTESM_PGFLVB>,(R3),R0 ;AND PFN/PAGE FILE VBN BITS TO R0
DE 19 00D1 334 BLSS VALID ;BRANCH IF VALID
00D3 335 ;
00D3 336 ; R0 = TYP1 ! TYPO ! PGFLVB, VALID IS KNOWN TO BE OFF AT THIS POINT
00D3 337 ; R1 = SPT ENTRY ADDRESS FOR PAGE TABLE PAGE
00D3 338 ; R2 = VA (LOW BITS = PAGTYP)
00D3 339 ; R3 = SVAPTE
00D3 340 ;
0000'CF D6 00D3 341 INCL W^PMS$GL_FAULTS ;COUNT ALL THE PAGE FAULTS
4C A5 D6 00D7 342 INCL PHD$L_PAGEFLT(R5) ;COUNT PROCESS' PAGE FAULTS
53 DD 00DA 343 PUSHL R3 ;SAVE NEEDED VOLATILE REGISTERS
52 DD 00DC 344 PUSHL R2
51 DD 00DE 345 PUSHL R1
079C 30 00E0 346 BSBW MMG$FREWSLE ;FREE A WORKING SET LIST ENTRY
3F 50 E9 00E3 347 BLBC R0,RSRCWAIT_3 ;BRANCH IF HAVE TO WAIT
00E6 348 ;
00E6 349 ; ***** ALL POINTS DISPATCHED TO FROM HERE MUST REMEMBER THAT
00E6 350 ; ***** 0(SP) = VA (LOW BITS = PAGTYP), 4(SP) = SVAPTE
00E6 351 ;
53 08 AE DO 00E6 352 MOVL 8(SP),R3 ;SVAPTE
00EA 353 ;

```

```

00EA 354 ; MUST RECHECK VALIDITY OF PAGE TABLE PAGE, SINCE FREWSLE MIGHT HAVE DISCARDED IT
00EA 355 ;
9E D5 00EA 356 TSTL @(SP)+ ;IS PAGE TABLE PAGE VALID?
3D 18 00EC 357 BGEQ PPGTBL_2 ;NO, GO FAULT THE PAGE TABLE
00EE 358 ;
00EE 359 ; MUST FETCH PAGE TABLE ENTRY CONTENTS AGAIN SINCE DEAD PAGE TABLE SCAN
00EE 360 ; IN FREWSLE MIGHT HAVE DISCARDED THE PAGE. NOTE THAT VALID IS KNOWN 0.
00EE 361 ;
50 63 78800000 8F CB 00EE 362 BICL3 #^C<PTESM_VALID ! - ;FETCH VALID BIT
00F6 363 PTESM_TYPT ! PTESM_TYPO !- ;PTE_TYPE BITS
00F6 364 PTESM-PGFLVB>, (R3),R0 ;AND PGFLVB, GPTX, SECX, PFN
2A 13 00F6 365 BEQL DZRO_PTE_0 ;BRANCH IF PAGE IS DEMAND ZERO
00F8 366 ;
00F8 367 ; FORM R1 = 4 BIT SIGN EXTENDED VIELD LOW BIT = TYPO, SIGN = TYP1
00F8 368 ;
51 50 05 16 EE 00F8 369 EXTV #PTESV_TYPO,#<PTESV_TYP1+1-PTESV_TYPO>,R0,R1
55 12 00FD 370 BNEQ NOTTRANSITION ;BRANCH IF NOT TRANSITION PAGE
00FF 371 ;
00FF 372 ; THIS IS A PAGE IN TRANSITION
00FF 373 ; RO = PFN, R2 = VA (LOW BITS = PAGTYP), R3 = SVAPTE
00FF 374 ;
52 0000'DF40 03 00 EF 00FF 375 TRANSITION:
00FF 376 EXTZV #PFNSV_LOC,#PFNSS_LOC,@W^PFNS$AB_STATE[R0],R2 ;PAGE LOCATION
0107 377
000U0002 0107 378 .IF GT,CAS$ MEASURE
0018'CF42 D6 0107 379 INCL W^PMS$AL_TRANSFLT[R2] ;COUNT VARIOUS TRANSITION FAULTS
010C 380 .ENDC
010C 381
010C 382 CASE R2,<-
010C 383 PFNLIST,- ;ON THE FREE PAGE LIST
010C 384 PFNLIST,- ;ON THE MODIFIED PAGE LIST
010C 385 PFNLIST,- ;ON THE BAD PAGE LIST
010C 386 RELEASEPEND,- ;RELEASE PENDING
010C 387 READERR,- ;PAGE READ ERROR
010C 388 WRITEINPROG,- ;PAGE WRITE IN PROGRESS
010C 389 READINPROG- ;PAGE READ IN PROGRESS
010C 390 >
06' 00 52 AF 010C CASEW R2,#0,S^#<<30001$-30000$>/2>-1
0110 30000$:
04FC' 0110 .SIGNED_WORD PFNLIST-30000$
04FC' 0112 .SIGNED_WORD PFNLIST-30000$
04FC' 0114 .SIGNED_WORD PFNLIST-30000$
04FF' 0116 .SIGNED_WORD RELEASEPEND-30000$
054B' 0118 .SIGNED_WORD READERR-30000$
04FF' 011A .SIGNED_WORD WRITEINPROG-30000$
0272' 011C .SIGNED_WORD READINPROG-30000$
011E 30001$:
011E 391 LOCBAD: BUG_CHECK PGFLOCBAD,FATAL ;BAD PAGE LOCATION FIELD
FEFF 011E .WORD ^XFÉFF
0004' 0120 .IIF IDN <FATAL>,<FATAL> .WORD BUG$_PGFLOCBAD!4
0122 392
0122 393 DZRO_PTE_0:
0409 31 0122 394 BRW DZRO_PTE
0125 395 RSRCWAIT 3:
5E 0C C0 0125 396 ADDL #3*4,SP ;CLEAN OFF 3 LONG WORDS
0253 31 0128 397 BRW RESOURCEWAIT ;AND GO WAIT FOR A RESOURCE
012B 398 PPGTBL_2:

```

PAGEFAULT
V04-000

B 6

- TRANSLATION NOT VALID EXCEPTION HANDLE 16-SEP-1984 00:43:02 VAX/VMS Macro V04-00 Page 11
EXCEPTION ENTRY POINT - PAGE TYPE DISPA 5-SEP-1984 03:45:49 [SYS.SRC]PAGEFAULT.MAR;1 (5)

03	BA	012B	399	POPR	#^M<R0,R1>	;CLEAN OFF 2 LONG WORDS, SCRATCH R0,R1
FF33	31	012D	400	BRW	PPGTBL	;FAULT A PROCESS PAGE TABLE

PAC
V04

```

0130 402 .SBTTL PAGE FILE, SECTION TABLE INDEX, OR GLOBAL PAGE
0130 403 :
0130 404 : GLOBAL PAGE, MASTER PTE VALID.
0130 405 : R0 = MASTER PTE CONTENTS (VALID, MODIFY AND PFN BITS)
0130 406 : 0(SP) = PROCESS VA (LOW BITS = PAGTYP), 4(SP) = SLAVE PTE ADDRESS
0130 407 :
0130 408 GBLVALID:
003C'CF D6 0130 409 INCL W*PMSS$GL_GVALID ;UPDATE GLOBAL VALID COUNTER
52 6F 7D 0134 410 MOVQ (SP),R2 ;R2=VA (LOW BITS = PAGTYP), R3=SVAPTE
50 50 15 50 DD 0137 411 PUSHL R0 ;SAVE MASTER PTE
0950 30 00 EF 0139 412 EXTZV #PTESV_PFN,#PTESV_PFN,R0,R0 ;PAGE FRAME NUMBER
OE BA 013E 413 BSBW MMG$MAKEWSLE ;MAKE A WORKING SET LIST ENTRY
04FC 31 0141 414 POPR #^M<R1,R2,R3> ;R1=MASTER PTE, R2=VA, R3=SVAPTE
0143 415 BRW SETSLAVEPTE ;SET PROCESS' PTE AND EXIT
0146 416 :
0146 417 : DEMAND ZERO GLOBAL SECTION WITH PAGE FILE BACKING STORE
0146 418 :
0146 419 GBLDZRO_PGFL:
50 00400000 8F D0 0146 420 MOVL #PTESM_TYPO,R0 ;ADD A TYPO BIT TO THE MASTER PTE (0)
007A 31 014D 421 BRW GBLDZRO ;GO JOIN COMMON CODE
0150 422 :
0150 423 : BAD MASTER PAGE TABLE ENTRY FORMAT FOR A GLOBAL PAGE
0150 424 :
0150 425 GBLBAD: BUG_CHECK PGFGBLBAD,FATAL ;BAD MASTER PTE FORMAT FOR GLOBAL PAGE
FEFF 0150 .WORD ^XFÉFF
0004' 0152 .IIF IDN <FATAL>,<FATAL> , .WORD BUG$_PGFGBLBAD!4
0154 426 :
0154 427 : PAGE IS NOT A TRANSITION OR DEMAND ZERO PAGE
0154 428 : R0 = LOW 23 BITS OF PTE AND TYPE BITS (PAGE FILE VBN, GPTX OR STX)
0154 429 : R1 = RESULT OF EXTIV ABOVE, CONDITION CODES SET FROM EXTIV
0154 430 : 0(SP) = VA (LOW BITS = PAGTYP), 4(SP) = SVAPTE
0154 431 :
0154 432 NOTTRANSITION:
00 50 7A 19 0154 433 BLSS NOTGLOBAL ;BRANCH IF TYP1 SET, NOT A GLOBAL PAGE
53 00 50 16 E5 0156 434 BBCC #PTESV_TYPO,R0,10$ ;LEAVE JUST GLOBAL PAGE TABLE INDEX
51 63 0A 9C 015A 435 10$: MOVAL @W*MMG$GL_GPTBASE[R0],R3 ;ADDRESS OF MASTER PTE
0160 436 ROTL #<32-<PTESV_OWN-WLSV_PAGTYP>>,(R3),R1 ;OWNER FIELD TO LOW BITS
0164 437 :
0164 438 : MASTER PTE OWNER FIELD CONTAINS THE VALUE PFNSC_GLOBAL OR PFNSC_GBLWRT
0164 439 :
50 6E 51 F1 8F 8B 0164 440 BICB3 #^C<WLSM_PAGTYP>,R1,(SP) ;SET PAGE TYPE FIELD
63 7B800000 8F CB 0169 441 BICL3 #^C<PTESM_VALID ! - ;GET THE VALID BIT
0171 442 PTESM_TYPT ! PTESM_TYPO ! - ;THE PTE TYPE BITS
0171 443 PTESM_PGFLVB>,(R3),R0 ;AND PAGE FILE VBN, OR STX
BD 19 0171 444 BLSS GBLVACID ;BRANCH IF MASTER PTE IS VALID
D1 13 0173 445 BEQL GBLDZRO_PGFL ;MASTER PTE IS DEMAND ZERO
51 50 05 16 EE 0175 446 EXTIV #PTESV_TYPO,#<PTESV_TYP1+1-PTESV_TYPO>,R0,R1
017A 447 :
017A 448 : R1 = 0 IF TYP1 AND TYPO ARE BOTH ZERO
017A 449 : R1 = NEGATIVE IF TYP1 IS SET
017A 450 : R1<0> = 1 IF TYPO IS SET
017A 451 :
83 13 017A 452 BEQL TRANSITION ;BRANCH IF GLOBAL TRANSITION
D2 14 017C 453 BGTR GBLBAD ;BRANCH IF GLOBAL AGAIN, ERROR
017E 454 :
017E 455 : MASTER PAGE TABLE ENTRY IS A SECTION OR PAGE FILE ADDRESS
017E 456 :

```

45	50	08	51	E9	017E	457	20\$:	BLBC	R1,30\$;BRANCH IF PAGE FILE
06	50	11		E0	0181	458		BBS	#PTESV_DZRO,R0,GBLDZRO		;BRANCH IF DEMAND ZERO GLOBAL SECTION
		10		E0	0185	459		BBS	#PTESV_CRF,R0,GBLCRF		;BRANCH IF COPY ON REFERENCE
					0189	460	:				
					0189	461	:				GLOBAL SECTION (NOT CRF OR DZRO) OR PAGE FILE BACKING STORE ADR
					0189	462	:				
50	04	AE	DO	0189	463	30\$:		MOVL	4(SP),R0		;SAVE SLAVE PTE ADR INDICATING GLOBAL
		4A	11	018D	464			BRB	GBLNOTRESIDENT		
					018F	465	:				
					018F	466	:				GLOBAL COPY ON REFERENCE PAGE
					018F	467	:				
					018F	468	:				
					018F	469	:				GBLCRF:
	6E	94	018F	469				CLRB	(SP)		;SAY PAGE IS PROCESS PAGE
50	53	DO	0191	470				MOVL	R3,R0		;MASTER PTE ADDRESS
	43	11	0194	471				BRB	GBLNOTRESIDENT		


```
0196 473 .SBTTL PAGE NOT RESIDENT, QUEUE A READ REQUEST
0196 474 .ENABL LSB
0196 475
0196 476 :
0196 477 : MUST WAIT FOR AN I/O REQUEST PACKET
0196 478 :
0196 479 IRPWAIT_3:
51 02 BA 0196 480 POPR #*M<R1> ;CLEAN OFF 1 LONG WORD
03 9A 0198 481 MOVZBL #RSNS$ NPDYMEM,R1 ;NON PAGED DYNAMIC MEMORY RESOURCE NUMBER
0C BA 019B 482 10$: POPR #*M<R2,R3> ;CLEAN OFF 2 LONG WORDS
01DE 31 019D 483 BRW RESOURCEWAIT ;WAIT FOR RESOURCE IN R1
01A0 484 :
01A0 485 : THIS PAGE READ WOULD EXCEED THIS PROCESS' DIRECT I/O QUOTA.
01A0 486 : WAIT UNTIL SOME OF HIS OUTSTANDING I/O COMPLETES.
01A0 487 :
01A0 488 DIOCNTWAIT 2:
51 01 9A 01A0 489 MOVZBL #RSNS$ _ASTWAIT,R1 ;AST WAIT RESOURCE NUMBER
F6 11 01A3 490 BRB 10$
01A5 491
01A5 492 .DSABL LSB
01A5 493
01A5 494 :
01A5 495 : NO I/O PACKETS ON THE SIDE LIST, MUST ALLOCATE ONE FROM NON-PAGED POOL
01A5 496 : 0(SP) = PLACE TO STORE ADDRESS OF PACKET, TOTAL OF 3 LONG WORDS ON STACK
01A5 497 :
01A5 498 GET_IRP:
51 6E 50 D0 01A5 499 MOVL RO,(SP) ;SAVE REGISTER
C4 8F 9A 01A8 500 MOVZBL #IRP$C_LENGTH,R1 ;SIZE OF I/O PACKET
FE51 30 01AC 501 BSBW EXE$ALONONPAGED ;ALLOCATE THE PACKET
E4 50 E9 01AF 502 BLBC RO,IRPWAIT_3 ;BRANCH IF NONE AVAILABLE
01 BA 01B2 503 POPR #*M<RO> ;RESTORE SAVED REGISTER
52 DD 01B4 504 PUSHL R2 ;I/O PACKET ADDRESS
6A 11 01B6 505 BRB GOT_IRP ;REJOIN THE MAIN FLOW
01B8 506 :
01B8 507 : MUST WAIT FOR A FREE PAGE, 5 LONG WORDS ON STACK, FIRST 2 ARE GARBAGE
01B8 508 : 8(SP) = I/O REQUEST PACKET ADDRESS TO BE DEALLOCATED, LAST 2 ARE SCRATCH
01B8 509 :
01B8 510 FREPAGWAIT 5:
03 BA 01B8 511 POPR #*M<RO,R1> ;SCRATCH RO,R1
07 BA 01BA 512 POPR #*M<RO,R1,R2> ;I/O PACKET ADDRESS TO RO
08 A0 C4 8F 9A 01BC 513 MOVZBL #IRP$C_LENGTH,IRP$W_SIZE(RO) ;SET PACKET SIZE AND CLEAR TYPE
FE3C 30 01C1 514 BSBW EXE$DEANONPAGED ;AND DEALLOCATE IT
01B0 31 01C4 515 BRW FREEPAGEWAIT
01C7 516 :
01C7 517 : DEMAND ZERO PROCESS SECTION PAGE
01C7 518 :
01C7 519 DZRO_PROC_SEC:
0364 31 01C7 520 BRW DZRO_PTE
01CA 521 :
01CA 522 : DEMAND ZERO GLOBAL SECTION PAGE
01CA 523 :
01CA 524 GBLDZRO:
51 63 D0 01CA 525 MOVL (R3),R1 ;MASTER PTE CONTENTS
0362 31 01CD 526 BRW DZRO_GBL_SEC
01D0 527 :
01D0 528 : PAGE IS NOT A GLOBAL PAGE
01D0 529 : R1<31>=TYP1, R1<0>=TYPO, RO = TYP1 ! TYPO ! PGFLVB
```

```

01D0 530 ;
01D0 531 NOTGLOBAL:
FO 50 04 51 E9 01D0 532 BLBC R1,10$ ;BRANCH IF NOT SECTION PAGE
11 E0 01D3 533 BBS #PTESV_DZRO,RO,DZRO_PROC_SEC ;BRANCH IF DEMAND ZERO PROCESS SECTION
50 D4 01D7 534 10$: CLRL RO ;INDICATE NO SLAVE PAGE TABLE ENTRY
01D9 535 ;
01D9 536 : O(SP) = VA (LOW BITS = PAGTYP), 4(SP) = SVAPTE (SLAVE IF GLOBAL)
01D9 537 : RO = MASTER PTE ADDRESS IF GLOBAL CRF
01D9 538 : = SLAVE PTE ADDRESS IF GLOBAL NOT CRF
01D9 539 : = 0 IF NOT GLOBAL
01D9 540 ;
01D9 541 GBLNOTRESIDENT:
01 35 A5 91 01D9 542 CMPB PHDSB_PGTBPFC(R5),#1 ;IF CLUSTERING PAGE TABLE PAGES
52 04 AE 15 09 15 01DD 543 BLEQ 40$
51 0000'DF42 DE 01DF 544 EXTZV #VASV_VPN,#VASS_VPN,4(SP),R2 ;SEE IF ADJACENT PAGE TABLES
71 847FFFFFFF 8F D3 01E5 545 MOVAL @W*MMG$GL_SPTBASE[R2],R1 ;NEED TO BE FAULTED, GET SPT ENTRY ADR
01E8 546 BITL #<PTESM_VALID ! -
01F2 547 PTESM_TYP1 ! PTESM TYPO ! -
01F2 548 PTESM_PGFLVB>,-(R1) ;CHECK PREVIOUS SPT ENTRY
08 A1 847FFFFFFF 8F D3 01F2 549 BGTR 10$ ;BRANCH IF NOT VALID, NOT DZRO
01F4 550 BITL #<PTESM_VALID ! -
01FC 551 PTESM_TYP1 ! PTESM TYPO ! -
01FC 552 PTESM_PGFLVB>,8(R1) ;CHECK NEXT SPT ENTRY
13 15 01FC 553 BLEQ 40$ ;BRANCH IF IT IS VALID
01FE 554 ;
01FE 555 : NEXT PAGE TABLE NEEDS TO BE FAULTED
01FE 556 ;
52 D6 01FE 557 INCL R2 ;SET NEXT SPT INDEX
02 11 0200 558 BRB 20$
0202 559 ;
0202 560 : PREVIOUS PAGE TABLE NEEDS TO BE FAULTED
0202 561 ;
52 52 09 9C 0202 562 10$: DECL R2 ;SET PREVIOUS SPT INDEX
00 52 1F E2 0204 563 20$: ROTL #9,R2,R2 ;TURN SPT INDEX BACK INTO
03 BA 0208 564 BBSS #VASV_SYSTEM,R2,30$ ;SYSTEM VIRTUAL ADDRESS
51 0000'CF D0 020C 565 30$: POPR #^M<R0,R1> ;CLEAN STACK SCRATCH R0,R1
FE31 31 020E 566 BRW SYSTEMSPACE ;GO FAULT THE PAGE TABLE
3E A1 B5 0211 567 40$: MOVL W*SCH$GL_CURPCB,R1 ;COULD HAVE SYSTEM PCB IN R4
0216 568 TSTW PCBSW_DIOCNT(R1) ;ENOUGH DIRECT I/O QUOTA FOR THIS READ?
0219 569 ;NOTE THAT BUILDPKT WILL CHARGE THE READ
7E 0000'DF 85 15 0219 570 BLEQ DIOCNTWAIT 2 ;BRANCH IF NO, MUST WAIT.
0F 021B 571 REMQUE @W*IOC$GL_IRPFL,-(SP) ;GET AN I/O PACKET FROM THE SIDE LIST
83 1D 0220 572 BVS GET_IRP ;BRANCH IF NEED TO GET ONE FROM THE POOL
0222 573 ;
0222 574 : RO = MASTER PTE ADDRESS IF GLOBAL CRF
0222 575 : = SLAVE PTE ADDRESS IF GLOBAL NOT CRF
0222 576 : = 0 IF NOT GLOBAL
0222 577 : O(SP) = I/O REQUEST PACKET ADDRESS
0222 578 ;
0222 579 GOT_IRP:
52 04 AE 7D 0222 580 MOVQ 4(SP),R2 ;R2=VA (LOW BITS = PAGTYP), R3=SVAPTE
7E D4 0226 581 CLRL -(SP) ;INIT CRF INDICATOR TO 'NOT CRF PAGE'
50 DD 0228 582 PUSHL RO ;SAVE GLOBAL, GBLCRF INDICATOR
0822 30 022A 583 BSBW MMG$ININEWPFN ;ALLOCATE AND INIT A NEW PFN
50 D5 022D 584 TSTL RO ;PFN ALLOCATED SUCCESSFULLY?
87 19 022F 585 BLSS FREPAGWAIT 5 ;BRANCH IF NOT, MUST WAIT
53 0000'DF40 D0 0231 586 MOVL @W*PFNSAL_PTE[R0],R3 ;GET MASTER PTE ADDRESS

```

```

10 AE 53 DO 0237 587 ;SAME AS SLAVE UNLESS GLOBAL
0000'DF40 B6 0237 588 MOVL R3,16(SP) ;SAVE FOR LATER USE
023B 589 INCL @W^PFNS$AW_REFcnt[RO] ;2ND REFERENCE FOR PAGE I/O
0240 590 ;
0240 591 : FORM R2 = BACKING STORE ADDRESS
0240 592 : 0(SP) = MASTER PAGE TABLE ENTRY ADDRESS IF GLOBAL CRF
0240 593 : = SLAVE PAGE TABLE ENTRY ADDRESS IF GLOBAL NOT CRF
0240 594 : = 0 IF NOT GLOBAL PAGE
0240 595 : 4(SP) = 0 INITIALIZED TO 'NOT COPY ON REFERENCE'
0240 596 : SET THIS TO CORRECT BACKING STORE ADDRESS IF CRF PAGE
0240 597 : 8(SP) = I/O REQUEST PACKET ADDRESS
0240 598 : 12(SP) = VIRTUAL ADDRESS (LOW BITS = PAGTYP)
0240 599 : 16(SP) = SVAPTE, GLOBAL IF NOT GBL CRF, PROCESS IF NOT GBL OR IF GBL CRF
0240 600 :
51 63 867FFFF 8F CB 0240 601 BICL3 #^C<PTESM PROT ! PTESM_OWN>,(R3),R1 ;R1 = PROT AND OWN
52 63 51 CB 0248 602 BICL3 R1,(R3),R2 ;R2 = TYP1 ! TYPO ! PGFLVB
63 51 50 C9 024C 603 BICL3 R0,R1,(R3) ;PTE = PROT ! OWN ! PFN = TRANSITION PTE
14 52 1A E4 0250 604 BBSC #PTESV_TYP1,R2,20$ ;BRANCH IF PAGE FILE OR SECTION
0254 605 :
0254 606 : GLOBAL COPY ON REFERENCE PAGE
0254 607 :
6E 52 53 8E DO 0254 608 MOVL (SP)+,R3 ;GET MASTER PAGE TABLE ENTRY ADDRESS
00800000 8F C9 0257 609 BICL3 #PFNSM_GBLBAK,R2,(SP) ;GBL BACKING STORE ADR IN CRF INDICATOR
63 DD 025F 610 PUSHL (R3) ;SAVE MASTER PAGE TABLE ENTRY CONTENTS
52 63 17 00 EF 0261 611 EXTZV #PFNSV_BAK,#PFNS$ _BAK,(R3),R2 ;GET ADR FROM MASTER PTE
OC 11 0266 612 BRB 25$ ;TO COPY ON REFERENCE SECTION LOGIC
0268 613 :
0268 614 : PAGE FILE OR SECTION ADDRESS
0268 615 :
18 52 16 E1 0268 616 20$: BBC #PTESV_TYPO,R2,40$ ;BRANCH IF PAGING FILE
24 52 10 E1 026C 617 BBC #PTESV_CRF,R2,50$ ;BRANCH IF NOT CRF
0270 618 :
0270 619 : COPY ON REFERENCE SECTION TABLE ENTRY
0270 620 :
04 AE 52 DO 0270 621 MOVL R2,4(SP) ;SAVE BACKING ADDRESS IN CRF INDICATOR
1C A5 DO 0274 622 25$: MOVL PHD$ _PAGFIL(R5),- ;NULL PAGE FILE ADDRESS
0000'DF40 0277 623 @W^PFNS$AL_BAK[RO] ;'NOT YET ALLOCATED' PAGING FILE ADR
86 8F 88 027B 624 BISB #<PFNSM MODIFY ! PFNSC_RDINPROG>,-
0000'DF40 027E 625 @W^PFNS$AB_STATE[RO] ;FORCE MODIFY BIT, READ IN PROGRESS
1C 11 0282 626 BRB 60$
0284 627 :
0284 628 : PAGING FILE BACKING STORE ADDRESS
0284 629 :
51 55 DO 0284 630 40$: MOVL R5,R1
6E D5 0287 631 TSTL (SP) ;IS IT GLOBAL
05 13 0289 632 BEQL 45$ ;NO
51 0000'DF DE 028B 633 MOVAL @W^MMG$GL_SYSPHD,R1 ;GET SYSTEM HEADER
52 1C A1 C8 0290 634 45$: BISL PHD$ _PAGFIL(R1),R2 ;SET PAGE FILE INDEX
0294 635 :
0294 636 : SECTION TABLE BACKING STORE ADDRESS
0294 637 :
0000'DF40 06 88 0294 638 50$: BISB #PFNSC_RDINPROG,@W^PFNS$AB_STATE[RO] ;READ IN PROGRESS
0000'DF40 52 DO 029A 639 MOVL R2,@W^PFNS$AL_BAK[RO] ;STORE BACKING STORE ADDRESS
02A0 640 :
02A0 641 : R0 = PFN
02A0 642 : R2 = BACKING STORE ADDRESS
02A0 643 : R3 = PAGE TABLE ENTRY ADDRESS, PROCESS ADR IF NOT GLOBAL.

```

```

02A0 644 : GLOBAL ADDRESS IF GLOBAL OR GLOBAL CRF
02A0 645 : R4 = PROCESS PCB IF PROCESS PAGE, PROCESS PAGE TABLE, OR GLOBAL PAGE,
02A0 646 : = SYSTEM PCB IF SYSTEM PAGE OR GLOBAL PAGE TABLE
02A0 647 : R5 = PROCESS HEADER ADDRESS CORRESPONDING TO THE ABOVE PCB ADDRESS
02A0 648 : 0(SP) = MASTER PTE CONTENTS IF GLOBAL CRF (>0)
02A0 649 : = SLAVE PTE ADDRESS IF GLOBAL NOT CRF (<0)
02A0 650 : = 0 IF NOT GLOBAL
02A0 651 : 4(SP) = 0 IF PAGE IS NOT COPY ON REFERENCE
02A0 652 : = BACKING STORE ADDRESS (FOR GBL CRF TOO) IF CRF PAGE
02A0 653 : 8(SP) = I/O REQUEST PACKET ADDRESS
02A0 654 : 12(SP) = VIRTUAL ADDRESS (LOW BITS = PAGTYP)
02A0 655 : 16(SP) = SVAPTE, GLOBAL IF NOT GBL CRF, PROCESS IF NOT GBL OR IF GBL CRF
02A0 656 :
51 08 AE D0 02A0 657 60$: MOVL 8(SP),R1 ;ADDRESS OF I/O REQUEST PACKET
3C A1 5D D0 02A4 658 MOVL FP,FP_SAV(R1) ;SAVE A REGISTER
5D 51 D0 02A8 659 MOVL R1,FP- ;USE THIS FOR CLUSTER CONTEXT
40 AD 54 7D 02AB 660 MOVQ R4,PCB_SAV(FP) ;SAVE PCB, PHD ADDRESSES
6E D5 02AF 661 TSTL (SP) ;LESS THAN 0 IF GLOBAL PAGE
0E 13 02B1 662 BEQL 70$ ;BRANCH IF NOT GLOBAL PAGE
07 14 02B3 663 BGTR 65$ ;BRANCH IF GLOBAL CRF
54 00000000'EF DE 02B5 664 MOVAL L^MMG$AL_SYSPCB,R4 ;USE SYSTEM PCB FOR GLOBAL PAGES
55 0000'DF DE 02BC 665 ;WANT THE PRIORITY FROM IT
02BC 666 65$: MOVAL @W^MMG$GL_SYSPHD,R5 ;SYSTEM PROCESS HEADER ADDRESS
02C1 667 :
02C1 668 : IF THE BACKING STORE ADDRESS IN R2 IS A GLOBAL ADDRESS, THEN R3 IS THE MASTER PTE
02C1 669 : AND R5 IS THE SYSTEM PROCESS HEADER, OTHERWISE R3 IS THE PROCESS PTE
02C1 670 : ADDRESS AND R5 IS THE PROCESS HEADER ADDRESS.
02C1 671 :
6D 52 7D 02C1 672 70$: MOVQ R2,PTEDAT(FP) ;SAVE PTE DATA, AND ADDRESS
02C4 673 :
02C4 674 ASSUME ASTPRM EQ AST+4
10 AD 8E 7D 02C4 675 MOVQ (SP)+,AST(FP) ;STORE PARAMETERS TO IOPOST IN IRP
02C8 676 :
02C8 677 : FETCH THE TRANSFER PRIORITY FROM PROCESS PCB IF PROCESS PAGE,
02C8 678 : PROCESS PAGE TABLE, OR GLOBAL CRF PAGE. USE SYSTEM PRIORITY
02C8 679 : IF SYSTEM PAGE, GLOBAL PAGE, OR GLOBAL PAGE TABLE.
02C8 680 :
23 AD 2F A4 90 02C8 681 MOVB PCB$B_Prib(R4),PRI(FP) ;STORE PRIORITY OF TRANSFER IN IRP
24 AD 0000'DF40 D0 02CD 682 MOVL @W^PFNS$AL_BAK[R0],BAK(FP) ;SAVE BACKING STORE ADDRESS
78 8F 8B 02D4 683 BICB3 #^C<PFNSM_MODIFY ! PFNSM_LOC>,- ;AND STATE BYTE INFORMATION
22 AD 0000'DF40 02D7 684 @W^PFNS$AB_STATE[R0],STATE(FP) ;FROM PFN DATA OF FIRST PAGE
6E D4 02DD 685 CLRL (SP) ;THROUGH WITH IRP ADDRESS, USE FOR SCRATCH
48 AD D4 02DF 686 ;WILL BE PAGE TABLE FAULT CLUSTER IF PPGTBL
02DF 687 CLRL PHVREFCADR(FP) ;ADDRESS OF PROCESS HEADER REF CNT IF PPGTBL
02E2 688 :
02E2 689 ASSUME PFNSC_PROCESS EQ 0
02E2 690 ASSUME PFNSC_SYSTEM EQ 1
02E2 691 ASSUME PFNSC_GLOBAL EQ 2
02E2 692 ASSUME PFNSC_GBLWRT EQ 3
02E2 693 ASSUME PFNSC_PPGTBL EQ 4
02E2 694 ASSUME PFNSC_GPGTBL EQ 5
04 03 01 ED 02E2 695 CMPZV #WSL$V_PAGTYP,#WSL$S_PAGTYP,- ;IF PAGE TABLE PAGE
04 04 AE 19 02E5 696 4(SP),#PFNSC_PPGTBL ;THEN SEPARATE CLUSTER FACTOR
1B 19 02E8 697 BLSS 90$ ;BRANCH IF NOT PAGE TABLE
16 14 02EA 698 BGTR 80$ ;BRANCH IF GLOBAL PAGE TABLE
02EC 699 :
02EC 700 : MUST RECORD A PROCESS HEADER REFERENCE FOR PAGE READ OF PROCESS HEADER PAGE

```

```

51 51 42 A5 3C 02EC 701 ;
11 0000'DF41 3E 02EC 702 MOVZWL PHD$W_PHVINDEX(R5),R1 ;PROCESS HEADER VECTOR INDEX
61 B6 02F0 703 MOVAV @W^PHV$GL_REF(CBAS[R1]),R1 ;ADDRESS OF PROCESS HEADER REF CNT
48 AD 51 D0 02F6 704 INCW (R1) ;COUNT ANOTHER REFERENCE
6E 35 A5 90 02F8 705 MOVL R1,PHVREFCADR(FP) ;SAVE ADDRESS FOR CLUSTERING CODE
03 12 0300 706 MOVB PHD$B_PGTBPFC(R5),(SP) ;GET PAGE TABLE CLUSTER FACTOR
6E 01 D0 0302 707 BNEQ 90$ ;BRANCH IF SPECIFIED
08A7 30 0305 708 80$: MOVL #1,(SP) ;INDICATE NO CLUSTERING
23 0000'CF 00000000'8F E0 0308 709 90$: BSBW MMG$INIBLDPKT ;SET UP REGISTERS TO CALL BUILDPKT
54 40 AD 7D 0312 710 BBS #EXE$V_NOCLUSTER,W^EXE$GL_FLAGS,110$ ;BRANCH IF CLUSTERING DISABLED
0316 711 MOVQ PCB_SAV(FP),R4 ;RECOVER PCB, PHD ADDRESSES
0316 712
01 AE 0B A1 90 0316 713 ASSUME SEC$B_PFC EQ PFL$B_PFC
MOV B SEC$B_PFC(R1),1(SP) ;PAGE FAULT CLUSTER FROM
031B 714 ;SECTION OR PAGE FILE CONTROL BLOCK
51 6E 9A 031B 715 MOVZBL (SP),R1 ;SEE IF PAGE TABLE CLUSTER SPECIFIED
0A 14 031E 716 BGTR 100$ ;BRANCH IF SPECIFIED
51 01 AE 9A 0320 717 MOVZBL 1(SP),R1 ;SEE IF PAGE FILE OR SECTION TABLE
0324 718 ;CLUSTER WAS SPECIFIED
04 14 0324 719 BGTR 100$ ;BRANCH IF IT WAS
51 34 A5 9A 0326 720 MOVZBL PHD$B_DFPFC(R5),R1 ;DEFAULT FROM PROCESS HEADER
032A 721 ;PROCESS IF PROCESS OR GLOBAL PAGE
032A 722 ;SYSTEM IF SYSTEM PAGE
01 51 D1 032A 723 100$: CMPL R1,#1 ;CLUSTER OF 1?
06 15 032D 724 BLEQ 110$ ;BRANCH IF YES
5E 04 C0 032F 725 ADDL #4,SP ;CLEAN OFF CLUSTER FACTOR SCRATCH
008E 31 0332 726 BRW TRY_TO_CLUSTER ;GO TRY TO CLUSTER
51 01 D0 0335 727 110$: MOVL #1,R1 ;ONE PAGE READ
5E 08 C0 0338 728 ADDL #8,SP ;CLEAN OFF VIRTUAL ADDRESS
53 8E D0 033B 729 MOVL (SP)+,R3 ;SVAPTE FROM PFN$AL_PTE
033E 730
033E 731 ;
033E 732 ; R0 = VBN, R1 = PAGE COUNT, R2 = WINDOW, R3 = SVAPTE, FP = IRP
033E 733 ;
033E 734 QUEUE_PAGE_READ:
033E 735
0008'CF D6 033E 736 INCL W^PM$GL_PREADIO ;COUNT PAGE READ I/O REQUESTS (SYSTEM)
0004'CF 51 C0 0342 737 ADDL R1,W^PM$GL_PREADS ;AND THE NUMBER OF PAGES READ
54 0000'CF D0 0347 738 MOVL W^SCH$GL_CURPCB,R4 ;PCB ADDRESS
55 6C A4 D0 034C 739 MOVL PCB$S_PHD(R4),R5 ;PHD ADDRESS
0108 C5 D6 0350 740 INCL PHD$S_PGFLTIO(R5) ;COUNT PAGE READ I/O REQUESTS (PROCESS)
51 51 09 78 0354 741 ASHL #9,R1,R1 ;FORM BYTE COUNT TO TRANSFER
55 5D D0 0358 742 MOVL FP,R5 ;I/O PACKET ADDRESS
5D 3C A5 D0 035B 743 MOVL FP_SAV(R5),FP ;RESTORE SAVED REGISTER
035F 744
035F 745 ;
035F 746 ; R0 = VBN
035F 747 ; R1 = NUMBER OF BYTES TO READ
035F 748 ; R2 = WINDOW ADDRESS
035F 749 ; R3 = SVAPTE (MASTER IF GLOBAL, SLAVE IF GLOBAL CRF)
035F 750 ; R4 = PROCESS PCB ADDRESS
035F 751 ; R5 = I/O REQUEST PACKET ADDRESS
035F 752 ;
035F 753 ; IRP$S_AST(R5)
035F 754 ; = MASTER PTE CONTENTS IF GLOBAL CRF (>0)
035F 755 ; = SLAVE PTE ADDRESS IF GLOBAL NOT CRF (<0)
035F 756 ; = 0 IF NOT GLOBAL
035F 757 ; IRP$S_ASTPRM(R5)

```

```

035F 758 : = BACKING STORE ADDRESS IF CRF PAGE (GBLBAK SET IF GBL CRF)
035F 759 : = 0 IF NOT CRF PAGE
035F 760 : IRP$B_PRI(R5) = DESIRED TRANSFER PRIORITY
035F 761 :
FC9E' 30 035F 762 : BSBW EXE$BUILDPKTR ;BUILD AND QUEUE THE I/O PACKET
0362 763 :
0362 764 : THE FOLLOWING WAITS THE PROCESS AT THE FAULTING MODE
0362 765 :
0362 766 PROC PAG:
50 0000'CF 7E 0362 767 : MOVAQ W^SCH$GQ_PFWQ,R0 ;PAGE FAULT WAIT QUEUE ADDRESS
49 10 0367 768 : BSBB MMG$PGFLTWAIT_1 ;PUT PROCESS ON PAGE FAULT WAIT QUEUE
0369 769 PGFEXIT:
5E 3F BA 0369 770 : POPR #^M<R0,R1,R2,R3,R4,R5> ;RESTORE REGISTERS SAVED BY PAGE FAULT
08 CO 036B 771 : ADDL #8,SP ;CLEAN OFF THE EXCEPTION PARAMETERS
036E 772 :
036E 773 : STACK NOW CONTAINS JUST THE FAULT PC, PSL PAIR
036E 774 :
036E 775 MMG$SVPCTX::
54 0000'CF 07 036E 776 : SVPCTX ;SAVE PROCESS CONTEXT
FC89' DO 036F 777 : MOVL W^SCH$GL_CURPCB,R4 ;GET PCB ADDRESS
31 31 0374 778 : BRW SCH$WAITM ;JOIN COMMON WAIT CODE FOLLOWING SVPCTX
0377 779 :
0377 780 : NO FREE PAGES AVAILABLE ON THE FREE PAGE LIST, MUST WAIT
0377 781 :
0377 782 FREEPAGEWAIT:
50 0000'CF 7E 0377 783 : MOVAQ W^SCH$GQ_FPGWQ,R0 ;WAIT ON FREE PAGE WAIT QUEUE
1A 11 037C 784 : BRB FREEPAGEWAIT1
037E 785 :
037E 786 : WAIT FOR RESOURCE IN R1 TO BECOME AVAILABLE
037E 787 :
037E 788 RESOURCEWAIT:
1C 10 037E 789 : BSBB MMG$RESRCWAIT ;SET UP TO WAIT FOR THE RESOURCES
E7 11 0380 790 : BRB PGFEXIT ;AND EXIT TO THE SCHEDULER
0382 791 :
0382 792 : FAULT FOR PAGE WHICH IS ALREADY ON THE WAY INTO MEMORY
0382 793 :
0382 794 READINPROG:
0C BA 0382 795 : POPR #^M<R2,R3> ;R2=VA (LOW BITS = PAGTYP), R3=SVAPTE
0000'DF40 07 93 0384 796 : ASSUME PFNSC_PROCESS EQ 0
00 0000'DF40 04 E2 038A 798 : BEQL PROCPAG ;BRANCH IF YES
038C 799 : BBSS #PFNSV_COLLISION,@W^PFNSAB_TYPE[R0],10$ ;COLLISION OCCURRED
50 0000'CF 7E 0393 800 10$:
18 0393 801 : MOVAQ W^SCH$GQ_COLPGWQ,R0 ;COLLISION PAGE WAIT QUEUE
CD 10 0398 802 FREEPAGEWAIT1:
11 0398 803 : BSBB MMG$PGFLTWAIT_1 ;PLACE PROCESS ON THE COLLISION QUEUE
039A 804 : BRB PGFEXIT ;EXIT TO THE SCDULER
039C 805 :
039C 806 : WAIT FOR RESOURCE IN R1 TO BECOME AVAILABLE
039C 807 : R0,R1,R2,R3 ALTERED, R4 RETURNED WITH CURRENT PCB ADDRESS
039C 808 :
039C 809 : .ENABL LSB
54 0000'CF DO 039C 810 MMG$RESRCWAIT::
4C A4 51 DO 03A1 811 : MOVL W^SCH$GL_CURPCB,R4 ;R4 = CURRENT PCB ADDRESS
00 0000'CF 51 E6 03A5 812 : MOVL R1,PCB$EFWM(R4) ;SET RESOURCE NEEDED
03AB 813 : BBSSI R1,W^SCH$GL_RESMASK,10$ ;NOTE SOMEONE WAITING
03AB 814 10$:

```

50	0000'CF	7E	03AB	815	MOVAQ	W^SCH\$GQ_MWAIT,R0	;WAIT ON MISCELLANEOUS QUEUE
	05	11	03B0	816	BRB	20\$;GO WAIT THIS PROCESS
			03B2	817	MMG\$PGFLTWAIT_1:		
54	0000'CF	D0	03B2	818	MOVL	W^SCH\$GL_CURPCB,R4	;MUST WAIT THE PROCESS PCB
			03B7	819	MMG\$PGFLTWAIT::		
			03B7	820	20\$:		
	08 A0	B6	03B7	821	INCW	WQHSW_WQCNT(R0)	;COUNT THIS PROCESS WAITING
	60 64	0E	03BA	822	INSQUE	(R4),T(R0)	;QUEUE THIS PCB
2C A4	0A A0	B0	03BD	823	MOVW	WQHSW_WQSTATE(R0),PCBSW_STATE(R4)	;SET WAIT STATE IN PCB
		05	03C2	824	RSB		
			03C3	825			
			03C3	826	.DSABL	LSB	

```

03C3 828 .SBTTL FORM A CLUSTER OF PAGES TO READ
03C3 829 :
03C3 830 : RC = VBN IN FILE OF FIRST PAGE TO READ
03C3 831 : R1 = DESIRED CLUSTER SIZE
03C3 832 : R2 = WINDOW CONTROL BLOCK ADDRESS
03C3 833 : R4 = PCB ADDRESS, PROCESS IF PROCESS OR GLOBAL PAGE, SYSTEM IF SYSTEM PAGE
03C3 834 : R5 = PHD ADDRESS, PROCESS IF PROCESS OR GLOBAL PAGE, SYSTEM IF SYSTEM PAGE
03C3 835 : FP = I/O REQUEST PACKET ADDRESS
03C3 836 : 0(SP) = VIRTUAL ADDRESS (LOW BITS = PAGTYP)
03C3 837 : 4(SP) = SVAPTE FROM PFNSAL_PTE
03C3 838 :
03C3 839 :
03C3 840 .ENABL LSB
03C3 841 :
03C3 842 TRY_TO_CLUSTER:
03C3 843 MOVL (SP)+,VA(FP) ;SAVE VIRTUAL ADDRESS
34 AD 8E DO 03C7 844 MOVL R0,VBN(FP) ;SET VIRTUAL BLOCK NUMBER
03CB 845 :
20 AD 51 0100 8F A9 03CB 846 ASSUME COUNT EQ CLUSTER+1
38 AD 52 DO 03CB 847 BISW3 #*X0100,R1,CLUSTER(FP) ;SET COUNT AND CLUSTER
03D2 848 MOVL R2,WINDOW(FP) ;WINDOW ADDRESS
03D6 849 :
03D6 850 : PUT PTEDAT INTO FORM OF TYP1 ! TYPO ! PGFLVB
03D6 851 :
03D6 852 ASSUME PFNSV_PGFLX GE 24
03D6 853 ASSUME PTE$V_TYP1 GE 24
03D6 854 MOVB #PTE$M_TYP1@-24,PTEDAT+3(FP) ;TURN TYP1 BACK ON, CLEAR PAGE FILE IND
53 AD 04 90 03DA 855 MOVL AST(FP),R3 ;PROCESS PTE ADR IF GBL NOT CRF
53 10 AD DO 03DE 856 BEQL 30$ ;BRANCH IF NOT GLOBAL PAGE
18 13 03E0 857 BLSS 10$ ;BRANCH IF GBL NOT CRF
0C 19 03E2 858 :
03E2 859 : GLOBAL COPY ON REFERENCE PAGE
03E2 860 :
52 53 6E DO 03E2 861 MOVL (SP),R3 ;PROCESS PTE ADR WHEN GBL CRF
52 14 AD DO 03E5 862 MOVL ASTPRM(FP),R2 ;GPTX PTE CONTENTS FOR THIS CASE
06 11 03E9 863 BRB 20$
03EB 864 :
00EB 31 03EB 865 CLU_END1:
03EB 866 BRW CLU_END
03EE 867 :
03EE 868 : GLOBAL PAGE NOT COPY ON REFERENCE
03EE 869 :
52 52 63 DO 03EE 870 :
FB800000 8F CA 03F1 871 10$: MOVL (R3),R2 ;GPTX FROM PROCESS PTE
03F8 872 20$: BICL #*C<PTE$M_TYP1 ! PTE$M_TYPO !- ;ISOLATE PAGE TYPE
03F8 873 PTE$M_GPTX>,R2 ;AND GPTX BITS
03F8 874 :
18 AD 52 7D 03F8 875 ASSUME GPTX_PTE EQ GPTX+4
28 AD 01 DO 03F8 876 30$: MOVQ R2,GPTX(FP) ;SET GPTX AND GPTX_PTE
03FC 877 MOVL #1,INC1(FP) ;INIT TO SCAN FORWARDS
0400 878 :
0400 879 .DSABL LSB
0400 880 :
2C AD 28 AD 02 78 0400 881 CLU_INI_INC:
30 AD 28 AD 09 78 0400 882 ASHL #2,INC1(FP),INC4(FP) ;+ OR - 4
0406 883 ASHL #9,INC1(FP),INC512(FP) ;+ OR - 512
040C 884 CLU_NXT:

```



```

53 04 AD 2C AD C1 040C 885 ADDL3 INC4(FP),SVAPTE(FP),R3 ;NEXT PTE TO CHECK
      04 AD 53 DO 0412 886 MOVL R3,SVAPTE(FP) ;DATE CONTEXT
      04 6D 16 E0 0416 887 BBS #PTESV TYPO,PTEDAT(FP),20$ ;BRANCH IF SECTION ADDRESS
51 53 15 09 EF 041A 888 ADDL INC1(FP),PTEDAT(FP) ;INCREMENT PAGE FILE ADDRESS
      0000'DF41 D5 0423 889 20$: EXTZV #VASV VPN,#VASS VPN,R3,R1 ;CHECK THAT PTE IS RESIDENT
      C1 18 0428 890 TSTL @W*MMG$GL_SPTBASE[R1] ;BY MAKING SURE ITS SPTTE IS VALID
50 63 7B800000 8F CB 042A 891 BGEQ CLU_END1 ;BRANCH IF IT ISN'T
      0432 893 BICL3 #*CZPTESM_VALID !- ;GET VALID BIT
      0432 894 PTESM_TYPT ! PTESM_TYPO !- ;PAGE TYPE BITS
      6D 50 D1 0432 895 CMPL RO,PTEDAT(FP) ;AND PAGE FILE/GPTX BITS FROM PTE
      B4 12 0435 896 BNEQ CLU_END1 ;MUST AGREE IF THIS PAGE IS IN THE CLUSTER
      1C AD D5 0437 897 TSTL GPTX_PTE(FP) ;BRANCH IF AT END OF CLUSTER
      29 13 043A 898 BEQL 60$ ;WAS THAT THE MASTER PTE FOR A GLOBAL?
      043C 899 ;BRANCH IF NO, IT WAS PROCESS PTE
      043C 900 ;
      043C 901 ; MUST TEST THAT PROCESS PTE POINTS AT THE GPTX
53 1C AD 2C AD C1 043C 902 ADDL3 INC4(FP),GPTX_PTE(FP),R3 ;NEXT PROCESS PTE ADR
51 53 15 09 EF 0442 903 EXTZV #VASV VPN,#VASS VPN,R3,R1 ;CHECK THAT THIS PTE IS ACCESSIBLE
      0000'DF41 D5 0447 904 TSTL @W*MMG$GL_SPTBASE[R1] ;BY MAKING SURE ITS SPTTE IS VALID
      9D 18 044C 905 BGEQ CLU_END1 ;BRANCH IF IT ISN'T
50 63 7B800000 8F CB 044E 906 BICL3 #*CZPTESM_VALID !- ;GET VALID BIT
      0456 907 PTESM_TYPT ! PTESM_TYPO !- ;PAGE TYPE BITS
      0456 908 PTESM-PGFLVB>,(R3),RO ;AND PGFLVB/GPTX FROM PTE
52 18 AD 28 AD C1 0456 909 ADDL3 INC1(FP),GPTX(FP),R2 ;NEXT GLOBAL PAGE TABLE INDEX
      52 50 D1 045C 910 CMPL RO,R2 ;IN THE CLUSTER?
      8A 12 045F 911 BNEQ CLU_END1 ;BRANCH IF NOT
      0461 912
      0461 913 ASSUME GPTX_PTE EQ GPTX+4
      18 AD 52 7D 0461 914 MOVQ R2,GPTX(FP) ;UPDATE GPTX
      0465 915 ;
      0465 916 ; R1 = SPT INDEX FOR PAGE TABLE PAGE
      0465 917 ; R3 = PROCESS PTE ADDRESS
      0465 918 ;
      0A BB 0465 919 60$: PUSHR #*M<R1,R3> ;SAVE PROCESS PTE ADR, SPT INDEX
      0415 30 0467 920 BSBW MMG$FREWSLE ;GET A FREE WORKING SET LIST ENTRY
      52 8E 7D 046A 921 MOVQ (SP)+,R2 ;RESTORE PROCESS PTE ADR, SPT INDEX
      67 50 E9 046D 922 BLBC RO,CLU_END_RESRC1 ;IF CANNOT GET ONE, END THE CLUSTER
      0470 923 ;
      0470 924 ; MUST CHECK THE SPT ENTRY FOR PROCESS PAGE TABLE IS STILL VALID
      0470 925 ; FREWSLE MIGHT HAVE DISCARDED IT FROM THE WORKING SET.
      0470 926 ;
      0000'DF42 D5 0470 927 TSTL @W*MMG$GL_SPTBASE[R2] ;IS SPT ENTRY FOR PT STILL VALID
      7C 18 0475 928 BGEQ CLU_END_RESRC ;BRANCH IF NOT
52 0C AD 30 AD C1 0477 929 ADDL3 INC512(FP),VA(FP),R2 ;NEXT VIRTUAL ADDRESS
      0C AD 52 DO 047D 930 MOVL R2,VA(FP) ;UPDATE THE CONTEXT
      05CB 30 0481 931 BSBW MMG$ININEWPFN ;ALLOC AND INIT A PFN
      50 D5 0484 932 TSTL RO ;IF NO PFN'S AVAILABLE
      6B 19 0486 933 BLSS CLU_END_RESRC ;THEN END THE CLUSTER
      21 AD 96 0488 934 INCB COUNT(FP) ;COUNT ANOTHER PAGE IN THE CLUSTER
      51 48 AD D0 048B 935 MOVL PHVREFCADR(FP),R1 ;PROCESS HEADER REF CNT ADR
      048F 936 ;IF THIS IS A PROCESS PAGE TABLE PAGE
      02 13 048F 937 BEQL 70$ ;BRANCH IF NOT A PROCESS PAGE TABLE PAGE
      61 B6 0491 938 INCW (R1) ;COUNT ANOTHER PROCESS HEADER REFERENCE
53 0000'DF40 D0 0493 939 70$: MOVL @W*PFNSAL_PTE[RO],R3 ;PROCESS PTE ADR IF NOT GLOBAL OR IF GBL CRF
      0499 940 ;GLOBAL PTE ADR IF GLOBAL NOT CRF
      0000'DF40 B6 0499 941 INCW @W*PFNSAW_REFcnt[RO] ;SECOND REFERENCE FOR I/O IN PROGRESS

```

```

51 63 867FFFFF 8F CB 049E 942 BICL3 #*C<PTESM PROT ! PTESM_OWN>, (R3), R1 ;PROTECTION AND OWNER FIELDS
      63 51 50 C9 04A6 943 BISL3 R0, R1, (R3) ;FORM TRANSITION PTE FORMAT
      52 24 AD DO 04AA 944 MOVL BAK(FP), R2 ;BACKING STORE FROM PREV PFN
      OE 52 16 E0 04AE 945 BBS #PTESV TYPO, R2, 80$ ;BRANCH IF SECTION ADDRESS
      51 52 09 78 04B2 946 ASHL #32-PFN$$_BAK, R2, R1 ;IF NOT A NULL PAGE FILE ADDRESS
      08 13 04B6 947 BEQL 80$
      52 28 AD C0 04B8 948 ADDL INC1(FP), R2 ;THEN INCREMENT THE ADDRESS
      24 AD 52 DO 04BC 949 MOVL R2, BAK(FP) ;AND UPDATE THE CONTEXT
      0000'DF40 52 DO 04C0 950 80$: MOVL R2, @W*PFN$AL BAK[R0] ;SET BACKING STORE ADR FOR THIS PFN
      0000'DF40 22 AD 88 04C6 951 BISB STATE(FP), @W*PFN$AB STATE[R0] ;USE STATE FROM PREV PFN
      20 AD 21 AD 91 04CD 952 CMPB COUNT(FP), CLUSTER(FP) ;IS CLUSTER FULL?
      1F 18 04D2 953 BGEQ CLU_END_RESRC ;BRANCH IF YES, QUEUE THE READ
      FF35 31 04D4 954 BRW CLU_NXT ;NO, TRY FOR ANOTHER PAGE
      04D7 955 CLU_END_RESRC1:
      1A 11 04D7 956 BRB CLU_END_RESRC
      04D9 957
      04D9 958 ; END OF CLUSTER
      04D9 959
      04D9 960 CLU_END:
      01 21 AD 91 04D9 961 CMPB COUNT(FP), #1 ;IF AT LEAST 2 PAGES IN CLUSTER
      14 14 04DD 962 BGTR CLU_END_RESRC ;THEN READ THE CLUSTER
      28 AD 28 AD CE 04DF 963 MNEGL INCT(FP), INC1(FP) ;OTHERWISE TRY TO SCAN BACKWARDS
      0D 14 04E4 964 BGTR CLU_END_RESRC ;UNLESS ALREADY TRIED THAT
      04 AD 04 C2 04E6 965 SUBL #4, SVAPTE(FP) ;BACK TO STARTING SVAPTE
      02 6D 16 E0 04EA 966 BBS #PTESV TYPO, PTEDAT(FP), 20$ ;BRANCH IF SECTION PAGE
      6D D7 04EE 967 DECL PTEDAT(FP) ;BACK TO ORIG PAGE FILE VBN
      FF0D 31 04F0 968 20$: BRW CLU_INI_INC
      04F3 969
      04F3 970 ; SET UP TO DO THE PAGE READ
      04F3 971
      04F3 972 CLU_END_RESRC:
      53 8E DO 04F3 973 MOVL (SP)+, R3 ;GET PTE ADR OF FIRST PFN IN CLUSTER
      50 34 AD DO 04F6 974 MOVL VBN(FP), R0 ;AND ITS ASSOCIATED VBN IN THE FILE
      51 21 AD 9A 04FA 975 MOVZBL COUNT(FP), R1 ;NUMBER OF PAGES IN THE CLUSTER
      28 AD D5 04FE 976 TSTL INC1(FP) ;IF CLUSTER WENT BACKWARDS
      1E 14 0501 977 BGTR 20$
      52 01 51 C3 0503 978 SUBL3 R1, #1, R2 ;-(COUNT-1)
      50 52 C0 0507 979 ADDL R2, R0 ;ADJUST FILE VBN
      53 6342 DE 050A 980 MOVAL (R3)[R2], R3 ;AND PTE ADR
      54 10 AD DO 050E 981 MOVL AST(FP), R4 ;PROCESS PTE ADDRESS FOR GLOBAL PAGE?
      0D 13 0512 982 BEQL 20$ ;BRANCH IF NOT GLOBAL
      06 19 0514 983 BLSS 10$ ;BRANCH IF GLOBAL BUT NOT CRF
      14 AD 52 C0 0516 984 ADDL R2, ASTPRM(FP) ;ADJUST GLOBAL BACKING STORE ADDRESS
      05 11 051A 985 BRB 20$
      10 AD 6442 DE 051C 986 10$: MOVAL (R4)[R2], AST(FP) ;ADJUST PROCESS PTE ADDRESS FOR GLOBAL PAGE
      52 38 AD DO 0521 987 20$: MOVL WINDOW(FP), R2 ;GET WINDOW ADDRESS
      FE16 31 0525 988 BRW QUEUE_PAGE_READ ;GO QUEUE THE PAGE READ

```

```

0528 990 .SBTTL DEMAND ZERO PAGE
0528 991 :
0528 992 : MUST WAIT FOR FREE PAGES TO BECOME AVAILABLE
0528 993 :
0528 994 DZROFPGWAIT 5:
SE 14 C0 0528 995 ADDC #<5*4>,SP ;CLEAN OFF 5 LONG WORDS
FE49 31 052B 996 BRW FREEPAGEWAIT ;AND GO WAIT FOR A FREE PAGE
052E 997 :
052E 998 : THIS IS A DEMAND ZERO FORMAT PAGE TABLE ENTRY, R0 = 0
052E 999 :
052E 1000 DZRO_PTE:
53 D4 052E 1001 CLRL R3 ;NO GLOBAL MASTER PTE ADDRESS
51 D4 0530 1002 CLRL R1 ;NO MASTER PTE CONTENTS
0532 1003 :
0532 1004 : R0 = BACKING STORE ADDRESS, TYP1 ! TYP0 ! PGFLVB
0532 1005 : R1 = MASTER PAGE TABLE ENTRY CONTENTS IF GLOBAL, 0 IF NOT
0532 1006 : R3 = GLOBAL PAGE TABLE ENTRY ADDRESS IF GLOBAL, 0 IF NOT
0532 1007 : 0(SP) = FAULT VA (LOW BITS = PAGTYP)
0532 1008 : 4(SP) = CORRESPONDING SVAPTE
0532 1009 :
0532 1010 DZRO_GBL SEC:
OB BB 0532 1011 PUSHR #^M<R0,R1,R3> ;SAVE GBL PTE ADR, GBL PTE CONTENTS,
52 OC AE 7D 0534 1012 ;AND BACKING STORE ADDRESS
0514 30 0534 1013 MOVQ 12(SP),R2 ;R2=VA, R3=SVAPTE
50 D5 0538 1014 BSBW MMGSININEWPFN ;ALLOCATE AND INIT A PFN
E9 19 053B 1015 TSTL R0 ;SEE IF A PFN WAS ALLOCATED
0000'DF40 07 88 053D 1016 BLSS DZROFPGWAIT 5 ;BRANCH IF HAVE TO WAIT
52 1C A5 D0 053F 1017 BISB #PFNSC ACTIVE,@W^PFNSAB_STATE[R0] ;MARK PAGE ACTIVE
51 8E D0 0545 1018 MOVL PHD$&L_PAGFIL(R5),R2 ;ASSUME NULL PAGE FILE BACKING STORE
1F 13 0549 1019 MOVL (SP)+,R1 ;GET BACKING STORE ADDRESS
1B 51 10 E0 054C 1020 BEQL 20$ ;BRANCH IF DEMAND ZERO FORMAT
OF 51 1A E0 054E 1021 BBS #PTESV_CRF,R1,20$ ;BRANCH IF DZRO, CRF SECTION
OB 51 16 E5 0552 1022 BBS #PTESV_TYP1,R1,10$ ;CHECK FOR GLOBAL WITH PAGE FILE BACING STOR
0556 1023 BBCC #PTESV_TYP0,R1,10$
52 0000'DF DE 055A 1024 ; PAGE FILE BACKING STORE GLOBAL SECTION
52 1C A2 D0 055A 1025 MOVAL @W^MMG$GL_SYSPHD,R2 ;GET SYSTEM HEADER
08 11 055F 1026 MOVL PHD$&L_PAGFIL(R2),R2 ;BACKING STORE ADDRESS
52 51 FF820000 CF CB 0563 1027 BRB 20$
0000'DF40 52 D0 0565 1028 10$: BICL3 #<PTESM_DZRO ! ^C<PFNSM_BAK>>,R1,R2 ;BACKING STORE ADR
056D 1029 ;WITH DZRO SHUT OFF
0573 1030 20$: MOVL R2,@W^PFNSAL_BAK[R0] ;STORE THE BACKING STORE ADDRESS
0573 1031 :
0573 1032 : 0(SP) = MASTER PTE CONTENTS IF GLOBAL, 0 IF NOT
0573 1033 : 4(SP) = MASTER PTE ADDRESS IF GLOBAL, 0 IF NOT
0573 1034 : 8(SP) = VIRTUAL ADDRESS (LOW BITS = PAGE TYPE)
0573 1035 : 12(SP) = SYSTEM VIRTUAL ADDRESS OF PROCESS PAGE TABLE ENTRY
0573 1036 :
63 52 08 AE 7D 0573 1037 MOVQ 8(SP),R2 ;R2=VA (LOW BITS = PAGTYP), R3=SVAPTE
867FFFFF 8F CB 0577 1038 BICL3 #^C<PTESM_PROT ! PTESM_OWN>, -
7E 057E 1039 (R3),-(SP) ;PROTECTION AND OWNER FROM PTE
63 50 94000000 8F C9 057F 1040 BISL3 #<PTESM_VALID ! PTESC_KW ! -
0587 1041 PTESM_MODIFY>,R0,(R3) ;MAKE PAGE KERNEL WRITE FOR ZEROING
7E 53 55 C3 0587 1042 SUBL3 R5,R3,-(SP) ;SAVE BYTE INDEX TO PTE
03 01 ED 058B 1043 CMPZV #W$&SV_PAGTYP,#W$&SS_PAGTYP,- ;IF THIS IS NOT A PROCESS PAGE
00 52 058E 1044 R2 #PFNSC_PROCESS ;THEN DON'T LOWER IPL TO ZERO PAGE
03 12 0590 1045 BNEQ 22$ ;STAY AT HIGHER IPL IF NOT PROCESS PAGE
0592 1046

```

C 7

```

12 02 DA 0592 1047 SETIPL #IPL$ _ASTDEL ;SWAPPABLE WHILE ZEROING THE PAGE
0592 1048 MTPR #IPL$ _ASTDEL,S^#PRS_IPL
0595 1049 22$:
0595 1050 00000002
0014'CF D6 0595 1051 .IF GT,CAS MEASURE
0599 1052 INCL W^PMSS$GL,DZROFLTS ;COUNT DEMAND ZERO PAGE FAULTS
0599 1053 .ENDC
0599 1054
0599 1055 : ***** BE AWARE THAT THE FOLLOWING CLRB ASSUMES THAT BIT 8 IS NOT
0599 1056 : ***** IN USE FOR ANY OF THE PAGE TYPE FLAGS, ETC.
0599 1057 :
62 0200 8F 00 64 52 94 0599 1058 CLRB R2 ;CLEAR OUT THE PAGE TYPE
54 51 2C 059B 1059 MOVCS #0,(R4),#0,#^X200,(R2) ;ZERO THE PAGE, PCB ADDRESS TO R1
05A3 1060 MOVL R1,R4 ;RECOVER PCB ADDRESS
05A6 1061 SETIPL #IPL$ _SYNCH ;NOT SWAPPABLE WHILE COMPLETING THE FAULT
50 53 8E 6C A4 C1 05A9 1062 ADDL3 PCB$ L PHD(R4),(SP)+,R3 ;RE-BIAS BYTE INDEX TO PTE TO GET SVAPTE
63 7BE00000 8F CB 05AE 1063 BICL3 #^C<PTESM_VALID ! PTESM_MODIFY ! -
63 8E 50 C9 05B6 1064 PTESM PFN5,(R3),R0 ;EVEN PFN MIGHT HAVE CHANGED
52 08 AE D0 05B6 1065 BISL3 R0,(SP)+,(R3) ;SET PTE WITH CORRECT PROT AND OWNER
3A 52 DA 05BA 1066 INVALID 8(SP),R2 ;INVALIDATE TRANSLATION BUFFER
51 6E 7D 05BA 1067 MOVL 8(SP),R2
62 51 D1 05C1 1067 MOVQ (SP),R1 ;SEE IF DZRO GLOBAL
3D 13 05C4 1068 BEQL 60$ ;BRANCH IF NOT, BOTH ARE ZERO
62 51 D1 05C6 1069 CMPL R1,(R2) ;STILL THE SAME PTE CONTENT?
2D 13 05C9 1070 BEQL 40$ ;BRANCH IF YES, NO RACE TO ZERO THE PAGE
05CB 1071 :
05CB 1072 : MORE THAN ONE PROCESS STARTED TO ZERO THIS GLOBAL DEMAND ZERO PAGE
05CB 1073 : THIS PROCESS LOST THE RACE, CLEAN UP AND REFAULT.
05CB 1074 :
50 50 15 00 EF 05CB 1075 EXTZV #PTESV_PFN,#PTES$ _PFN,R0,R0 ;ISOLATE THE PFN
6E 50 D0 05D0 1076 MOVL R0,(SP) ;AND SAVE IT
55 6C A4 D0 05D3 1077 MOVL PCB$ L PHD(R4),R5 ;GET PROCESS HEADER ADDRESS
0000'DF40 B6 05D7 1078 INCW @W^PFNS$AW REF(NT[R0]) ;RELEASE WSLE AND SHRCNT, BUT NOT PFN
51 10 A5 3C 05DC 1079 MOVZWL PHD$W WSNEXT(R5),R1 ;WORKING SET LIST INDEX
52 08 AE D0 05E0 1080 MOVL 8(SP),R2 ;VIRTUAL ADDRESS (LOW BITS = PAGTYP)
032E 30 05E4 1081 BSBW MMG$FREWSLX ;FREE THE WORKING SET LIST ENTRY
04 50 E8 05E7 1082 BLBS R0,30$ ;BRANCH IF SUCCESSFUL
05EA 1083 :
05EA 1084 : FREWSLX COULD ONLY RETURN FAILURES STATUS IF PAGE FILE BACKING STORE
05EA 1085 : NEEDED TO BE RESERVED AND THERE WAS NONE AVAILABLE. THIS PAGE ALREADY
05EA 1086 : HAS BACKING STORE, SO THIS CANNOT HAPPEN.
05EA 1087 :
05EA 1088 :
FEFF 05EA 1089 BUG_CHECK FREWSLX,FATAL
0004' 05EC .WORD ^XFEFF
05EE 1089 .IIF IDN <FATAL>,<FATAL> , .WORD BUG$ _FREWSLX!4
09 BA 05EE 1090 30$: POPR #^M<R0,R3> ;GET PFN AND MASTER PTE ADDRESS
SE FAOD' 30 05F0 1091 BSBW MMG$RLLPFNSAVPTE ;RELEASE PFN, SAVE PTE CONTENTS
0E 08 CO 05F3 1092 ADDL #8,SP ;CLEAN OFF VA, PROCESS PTE
0E 11 05F6 1093 BRB PGFCOMPLETE
05F8 1094 :
05F8 1095 : GLOBAL DEMAND ZERO PAGE, MAKE MASTER PTE VALID TOO
05F8 1096 :
51 867FFFFF 8F CA 05F8 1097 40$: BICL #^C<PTESM_PROT ! PTESM_OWN>,R1 ;MASTER PTE PROTECTION AND OWNER

```

62	51	50	C9	05FF	1098		BISL3	R0,R1,(R2)		;SET MASTER PTE VALID
	5E	10	C0	0603	1099	60\$:	ADDL	#4*4,SP		;CLEAN OFF 4 LONG WORDS
				0606	1100		.dsabl	lsb		
				0606	1101	PGF COMPLETE:				
		3F	BA	0606	1102		POPR	#*M<R0,R1,R2,R3,R4,R5>		;RESTORE THE REGISTERS
	5E	08	C0	0608	1103		ADDL	#8,SP		;CLEAN OFF THE EXCEPTION PARAMETERS
			02	060B	1104		REI			;AND RETURN FROM THE EXCEPTION

```

060C 1106 .SBTTL FREE, MODIFIED, OR BAD PAGE LIST, RELEASE PENDING
060C 1107 :
060C 1108 : THIS IS A FAULT OFF THE FREE, MODIFIED, OR BAD PAGE LISTS
060C 1109 : R0 = PFN, R2 = LISTID,
060C 1110 : 0(SP) = VA (LOW BITS = PAGTYP), 4(SP) = SVAPTE
060C 1111 :
060C 1112 .ENABL LSB
060C 1113 PFNLIST:
F9F1' 30 060C 1114 BSBW MMG$REMPFN ;REMOVE PFN FROM LIST
060F 1115 WRITEINPROG:
060F 1116 RELEASEPEND:
52 6E 7D 060F 1117 MOVQ (SP),R2 ;R2 = VA, R3 = SVAPTE
047C 30 0612 1118 BSBW MMG$MAKEWSLE ;MAKE A WORKING SET LIST ENTRY
52 8E 7D 0615 1119 MOVQ (SP)+,R2 ;R2=VA, R3=SVAPTE
0618 1120 :
0618 1121 : SET PAGE ACTIVE AND VALID
0618 1122 :
51 0000'DF40 D0 0618 1123 MOVL @W^PFNSAL_PTE[R0],R1 ;GET MASTER PTE ADDRESS
061E 1124 :
061E 1125 ASSUME PFNSV_DELCON EQ PFNSV_LOC+PFNSS_LOC+1 ;DELCON IS 2ND BIT TO LEFT OF
061E 1126 :BIT IN BETWEEN IS FOR LOC EXPANSION
05 00 07 F0 061E 1127 INSV #PFNSC ACTIVE,#PFNSV_LOC,#PFNSS_LOC+2,- ;SET PAGE ACTIVE
0000'DF40 0622 1128 @W^PFNSAB_STATE[R0] ;AND CLEAR DELCON
00 61 1F E2 0626 1129 BBSS #PTESV_VALID,(R1),50$ ;SET VALID BIT
04 52 91 062A 1130 50$: CMPB R2,#WSC$C_GLOBAL ;GLOBAL OR PAGE TABLE PAGE?
06 18 062D 1131 BGEQ 100$ ;BRANCH IF YES
3F BA 062F 1132 60$: POPR #*M<R0,R1,R2,R3,R4,R5> ;RESTORE SAVED REGISTERS
5E 08 C0 0631 1133 ADDL #8,SP ;CLEAN OFF THE EXCEPTION PARAMETERS
02 0634 1134 REI ;AND RETURN FROM FAULT
0635 1135 :
0635 1136 : GLOBAL PAGE OR PAGE TABLE PAGE
0635 1137 :
08 52 91 0635 1138 100$: CMPB R2,#WSL$C_PPGTBL ;PROCESS PAGE TABLE PAGE?
16 18 0638 1139 BGEQ 120$ ;BRANCH IF PROCESS OR GLOBAL PAGE TABLE
063A 1140 :
063A 1141 : GLOBAL PAGE
063A 1142 :
51 61 7BE0000 8F CB 063A 1143 BICL3 #*C<PTESM_VALID ! PTESM_MODIFY ! PTESM_PFN>,(R1),R1 ;MASTER PTE
0642 1144 :
0642 1145 : R1 = VALID AND PFN BITS TO STORE INTO SLAVE PTE
0642 1146 : R3 = SLAVE PTE ADDRESS
0642 1147 :
0642 1148 SETSLAVEPTE:
52 63 867FFFFFFF 8F CB 0642 1149 BICL3 #*C<PTESM_PROT ! PTESM_OWN>,(R3),R2 ;PROTECTION AND OWNER FROM SLAVE
63 52 51 C9 064A 1150 BISL3 R1,R2,(R3) ;STORE THE NEW SLAVE PTE
DF 11 064E 1151 BRB 60$ ;AND EXIT THROUGH COMMON CODE
0650 1152 :
0650 1153 : PROCESS OR GLOBAL PAGE TABLE
0650 1154 :
DD 14 0650 1155 120$: BGTR 60$ ;BRANCH IF GLOBAL PAGE TABLE
51 DD 0652 1156 PUSHL R1 ;SAVE REGISTER AROUND THE CALL
0549 30 0654 1157 BSBW MMG$DECPHDREF ;ONE LESS LOCK ON HDR SPTE
02 BA 0657 1158 POPR #*M<R1> ;RESTOR REGISTER
D4 11 0659 1159 BRB 60$ ;AND EXIT THROUGH COMMON CODE
065B 1160 :
065B 1161 .DSABL LSB
065B 1162 :

```

```

065B 1163 : FAILED TO READ THE DESIRED PAGE, RELEASE THE PFN AND ISSUE AN EXCEPTION
065B 1164 : R0 = PAGE FRAME NUMBER
065B 1165 : R4 = PROCESS CONTROL BLOCK ADDRESS
065B 1166 : R5 = SYSTEM ADDRESS OF PROCESS HEADER
065B 1167 : 0(SP) = VIRTUAL ADDRESS (LOW BITS = PAGE TYPE)
065B 1168 : 4(SP) = SYSTEM VIRTUAL ADDRESS OF PAGE TABLE ENTRY
065B 1169 :
065B 1170 READERR:
OC BA 065B 1171 POPR #*M<R2,R3> ;R2=VA (LOW BITS = PAGTYP), R3=SVAPTE
065D 1172 PFN REFERENCE -
065D 1173 MOVZWL <@W*PFNSAx_WSLX[R0],R1>,- ;GET WORKING SET LIST INDEX IF NOT G
065D 1174 LONG OPCODE=MOVL -
065D 1175 IMAGE=SYS_NONPAGED
065D :
065D : .SAVE LOCAL_BLOCK
065D : .PSECT $ABS$,ABS
00000000 004C : =0
0000065D : .RESTORE
065D : .SAVE PSECT LOCAL_BLOCK
00000000 : .PSECT Z$INIT$PFN_FIXUP_TABLE
0000065D' 0000 : .ADDRESS ...PFN
3C 0004 : .BYTE OP$ MOVZWL
DO 0005 : .BYTE OP$ MOVL
0000065D : .RESTORE PSECT
51 0000'DF40 3C 065D MOVZWL @W*PFNSAx_WSLX[R0],R1
0663 1176
0663 1177 ASSUME PFNSC_PROCESS EQ 0
0663 1178 ASSUME PFNSC_SYSTEM EQ 1
0663 1179 ASSUME PFNSC_GLOBAL EQ 2
0663 1180 ASSUME PFNSC_GBLWRT EQ 3
0663 1181 ASSUME PFNSC_PPGTBL EQ 4
0663 1182 ASSUME PFNSC_GPGTBL EQ 5
02 52 03 01 EC 0663 1183 CMPV #WSL$V_PAGTYP,#WSL$S_PAGTYP,R2,#PFNSC_GLOBAL ;IS PAGE GLOBAL?
18 19 0668 1184 BLSS 20$ ;BRANCH IF NOT
066A 1185 :
066A 1186 : GLOBAL PAGE DOES NOT HAVE WORKING SET LIST INDEX IN WSLX ARRAY
066A 1187 : MUST SCAN THE PROCESS' WORKING SET LIST FOR THE VIRTUAL ADDRESS
066A 1188 :
55 53 55 C2 066A 1189 SUBL R5,R3 ;UNBIAS SVAPTE, COULD BE SWAPPED HERE
00000000'9F DO 066D 1190 MOVL @#CTL$GL_PHD,R5 ;USE P1 SPACE HEADER WINDOW
F989' 30 0674 1191 BSBW MMG$SCNWSLX ;SCAN FOR THE WORKING SET LIST INDEX
0677 1192 :
0677 1193 : COULD HAVE BEEN SWAPPED IN THE ABOVE ROUTINE, BUT IPL IS BACK AT SYNCH NOW
0677 1194 :
55 6C A4 DO 0677 1195 MOVL PCBSL_PHD(R4),R5 ;RECOVER SYSTEM ADDRESS OF PHD
53 55 C0 067B 1196 ADDL R5,R3 ;REBIAS PTE ADDRESS
51 D5 067E 1197 TSTL R1 ;SEE IF FOUND WORKING SET LIST ENTRY
3E 13 0680 1198 BEQL 40$ ;IF NOT, PAGE WENT AWAY OR SOME OTHER
0682 1199 :
52 6541 DO 0682 1200 20$: MOVL (R5)[R1],R2 ;PROCESS WAS THE ORIGINATOR OF THE I/O
OC BB 0686 1201 PUSHR #*M<R2,R3> ;FETCH WORKING SET LIST ENTRY
028A 30 0688 1202 BSBW MMG$FREWSLX ;SAVE VIRTUAL ADDRESS AND PTE ADDRESS
OC BA 068B 1203 POPR #*M<R2,R3> ;FREE THIS WORKING SET LIST ENTRY
04 50 E8 068D 1204 BLBS R0,30$ ;RECOVER VA AND SVAPTE
0690 1205 : ;BRANCH IF SUCCESSFUL
0690 1206 :
0690 1207 : FREWSLX CAN ONLY FAIL IF PAGE FILE NEEDED TO BE ALLOCATED AND IT COULDN'T BE
0690 1208 : THIS CASE IS NOT POSSIBLE HERE.

```

```

0690 1209          BUG_CHECK FREWSLX,FATAL
FEFF 0690          .WORD ^XFEFF
0004' 0692          .IIF IDN <FATAL>,<FATAL> , .WORD          BUG$_FREWSLX!4
      0694 1210 :
      0694 1211 : IF THIS PAGE FAULT IS FROM USER OR SUPER MODE THEN ISSUE A
      0694 1212 : PAGE READ ERROR EXCEPTION.
      0694 1213 :
02 02 18 ED 0694 1214 30$: CMPZV #PSL$V_CURMOD,#PSL$S_CURMOD, - ;IF FAULTING MODE IS
      24 AE 0697 1215          FLTPSLT(SP),#PSL$C_SUPER ;USER OR SUPER
      24 18 069A 1216          BGEQ 40$ ;THEN PAGE READ ERROR EXCEPTION
      069C 1217 :
      069C 1218 : THIS IS A BAD SITUATION NOW, AN EXCEPTION IN EXEC OR KERNEL MODE WILL
      069C 1219 : CRASH THE SYSTEM. IF THIS PAGE IS OWNED BY USER OR SUPER THEN TRY
      069C 1220 : SUBSTITUTING A PAGE OF ZEROS. THIS SHOULD SATISFY THE SYSTEM CODE WHICH
      069C 1221 : IS ACCESSING THE PROCESS PAGE SINCE IT IS PARANOID ABOUT USER SUPPLIED
      069C 1222 : DATA. THE NEW PAGE WILL BE EXEC READ WRITE BUT OWNED BY THE ORIGINAL
      069C 1223 : OWNER. THIS WILL RESULT IN AN ACCESS VIOLATION WHEN THE PAGE IS TOUCHED
      069C 1224 : IN USER OR SUPER MODE.
      069C 1225 :
50 63 02 17 EF 069C 1226          EXTZV #PTES$V_OWN,#PTES$S_OWN,(R3),R0 ;GET THE PAGE OWNER
      02 50 D1 06A1 1227          CMPL R0,#PSL$C_SUPER ;OWNED BY USER OR SUPER?
      1A 19 06A4 1228          BLSS 40$ ;BRANCH IF NOT, READ ERROR FOR
      06A6 1229          ;A CRUCIAL PAGE, ISSUE THE PAGE
      06A6 1230          ;READ ERROR EXCEPTION, DOWN WE GO.
      06A6 1231          SETIPL #IPL$ASTDEL ;LOWEST POSSIBLE FAULT IPL
      12 02 DA 06A6 1232          MTPR #IPL$ASTDEL,S^#PRS_IPL
      06A9 1233 :
      06A9 1234 : FORM ARGUMENT LIST FOR CRETVA
      06A9 1235 :
      52 DD 06A9 1235          PUSHL R2 ;VIRTUAL ADDRESS TO CREATE
      05 BB 06AB 1236          PUSHR #^M<R0,R2> ;ANOTHER COPY OF ADR TO FORM RANGE
      06AD 1237          ;ACCESS MODE PARAMETER
01 AE 05 90 06AD 1238          MOVB S^#PRT$C_EW,1(SP) ;SET DESIRED PAGE PROTECTION
      00 DD 06B1 1239          PUSHL #0 ;NULL RETURN ADDRESS
      08 AE DF 06B3 1240          PUSHAL 8(SP) ;ADDRESS OF RANGE TO CREATE
00000000'GF 05 FB 06B6 1241          CALLS #5,G^MMG$CRETVA ;KERNEL MODE ENTRY TO CRETVA
      06BD 1242          ;PRESERVES IPL
      06BD 1243          ;STRIP OFF INPUT RANGE WHEN DONE
      FF46 31 06BD 1244          BRW PGFCOMPLETE ;FAULT THIS PAGE FROM SCRATCH
      1A AE B6 06C0 1245 40$: INCW FLTCTL+2(SP) ;INDICATE PAGE READ ERROR
      06C3 1246 ACVIOLAT:
50 26 AE 3C 06C3 1247          MOVZWL FLTPSL+2(SP),R0 ;GET IPL FROM FAULT PSL
      06C7 1248          ENBINT R0 ;AND RESTORE IT
      12 50 DA 06C7 1249          MTPR R0,S^#PRS_IPL
      03 6E 3F BA 06CA 1249          POPR #^M<R0,R1,R2,R3,R4,R5> ;RESTORE REGISTERS SAVED BY PAGE FAULT
      10 E5 06CC 1250          BBCC #16,(SP),10$ ;BRANCH IF ACCESS VIOLATION
      F92D' 31 06D0 1251          BRW EXE$PAGRDERR ;ISSUE THE EXCEPTION
      F92A' 31 06D3 1252 10$: BRW EXE$ACVIOLAT ;ACCESS VIOATION

```



```

06D6 1254 .SBTTL SCANDEADPT - SCAN A DEAD PAGE TABLE FOR TRANSITION PAGES
06D6 1255 :
06D6 1256 : INPUTS:
06D6 1257 :
06D6 1258 R2 = VIRTUAL ADDRESS OF PAGE TABLE (LOW BITS = PAGE TYPE)
06D6 1259 R5 = PROCESS HEADER ADDRESS
06D6 1260 IPL = SYNCH
06D6 1261 :
06D6 1262 : OUTPUTS:
06D6 1263 :
06D6 1264 NONE
06D6 1265 :
06D6 1266 SCANDEADPT:
50 70 A5 6E A5 A3 06D6 1267 SUBW3 PHDSW_PTCNTVAL(R5),PHDSW_PTCNTACT(R5),R0 ;ACTIVE PAGE TABLES
06DC 1268 ;THAT DON'T CONTAIN VALID WSLE'S
06DC 1269 ;ARE 'DEAD PAGE TABLES'
06DC 1270 BGTR 10$
06DE 1271 BRW 50$ ;BRANCH IF NO DEAD PAGE TABLES
50 6C A5 A0 06E1 1272 10$: ADDW PHDSW_PTCNTLCK(R5),R0 ;ADD IN THE LOCKED PAGE TABLES
50 74 A5 A0 06E5 1273 ADDW PHDSW_WSFLUID(R5),R0 ;NEED TWICE FLUID EXTRA
50 74 A5 A0 06E9 1274 ADDW PHDSW_WSFLUID(R5),R0
50 50 3C 06ED 1275 MOVZWL R0,R0 ;GET IT IN A LONGWORD
7E 50 A5 3C 06F0 1276 MOVZWL PHDSW_WSSIZE(R5),-(SP) ;GET CURRENT WS SIZE
50 6E C2 06F4 1277 SUBL (SP),R0 ;SUBTRACT OUT CURRENT WSL SIZE
6E 0E A5 08 A5 A3 06F7 1278 SUBW3 PHDSW_WSLIST(R5),PHDSW_WSDYN(R5),(SP) ;GET LOCKED PORTION OF WS
6E 6E 3C 06FD 1279 MOVZWL (SP),TSP ;GET IT IN A LONGWORD
50 8E C0 0700 1280 ADDL (SP)+,R0 ;ADD IN LOCKED ENTRY COUNT
61 19 0703 1281 BLSS 50$ ;BRANCH IF SAFE TO POSTPONE DEAD PAGE
0705 1282 ;TABLE SCAN
50 52 00C8 C5 C3 0705 1283 SUBL3 PHDSL_POBR(R5),R2,R0 ;BYTE OFFSET FROM FIRST PO PAGE TABLE
50 59 19 070B 1284 BLSS 50$ ;BRANCH IF PROCESS HEADER PAGE
50 50 F7 8F 78 070D 1285 ASHL #-9,R0,R0 ;FORM PAGE NUMBER
50 50 55 C0 0712 1286 ADDL R5,R0 ;ADD IN PHD BASE
50 68 A5 C0 0715 1287 ADDL PHDSL_PTWSLEVAL(R5),R0 ;ADD IN OFFSET TO BYTE ARRAY OF COUNTS
0719 1288 ;OF VALID WSLE'S IN EACH PAGE TABLE
60 95 0719 1289 TSTB (R0) ;IS THIS A DEAD PAGE TABLE
49 18 071B 1290 BGEQ 50$ ;BRANCH IF NOT
071D 1291 :
071D 1292 : R1,R2,R3 ARE PRESERVED UP TO THIS POINT
071D 1293 :
50 10 A5 51 B0 071D 1294 MOVW R1,PHDSW_WSNEXT(R5) ;UPDATE NEXT POINTER
50 0038 CF D6 0721 1295 INCL W*PMSSGL-DPTSCN ;COUNT THESE SCANS
50 52 15 09 EF 0725 1296 EXTZV #VASV_VPN,#VASS_VPN,R2,R0 ;PAGE NUMBER OF THE PT IN SYSTEM SPACE
50 7FE00000 8F CB 072A 1297 BICL3 #^C<PTESM_VALID! PTESM_PFN>,- ;GET PFN AND VALID BIT
50 0000 DF40 0730 1298 @W*MMG$GL_SPTBASE[R0],R0 ;FROM SPT ENTRY FOR THE PAGE TABLE
50 29 50 1F E5 0735 1299 BBCC #PTESV_VACID,R0,40$ ;CLEAR VALID BRANCH IF IT WAS CLEAR
00 00 DD 0739 1300 PUSHL #0 ;FLAG FOR MODIFIED PAGE WRITER NEEDED
073B 1301 PFN REFERENCE -
073B 1302 MOVZWL <@W*PFNSAx_SHRCNT[R0],-(SP) >,- ;NUMBER OF TRANSITION PAGES
073B 1303 LONG OPCODE=MOVL -
073B 1304 IMAGE=SYS_NONPAGED
00000006 .SAVE PSECT LOCAL BLOCK
0000073B' 0006 .PSECT Z$INITS$PFN_FIXUP_TABLE
3C 000A .ADDRESS ;PFN
DO 000B .BYTE OPS_MOVZWL
0000073B .BYTE OPS_MOVL
.RESTORE_PSECT

```

```

7E 0000'DF40 3C 073B MOVZWL @W^PFNSAx_SHRCNT[R0],-(SP)
      1F 13 0741 1305 BEQL 40$ :IF NONE, INCONSISTENT
52 01FF 8F AA 0743 1306 BICW #VASM_BYTE,R2 :START SCANNING PT AT BEGINNING
      80 8F 9A 0748 1307 MOVZBL #128,R3 :AT MOST 128 PTE'S
50 82 7BA00000 8F CB 074C 1308 20$: BICL3 #^C<PTESM_VALID ! - :GET THE VALID BIT
      0754 1309 PTESM_TYPT ! PTESM_TYPO ! - ;PTE TYPE BITS
      0754 1310 PTESM_PFN>,(R2)+,R0 :AND THE PFN FROM THE PTE
51 50 EA 8F 78 0754 1311 BEQL 30$ :BRANCH IF DEMAND ZERO PAGE
      OD 13 0756 1312 ASHL #-PTESV_TYPO,R0,R1 :VALID, TYPT, TYPO ALL 0 IF TRANSITION
      EC 53 F5 075B 1313 BEQL 60$ :BRANCH IF TRANSITION PAGE
      36 11 075D 1314 30$: SOBGTR R3,20$ :LOOP THROUGH THE PAGE TABLE
      FEFF 0760 1315 BRB 100$ :ALL DONE, CNT=# I/O REQ OUTSTANDING
      0004' 0762 1316 40$: BUG_CHECK SCANDEADPT,FATAL :SPT ENTRY FOR PAGE TABLE NOT VALID
      0762 .WORD ^XFEFF
      0764 .IIF IDN <FATAL>,<FATAL> .WORD BUGS_SCANDEADPT!4
50 01 D0 0766 1317 50$: MOVL #1,R0 :SET CONTINUE RATHER THAN RESTART
      05 0769 1319 RSB
      076A 1320 :SHRCNT FOR PAGE TABLE IS 0
      076A 1321 :DIDN'T FIND SHRCNT TRANSITION PAGES
      076A 1322 :BEFORE RUNNING OFF THE END OF THE PT
      076A 1323 :
      076A 1324 : THIS IS A TRANSITION PAGE
      076A 1325 :
52 03 OC BB 076A 1326 60$: PUSHR #^M<R2,R3> :SAVE THESE REGISTERS
      00 EF 076C 1327 EXTZV #PFNSV_PAGTYP,#PFNS$ PAGTYP,- :GET PAGE LOCATION
      01 52 D1 076F 1328 :FROM THE STATE BYTE
      1A 14 D1 0774 1329 CMPL R2,#PFNSC_MFY PAGLST :ON MODIFIED OR FREE PAGE LIST
      OE 13 0777 1330 BGTR 90$ :BRANCH IF NOT ON EITHER
      0778 1331 BEQL 80$ :BRANCH IF ON MODIFIED PAGE LIST
      0778 1332 :
      0778 1333 : PAGE IS ON THE FREE PAGE LIST
      0778 1334 :
0000'DF40 F882' 30 077B 1335 BSBW MMGSREMPFN :ON FREE LIST, REMOVE IT
      10 88 077E 1336 BISB #PFNSM_DELCON,@W^PFNSAB_STATE[R0] :FORCE DELETE CONTENTS
      F879' 30 0784 1337 BSBW MMGSRE[PFN :AND RELEASE THE PAGE
      OA 11 0787 1338 BRB 90$
      0789 1339 :
      0789 1340 : PAGE IS ON MODIFIED PAGE LIST
      0789 1341 :
0000'DF40 10 88 0789 1342 80$: BISB #PFNSM_DELCON,@W^PFNSAB_STATE[R0] :DELETE CONTENTS AFTER WRITING
      OC AE 01 88 078F 1343 BISB #1,12(SP) :FLAG MODIFIED PAGE RELEASE NEEDED
      0C BA 0793 1344 90$: POPR #^M<R2,R3> :RESTORE SAVE REGISTERS
      C5 6E F5 0795 1345 SOBGTR (SP),30$ :COUNT DOWN THE TRANSITION COUNT
      03 BA 0798 1346 100$: POPR #^M<R0,R1> :CLEAN OFF THE EXHAUSTED COUNT AND FLAG
      OE 51 E9 079A 1347 BLBC R1,110$ :BRANCH IF NO MODIFIED PAGE WRITING
      0000'CF D4 079D 1348 CLRL W^SCH$GL_MFYLOLIM :MAKE SURE IT'S WRITTEN SOON
      0000'CF B4 07A1 1349 CLRW W^SCH$GL_MFY LIM :CLEAR COUNT, NOT WRITE REQUESTED FLAG
      51 0B 3C 07A5 1350 MOVZWL #RSNS_MP[EMPTY],R1 :SET RESOURCE TO WAIT FOR
      5E 04 C0 07A8 1351 ADDL #4,SP :RETURN TO ORIGINAL CALLER
      50 D4 07AB 1352 110$: CLRL R0 :SET FAILURE (OR RESTART)
      05 07AD 1353 RSB

```

```

07AE 1355      .SBTTL  WSLEPFN - FETCH PFN FROM WORKING SET LIST ENTRY
07AE 1356      :
07AE 1357      : CALLING SEQUENCE:
07AE 1358      :
07AE 1359      :     BSBW  MMG$WSLEPFN
07AE 1360      :
07AE 1361      : INPUTS:
07AE 1362      :
07AE 1363      :     R3 = SYSTEM VIRTUAL ADDRESS OF PAGE TABLE ENTRY
07AE 1364      :           FOR A PAGE THAT IS IN THE WORKING SET LIST
07AE 1365      :
07AE 1366      : OUTPUTS:
07AE 1367      :
07AE 1368      :     R0 = PFN
07AE 1369      :     R2,R3 PRESERVED
07AE 1370      :
07AE 1371      : WSLEPFNMSK:
7B800000 07AE 1372      :     .LONG  ^C<PTESM_VALID ! PTESM_TYPO ! PTESM_TYP1 ! PTESM_PGFLVB>
07B2 1373      :
07B2 1374      :     .ENABL  LSB
07B2 1375      :
07B2 1376      : MMG$WSLEPFN::
50 63 F9 AF CB 07B2 1377      :     BICL3  B^WSLEPFNMSK,(R3),R0      ;GET VALID, TYPO, TYP1, PFN/GPTX
51 50 EA 8F 78 07B7 1378      :     ASHL   #-PTESV_TYPO,R0,R1      ;SEE IF TRANSITION OR VALID PAGE
50 50 15 06 14 07BC 1379      :     BGTR   FRE_GBLTRANS             ;BRANCH IF NEITHER
07BE 1380      :     10$:  EXTZV  #PTESV_PFN,#PTESM_PFN,R0,R0 ;GET PFN
07C3 1381      :     20$:  RSB                      ;AND RETURN
07C4 1382      :
07C4 1383      : INPUTS:
07C4 1384      :
07C4 1385      :     R0 = PAGE TABLE ENTRY WITH TYPO, TYP1 AND GPTX BITS
07C4 1386      :     R1 = RESULT OF SHIFTING R0 BY -PTESV_TYPO
07C4 1387      :           = 1 IF PAGE IS GLOBAL
07C4 1388      :           > 1 IF PAGE TYPE IS INVALID FOR THIS CONTEXT
07C4 1389      :
07C4 1390      : OUTPUTS:
07C4 1391      :
07C4 1392      :     R0 = PFN IF GLOBAL PAGE IN TRANSITION
07C4 1393      :     BUGCHK IF NOT
07C4 1394      :
07C4 1395      : FRE_GBLTRANS:
50 0000'DF40 OF 50 13 51 F5 07C4 1396      :     SOBGTR R1,WSLVANVAL             ;BRANCH IF NOT GLOBAL FORMAT
51 50 EA 8F 78 07C7 1397      :     BBCC  #PTESV_TYPO,R0,WSLVANVAL ;CLEAR TYPO, MUST HAVE BEEN SET
50 50 15 06 14 07CB 1398      :     BICL3  B^WSLEPFNMSK,@W^MMG$GL_GPTBASE[R0],R0 ;FETCH MASTER PTE
51 50 EA 8F 78 07D3 1399      :     ASHL   #-PTESV_TYPO,R0,R1      ;MAKE SURE THIS IS IN TRANSITION
E9 13 07DB 1400      :     BEQL   20$                      ;BRANCH IF IT IS, R0 = PFN
07DA 1401      : WSLVANVAL:
FEFF 07DA 1402      :     BUG_CHECK WSLVANVAL,FATAL      ;WORKING SET LIST ENTRY VIRTUAL
0004' 07DA 1402      :     .WORD  ^XFEEF
07DC 1403      :     .IIF  IDN <FATAL>,<FATAL>     ;.WORD  BUG$ WSLVANVAL!4
07DE 1403      :     .DSABL  LSB                      ;ADDRESS IS NOT VALID
07DE 1404      :

```

```

07DE 1406      .SBTTL FREWSLE - FREE A WORKING SET LIST ENTRY
07DE 1407      :++
07DE 1408      : FUNCTIONAL DESCRIPTION:
07DE 1409      :
07DE 1410      :     THIS ROUTINE CHOOSES A WORKING SET LIST ENTRY, RELEASES THE
07DE 1411      :     PAGE WHICH OCCUPIES IT (IF ANY), MARKS THE ENTRY AVAILABLE, AND
07DE 1412      :     LEAVES THE WSNEXT POINTER POINTING TO THE AVAILABLE ENTRY.
07DE 1413      :     IN RELEASING A PAGE, IF ITS BACKING STORE ADDRESS IS A
07DE 1414      :     'NOT YET ALLOCATED' PAGING FILE ADDRESS, THEN A PAGING FILE VBN
07DE 1415      :     IS ALLOCATED AT THIS TIME. IT IS POSSIBLE THAT NO VBN'S ARE AVAILABLE
07DE 1416      :     AND THUS THIS ROUTINE CAN RETURN UNSUCCESSFULLY.
07DE 1417      :
07DE 1418      : CALLING SEQUENCE:
07DE 1419      :
07DE 1420      :     BSBW   MMG$FREWSLE
07DE 1421      :
07DE 1422      : INPUT PARAMETERS:
07DE 1423      :
07DE 1424      :     R4 = PCB ADDRESS
07DE 1425      :     R5 = PROCESS HEADER ADDRESS - MAY BE P1 SPACE ADDRESS
07DE 1426      :           IF WORKING WITH PROCESS WORKING SET LIST
07DE 1427      :     IPL = SYNCH
07DE 1428      :
07DE 1429      : IMPLICIT INPUTS:
07DE 1430      :     NONE
07DE 1431      :
07DE 1432      : OUTPUT PARAMETERS:
07DE 1433      :
07DE 1434      :     IF SUCCESSFUL
07DE 1435      :         R0 LOW BIT IS SET
07DE 1436      :     IF NOT SUCCESSFUL
07DE 1437      :         R0 LOW BIT IS CLEAR AND
07DE 1438      :         R1 = RESOURCE TO WAIT FOR (#RSNS_XXXXX)
07DE 1439      :
07DE 1440      : IMPLICIT OUTPUTS:
07DE 1441      :
07DE 1442      :     IF A WORKING SET ENTRY WAS FREED, IT IS PLACED ON THE FREE LIST
07DE 1443      :
07DE 1444      : COMPLETION CODES:
07DE 1445      :     NONE
07DE 1446      :
07DE 1447      : SIDE EFFECTS:
07DE 1448      :     NONE
07DE 1449      :
07DE 1450      :--
  
```

```

07DE 1452 : FOR MMGSFREWSLX ENTRY POINT
07DE 1453 :
07DE 1454 : INPUTS:
07DE 1455 :
07DE 1456 : R1 = WORKING SET LIST INDEX
07DE 1457 : R2 = VIRTUAL ADDRESS (LOW BITS = PAGE TYPE)
07DE 1458 : R3 = SYSTEM VIRTUAL ADDRESS OF PAGE TABLE ENTRY
07DE 1459 : R4 = PROCESS CONTROL BLOCK ADDRESS
07DE 1460 : R5 = PROCESS HEADER ADDRESS
07DE 1461 : IPL = SYNCH
07DE 1462 :
07DE 1463 : OUTPUTS:
07DE 1464 :
07DE 1465 : R0 = STATUS
07DE 1466 : R1 = RESOURCE TO WAIT FOR IF NOT SUCCESSFUL
07DE 1467 :
07DE 1468 :
07DE 1469 :
07DE 1470 : FOUND AN EMPTY WORKING SET LIST ENTRY, CHECK WHETHER THERE IS A
07DE 1471 : NEW PEAK WORKING SET SIZE AND WHETHER SWAP AREA NEEDS TO GROW.
07DE 1472 :
07DE 1473 : R0 = GPGCNT+PPGCNT
07DE 1474 :
07DE 1475 : .ENABLE LSB
07DE 1476 :
07DE 1477 10$: BBC #PHDSV_WSPEAKCHK,PHDSW_FLAGS(R5),15$ ;BRANCH IF CANNOT BE
07E3 1478 : ;ABOVE PREVIOUS PEAK WORKING SET SIZE
07E3 1479 CMPW R0,G^CTL$GL_WSPEAK ;ABOVE PREVIOUS RECORDED PEAK?
07EA 1480 BLSSU 15$ ;BRANCH IF NOT
07EC 1481 ADDW3 #1,R0,G^CTL$GL_WSPEAK ;YES, NEW PEAK INCLUDES THE PAGE
07F4 1482 : ;ABOUT TO BE ADDED TO THE WORKING SET
07F4 1483 15$: BBC #PHDSV_IWSPEAKCK,PHDSW_FLAGS(R5),20$ ;BRANCH IF CANNOT BE
07F9 1484 : ;ABOVE PREVIOUS PEAK WORKING SET SIZE
07F9 1485 CMPW R0,G^CTL$GL_IWSPEAK ;ABOVE PREVIOUS RECORDED PEAK?
0800 1486 BLSSU 20$ ;BRANCH IF NOT
0802 1487 ADDW3 #1,R0,G^CTL$GL_IWSPEAK ;YES, NEW PEAK INCLUDES THE PAGE
080A 1488 : ;ABOUT TO BE ADDED TO THE WORKING SET
080A 1489 20$: MOVW R1,PHDSW_WSNEXT(R5) ;UPDATE NEXT POINTER
080E 1490 CMPW R0,PHDSW_SWAPSIZE(R5) ;IS THERE ENOUGH ROOM TO SWAP PROCESS?
0812 1491 BLSSU 30$ ;BRANCH IF YES
0814 1492 SUBW3 PHDSW_WSLIST(R5),PHDSW_WSAUTH(R5),R0 ;GET AUTHORIZED QUOTA
081A 1493 CMPW PHDSW_SWAPSIZE(R5),R0 ;ENOUGH SPACE TO COVER QUOTA?
081E 1494 BGEQU 30$ ;BRANCH IF SO, DON'T NEED ANY MORE
0820 1495 MOVL PCB$L_WSSWP(R4),R0 ;GET BLOCK LOCATION OF LAST ALLOCATION
0824 1496 BEQL 30$ ;BRANCH IF NON SWAPPING TYPE PROCESS
0826 1497 MOVZWL PHDSW_SWAPSIZE(R5),R1 ;GET CURRENT SIZE
082A 1498 MOVZWL W^SWP$GW_SWPINC,R2 ;NEW INCREMENT
082F 1499 ADDL R1,R2 ;NEW DESIRED SIZE
0832 1500 BSBW MMGSALLOCSWPAREA ;ALLOCATE A SWAP AREA, R0-R3 CHANGED
0835 1501 BLEQ 40$ ;BRANCH IF ALLOCATION FAILED
0837 1502 MOVL R0,PCB$L_WSSWP(R4) ;UPDATE SWAP FILE VBN
083B 1503 MOVW R2,PHDSW_SWAPSIZE(R5) ;AND SIZE OF AREA
083F 1504 30$: MOVZWL #SS$_NORMAL,R0 ;SUCCESSFUL RETURN INDICATION
0842 1505 RSB
0843 1506
0843 1507 35$: BRB 10$ ;GET BRANCH DESTINATION TO REACH
0845 1508

```

```

11 36 A5 02 E1
00000000'GF 50 B1
00000000'GF 50 08 1F
00000000'GF 50 01 A1
11 36 A5 04 E1
00000000'GF 50 B1
00000000'GF 50 08 1F
00000000'GF 50 01 A1
10 A5 51 B0
52 A5 50 B1
50 0A A5 08 A5 A3
50 52 A5 B1
50 20 A4 D0
51 52 A5 3C
52 0000'CF 3C
52 51 C0
F7CB' 30
OE 15
20 A4 50 D0
52 A5 52 B0
50 01 3C
05
99 11

```

```

50 34 51 10 53 D4 0845 1509 40$: CLRL R3 ;FORCE SKIP COUNT TO ZERO
7E 18 A4 36 A5 3C 0847 1510 MOVZWL PHD$W_WSNEXT(R5),R1 ;INDEX TO NEXT CANDIDATE TO DISCARD
08 A5 A1 084B 1511 ADDW3 PCB$W_PPGCNT(R4),PCB$W_GPGCNT(R4),R0 ;CURRENT PAGE COUNT IN USE
8E 50 B1 0851 1512 SUBW3 PHD$W_WSLIST(R5),PHD$W_WSQUOTA(R5),-(SP) ;GET QUOTA
65 1A 085A 1513 CMPW R0,(SP)+ ;IS PAGE COUNT WITHIN QUOTA OR EXTENT?
OE A4 B5 085C 1514 BGTRU 90$ ;BRANCH IF GREATER THAN QUOTA TO FREE
60 12 085F 1515 TSTW PCB$W_MTXCNT(R4) ;DOES PROCESS HOLD ANY MUTEX?
51 0A 3C 0861 1516 BNEQ 90$ ;BR IF YES, DO NOT LET IT WAIT
50 D4 0861 1517 MOVZWL #RSNS_SWPFILE,R1 ;A WSLE, I.E. RUN RATHER THAN WAIT
05 0864 1518 CLRL R0 ;R1 = RESOURCE TO WAIT FOR
0866 1519 RSB ;RETURN FAILURE INDICATION
0867 1520 ;RETURN RESOURCE TO WAIT FOR IN R1
0867 1521
0867 1522 LCKWSLE_NOTPGTB:
0867 1523 BUG_CHECK BADLCKWSLE,FATAL ;LOCKED WORKING SET LIST ENTRY NOT PAGE TABL
FEFF 0867 .WORD ^XFEFF
0004' 0869 .IIF IDN <FATAL>,<FATAL> , .WORD BUG$_BADLCKWSLE!4
086B 1524 WSSIZEERR:
086B 1525 BUG_CHECK WSSIZEERR,FATAL ;VALUE OF WSSIZE IS SMALLER THAN IN USE
FEFF 086B .WORD ^XFEFF
0004' 086D .IIF IDN <FATAL>,<FATAL> , .WORD BUG$_WSSIZEERR!4
086F 1526 WSLENOVAL:
086F 1527 BUG_CHECK WSLENOVAL,FATAL ;WSL ENTRY NOT VALID
FEFF 086F .WORD ^XFEFF
0004' 0871 .IIF IDN <FATAL>,<FATAL> , .WORD BUG$_WSLENOVAL!4
0873 1528 ;
0873 1529 ; THIS IS A LOCKED PAGE IN THE DYNAMIC PORTION OF THE WORKING SET LIST
0873 1530 ; IT MUST BE A PAGE TABLE PAGE, NOTE THE CONDITION CODES ARE STILL SET
0873 1531 ; FROM THE FETCH OF THE WORKING SET LIST ENTRY.
0873 1532 ;
0873 1533 50$: BGEQ LCKWSLE NOTPGTB ;BRANCH IF THIS IS NOT A PAGE TABLE
14 52 01 E0 0875 1534 BBS #WSL$V PAGTYP,R2,60$ ;BRANCH TO SKIP GLOBAL PAGE TABLE PAGES
FE5A 30 0879 1535 BSBW SCANDEADPT ;SCAN THE PAGE TABLE TO SEE IF 'DEAD'
OE 50 E8 087C 1536 ;IF SO RID IT OF TRANSITION PAGES.
087C 1537 BLBS R0,60$ ;AND NOW GET A FREE WS LIST ENTRY
087F 1538 MMG$FREWSLE::
53 0000'CF 3C 087F 1539 MOVZWL W^SGN$GW WSLMXSKP,R3 ;MAX NUMBER OF TB VALID ENTRIES TO SKIP
51 10 A5 3C 0884 1540 MOVZWL PHD$W_WSNEXT(R5),R1 ;INDEX TO NEXT CANDIDATE TO DISCARD
6541 D5 0888 1541 TSTL (R5)[R1] ;IS THIS ENTRY FREE?
12 13 088B 1542 BEQL 80$ ;BRANCH IF SO, CHECK FOR TRULY FREE
51 D6 088D 1543 60$: INCL R1 ;STEP TO NEXT ENTRY
12 A5 51 B1 088F 1544 CMPW R1,PHD$W_WSLAST(R5) ;AT THE END YET?
04 1B 0893 1545 BLEQU 70$ ;CONTINUE
51 OE A5 3C 0895 1546 MOVZWL PHD$W_WSDYN(R5),R1 ;B... TO THE TOP
52 6541 D0 0899 1547 70$: MOVL (R5)[R1],R2 ;R2 = VA FROM WSLE
41 12 089D 1548 BNEQ 120$ ;BRANCH IF ENTRY IN USE
50 34 A4 36 A4 A1 089F 1549 80$: ADDW3 PCB$W_PPGCNT(R4),PCB$W_GPGCNT(R4),R0 ;CURRENT PAGE COUNT IN USE
50 A5 50 B1 08A5 1550 CMPW R0,PHD$W_WSSIZE(R5) ;ARE PAGES IN USE = WORKING SET SIZE?
16 13 08A9 1551 BEQL 90$ ;BRANCH IF SO, NEED TO REPLACE A PAGE
BE 1A 08AB 1552 BGTRU WSSIZEERR ;BRANCH IF MORE PAGES IN WS THAN IN WSSIZE
52 18 A5 08 A5 A3 08AD 1553 SUBW3 PHD$W_WSLIST(R5),PHD$W_WSQUOTA(R5),R2 ;QUOTA NUMBER OF PAGES-1
52 50 B1 08B3 1554 CMPW R0,R2 ;ARE WE WITHIN QUOTA NUMBER OF PAGES?
8B 1B 08B6 1555 BLEQU 35$ ;BRANCH IF SO, ALLOWED ANOTHER PAGE
0000'CF 0000'CF D1 08B8 1556 CMPL W^SCH$GL_GROWLIM,W^SCH$GL_FREECNT ;ENOUGH FREE PAGES TO EXTEND?
82 19 08BF 1557 BLSS 35$ ;BRANCH IF SO
50 51 01 C3 08C1 1558 90$: SUBL3 #1,R1,R0 ;SAVE INDEX OF LAST NON-ZERO WSLE
51 D6 08C5 1559 100$: INCL R1 ;STEP TO NEXT ENTRY

```

```

12 A5 51 B1 08C7 1560 CMPW R1,PHDSW_WSLAST(R5) ;AT THE END YET?
OD 1B 08CB 1561 BLEQU 110$ ;CONTINUE
51 OE A5 3C 08CD 1562 MOVZWL PHDSW_WSDYN(R5),R1 ;BACK TO THE TOP
04 0000'CF EB 08D1 1563 3LBS W^MMG$GB_FREWFLGS,110$ ;IF SWAPPER REQUESTED, DON'T MOVE LAST
12 A5 50 B0 08D6 1564 MOVW R0,PHDSW_WSLAST(R5) ;SHRINK WSLAST BACK OVER 0 WSLE'S
08DA 1565 ;THIS IS SAFF BECAUSE WS IS FULL
52 6541 D0 08DA 1566 110$: MOVL (R5)[R1],R2 ;R2 = VA FROM WSLE
E5 13 08DE 1567 BEQL 100$ ;BRANCH IF UNUSABLE FREE ENTRY
8C 52 8C 52 E9 08E0 1568 120$: BLBC R2,WSLENOVAL ;BRANCH IF ENTRY NOT VALID
05 E0 08E3 1569 BBS #WSL$V_WSLOCK,R2,50$ ;SKIP ENTRY IF IT IS LOCKED
08E7 1570 ;CONDITION CODES STILL SET FROM LOAD OF R2
08 0000'CF 00' E1 08E7 1571 BBC S^#EXESV_TBCHK,W^EXESGL_ ;BRANCH IF TBCHK NOT ENABLED
3F 52 DA 08ED 1572 MTPR R2,#PRS_TBCHK ;TEST FOR VALID IN TB
03 1C 08F0 1573 BVC 130$ ;BRANCH IF NO VALID TRANSLATION
98 53 F4 08F2 1574 SOBGEQ R3,60$ ;SKIP PAGE UNLESS COUNT EXHAUSTED
10 A5 51 B0 08F5 1575 130$: MOVW R1,PHDSW_WSNEXT(R5) ;UPDATE NEXT POINTER
F704' 30 08F9 1576 BSBW MMG$SVAPTECHK ;RETURN R3 = SYS VA OF PAGE TABLE ENTRY
08FC 1577 ;CK FOR PROCESS PAGE TABLES AND
08FC 1578 ;PROCESS HEADER PAGES WITH PROCESS PCB ADR
08FC 1579 .DISABLE LSB
08FC 1580 ;
08FC 1581 ; R1 = WSLX, R2 = VA FROM WSLE, R3 = SVAPTE, R4 = PCB, R5 = PHD
08FC 1582 ;
08FC 1583 ;
15 63 1A E1 08FC 1583 BBC #PTESV_MODIFY,(R3),MMG$FREWSLX ;BRANCH IF PAGE NOT MODIFIED
0900 1584 ;IF ENTRY NOT VALID MODIFY=0 SO BRANCH
0000'CF 0000'CF D1 0900 1585 CMLP W^MPW$GL_WAITLIM,W^SCH$GL_MFYCNT ;ABOVE WAIT PROCESS THRESHOLD?
OC 14 0907 1586 BGTR MMG$FREWSLX ;BRANCH IF SO
06 0000'CF 00' E0 0909 1587 BBS S^#MMG$V_NOWAIT,W^MMG$GB_FREWFLGS,MMG$FREWSLX
090F 1588 ;BRANCH IF THIS IS SWAPPER
51 OC 3C 090F 1589 MOVZWL #RSNS_MPWBUSY,R1 ;R1 = RESOURCE TO WAIT FOR
50 D4 0912 1590 CLRL R0 ;RETURN FAILURE INDICATION
05 0914 1591 RSB ;RETURN RESOURCE TO WAIT FOR IN R1
0915 1592
0915 1593 .ENABLE LSB
0915 1594
0915 1595 MMG$FREWSLX::
51 DD 0915 1596 PUSHL R1 ;SAVE WSLX FOR DELETE BY WSLX
0917 1597
0917 1598 ASSUME PTESV_MODIFY EQ PTESV_TYP1
50 63 7B800000 8F CB 0917 1599 BICL3 #^C<PTESM_VALID ! - ;FETCH VALID BIT
091F 1600 PTESM_TYPT ! PTESM_TYPO ! - ;PTE TYPE BITS
091F 1601 PTESM_GPTX>,(R3),R0 ;AND PFN/GPTX FROM PAGE TABLE ENTRY
OC 50 1F E4 091F 1602 BBS #PTESV_VALID,R0,10$ ;BRANCH IF PTE VALID
0923 1603 ;CLEAR VALID BIT IN R0
0923 1604 ;
0923 1605 ; PAGE TABLE ENTRY NOT VALID,
0923 1606 ; PAGE IN TRANSITION AND READINPROG OR
0923 1607 ; GLOBAL PTE POINTING TO TRANSITION PTE
0923 1608 ;
51 50 EA 8F 78 0923 1609 ASHL #-PTESV_TYPO,R0,R1 ;IF NEITHER TYP1 OR TYPO IS SET
18 13 0928 1610 BEQL 30$ ;BRANCH TO RELEASE PAGE
092A 1611 ;
092A 1612 ; THIS WORKING SET LIST ENTRY POINTED TO A PAGE WITH A PAGE TABLE ENTRY
092A 1613 ; WHICH IS NEITHER VALID NOR IN TRANSITION. THIS PAGE MUST BE A GLOBAL
092A 1614 ; PAGE ON THE WAY IN TO MEMORY. THE GLOBAL PTE MUST BE IN TRANSITION.
092A 1615 ;
FE97 30 092A 1616 BSBW FRE_GBLTRANS ;GET PFN IF PAGE IS GLOBAL TRANSITION

```

```

13 11 092D 1617 BRB 30$ ;RELEASE ACTIVE PAGE
092F 1618
07 50 1A E5 092F 1619 10$: BBCC #PTESV_MODIFY,R0,20$ ;CLR MODIFY BIT IN R0, BR IF CLR
0000'DF40 80 8F 88 0933 1620 BISB #PFNSM_MODIFY,@W^PFNSAB_STATE[R0] ;RECORD MODIFY BIT
093A 1621 MPH$INVALIDHK:: ;MULTI-PROCESSING CODE HOOKS IN HERE
03 A3 84 8F 8A 093A 1622 20$: BICB #<PTESM_VALID ! PTESM_MODIFY>@-24,3(R3) ;RESET VALID AND MODIFY
093F 1623 ;LEAVING TRANSITION PAGE FOR I/O TO SEE
093F 1624 INVALID R2 ;INVALIDATE TRANSLATION BUFFER
3A 52 DA 093F 1624 MTPR R2,S^#PRS_TBIS
0942 1625 MMG$FRE_TRYSKIP:: ;HOOK RETURN LOCATION FOR MP SUPPORT
0942 1626
0942 1627 ; RELEASE THIS WORKING SET LIST ENTRY
0942 1628
51 0000'DF40 DO 0942 1629 30$: MOVL @W^PFNSAL_BAK[R0],R1 ;GET BACKING STORE ADDRESS (VBN)
53 51 15 E0 0948 1630 BBS #PTESV_CHRPNT,R1,90$ ;BRANCH IF CHECKPOINTABLE
OA 0000'DF40 07 E0 094C 1631 40$: BBS #PFNSV_MODIFY,@W^PFNSAB_STATE[R0],50$ ;BRANCH IF PAGE MODIFIED
51 51 09 78 0953 1632 ASHL #32-PFNSS_BAK,R1,R1 ;DOES PAGE HAVE BACKING STORE?
0B 12 0957 1633 BNEQ 70$ ;BRANCH IF YES
0959 1634
0959 1635 ; NULL PAGE FILE BACKING STORE ADDRESS, AND PAGE IS NOT MODIFIED
0959 1636
0959 1637 NULLPGFL_NOMFY:
0959 1638 BUG_CHECK MFYNULPGFL,FATAL
FEFF 0959 .WORD ^XFEFF
0004' 095B .IIF IDN <FATAL>,<FATAL> , .WORD BUG$_MFYNULPGFL!4
095D 1639 ;
095D 1640 ; NOW THAT WE HAVE A MODIFIED COPY OF THE PAGE IN MEMORY, NO NEED FOR OBSOLETE
095D 1641 ; PAGE FILE COPY.
095D 1642
53 DD 095D 1643 50$: PUSHL R3 ;SAVE SVAPTE
F69E' 30 095F 1644 BSBW MMG$DALCBAKSTORE ;RELEASE OLD PAGE FILE BACKING STORE
0B BA 0962 1645 POPR #^M<R3> ;RESTORE SVAPTE
0964 1646 ;
0964 1647 ; PFNSAL_BAK[R0] IS ALL SET UP, R0 = PFN, R2 = VA, R3 = SVAPTE (SLAVE IF GBL)
0964 1648 ;
0964 1649 70$: ASSUME PFNSC_PROCESS EQ 0
0964 1650 ASSUME PFNSC_SYSTEM EQ 1
0964 1651 ASSUME PFNSC_GLOBAL EQ 2
0964 1652 ASSUME PFNSC_GBLJRT EQ 3
0964 1653 ASSUME PFNSC_PPGTBL EQ 4
0964 1654 ASSUME PFNSC_GPGTBL EQ 5
0964 1655
02 52 03 01 EC 0964 1656 CMPV #WLSV_PAGTYP,#WLS$S_PAGTYP,R2,#PFNSC_GLOBAL ;GLOBAL PAGE?
6E 1F 0969 1657 BLSSU 130$ ;BRANCH IF PROCESS OR SYSTEM
5L 19 0968 1658 BLSS 120$ ;BRANCH IF PROCESS OR GLOBAL PAGE TABLE
096D 1659 ;
096D 1660 ; GLOBAL PAGE - MAKE SLAVE PTE INTO GLOBAL FORMAT
096D 1661 ;
51 0000'DF40 0000'CF C3 096D 1662 SUBL3 W^MMG$GL_GPTBASE,@W^PFNSAL_PTE[R0],R1 ;BYTE INDEX TO GPT
51 51 1E 9C 0976 1663 ROTL #32-2,R1,R1 ;GLOBAL PAGE TABLE INDEX
097A 1664 ASSUME PTE$V_TYPO EQ PTE$S_GPTX ;TYPO ADJACENT TO GPTX FIELD
00 51 16 E2 097A 1665 BBSS #PTESV_TYPO,R1,80$ ;SET TYPO BIT FOR GLOBAL FORMAT
63 17 00 51 FO 097E 1666 80$: INSV R1,#PTESV_GPTX,#PTE$S_GPTX+1,(R3) ;STORE GPTX + TYPO IN PTE
0983 1667 ;CHANGING FROM TRANSITION TO GLOBAL
01B3 30 0983 1668 BSBW MMG$DECPTRF ;SLAVE PTE NO LONGER LOCKED
0986 1669 DECshr GTR=150$,- ;ONE LESS SHARER, BRANCH IF STILL IN USE
0986 1670 IMAGE_FLAG=SYS_NONPAGED

```



```

                                C 8
                                .SAVE PSECT LOCAL BLOCK
00000986' 0000000C .PSECT Z$INIT$PFN_FIXUP_TABLE
                                .ADDRESS ...PFN
                                .BYTE OPS_DECW
                                .BYTE OPS_DECL
                                .RESTORE PSECT
0000'DF40 B7 0986 DECW @W^PFNSAx SHRcnt[R0]
                                6F 14 098B BGTR 150$
                                03 18 098D BGEQ 30006$
                                F6JE' 30 098F BSBW MMG$SHRCNTNEG
                                0992
51 0000'DF40 D0 0992 1671 30006$: MOVL @W^PFNSAL_PTE[R0],R1 ;GET MASTER PTE ADR
03 A1 84 8F 8A 0998 1672 BICB #<PTESM_VALID ! PTESM_MODIFY>@-24,3(R1) ;FORM TRANSITION PTE
                                3A 11 099D 1673 BRB 130$ ;GO COUNT ONE LESS WSL REF
                                099F 1674
                                099F 1675 ; SEE IF OLD BACKING STORE ADDRESS SHOULD BE FORGOTTEN AND BAK REINITIALIZED
                                099F 1676
                                099F 1677 90$: BBS #PTESV_TYPO,R1,100$ ;BRANCH IF SECTION PAGE
                                OF 51 16 E0 099F 1678 MOVZBL PHD$B PAGFIL(R5),R1 ;MUST CHECK FOR LARGE PAGING FILE
                                51 1F A5 9A 09A3 1679 MOVL @W^MMG$GL_PAGSWPVC[R1],R1 ;GET ADDR OF PAGE FILE CONTROL BLOCK
51 0000'DF41 D0 09A7 1679 BBS #PTESV_CHRPNT,PFL$L MAXVBN(R1),110$;BRANCH IF PART OF LARGE VBN
OE 1C A1 15 E0 09AD 1680 100$: BBC #PFNSV_MODIFY,@W^PFNSAB_STATE[R0],110$;BRANCH IF UNMODIFIED PAGE
07 0000'DF40 07 E1 09B2 1681 100$: MOVL PHD$L PAGFIL(R5),@W^PFNSAL_BAK[R0] ;RESET BACKING STORE ADDRESS
0000'DF40 1C A5 D0 09B9 1682 110$: MOVL @W^PFNSAL_BAK[R0],R1 ;GET BACKING STORE ADDRESS
51 0000'DF40 D0 09C0 1683 BRW 40$ ;CONTINUE
                                FF83 31 09C6 1684
                                09C9 1685
                                09C9 1686
                                09C9 1687 ; PROCESS OR GLOBAL PAGE TABLE
                                09C9 1688
04 52 03 01 ED 09C9 1689 120$: CMPZV #WSL$V_PAGTYP,#WSL$S_PAGTYP,R2,#PFNSC_PPGTBL ;PROCESS PAGE TABLE?
                                09 12 09CE 1690 BNEQ 130$ ;BRANCH IF NO
                                51 42 A5 3C 09D0 1691 MOVZWL PHD$W PHVINDEx(R5),R1 ;PROCESS HEADER VECTOR INDEX
                                0000'DF41 B6 09D4 1692 INCW @W^PHV$GL_REFcBAS[R1] ;ADD A PROCESS HEADER REFERENCE
                                09D9 1693 ;WHEN PROCESS PAGE TABLE IS PUT
                                09D9 1694 ;INTO TRANSITION STATE
                                09D9 1695 130$: DECREF EQL=140$ ;COUNT ONE LESS WSL REF
                                09D9 1695 DECW @W^PFNSAW_REFcNT[R0]
                                19 13 09DE 1695 BEQL 140$
                                03 18 09E0 1695 BGEQ 30009$
                                F61B' 30 09E2 1695 BSBW MMG$REFcNTNEG
                                09E5
                                09E5 1696 30009$:
                                09E5 1697 ; OTHER REFERENCES OUTSTANDING, COULD BE DIRECT I/O, PAGING I/O
                                09E5 1698 ; IF CURRENT PAGE STATE IS 'ACTIVE' CHANGE IT TO 'RELEASE PENDING' WHICH
                                09E5 1699 ; IF REFAULTED WILL BE TRANSFORMED BACK TO ACTIVE.
                                09E5 1700 ; LEAVE 'READ IN PROGRESS' STATE AS IS.
                                09E5 1701
07 0000'DF40 03 00 ED 09E5 1702 CMPZV #PFNSV_LOC,#PFNS$S_LOC,@W^PFNSAB_STATE[R0],#PFNSC_ACTIVE
                                09ED 1703 ;UNLESS STATE IS 'ACTIVE'
                                09ED 1704 BNEQ 150$ ;LEAVE IT AS IT WAS
0000'DF40 03 00 0D 12 09ED 1704 INSV #PFNSC_RELPEND,#PFNSV_LOC,#PFNS$S_LOC,@W^PFNSAB_STATE[R0]
                                09EF 1705 ;OTHERWISE SET RELEASE-PENDING STATE
                                09F7 1706 BRB 150$
                                03 11 09F7 1707
                                09F9 1708
                                09F9 1709 ; RO = PFN, REFcNT = 0, R2 = VA, R3 = SVAPTE
                                09F9 1710
                                09F9 1711

```

51	F604'	30	09F9	1712	140\$:	BSBW	MMG\$RELPFN	:REFCNT = 0, RELEASE PFN
	8E	D0	09FC	1713	150\$:	MOVL	(SP)+,R1	:RECOVER SAVED WSLX
	04	10	09FF	1714		BSBB	MMG\$DELWSLEX	:DELETE WORKING SET LIST ENTRY (BY INDEX)
50	01	3C	0A01	1715		MOVZWL	#SS\$_NORMAL,RO	:SUCCESSFUL RETURN INDICATION
		05	0A04	1716		RSB		
			0A05	1717				
			0A05	1718		.DISABLE	LSB	

```
OA05 1720      .SBTTL DELWSLEX - DELETE WORKING SET LIST ENTRY BY INDEX
OA05 1721      :++
OA05 1722      : FUNCTIONAL DESCRIPTION:
OA05 1723      :
OA05 1724      :     THIS ROUTINE DELETES THE WORKING SET LIST ENTRY INDEXED BY
OA05 1725      : R1, AND PLACES THE WORKING SET LIST ENTRY ON THE FREE LIST.
OA05 1726      :
OA05 1727      : CALLING SEQUENCE:
OA05 1728      :
OA05 1729      :     BSBW      MMG$DELWSLEX
OA05 1730      :     BSBW      MMG$DELWSLEPPG
OA05 1731      :
OA05 1732      : INPUT PARAMETERS:
OA05 1733      :
OA05 1734      :     R1 = WORKING SET LIST INDEX
OA05 1735      :     R2 = VIRTUAL ADDRESS IF ENTERING AT DELWSLEPPG
OA05 1736      :     R4 = PROCESS CONTROL BLOCK ADDRESS
OA05 1737      :     R5 = PROCESS HEADER ADDRESS
OA05 1738      :
OA05 1739      : IMPLICIT INPUTS:
OA05 1740      :
OA05 1741      :     NONE
OA05 1742      :
OA05 1743      : OUTPUT PARAMETERS:
OA05 1744      :
OA05 1745      :     R0 PRESERVED
OA05 1746      :
OA05 1747      : IMPLICIT OUTPUTS:
OA05 1748      :
OA05 1749      :     NONE
OA05 1750      :
OA05 1751      : COMPLETION CODES:
OA05 1752      :
OA05 1753      :     NONE
OA05 1754      :
OA05 1755      : SIDE EFFECTS:
OA05 1756      :
OA05 1757      :     NONE
OA05 1758      :
OA05 1759      :--
```

```

      0A05 1761      .ENABL  LSB
      0A05 1762
      0A05 1763 MMG$DELWSLEX::
53  52  03  6541  D0 0A05 1764      MOVL  (R5)[R1],R2      :FETCH WORKING SET LIST ENTRY
      EF 0A09 1765      EXTZV #WSL$V_PAGTYP,#WSL$S_PAGTYP,R2,R3 :GET THE PAGE TYPE
      0A0E 1766      CASE  R3,<-      :AND DISPATCH ON IT
      0A0E 1767      30$,-      :PROCESS PAGE
      0A0E 1768      45$,-      :SYSTEM PAGE
      0A0E 1769      10$,-      :GLOBAL READ ONLY
      0A0E 1770      10$,-      :GLOBAL WRITABLE
      0A0E 1771      45$,-      :PROCESS PAGE TABLE
      0A0E 1772      45$,>      :GLOBAL PAGE TABLE
      05' 00  53  AF 0A0E      CASEW  R3,#0,S^#<<30011$-30010$>/2>-1
      0A12      30010$:
0017' 0A12      .SIGNED_WORD 30$-30010$
0019' 0A14      .SIGNED_WORD 45$-30010$
0010' 0A16      .SIGNED_WORD 10$-30010$
0010' 0A18      .SIGNED_WORD 10$-30010$
0019' 0A1A      .SIGNED_WORD 45$-30010$
0019' 0A1C      .SIGNED_WORD 45$-30010$
      0A1E      30011$:
FEFF 0A1E 1773      BUG_CHECK DELWSLEX,FATAL      :BAD PAGE TYPE
0004' 0A1E      .WORD  ^XFEFF
      0A20      .IIF IDN <FATAL>,<FATAL> , .WORD  BUG$_DELWSLEX!4
      0A22 1774      :
      0A22 1775      : GLOBAL PAGE, READ ONLY OR WRITABLE
      0A22 1776      :
34  OE  10 0A22 1777 10$:  BSBB  DECVALWSLECNT      :DEC VALID WORKING SET LIST ENTRY COUNT
      A4  B7 0A24 1778      DECW  PCB$W_GPGCNT(R4)      :ONE LESS GLOBAL PAGE IN WORKING SET
      05  11 0A27 1779      BRB  50$
      0A29 1780      :
      0A29 1781      : PROCESS PAGE, R2 = VIRTUAL ADDRESS
      0A29 1782      :
      0A29 1783 MMG$DELWSLEPPG::
      07  10 0A29 1784 30$:  BSBB  DECVALWSLECNT      :DECREMENT VALID WORKING SET LIST ENTRY CNT
36  A4  B7 0A2B 1785 45$:  DECW  PCB$W_PPGCNT(R4)      :ONE LESS PROCESS PAGE IN WORKING SET
      6541 D4 0A2E 1786 50$:  CLRL  (R5)[R1]      :FREE THE WORKING SET LIST ENTRY
      05  0A31 1787      RSB
      0A32 1788      .DSABL  LSB
      0A32 1789
      0A32 1790
      0A32 1791 DECVALWSLECNT:
53  55  68  A5  C1 0A32 1792      ADDL3  PHD$L_PTWSLEVAL(R5),R5,R3 :BASE ADR OF BYTE ARRAY OF COUNTS OF
      0A37 1793      :VALID WSLE'S IN EACH PAGE TABLE
52  52  0F  10  EE 0A37 1794      EXTV  #VAS$V_VPN+7,#VASS_VPN+1-7,R2,R2 :BITS 16:30 OF VA SIGN EXTENDED
      05  18 0A3C 1795      BGEQ  10$      :BRANCH IF PO SPACE
      53  0000'CF  C0 0A3E 1796      ADDL  W^SGN$GL_PTPAGCNT,R3      :END ADDRESS OF BYTE ARRAY
      6342  97 0A43 1797 10$:  DECB  (R3)[R2]      :ONE LESS VALID WSLE IN THIS PAGE TABLE
      03  18 0A46 1798      BGEQ  20$      :BRANCH IF PT STILL HAS OTHER VALID WSLE'S
      6E  A5  B7 0A48 1799      DECB  PHD$W_PTCNTVAL(R5)      :ONE LESS PT WITH VALID WSLE'S
      05  0A4B 1800 20$:  RSB

```

```
OA4C 1802 .SBTTL ININEWPFN - ALLOCATE AND INIT A NEW PFN
OA4C 1803 :++
OA4C 1804 : FUNCTIONAL DESCRIPTION:
OA4C 1805 :
OA4C 1806 : ALLOCATE A NEW PFN AND INITIALIZE THE PFN DATA BASE FOR IT
OA4C 1807 : AND MAKE A WORKING SET LIST ENTRY.
OA4C 1808 :
OA4C 1809 : CALLING SEQUENCE:
OA4C 1810 :
OA4C 1811 : BSBW MMG$ININEWPFN ;ALLOCATE AND INIT NEW PFN
OA4C 1812 :
OA4C 1813 : INPUT PARAMETERS:
OA4C 1814 :
OA4C 1815 : R2 = FAULT VA (LOW BITS = PAGTYP)
OA4C 1816 : R3 = SVAPTE (SLAVE IF GLOBAL)
OA4C 1817 : R4 = PCB ADDRESS (PROCESS IF GLOBAL)
OA4C 1818 : R5 = PROCESS HEADER ADDRESS (PROCESS IF GLOBAL)
OA4C 1819 :
OA4C 1820 : IMPLICIT INPUTS:
OA4C 1821 :
OA4C 1822 : NONE
OA4C 1823 :
OA4C 1824 : OUTPUT PARAMETERS:
OA4C 1825 :
OA4C 1826 : R0 = PFN, OR NEGATIVE IF NONE AVAILABLE
OA4C 1827 :
OA4C 1828 : IMPLICIT OUTPUTS:
OA4C 1829 :
OA4C 1830 : NONE
OA4C 1831 :
OA4C 1832 : COMPLETION CODES:
OA4C 1833 :
OA4C 1834 : NONE
OA4C 1835 :
OA4C 1836 : SIDE EFFECTS:
OA4C 1837 :
OA4C 1838 : NONE
OA4C 1839 :
OA4C 1840 :--
```

```

2C BA 0A4C 1842 ININEWPFNWAIT:
    05 0A4C 1843 POPR #*M<R2,R3,R5> ;RESTORE SAVED REGISTERS
    0A4E 1844 RSB ;AND RETURN NO FREE PAGES INDICATION
    0A4F 1845
    0A4F 1846 MMGSININEWPFN::
55 DD 0A4F 1847 PUSHL R5 ;SAVE PHD
53 DD 0A51 1848 PUSHL R3 ;SAVE SVAPTE
52 DD 0A53 1849 PUSHL R2 ;SAVE VA
FO 50 1F 30 0A55 1850 BSBW MMGSALLOCPFN ;ALLOCATE A NEW PFN
52 6E 7D 0A58 1851 BBS #31,R0,ININEWPFNWAIT ;BRANCH IF NONE AVAILABLE
02 52 03 01 EC 0A5C 1852 MOVQ (SP),R2 ;R2=VA, R3=SVAPTE
53 63 16 00 EF 0A64 1854 BLSS 40$ ;BRANCH IF NOT
53 0000'DF43 DE 0A66 1855 EXTZV #PTESV GPTX,#PTES GPTX,(R3),R3 ;GLOBAL PAGE TABLE INDEX
55 0000'DF DE 0A6B 1856 MOVAL @W^MMGSGL_GPTBASE[R3],R3 ;SVAPTE OF MASTER
03 52 1F EO 0A71 1857 MOVAL @W^MMGSGL_SYSPHD,R5 ;SYSTEM PROCESS HEADER ADR FOR GLOBAL
0000'DF40 007E 30 0A7A 1859 40$: BBS #VASV SYSTEM,R2,50$ ;DON'T COUNT PT REF FOR SYSTEM PAGE
52 52 1F 9C 0A83 1861 BSBW MMGSINCPREF ;LOCK PAGE TABLE ENTRY (NOT FOR SYSTEM)
0000'DF40 52 52 1F 8B 0A87 1863 50$: MOVL R3,@W^PFNSAL_PTE[R0] ;STORE PTE ADDRESS
52 52 1F 8B 0A83 1862 ROTL PFNSV PAGTYP-EQ 0 ;POSITION PAGE TYPE FIELD
0000'DF40 52 F8 8F 8B 0A87 1863 BICB3 #<32-@SL$V PAGTYP>,R2,R2 ;SET PAGE TYPE
2C BA 0A8F 1864 POPR #*M<R2,R3,R5> ;R2=VA, R3=SVAPTE, R5=PHD
    0A91 1865 ;
    0A91 1866 ; FALL THROUGH TO MMG$MAKEWSLE
    0A91 1867 ;
  
```



```

OAF5 1967 .SBTTL LOCKPGTB - LOCK PAGE TABLE
OAF5 1968 :++
OAF5 1969 : FUNCTIONAL DESCRIPTION:
OAF5 1970 :
OAF5 1971 : LOCKPGTB TAKES A VIRTUAL ADDRESS, REFERENCES AND
OAF5 1972 : LOCKS THE ASSOCIATED PAGE TABLE, AND RETURNS THE SYSTEM
OAF5 1973 : VIRTUAL ADDRESS OF THE PAGE TABLE ENTRY. IT IS CALLED
OAF5 1974 : WITH IPL = ASTDEL OR LOWER AND RETURNS WITH IPL = SYNCH.
OAF5 1975 :
OAF5 1976 : CALLING SEQUENCE:
OAF5 1977 :
OAF5 1978 : BSBW MMG$LOCKPGTB
OAF5 1979 :
OAF5 1980 : INPUT PARAMETERS:
OAF5 1981 :
OAF5 1982 : R2 = VIRTUAL ADDRESS
OAF5 1983 : R4 = PROCESS CONTROL BLOCK ADDRESS
OAF5 1984 : R5 = PROCESS HEADER ADDRESS (P1 SPACE IF PROCESS PCB,
OAF5 1985 : SYSTEM SPACE OF SYSTEM PCB)
OAF5 1986 : IPL = ASTDEL OR LOWER
OAF5 1987 :
OAF5 1988 : IMPLICIT INPUTS:
OAF5 1989 :
OAF5 1990 : NONE
OAF5 1991 :
OAF5 1992 : OUTPUT PARAMETERS:
OAF5 1993 :
OAF5 1994 : R2 PRESERVED
OAF5 1995 : R3 = SYSTEM VIRTUAL ADDRESS OF PAGE TABLE ENTRY
OAF5 1996 : IPL = SYNCH
OAF5 1997 :
OAF5 1998 : IMPLICIT OUTPUTS:
OAF5 1999 :
OAF5 2000 : PAGE TABLE LOCKED VIA INCPTREF
OAF5 2001 :
OAF5 2002 : COMPLETION CODES:
OAF5 2003 :
OAF5 2004 : NONE
OAF5 2005 :
OAF5 2006 : SIDE EFFECTS:
OAF5 2007 :
OAF5 2008 : NONE
OAF5 2009 :
OAF5 2010 : --
OAF5 2011 :
F508' 30 OAF5 2012 MMG$LOCKPGTB::
OAF5 2013 BSBW MMG$PTEREF ;REFERENCE PTE, GET SVAPTE
3A 50 E9 OAF8 2014 ;RETURNS AT IPL=SYNCH
OAF8 2015 BLBC RO,INCPTREFBUG ;BRANCH IF LENGTH VIOLATION
OAFB 2016 :
OAFB 2017 : FALL THROUGH TO MMG$INCPTREF
OAFB 2018 :

```

PA
Sy
WS
WS
WS
WS
WS
WS
WS
WS
WS
WS
WS
WS
PS
--
:
SA
S1
S4
Z3
Ph
--
In
Co
Pa
Sy
Pa
Sy
Ps
Cr
As
Th
15
Th
21
39

```
0AFB 2020 .SBTTL INCPTRF - INCREMENT PAGE TABLE REFERENCE COUNT
0AFB 2021 :++
0AFB 2022 : FUNCTIONAL DESCRIPTION:
0AFB 2023 :
0AFB 2024 : THIS ROUTINE ACCEPTS THE ADDRESS OF A PAGE TABLE ENTRY AND
0AFB 2025 : LOCKS THE ASSOCIATED PAGE TABLE INTO MEMORY. IT ALSO MAINTAINS THE
0AFB 2026 : COUNT OF SUCH LOCKED PAGE TABLES IN THE PROCESS HEADER VECTOR.
0AFB 2027 :
0AFB 2028 : CALLING SEQUENCE:
0AFB 2029 :
0AFB 2030 : BSBW MMG$INCPTRF
0AFB 2031 :
0AFB 2032 : INPUT PARAMETERS:
0AFB 2033 :
0AFB 2034 : R3 = SYSTEM VIRTUAL ADDRESS OF PAGE TABLE ENTRY (MASTER IF GLOBAL)
0AFB 2035 : R5 = PROCESS HEADER ADDRESS (SYSTEM IF GLOBAL)
0AFB 2036 :
0AFB 2037 : IMPLICIT INPUTS:
0AFB 2038 :
0AFB 2039 : NONE
0AFB 2040 :
0AFB 2041 : OUTPUT PARAMETERS:
0AFB 2042 :
0AFB 2043 : R0,R2,R3 PRESERVED
0AFB 2044 :
0AFB 2045 : IMPLICIT OUTPUTS:
0AFB 2046 :
0AFB 2047 : NONE
0AFB 2048 :
0AFB 2049 : COMPLETION CODES:
0AFB 2050 :
0AFB 2051 : NONE
0AFB 2052 :
0AFB 2053 : SIDE EFFECTS:
0AFB 2054 :
0AFB 2055 : NONE
0AFB 2056 :
0AFB 2057 :--
```

```

51 53 15 09 EF 0AFB 2059 MMGSINCPTRF::
                                EXTZV  #VASV_VPN,#VASS_VPN,R3,R1 ;GET PAGE NUMBER OF PT CONTAINING THIS PTE
                                OB00 2060
                                OB00 2061
                                OB00 2062 ***** WARNING ***** THE FOLLOWING DEPENDS ON GPTBASE = SPTBASE
                                OB00 2063
51 0000'DF41 D0 OB00 2064          MOVL  @W^MMG$GL_SPTBASE[R1],R1          ;PTE FOR PAGE TABLE
                                2D 18 OB06 2065          BGEQ  20$          ;DISASTER IF NOT VALID
51 51 15 00 EF OB08 2066          EXTZV  #PTESV PFN,#PTESS PFN,R1,R1 ;PAGE FRAME NUMBER
                                0000'CF 51 D1 OB0D 2067          CMPL  R1,W^MMG$GL_MAXPFN          ; IS THERE PFN DATABASE?
                                09 14 OB12 2068          BGTR  5$          ; NO, SKIP INCREMENT
                                OB14 2069          PFN_REFERENCE -
                                OB14 2070          ACBW  <#1,#1,@W^PFNS$ax_SHRCNT[R1],10$>,- ;INC SHRCNT, BRANCH IF FIRST
                                OB14 2071          LONG_OPCODE=ACBL,-
                                OB14 2072          IMAGE=SYS_NONPAGED
                                .SAVE PSECT LOCAL BLOCK
                                .PSECT Z$INIT$PFN_FIXUP_TABLE
                                .ADDRESS ...PFN
                                .BYTE OP$_ACBW
                                .BYTE OP$_ACBL
                                .RESTORE PSECT
0001 0000'DF41 01 01 3D OB14 2073 5$:          ACBW  #1,#1,@W^PFNS$ax_SHRCNT[R1],10$
                                05 OB1D 2073          RSB
                                OB1E 2074
                                OB1E 2075 : SHARE COUNT JUST WENT FROM 0 TO 1 INDICATING THAT THE FIRST ACTIVE
                                OB1E 2076 : PAGE TABLE ENTRY WAS JUST PLACED IN THE PAGE TABLE
                                OB1E 2077
                                OB1E 2078 : ASSUMPTION HERE IS THAT THIS ROUTINE IS NOT CALLED FOR SYSTEM PAGE TABLES
                                OB1E 2079 : THIS IS EITHER A PROCESS OR GLOBAL PAGE TABLE.
                                OB1E 2080
                                OB1E 2081 10$:
                                OB1E 2082          MOVZWL <@W^PFNS$ax_WSLX[R1],R1>,- ;WORKING SET LIST INDEX
                                OB1E 2083          LONG_OPCODE=MOVL,-
                                OB1E 2084          IMAGE=SYS_NONPAGED
                                .SAVE PSECT LOCAL BLOCK
                                .PSECT Z$INIT$PFN_FIXUP_TABLE
                                .ADDRESS ...PFN
                                .BYTE OP$_MOVZWL
                                .BYTE OP$_MOVL
                                .RESTORE PSECT
51 0000'DF41 3C OB1E          MOVZWL @W^PFNS$ax_WSLX[R1],R1
51 6541 20 C8 OB24 2085          BISL  #WSLSM_W$LOCK,(R5)[R1] ;SET WORKING SET LOCKDOWN BIT
51 70 A5 B6 OB28 2086          INCW  PHD$W_PTCNTACT(R5) ;ANOTHER ACTIVE PAGE TABLE
51 42 A5 3C OB2B 2087          MOVZWL PHD$W_PHVINDEX(R5),R1 ;PROCESS HEADER VECTOR INDEX
0000'DF41 B6 OB2F 2088          INCW  @W^PHV$GL_REF$CBAS[R1] ;COUNT ANOTHER PAGE TABLE LOCKED
                                05 OB34 2089          RSB
                                OB35 2090
                                OB35 2091 : PAGE TABLE PAGE WAS NOT VALID
                                OB35 2092
                                OB35 2093 20$:
                                OB35 2094 INCPTRFBUG:
                                OB35 2095          BUG_CHECK INCPTRF,FATAL ;PAGE TABLE NOT VALID
FEFF OB35          .WORD ^XFEFF
0004' OB37          .IIF IDN <FATAL>,<FATAL> .WORD BUG$ INCPTRF!4
                                OB39 2096          ;LENGTH VIOLATION FROM LOCKPGTB

```

```
0B39 2098 .SBTTL DECPTREF - DECREMENT PAGE TABLE REFERENCE COUNT
0B39 2099 :++
0B39 2100 : FUNCTIONAL DESCRIPTION:
0B39 2101 :
0B39 2102 : THIS ROUTINE DECREASES THE REFERENCE COUNT FOR THE PAGE TABLE
0B39 2103 : CONTAINING THE PAGE TABLE ENTRY ADDRESSED BY R3. IF THE RESULTING REFERENCE
0B39 2104 : COUNT INDICATES THAT NO MORE PAGE TABLE ENTRIES ARE IN USE, THE PROCESS
0B39 2105 : HEADER VECTOR REFERENCE COUNT IS DECREMENTED AS WELL INDICATING A
0B39 2106 : FREE PAGE TABLE
0B39 2107 :
0B39 2108 : CALLING SEQUENCE:
0B39 2109 :
0B39 2110 : BSBW MMG$DECPTREF
0B39 2111 :
0B39 2112 : INPUT PARAMETERS:
0B39 2113 :
0B39 2114 : R3 = SYSTEM VIRTUAL ADDRESS OF PAGE TABLE ENTRY
0B39 2115 :
0B39 2116 : IMPLICIT INPUTS:
0B39 2117 :
0B39 2118 : NONE
0B39 2119 :
0B39 2120 : OUTPUT PARAMETERS.
0B39 2121 :
0B39 2122 : R0,R2,R3 PRESERVED
0B39 2123 :
0B39 2124 : IMPLICIT OUTPUTS:
0B39 2125 :
0B39 2126 : NONE
0B39 2127 :
0B39 2128 : COMPLETION CODES:
0B39 2129 :
0B39 2130 : NONE
0B39 2131 :
0B39 2132 : SIDE EFFECTS:
0B39 2133 :
0B39 2134 : NONE
0B39 2135 :
0B39 2136 :--
```

```

C 9
51 53 15 09 EF 0B39 2138 MMG$DECPTRF::
51 51 0000'DF41 D0 0B39 2139 EXTZV #VASV VPN,#VASS VPN,R3,R1 ;INDEX TO SPT ENTRY FOR PAGE TABLE
56 18 0B44 2140 MOVL @W^MMG$GL_SPTBASE[R1],R1 ;PTE FOR PAGE TABLE
51 51 15 00 EF 0B46 2141 BGEQ 40$ ;BRANCH IF NOT VALID, ERROR
0000'CF 51 D1 0B4B 2142 EXTZV #PTESV PFN,#PTESS PFN,R1,R1 ;PAGE FRAME NUMBER FOR PAGE TABLE
49 14 0B50 2143 CMPL R1,W^MMG$GL_MAXPFN ;IS THERE PFN DATA BASE FOR THIS PAGE?
0B52 2144 BGTR 20$ ;NO, SKIP DECREMENT
0B52 2145 DECSHR PFN=R1,GTR=20$,- ;ONE LESS ACTIVE PTE IN THIS PT
0B52 2146 IMAGE_FLAG=SYS_NONPAGED
0000002A .SAVE PSECT LOCAL BLOCK
0000002A .PSECT Z$INIT$PFN_FIXUP_TABLE
0000002A .ADDRESS ...PFN
B7 002E .BYTE OP$-DECW
D7 002F .BYTE OP$-DECL
00000B52 .RESTORE PSECT
0000'DF41 B7 0B52 DECW @W^PFNSAx_SHRCNT[R1]
42 14 0B57 BGTR 20$
03 18 0B59 BGEQ 30022$
F4A2' 30 0B5B BSBW MMG$SHRCNTNEG
0B5E 30022$:
0B5E 2147 :
0B5E 2148 : SHARE COUNT JUST WENT TO 0, THIS PAGE TABLE IS NO LONGER REQUIRED
0B5E 2149 : TO REMAIN RESIDENT
0B5E 2150 : R1 = PFN FOR PAGE TABLE PAGE
0B5E 2151 :
50 DD 0B5E 2152 PUSHL R0 ;SAVE THIS REGISTER
0B60 2153 MOVZWL <@W^PFNSAx_WSLX[R1],R0>,- ;USE IT TO HOLD THE WORK NG SET LIST
0B60 2154 LONG_OPCODE=MOVL,-
0B60 2155 IMAGE=SYS_NONPAGED
0B60 2156 .SAVE PSECT LOCAL BLOCK
00000030 .PSECT Z$INIT$PFN_FIXUP_TABLE
00000030 .ADDRESS ...PFN
3C 0034 .BYTE OP$-MOVZWL
D0 0035 .BYTE OP$-MOVL
00000B60 .RESTORE PSECT
50 0000'DF41 3C 0B60 MOVZWL @W^PFNSAx_WSLX[R1],R0
51 0000'DF 51 53 DE 0B66 2157 MOVAL @W^MMG$GL_SYSPHD,R1 ;ADDRESS OF SYSTEM HEADER
51 20 D1 0B6B 2158 CMPL R3,R1 ;PTE ADR IN SYSTEM HEADER?
51 0000'CF 20 1E 0B6E 2159 BGEQU 10$ ;BRANCH IF YES, GLOBAL PAGE TABLE
51 51 0000'CF C3 0B70 2160 SUBL3 W^SWP$GL_BALBASE,R3,R1 ;ADR RELATIVE TO BEGIN OF BAL SET
51 51 F7 8F 78 0B7B 2161 DIVL W^SWP$GL_BSL0TSZ,R1 ;PROCESS HEADER INDEX
51 22 10 0B80 2162 ASHL #-9,R1,R1 ;DIVIDE BY PAGE SIZE
51 0000'CF C4 0B82 2163 BSBB MMG$DECPHDREF1 ;DECREMENT PROCESS HEADER REFERENCE COUNT
51 51 09 9C 0B87 2164 MULL W^SWP$GL_BSL0TSZ,R1 ;CONVERT PROCESS HEADER INDEX
51 0000'CF C0 0B88 2165 ROTL #9,R1,R1 ;MULL BY PAGE SIZE
6140 20 CA 0B90 2166 ADDL W^SWP$GL_BALBASE,R1 ;TO PROCESS HEADER ADDRESS
70 A1 B7 0B94 2167 10$: BICL #WSL$M_W$LOCK,(R1)[R0] ;SHUT OFF WORKING SET LOCK
03 19 0B97 2168 DECW PHD$W_PTCNTACT(R1) ;ONE LESS ACTIVE PAGE TABLE
01 BA 0B99 2169 BLSS 40$ ;BRANCH IF ERROR
05 0B9B 2170 POPR #^M<R0> ;RESTORE SAVED REGISTER
0B9C 2171 20$: RSB ;AND RETURN
0B9C 2172 :
0B9C 2173 : PAGE TABLE PTE NOT VALID, OR PAGE TABLE REFERENCE COUNT IS BAD
0B9C 2174 : OR PTCNTACT WENT NEGATIVE
0B9C 2175 :
0B9C 2176 40$: BUG_CHECK DECPTRF,FATAL ;ERROR IN DECPTRF

```

PAGEFAULT
V04-000

D 9
- TRANSLATION NOT VALID EXCEPTION HANDLE 16-SEP-1984 00:43:02 VAX/VMS Macro V04-00
DECPTREF - DECREMENT PAGE TABLE REFERENC 5-SEP-1984 03:45:49 [SYS.SRC]PAGEFAULT.MAR;1

Page 52
(25)

PAC
V04

FEFF 0B9C
0004' 0B9E

.WORD ^XFEFF
.IIF IDN <FATAL>,<FATAL> , .WORD

BUG\$_DECPTREF.4

```

OBA0 2178      .SBTTL  DECPHDREF - DECREMENT PROCESS HEADER REFERENCE COUNT
OBA0 2179      :++
OBA0 2180      : FUNCTIONAL DESCRIPTION:
OBA0 2181      :
OBA0 2182      :   DECPHDREF REDUCES THE PROCESS HEADER REFERENCE COUNT AND INFORMS
OBA0 2183      :   THE SWAPPER IF THE COUNT GOES TO ZERO. THIS COUNT IS RAISED ONCE
OBA0 2184      :   FOR EACH REASON THAT A GIVEN SPT ENTRY IS BUSY NOT COUNTING THE
OBA0 2185      :   WORKING SET LIST ENTRY REFERENCE. THE FOLLOWING ARE REASONS WHY
OBA0 2186      :   THE REFERENCE COUNT IS INCREASED FOR A GIVEN PAGE TABLE PAGE.
OBA0 2187      :       1. PLACED ON THE FREE OR MODIFIED LIST
OBA0 2188      :       2. READ OR WRITE IN PROGRESS
OBA0 2189      :       3. SHARE COUNT IS ABOVE 0, I.E. IT CONTAINS ACTIVE PTE'S
OBA0 2190      :   THE REFERENCE COUNT IS DECREASED UNDER THE FOLLOWING CONDITIONS:
OBA0 2191      :       1. SHARE COUNT DECREASED FROM 1 TO 0, I.E. LAST PTE GONE
OBA0 2192      :       2. READ OR WRITE COMPLETE
OBA0 2193      :       3. PAGE CONTENTS DELETED (DELCONPFN)
OBA0 2194      :       4. FAULTED OUT OF TRANSITION STATE
OBA0 2195      :
OBA0 2196      : CALLING SEQUENCE:
OBA0 2197      :
OBA0 2198      :   BSBW   MMG$DECPHDREF      ;R5 = PROCESS HEADER ADDRESS
OBA0 2199      :   BSBW   MMG$DECPHDREF1    ;R1 = PROCESS HEADER VECTOR INDEX
OBA0 2200      :
OBA0 2201      : INPUT PARAMETERS:
OBA0 2202      :
OBA0 2203      :   DECPHDREF
OBA0 2204      :       R5 = PROCESS HEADER ADDRESS FOR PAGE TABLE PAGE
OBA0 2205      :
OBA0 2206      :   DECPHDREF1
OBA0 2207      :       R1 = PROCESS HEADER VECTOR INDEX
OBA0 2208      :
OBA0 2209      : IMPLICIT INPUTS:
OBA0 2210      :
OBA0 2211      :   NONE
OBA0 2212      :
OBA0 2213      : OUTPUT PARAMETERS:
OBA0 2214      :
OBA0 2215      :   DECPHDREF
OBA0 2216      :       ONLY R1 ALTERED
OBA0 2217      :
OBA0 2218      :   DECPHDREF1
OBA0 2219      :       ALL REGISTERS PRESERVED
OBA0 2220      :
OBA0 2221      : IMPLICIT OUTPUTS:
OBA0 2222      :
OBA0 2223      :   NONE
OBA0 2224      :
OBA0 2225      : COMPLETION CODES:
OBA0 2226      :
OBA0 2227      :   NONE
OBA0 2228      :
OBA0 2229      : SIDE EFFECTS:
OBA0 2230      :
OBA0 2231      :   NONE
OBA0 2232      :
OBA0 2233      : --
OBA0 2234
  
```



```
51 42 A5 3C OBA0 2235 MMGSDECPHDREF::
OBA0 2236 MOVZWL PHDSW_PHVINDEX(R5),R1 ;PROCESS HEADER VECTOR INDEX
OBA4 2237 MMGSDECPHDREF1::
0000'DF41 B7 OBA4 2238 DECW @W^PHV$GL_REFCBAS[R1] ;COUNT ONE LESS REFERENCE
01 13 OBA9 2239 BEQL 10$ ;BRANCH IF THAT WAS THE LAST REFERENCE
05 OBAB 2240 RSB
F451' 31 OBAC 2241 10$: BRW SCH$SWPWAKE ;INFORM THE SWAPPER, HEADER MAY GO
OBAF 2242 ;AND RETURN TO THIS ROUTINE'S CALLER
```

```
OBAF 2244 .SBTTL INIBLDPKT - INIT FOR CALLING BUILDPKT
OBAF 2245 :++
OBAF 2246 : FUNCTIONAL DESCRIPTION:
OBAF 2247 :
OBAF 2248 :     THIS ROUTINE SETS UP R0-R2 FOR A SINGLE PAGE READ/WRITE
OBAF 2249 :     TO THE ADDRESS SPECIFIED BY THE BACKING STORE ADDRESS.
OBAF 2250 :
OBAF 2251 : CALLING SEQUENCE:
OBAF 2252 :
OBAF 2253 :     BSBW  MMG$INIBLDPKT
OBAF 2254 :
OBAF 2255 : INPUT PARAMETERS:
OBAF 2256 :
OBAF 2257 :     R2 = BACKING STORE ADDRESS
OBAF 2258 :     R3 = PAGE TABLE ENTRY ADDRESS (MASTER IF GLOBAL)
OBAF 2259 :     R5 = PROCESS HEADER ADDRESS (SYSTEM HEADER IF GLOBAL PAGE)
OBAF 2260 :     THIS IS ONLY USED FOR SECTION TYPE BACKING STORE ADDRESSES
OBAF 2261 :     IF THE BACKING STORE ADDRESS IN R2 IS KNOWN TO BE A
OBAF 2262 :     PAGING FILE ADDRESS, THEN IT SELF DESCRIBES AND THIS
OBAF 2263 :     PARAMETER IS IGNORED.
OBAF 2264 :
OBAF 2265 : IMPLICIT INPUTS:
OBAF 2266 :
OBAF 2267 :     NONE
OBAF 2268 :
OBAF 2269 : OUTPUT PARAMETERS:
OBAF 2270 :
OBAF 2271 :     R0 = VIRTUAL BLOCK NUMBER
OBAF 2272 :     R1 = SECTION OR PAGE FILE CONTROL BLOCK ADDRESS
OBAF 2273 :     R2 = WINDOW ADDRESS
OBAF 2274 :     R3 = PAGE TABLE ENTRY ADDRESS (PRESERVED)
OBAF 2275 :
OBAF 2276 : IMPLICIT OUTPUTS:
OBAF 2277 :
OBAF 2278 :     NONE
OBAF 2279 :
OBAF 2280 : COMPLETION CODES:
OBAF 2281 :
OBAF 2282 :     NONE
OBAF 2283 :
OBAF 2284 : SIDE EFFECTS:
OBAF 2285 :
OBAF 2286 :     NONE
OBAF 2287 :
OBAF 2288 :--
```

```

OBAF 2290 MMG$INIBLDPKT::
21 52 17 E0 OBAF 2291 BBS #PFNSV_GBLBAK,R2,10$ ;NOT AN I/O ADDRESS IF GBL BAK
21 52 16 E0 OBB3 2292 BBS #PTESV_TYPO,R2,20$ ;BRANCH IF SECTION ADDRESS
51 52 08 18 EF OBB7 2293 EXTZV #PFNSV_PGFLX,#PFNSS_PGFLX,R2,R1 ;PAGE FILE INDEX
51 51 0000'DF41 DO OBB0 2294 MOVL @W^MMG$GL_PAGSWPVC[R1],R1 ;PAGE FILE CONTROL BLOCK ADDRESS
50 52 16 00 EF OBC2 2295 EXTZV #PTESV_PGFLVB,#PTES$ _PGFLVB,R2,R0 ;PAGE FILE VBN
07 50 15 E1 OBC7 2296 BBC #PTESV_CHKPNT,R0,5$ ;SKIP NEXT CHECK IF BIT CLEAR
7E 1C A1 D2 OBCB 2297 MCOML PFL$ _MAXVBN(R1),-(SP) ;SEE IF BIT IS PART OF LARGE VBN OR
50 8E CA OBCF 2298 BICL2 (SP)+,R0 ;TURN IT OFF IF BIT REPRESENTS CHECKPOINT IN
24 12 OBD2 2299 5$: BNEQ 40$ ;BRANCH IF GOOD VBN
OBD4 2300
OBD4 2301 ; INVALID BACKING STORE ADDRESS FOR I/O
OBD4 2302
OBD4 2303 10$: BUG_CHECK IVBAKADIO,FATAL ;INVALID BACKING STORE ADR FOR I/O
FEFF OBD4 .WORD ^XFEFF
0004' OBD6 .IIF IDN <FATAL>,<FATAL> , .WORD BUG$_IVBAKADIO!4
OBD8 2304 ;
OBD8 2305 ; SECTION TABLE BACKING STORE ADDRESS
OBD8 2306
OBD8 2307 20$: CVTWL R2,R2 ;SECTION TABLE INDEX
51 55 20 A5 C1 OBD8 2308 ADDL3 PHD$ _PSTBASOFF(R5),R5,R1 ;SECTION TABLE BASE ADDRESS
51 6142 DE OBE0 2309 MOVAL (R1)[R2],R1 ;SECTION TABLE ENTRY ADDRESS
50 53 00C8 C5 C3 OBE4 2310 SUBL3 PHD$ _POBR(R5),R3,R0 ;BYTE OFFSET FROM BASE OF PAGE TABLE
50 50 FE 8F 78 OBEA 2311 ASHL #-2,R0,R0 ;LONG WORD INDEX FROM PAGTBL BASE
52 08 A1 16 00 EF OBEF 2312 EXTZV #SECSV_VPX,#SECSS_VPX,SEC$ _VPXPFC(R1),R2 ;VIRTUAL PAGE NUMBER
50 52 50 52 C2 OBF5 2313 SUBL R2,R0 ;RELATIVE PAGE IN SECTION
OBF8 2314 40$:
OBF8 2315 ASSUME SEC$ _VBN EQ PFL$ _VBN
OBF8 2316 ASSUME SEC$ _WINDOW EQ PF[ $ _WINDOW
OBF8 2317 ADDL SEC$ _VBN(R1),R0 ;FORM FILE VBN
50 10 A1 C0 OBF8 2318 MOVL SEC$ _WINDOW(R1),R2 ;FILE WINDOW
52 0C A1 D0 OBF8 2319 RSB
OC00 2320
OC01 2321
OC01 2321 .END

```

...PFN	= 00000860	R	03	FREPAGEWAIT1	00000398	R	03
ACVIOLAT	000006C3	R	03	FREPAGWAIT 5	000001B8	R	03
AST	00000010			FRE_GBLTRANS	000007C4	R	03
ASTPRM	00000014			GBL BAD	00000150	R	03
BADSYSPAG	00000004	R	03	GBLCRF	0000018F	R	03
BAK	00000024			GBLDZRO	000001CA	R	03
BIT...	= 00000003			GBLDZRO PGFL	00000146	R	03
BUGS_BADLCKWSLE	*****	X	03	GBLNOTRESIDENT	000001D9	R	03
BUGS_DECPTRF	*****	X	03	GBLVALID	00000130	R	03
BUGS_DELWSLEX	*****	X	03	GETPAGELOC	000000BA	R	03
BUGS_FREWSLX	*****	X	03	GET_IRP	000001A5	R	03
BUGS_INCPTRF	*****	X	03	GOT_IRP	00000222	R	03
BUGS_IVBAKADIO	*****	X	03	GPGTBL	0000000F	R	03
BUGS_MAKEWSLE	*****	X	03	GPTX	00000018		
BUGS_MFYNU PGFL	*****	X	03	GPTX_PTE	0000001C		
BUGS_PGFGBLBAD	*****	X	03	INC1	00000078		
BUGS_PGFIPLHI	*****	X	03	INC4	0000002C		
BUGS_PGFLCDBAD	*****	X	03	INC512	00000030		
BUGS_SCANDEADPT	*****	X	03	INCPTRFBUG	00000B35	R	03
BUGS_WSLENOVAL	*****	X	03	INCVALWSLECNT	00000ADB	R	03
BUGS_WSLVANVAL	*****	X	03	ININEWPFNWAIT	00000A4C	R	03
BUGS_WSSIZEERR	*****	X	03	IOCSGL_IRPFL	*****	X	03
CAS MEASURE	= 00000002			IPLS_ASTDEL	= 00000002		
CLUSTER	00000020			IPLS_SYNCH	= 00000008		
CLU_END	000004D9	R	03	IPLHI	= 00000000	R	03
CLU_END1	000003EB	R	03	IRPSB_PRI	= 00000023		
CLU_END_RESRC	000004F3	R	03	IRPSC_LENGTH	= 000000C4		
CLU_END_RESRC1	000004D7	R	03	IRPSL_AST	= 00000010		
CLU_INI_INC	00000400	R	03	IRPSL_ASTPRM	= 00000014		
CLU_NXT	0000040C	R	03	IRPSW_SIZE	= 00000008		
CLU_SCRATCH_SIZ	0000004C			IRPWAIT_3	00000196	R	03
COURT	00000021			LCKWSLE_NOTPGTB	00000867	R	03
CTLSGL_IWSPEAK	*****	X	03	LOCBAD	0000011E	R	03
CTLSGL_PHD	*****	X	03	MMGSALLOCPFN	*****	X	03
CTLSGL_WSPEAK	*****	X	03	MMGSALLOCSWPAREA	*****	X	03
DECVALWSLECNT	00000A32	R	03	MMGSAL_SYSPCB	*****	X	03
DIOCNTWAIT_2	000001A0	R	03	MMGSCRETV	*****	X	03
DIR...	= 00000001			MMGSDALCBAKSTORE	*****	X	03
DZROFPGWAIT 5	00000528	R	03	MMGSDECPHDFREF	00000BA0	RG	03
DZRO_GBL_SEC	00000532	R	03	MMGSDECPHDFREF1	00000BA4	RG	03
DZRO_PROG_SEC	000001C7	R	03	MMGSDECPTRF	00000B39	RG	03
DZRO_PTE	0000052E	R	03	MMGSDELWSLEPPG	00000A29	RG	03
DZRO_PTE 0	00000122	R	03	MMGSDELWSLEX	00000A05	RG	03
EXESACVIOLAT	*****	X	03	MMGSFREWSLE	0000087F	RG	03
EXESALONONPAGED	*****	X	03	MMGSFREWSLX	00000915	RG	03
EXESBUILDPKTR	*****	X	03	MMGSFRE_TRYSKIP	00000942	RG	03
EXESDEANONPAGED	*****	X	03	MMGSGB_FREWFLGS	*****	X	03
EXESGL_FLAGS	*****	X	03	MMGSGL_GPTBASE	*****	X	03
EXESPAGRDERR	*****	X	03	MMGSGL_MAXGPT	*****	X	03
EXESV_NOCLUSTER	*****	X	03	MMGSGL_MAXPFN	*****	X	03
EXESV_TBCHK	*****	X	03	MMGSGL_PAGSWPVC	*****	X	03
FLTCTE	00000018			MMGSGL_SPTBASE	*****	X	03
FLTPC	00000020			MMGSGL_SYSPHD	*****	X	03
FLTPSL	00000024			MMGSINCPTRF	00000AFB	RG	03
FLTVA	0000001C			MMGSINIBLDPKT	00000BAF	RG	03
FP_SAV	0000003C			MMGSININEWPFN	00000A4F	RG	03
FREPAGEWAIT	00000377	R	03	MMGSLOCKPGTB	00000AF5	RG	03

MMGSMKEWSLE
MMGSPAGEFAULT
MMGSPGFLTWAIT
MMGSPGFLTWAIT_1
MMGSPTEREF
MMGSRFCNTNEG
MMGSRELPFN
MMGSREMPFN
MMGSRESRCWAIT
MMGSRLPFNSAVPTE
MMGSSCNWSLX
MMGSSHRCNTNEG
MMGSSVAPTECHK
MMGSSVPCTX
MMGSV_NOWAIT
MMGSWSLEPFN
MPHSINVALIDHK
MPUSGL_WAITLIM
NOTGLOBAL
NOTTRANSITION
NOTSYSTEM
NULLPGFL_NOMFY
OPS_ACBL
OPS_ACBW
OPS_DECL
OPS_DECW
OPS_MOVL
OPS_MOVW
OPS_MOVZWL
POADDR
PCBSB_Prib
PCBSL_EFWM
PCBSL_PHD
PCBSL_WSSWP
PCBSW_DIOCNT
PCBSW_GPGCNT
PCBSW_MTXCNT
PCBSW_PPGCNT
PCBSW_STATE
PCB_SAV
PFLSB_PFC
PFLSL_MAXVBN
PFLSL_VBN
PFLSL_WINDOW
PFMSMON
PFNSAB_STATE
PFNSAB_TYPE
PFNSAL_BAK
PFNSAL_PTE
PFNSAW_REFCNT
PFNSAX_SHRCNT
PFNSAX_WSLX
PFNSC_ACTIVE
PFNSC_GBLWRT
PFNSC_GLOBAL
PFNSC_PGGBL
PFNSC_MFY PAGLST

00000A91 RG 03
00000070 RG 03
000003B7 RG 03
000003B2 R 03
***** X 03
***** X 03
***** X 03
***** X 03
0000039C RG 03
***** X 03
***** X 03
***** X 03
***** X 03
0000036E RG 03
***** X 03
000007B2 RG 03
0000093A RG 03
***** X 03
000001D0 R 03
00000154 R R 03
00000024 R R 03
00000959 R 03
= 000000F1
= 0000003D
= 000000D7
= 000000B7
= 000000D0
= 000000B0
= 0000003C
000000B4 R 03
= 0000002F
= 0000004C
= 0000006C
= 00000020
= 0000003E
= 00000034
= 0000000E
= 00000036
= 0000002C
00000040
= 0000000B
= 0000001C
= 00000010
= 0000000C
***** X 03
***** X 03
***** X 03
***** X 03
***** X 03
***** X 03
***** X 03
***** X 03
= 00000007
= 00000003
= 00000002
= 00000005
= 00000001

PFNSC_PGGBL = 00000004
PFNSC_PROCESS = 00000000
PFNSC_RDINPROG = 00000006
PFNSC_RELPEND = 00000003
PFNSC_SYSTEM = 00000001
PFNSM_BAK = 007FFFFFFF
PFNSM_DELCON = 00000010
PFNSM_GBLBAK = 00800000
PFNSM_LOC = 00000007
PFNSM_MODIFY = 00000080
PFNSM_PAGTYP = 00000007
PFNSS_BAK = 00000017
PFNSS_LOC = 00000003
PFNSS_PAGTYP = 00000003
PFNSS_PGFLX = 00000008
PFNSV_BAK = 00000000
PFNSV_COLLISION = 00000004
PFNSV_DELCON = 00000004
PFNSV_GBLBAK = 00000017
PFNSV_LOC = 00000000
PFNSV_MODIFY = 00000007
PFNSV_PAGTYP = 00000000
PFNSV_PGFLX = 00000018
PFNLIST = 0000060C R 03
PGFSV_LENVI0 = 00000000
PGFSV_PGTBFLT = 00000001
PGFSV_WRTACC = 00000002
PGFCOMPLETE = 00000606 R R 03
PGFEXIT = 00000369 R R 03
PGFMONITOR = 0000003D R R 03
PGFMONITOR1 = 000000A0 R 03
PHDSB_DFPFC = 00000034
PHDSB_PAGFIL = 0000001F
PHDSB_PGTBPF C = 00000035
PHDSL_POBR = 00000008
PHDSL_P1BR = 000000D0
PHDSL_PAGEFLTS = 0000004C
PHDSL_PAGFIL = 0000001C
PHDSL_PGFLTIO = 00000108
PHDSL_PSTBASOFF = 00000020
PHDSL_PTWSLEVAL = 00000068
PHDSV_IWSPEAKCK = 00000004
PHDSV_NOACCVIO = 00000003
PHDSV_PFMFLG = 00000000
PHDSV_WSPEAKCHK = 00000002
PHDSW_FLAGS = 00000036
PHDSW_PHVINDEX = 00000042
PHDSW_PTCNTACT = 00000070
PHDSW_PTCNTLCK = 0000006C
PHDSW_PTCNTVAL = 0000006E
PHDSW_SWAPSIZE = 00000052
PHDSW_WSAUTH = 0000000A
PHDSW_WSDYN = 0000000E
PHDSW_WSFLUID = 00000074
PHDSW_WSLAST = 00000012
PHDSW_WSLIST = 00000008
PHDSW_WSNEXT = 00000010

PHDSW_WSQUOTA	=	00000018		
PHDSW_WSSIZE	=	00000050		
PHVSGC_REFCBAS		*****	X	03
PHVREFCADR		00000048		
PMSSAL_TRANSFLT		00000018	RG	02
PMSSGL_DPTSCN		00000038	RG	02
PMSSGL_DZROFLTS		00000014	RG	02
PMSSGL_FAULTS		00000000	RG	02
PMSSGL_GVALID		0000003C	RG	02
PMSSGL_PREADIO		00000008	RG	02
PMSSGL_PREADS		00000004	RG	02
PMSSGL_PWRITES		0000000C	RG	02
PMSSGL_PWRITIO		00000010	RG	02
PMSSGL_RDFLTS		00000004	RG	02
PPGTBL		00000063	R	03
PPGTBL_2		0000012B	R	03
PRS_IPC	=	00000012		
PRS_TBCHK	=	0000003F		
PRS_TBIS	=	0000003A		
PRI	=	00000023		
PROCPAG		00000362	R	03
PRTSC_EW	=	00000005		
PSLSC_SUPER	=	00000002		
PSLSS_CURMOD	=	00000002		
PSLSS_IPL	=	00000005		
PSLSV_CURMOD	=	00000018		
PSLSV_IPL	=	00000010		
PTESC_KW	=	10000000		
PTESM_DZRO	=	00020000		
PTESM_GPTX	=	003FFFFFF		
PTESM_MODIFY	=	04000000		
PTESM_OWN	=	01800000		
PTESM_PFN	=	001FFFFFF		
PTESM_PGFLVB	=	003FFFFFF		
PTESM_PROT	=	78000000		
PTESM_TYPO	=	00400000		
PTESM_TYP1	=	04000000		
PTESM_VALID	=	80000000		
PTESS_GPTX	=	00000016		
PTESS_OWN	=	00000002		
PTESS_PFN	=	00000015		
PTESS_PGFLVB	=	00000016		
PTESV_CHKPNP	=	00000015		
PTESV_CRF	=	00000010		
PTESV_DZRO	=	00000011		
PTESV_GPTX	=	00000000		
PTESV_MODIFY	=	0000001A		
PTESV_OWN	=	00000017		
PTESV_PFN	=	00000000		
PTESV_PGFLVB	=	00000000		
PTESV_TYPO	=	00000016		
PTESV_TYP1	=	0000001A		
PTESV_VALID	=	0000001F		
PTEDAT		00000000		
QUEUE_PAGE_READ		0000033E	R	03
READERR		0000065B	R	03
READINPROG		00000382	R	03

RELEASEPEND		0000060F	R	03
RESOURCEWAIT		0000037E	R	03
RSNS_ASTWAIT	=	00000001		
RSNS_MPLEMPTY	=	0000000B		
RSNS_MPWBUSY	=	0000000C		
RSNS_MPDYNMEM	=	00000003		
RSNS_SWPFILE	=	0000000A		
RSRCWAIT_3		00000125	R	03
SAVABS...	=	0000004C		
SCANDEADPT		000006D6	R	03
SCH\$GL_CURPCB		*****	X	03
SCH\$GL_FREECNT		*****	X	03
SCH\$GL_GROWLIM		*****	X	03
SCH\$GL_MFYCNT		*****	X	03
SCH\$GL_MFYLIM		*****	X	03
SCH\$GL_MFYLOLIM		*****	X	03
SCH\$GL_RESMASK		*****	X	03
SCH\$GQ_COLPGWQ		*****	X	03
SCH\$GQ_FPGWQ		*****	X	03
SCH\$GQ_MWAIT		*****	X	03
SCH\$GQ_PFWQ		*****	X	03
SCH\$SWPWAKE		*****	X	03
SCH\$WAITM		*****	X	03
SECSB_PFC	=	0000000B		
SECSL_VBN	=	00000010		
SECSL_VPXPFC	=	00000008		
SECSL_WINDOW	=	0000000C		
SECSS_VPX	=	00000016		
SECSV_VPX	=	00000000		
SETSLAVEPTE		00000642	R	03
SGN\$GL_BALSETCT		*****	X	03
SGN\$GL_PTPAGCNT		*****	X	03
SGN\$GW_WSLMXSKP		*****	X	03
SIZ...	=	00000001		
SIZE_TYPE		00000008		
SS\$ NORMAL	=	00000001		
STATE		00000022		
SVAPTE		00000004		
SWP\$GL_BALBASE		*****	X	03
SWP\$GL_BSLOTSZ		*****	X	03
SWP\$GW_SWPINC		*****	X	03
SYSTEMSPACE		00000042	R	03
TMP...	=	00000001		
TRANSITION		000000FF	R	03
TRY_TO_CLUSTER		000003C3	R	03
VA		0000000C		
VASM_BYTE	=	000001FF		
VASS_VPN	=	00000015		
VASV_P1	=	0000001E		
VASV_SYSTEM	=	0000001F		
VASV_VPN	=	00000009		
VALID		000000B1	R	03
VBN		00000034		
WINDOW		00000038		
WQHSW_WQCNT	=	00000008		
WQHSW_WQSTATE	=	0000000A		
WRITEINPROG		0000060F	R	03

PAGEFAULT
Symbol table

- TRANSLATION NOT VALID EXCEPTION HANDLE L 9 16-SEP-1984 00:43:02 VAX/VMS Macro V04-00
5-SEP-1984 03:45:49 [SYS.SRC]PAGEFAULT.MAR;1

Page 60
(28)

WSL\$C_GLOBAL	=	00000004		
WSL\$C_GPGTBL	=	0000000A		
WSL\$C_PPGTBL	=	00000008		
WSL\$C_SYSTEM	=	00000002		
WSL\$M_PAGTYP	=	0000000E		
WSL\$M_VALID	=	00000001		
WSL\$M_WSLOCK	=	00000020		
WSL\$S_PAGTYP	=	00000003		
WSL\$V_PAGTYP	=	00000001		
WSL\$V_VALID	=	00000000		
WSL\$V_WSLOCK	=	00000005		
WSLENOVAL		0000086F	R	03
WSLEPFNMSK		000007AE	R	03
WSLVANVAL		000007DA	R	03
WSSIZEERR		0000086B	R	03

+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes												
. ABS .	00000000 (0.)	00 (0.)	NOPIC USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE			
\$ABSS	0000004C (76.)	01 (1.)	NOPIC USR	CON	ABS	LCL	NOSHR	EXE	RD	WRT	NOVEC	BYTE			
\$\$\$210	00000040 (64.)	02 (2.)	NOPIC USR	CON	REL	LCL	NOSHR	EXE	RD	WRT	NOVEC	LONG			
\$MMG\$COD	00000C01 (3073.)	03 (3.)	NOPIC USR	CON	REL	LCL	NOSHR	EXE	RD	WRT	NOVEC	LONG			
Z\$INIT\$PFN_FIXUP_TABLE	00000036 (54.)	04 (4.)	NOPIC USR	CON	REL	LCL	NOSHR	EXE	RD	WRT	NOVEC	BYTE			

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	31	00:00:00.05	00:00:02.27
Command processing	121	00:00:00.51	00:00:07.06
Pass 1	571	00:00:21.08	00:01:14.69
Symbol table sort	0	00:00:02.88	00:00:08.42
Pass 2	414	00:00:06.48	00:00:21.46
Symbol table output	1	00:00:00.24	00:00:00.83
Psect synopsis output	0	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	1140	00:00:31.26	00:01:54.75

The working set limit was 2100 pages.
 152632 bytes (299 pages) of virtual memory were used to buffer the intermediate code.
 There were 100 pages of symbol table space allocated to hold 1753 non-local and 129 local symbols.
 2321 source lines were read in Pass 1, producing 32 object records in Pass 2.
 39 pages of virtual memory were used to define 36 macros.

PA
VO

2D
61
6C
64
6E

50
67
65
73
67
65

↑-----↑
! Macro library statistics !
↑-----↑

Macro library name	Macros defined
-----	-----
_\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	20
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	13
TOTALS (all libraries)	33

1851 GETS were required to define 33 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LISS:PAGEFAULT/OBJ=OBJ\$:PAGEFAULT MSRCS:PAGEFAULT/UPDATE=(ENHS:PAGEFAULT)+EXECMLS/LIB

0378 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

